



THE NEW YORK PUBLIC LIBRARY REFERENCE DEPARTMENT

This book is under no circumstances to be taken from the Building

· 40 22		
A= 21, 12		
* OCT - 5 17	= -	
		-
		_
	_ = -	
		-
-		
		-
<u> </u>		_
form 410		

Digitized by the Internet Archive in 2008 with funding from Microsoft Corporation





30 Nov 1912

NORTH CAROLINA GEOLOGICAL AND ECONOMIC SURVEY

JOSEPH HYDE PRATT, STATE GEOLOGIST

BULLETIN NO. 18

BIBLIOGRAPHY OF NORTH CAROLINA GEOLOGY, MINERALOGY AND GEOGRAPHY

WITH A LIST OF MAPS

BY

FRANCIS BAKER LANEY, PH. D.

Assistant Curator of Geology in the U. S. National Museum

AND

KATHARINE HILL WOOD



RALEIGH
E. M. UZZELL & Co., STATE PRINTERS AND BINDERS
1909



NORTH CAROLINA GEOLOGICAL AND ECONOMIC SURVEY

JOSEPH HYDE PRATT, STATE GEOLOGIST

BULLETIN NO. 18

BIBLIOGRAPHY OF NORTH CAROLINA GEOLOGY, MINERALOGY AND GEOGRAPHY

WITH A LIST OF MAPS

BY

FRANCIS BAKER LANEY, Ph. D.

Assistant Curator of Geology in the U. S. National Museum

KATHARINE HILL WOOD



RALEIGH
E. M. Uzzell & Co., State Printers and Binders
1909





GEOLOGICAL BOARD

Governor W. W. Kitchin, ex officio Chairman	Raleigh.
Frank R. Hewitt	Asheville.
Hugh MacRae	Wilmington
R. D. CALDWELL	Lumberton.
C. S. VANN	Edenton.
JOSEPH HYDE PRATT. STATE GEOLOGIST	Chapel Hill.



LETTER OF TRANSMITTAL

CHAPEL HILL, N. C., September 1, 1909.

To His Excellency, Hon. W. W. KITCHIN,

Governor of North Carolina.

Sir.—I have the honor to submit for publication as Bulletin 18 of the reports of the North Carolina Geological and Economic Survey, a bibliography of North Carolina Geology, Mineralogy, and Geography, with a list of maps which has been prepared by Dr. Francis B. Laney, Assistant Curator of Geology, United States National Museum, and Miss Katharine Hill Wood, under the supervision of the State Geologist.

This Bulletin, by giving references to practically all articles published relating to the subjects mentioned above, will be of very great assistance to all students and investigators who are working on these or allied subjects.

Yours very respectfully,

JOSEPH HYDE PRATT,

State Geologist.



INTRODUCTION

The following bibliography relating to North Carolina geology, mineralogy, geography and allied subjects, as paleontology, meteorology, petrology, etc., has been made just as complete as possible, although there are undoubtedly certain references left out that should be included. Over 200 periodicals have been examined, and in most cases complete files of these have been available. This list is given at the end of the bibliography, and those where complete files were not available are marked with an asterisk.

Some articles relating to the subjects included in this bibliography were published privately, and certain of these have probably been omitted, as no record of them could be found in the libraries examined.

The following libraries were visited: Yale University Library, New Haven, Connecticut; Library of Congress, United States Geological Survey, U. S. National Museum, Coast and Geodetic Survey, Department of Agriculture, and War Department Libraries, Washington, D. C.; Johns Hopkins University and Peabody Institute Libraries, Baltimore, Md.; Virginia State Library, Richmond, Virginia; North Carolina State Library, Raleigh, North Carolina; the North Carolina Geological and Economic Survey, the University of North Carolina and the Kemp P. Battle Libraries, Chapel Hill, N. C.; Library of Stephen B. Weeks, of Trinity and Greensboro, North Carolina. To the librarians of all these libraries and to Mr. Stephen B. Weeks, the Geological Survey wishes to extend its sincere thanks for the many courtesies and personal assistance that was extended to those who were looking up the references.

In the preparation of this bibliography the authors have been assisted by Miss Alice A. Wood, formerly of Yale University Library, and Professor L. C. Glenn, of Vanderbilt University, Nashville, Tennessee, to whom acknowledgments are due.

The Bulletin is divided into two parts; part one containing the bibliography, and part two containing a list of maps relating to North Carolina.

Any one making use of this bibliography who finds any errors in the references, or who knows of articles not included in the bibliography, will confer a favor upon the North Carolina Geological and Economic Survey if they will note these errors and omissions, and send notice of same to the State Geologist.

Joseph Hyde Pratt, State Geologist.

PART I

BIBLIOGRAPHY OF NORTH CAROLINA GEOLOGY, MINERALOGY AND GEOGRAPHY

BY

FRANCIS BAKER LANEY, Ph. D.

Assistant Curator of Geology in the U. S. National Museum

KATHARINE HILL WOOD



PART I

BIBLIOGRAPHY OF NORTH CAROLINA GEOLOGY, MINERALOGY AND GEOGRAPHY


BY

FRANCIS BAKER LANEY AND KATHARINE HILL WOOD

1. Abbe, Cleveland Jr. Remarks on the cuspate capes on the Carolina coast. Bost. Soc. Nat. Hist., Proc., v. 26 (1895): 489-497. Discusses form of coast and origin of capes Hatteras, Lookout and Fear. 2. Abbot, Frederick V. Improvement of Lumber river, North and South Carolina. (In Chief of Eng. Rept., 1891, pt. 2. Appendix M 2, pp. 1445-1447.) - (In Chief of Eng. Rept., 1892, pt. 2. Appendix M 2, pp. 1199-1201.) - (In Chief of Eng. Rept., 1893, pt. 2. Appendix M 2. pp. 1468-1471.) —— (In Chief of Eng. Rept., 1894, pt. 2. Appendix M 2, pp. 1071-1074.) (In Chief of Eng. Rept., 1895, pt. 2. Appendix L 2, pp. 1395-1398.) Yearly reports of progress. 3. — Improvement of Waccamaw river, North and South Carolina. (In Chief of Eng. Rept., 1890, pt. 2. Appendix N 14, pp. 1229-1233.) - (In Chief of Eng. Rept., 1892, pt. 2. Appendix M 1, pp. 1195-1198.) ____ (In Chief of Eng. Rept., 1893, pt. 2. Appendix M 1, pp. 1464-1468.)

	—— (In Chief of Eng. Rept., 1894, pt. 2. Appendix M 1, pp. 1067-1071.)
	——————————————————————————————————————
	1391-1395.)
	——— (In Chief of Eng. Rept., 1896, pt. 2. Appendix L 1, pp. 1151-1155.)
	Yearly reports of progress.
4.	River and harbor improvements in North Carolina in 1905.
	(In Chief of Eng. Rept., 1905, pt. 1. Wash., 1905. pp. 231-254.)
5.	ABERT, S _[YLVANUS] T _[HAYER] .
	Examination of Catawba river from the South Carolina line
	to Old Fort, North Carolina.
	(In Chief of Eng. Rept., 1876, pt. 1 Appendix G 16, pp. 367-376.)
	—— (In U. S. 44th Cong., 1st Sess., 1876. House Ex. Doc. No. 94, pp. 13-22.)
	General description of Catawba river. Notes on topography and geology of the country, with table of levels and distances. Mentions deposits of iron ore in Gaston, Lincoln and Catawba counties.
6.	Examination of Neuse river from its mouth to Goldsborough,
	North Carolina.
	(In Chief of Eng. Rept., 1876, pt. 1. Appendix G 15, pp.
	363-367.)
	—— (In U. S. 44th Cong., 1st Sess., 1876. House Ex. Doc. No. 94, pp. 9-13.)
7.	Examination of Pamlico river from its mouth to the town of
	Washington, North Carolina.
	(In Chief of Eng. Rept., 1876, pt. 1. Appendix G 14, pp.
	361-363.)
	—— (In U. S. 44th Cong., 1st Sess., 1876. House Ex. Doc. No. 94, pp. 8-9.)
8.	
	Elizabeth City, North Carolina.
	(In Chief of Eng. Rept., 1876, pt. 1. Appendix G 12, p. 360.)
	——— (In U. S. 44th Cong., 1st Sess., 1876. House Ex. Doc. No.
9.	94, pp. 6-7.) Examination of Perquimans river from its mouth to the
•	town of Hertford, North Carolina.
	(In Chief of Eng. Rept., 1876, pt. 1. Appendix G 13, p. 361.)
	—— (In U. S. 44th Cong., 1st Sess., 1876. House Ex. Doc. No. 94,
10	p. 7.)
10.	Examination of the harbor at Edenton, North Carolina. (In Chief of Eng. Rept., 1876, pt. 1. Appendix G 11, pp.
	358-360.)
	—— (In U. S. 44th Cong., 1st Sess., 1876. House Ex. Doc. No. 94,
	pp. 5-6.)

11.	Improvement of Dan river, Virginia and North Carolina.
	(In Chief of Eng. Rept., 1881, pt. 1. Appendix H 15, pp.
	977-978.)
	——————————————————————————————————————
	1053-1059.) ————————————————————————————————————
	830.)
	——————————————————————————————————————
	1000-1001.)
	(In Chief of Eng. Rept., 1885, pt. 2. Appendix K 15, pp.
	993-995.)
	———— (In Chief of Eng. Rept., 1886, pt. 2. Appendix J 15, pp.
	925-927.)
	——————————————————————————————————————
	(In Chief of Eng. Rept., 1888, pt. 2. Appendix K 14, pp.
	838-840.)
	(In Chief of Eng. Rept., 1889, pt. 2. Appendix L 13, pp.
	1023-1024.)
	Yearly reports of progress.
12.	—— Improvement of French Broad river, North Carolina.
	(In Chief of Eng. Rept., 1878, pt. 1. Appendix G 13, pp.
	522-538.)
	—— (In Chief of Eng. Rept., 1879, pt. 1. Appendix G 17, pp.
	648-649.) ————————————————————————————————————
	791-793.)
	(In Chief of Eng. Rept., 1881, pt. 1. Appendix H 16, pp.
	978-980.)
	——— (In Chief of Eng. Rept., 1883, pt. 1. Appendix J 16, pp.
	832-836.)
	——————————————————————————————————————
	1002-1003.)
	——— (In Chief of Eng. Rept., 1885, pt. 2. Appendix K 17, pp. 997-999.)
	Briefly outlines history of river improvement.
	Yearly reports of progress.
13.	—— Improvement of Pamlico river, North Carolina.
	(In Chief of Eng. Rept., 1878, pt. 1. Appendix G 16, pp.
	540-541.)
	(In Chief of Eng. Rept., 1879, pt. 1. Appendix G 18, pp.
	649-652.) Reports of progress.
14	—— Improvement of Perquimans river, North Carolina.
AT.	(In Chief of Eng. Rept., 1877, pt. 1. Appendix G 12, pp.
	367-368.)
	(In Chief of Eng. Rept., 1878, pt. 1. Appendix G 14, pp.
	538-539.)



— U. S. 44th Cong., 1st Sess., 1876. Sen. Ex. Doc. No. 35. 57 pp.

Review: Am. Jour. Sci., Ser. III, v. 12 (1876): 149.

Notice: Geol. Record, 1876, p. 127.

Description of physical features of country, history of changes in the coast lines and inlets since Raleigh's voyages, and detailed account of former surveys, including report made by James Kearney in 1838. Map.

21. — Survey of Dan river between Danbury, North Carolina, and Danbury, Virginia.

(In Chief of Eng. Rept., 1879, pt. 1. Appendix G 19, pp. 652-672.)

Describes character and resources of the region. Includes extracts from report of S. W. Evans, and from "Mineral resources of North Carolina," by F. A. Genth, which describe mineral resources of the district.

22. [Account of storm in North Carolina on Sept. 20-24, 1761.]

London Mag., v. 30 (1761): 673.

Notice: Chief of Eng. Rept., 1873, p. 805.

States that the storm opened a new channel between Cedar House and the Bald-head—the origin of New inlet.

23. Acheson, Edward Groodrich.

Corundum of North Carolina in 1897.1

Mineral Industry, v. 6 (1897): 14.

Notes on corundum mining industry in 1897, describing the Corundum Hill mine at Cullasagee, Macon county.

24. Adger, John Blailer?

Analysis of a compact tale from North Carolina.

Chem. News, v. 25, No. 654 (1872): 270-271.

----- Am. Jour. Sci., Ser. III, v. 4 (1872): 419.

Abstract by J_{[0}hn_] W_[atts]: Chem. Soc. (London) Jour., v. 25, (1872): 681.

Description and analysis of soapstone from the Nantahala mountains, Swain county.

25. Albemarle and Chesapeake Canal.

DeBow's Review, v. 24 (1858): 536-541.

Geographical notes on coast discussing advantages to be gained by a canal connecting Currituck sound with Albemarle and Pamlico sounds.

26. Albemarle Sound and Atlantic Ocean.

Report of Committee on Commerce in relation to cutting a canal between Albemarle sound and the Atlantic Ocean.

U. S. 27th Cong., 2d Sess., 1842. Rept. of Com., v. 4, No. 891. 29 pp.

Contains report of Walter Guynn on practicability of reopening Roanoke inlet.

ALLEN, E_[UGENE] T_[HOMAS].

The isomorphism and thermal properties of the feldspars.

See Day and Allen, No. 467.

ALLEN, NETTIE M.

North Carolina. (Supplementary volume to Tarr & Mc-Murry geographies.)

See Foust and Allen, No. 597.

27. ALLEN, O[SCAR] D[ANA].

Chemical constitution of hatchettolite and samarskite from Mitchell county, North Carolina.

Am. Jour. Sci., Ser. III, v. 14 (1877): 128-131.

Abstract by F. D. B_[rown]: Chem. Soc. (London) Jour., v. 34 (1878): 206-207.

Abstract by E. S. Dana: Zts. f. Kryst. u. Min., v. 1 (1877): 502-503.

Description and analyses of these minerals.

28. ALVORD, BENJAMIN.

Recent earthquakes in North Carolina.

Phil. Soc. Wash., Bull., v. 1 (1874): 101-102.

Description of earthquake phenomena in the Blue Ridge, which commenced Feb. 10, and continued until March 19, 1874.

29. American agricultural and mineral land company. Letters and reports on western North Carolina. New York, G. E. Sears, 1868. 22 pp. 22 cm.

Contains brief communications from T. L. Clingman and W. C. Kerr, on general and mineral resources; from A. Guyot on the mountain region; and from W. H. Letterman on agricultural advantages.

30. The American prospecting and mining company. Reports upon the property. New York, 1899. 40 pp. 27 cm.

Contains description of general features of Macon county, geology, veins, and mining developments and water supply; reports on property by W. E. Hidden and C. Barrington Brown; "A new mode of occurrence of the ruby," by J. W. Judd and W. E. Hidden. See under authors.

31. Andresen, Thomas F.

Report on the Caldeleugh gold mining property, situated in Davidson county, North Carolina. Greensboro, N. C., 1894. 20 pp. 12 cm.

Describes physical and geological features of this property, veins and ores.

32. Ardrey, W. E.

Production of precious metals in North Carolina.

(In U. S. Mint, Prod. of precious metals in U. S. in 1893. Wash., 1894. pp. 105-106.)

—— (In U. S. Mint, Prod. of precious metals in U. S. in 1894. Wash., 1895. pp. 94-96.)

—— (In U. S. Mint, Prod. of precious metals in U. S. in 1895. Wash., 1896. pp. 97-101.)

—— —— (In U. S. Mint, Prod. of precious metals in U. S. in 1896.

Wash., 1897. pp. 182-183.)

Yearly reports of production.

33. ARGALL, PHILIP.

[Nickel from North Carolina.]

Col. Sci. Soc., Proc., v. 4 (1893): 414-415.

Contains notes on nickel silicate from Webster. Quotes J. S. Diller and S. H. Emmens concerning the nickel deposits.

34. Armstrong, S. C.

Coal in North Carolina.

(In U. S. Geol. Survey, Min. Res., 1883-1884. Wash., 1885. p. 59.)

Describes deposits of coal in Stokes county which have never been mined, and gives two analyses by F. A. Genth.

ARRINGTON, ARTHUR.

Sketch of the history and resources of Franklin county...

See Green, Davis, and Arrington, No. 681.

35. ASBURY, STAMUEL: E.

Analyses of iron ores.

(In North Carolina, Commissioner of Agric., Rept., 1902.
 Raleigh, Edwards & Broughton, 1903. 23 cm. pp. 58-60.)
 List of 73 analyses.

36. ASHBURNER, C₁HARLES₁ A₁LBERT₁.

Coal [in North Carolina in 1885].

(In U. S. Geol. Survey, Min. Res., 1885. Wash., 1886. pp. 41-43.)

Describes Deep River coal beds in Chatham county, and gives analyses by State chemist.

36a. — Coal in North Carolina in 18871.

(In U. S. Geol. Survey, Min. Res., 1887. Wash., 1888. pp. 279-281.)

Describes triassic coal beds on Deep and Dan rivers, and gives account of explorations conducted by H. B. Robson in the Dan River field.

37. ASHBURY, DANIEL.

Gold mines at Gold Hill, Rowan county, North Carolina.

Min. Mag., Ser. I, v. 1 (1853): 69; 411-412.

Describes gold and copper mines at Gold Hill at this date, and gives statistics of production.

Ashe, W[ILLIAM] W[ILLARD].

Forests and forest conditions in the southern Appalachians. See Ayres and Ashe, No. 43.

38. — Notes on the forest resources of North Carolina.

Elis. Mit. Sci. Soc., Jour., v. 10 (1893): 5-25.

Contains notes on topographic features of the Coastal Plain, Piedmont and western sections.

39. — Report on an examination of certain swamp lands belonging to the State.

(In N. C. Geol. Survey, Biennial report of State Geologist for 1905-1906. 24 cm. pp. 40-50.

Describes swamp lands located in Coastal Plain district in Pender, Duplin, Carteret and Craven counties.

— The southern Appalachian forests.

See Ayres and Ashe, No. 44.

40. — Terracing of farm lands.

N. C. Geol. & Econ. Survey, Bull. 17. Raleigh, E. M. Uzzell & Co., 1908. 38 pp. 26 cm.

Describes general characteristics and values of the soils of the Piedmont region of the state, the processes and effects of erosion as regards the soils, and the beneficial effects of terracing.

41. ASHMORE, SIDNEY.

Report of the Silver Hill mining company, Silver Hill, North Carolina, 1860. New York, 1860. 7 pp. 22½ cm.

Account of the Silver Hill mine, résumé of property belonging to the company, statistics as to output and value of ores.

42. Assay office, gold districts—North Carolina.

U. S. 21st Cong., 2d Sess. Repts. of Committees. Rept. No. 82. Wash., 1831. 29 pp.

U. S. 22d Cong., 1st Sess. Repts. of Committees, v. 1.
Rept. No. 39. Wash., 1831. 29 pp.

Contains report from select committee (Gideon Glenn, chairman), advising establishment of a branch mint in North Carolina; letters from Charles Fisher, Salisbury; A. Blanding, J. H. Bissell. Charlotte; and I. T. Avery, Burke county, describing gold districts and general conditions.

U. S. 23d Cong., 1st Sess. Repts. of Committees, v. 3. Rept. No. 391. Wash., 1834. 13 pp.

Report advising establishment of a branch mint in gold region of the state.

43. Ayres, H_[ORACE] B_[EEMER] and Ashe, W_[ILLIAM] W_[ILLIAM].

Forests and forest conditions in the southern Appalachians.

(Appendix a to Roosevelt, T. Message from the President transmitting a report of the Secretary of Agriculture in relation to the forests, rivers and mountains of the southern Appalachian region. U. S. 57th Cong., 1st Sess. Sen. Ex. Doc. 84. Wash., 1902. pp. 45-110.)

Describes general topography of the western North Carolina Appalachian region, the forests, mountains, river basins, and general agricultural conditions in detail.

44. — The Southern Appalachian forests.

U. S. Geol. Survey, Prof. Paper No. 37. Wash., 1905. 291 pp. Illus. Maps. 30 cm.

Description of geographic and topographic features of the mountain region. Describes natural resources and drainage basins of the following rivers: New, Holston, Watauga. Nollchucky, Frenchbroad, Pigeon, Little Tennessee, Hiwassee, Catawba, and Yadkin.

45. AYRES, STEPHEN.

A description of the region in North Carolina where gold has been found.

Med. Repos., v. 10 (1807): 148-151.

Contains account of Reed's gold mine in Cabarrus county, mining methods, and of the supposed artificial wall near Salisbury.

AYRS, O. L.

Soil survey of the Greenville area, Tennessee-North Carolina.


See Mooney and Ayrs, No. 1250.

4 6.	BACHE, A _[I	EXANDER ₁	$\mathrm{D}_{\mathtt{[ALI]}}$	AS ₁ .					
	[Coast	t survey op	eratio	as in No	rth Ca	arolina	١.,		
		(In U. S. 25-26.)	Coast	Survey,	Rept.	1845.	Wash.,	1846.	pp.
		(In U. S. 25-27.)	Coast	Survey,	Rept.	1846.	Wash.,	1847.	pp.
	——	(In U. S. 34-37.)	Coast	Survey,	Rept.	1847.	Wash.,	1848.	pp.
		(In U. S. 9; 12;		Survey,	Rept.	1848.	Wash.,	1849.	pp.
		(In U. S. 6; 11; 3	Coast	Survey,	Rept.	1849.	Wash.,	1850.	pp.
	———	(In U. S. 10; 28-3	Coast	Survey,	Rept.	1850.	Wash.,	1851.	pp.
	———	(In U. S. 20; 55-6	Coast	Survey,	Rept.	1851.	Wash.,	1852.	pp.
		(In U. S. 9; 31-34	Coast	Survey,	Rept.	1852.	Wash.,	1853.	pp.
		(In U. S. 19; 52-5	Coast	Survey,	Rept.	1853.	Wash.,	1854.	pp.
		(In U. S. 20; 49-5	Coast	Survey,	Rept.	1854.	Wash.,	1855.	pp.
		(In U. S. 27-28; 5	Coast	Survey,	Rept.	1855.	Wash.,	1856.	pp.
		(In U. S. 21-22; 4	Coast		Rept.	1856.	Wash.,	1857.	pp.
		(In U. S. 9; 59-65	Coast	Survey,	Rept.	1857.	Wash.,	1858.	pp.
		(In U. S.	Coast			1858.	Wash.,	1859.	pp.
		(In U. S. 8; 57-63	Coast	Survey,		1859.	Wash.,	1860.	pp.
		(In U. S. 5; 52-56	Coast		Rept.	1860.	Wash.,	1861.	pp.
		(In U. S. 5; 42-45	Coast	Survey,	Rept.	1861.	Wash.,	1862.	pp.
		(In U. S. 43-47.)	Coast	Survey,	Rept.	1862.	Wash.,	1863.	pp.
		(In U. S. 6; 41-43	Coast	Survey,	Rept.	1863.	Wash.,	1864.	pp.
		(In U. S. 2; 4; 24	Coast	Survey,	Rept.	1864.	Wash.,	1865.	pp.
		(In U. S. 21-23.)		Survey,	Rept.	1865.	Wash.,	1866.	pp.
			ly repor	ts of prog	gress.				
# 104	~	2 . 2		0 17	,		, •	7	

47. — Geographical notice of the coast survey operations during the year 1859.

Am. Geog. & Statist. Soc., Jour., v. 2 (1860): 13-19.

Brief mention of progress of work in the Carolinas, pp. 15; 16.



58. BACHMAN, I. A.

Analysis of a nickeliferous talc.

Am. Chem. Jour., v. 10 (1888): 45.

---- Am. Nat., v. 22 (1888): 349.

Abstract by H. B_laker₁: Chem. Soc. (London) Jour., v. 54 (1888): 661.

Description and analysis of talc from Webster, Jackson county.

59. BAILEY, J. W.

On the origin of greensand and its formation in the oceans of the present epoch.

Bost. Soc. Nat. Hist., Proc., v. 5 (1856): 364-368.

Am. Jour. Sci., Ser. II, v. 22 (1856): 280-284.

Abstract: Neues Jahr. f. Min., 1875, pp. 91; 92.

Describes specimen of yellowish limestone adhering to Scutella lyellii from eocene of North Carolina.

60. Bailey, S. C. H.

The Alexander county meteoric iron.

Elis. Mit. Sci. Soc., Jour., v. 8 (1891): 17-19.

Description of this meteorite, and analysis by F. P. Venable.

61. BALCH, WILLIAM, RIALSTON,

[Mines and mining interests of North Carolina in 1882.]

(In his Mines, miners and mining interests of the United States in 1882. Phila., Min. Indust. Pub. House, 1882. 30 x 25 cm. pp. 6; 32; 57-58; 61; 120-127; 1102-1105.)

Deals with mines and mining operations during 1882. Contains extracts from Overman, Swank, Kerr, Raymond, Hidden and Boyd, describing mineral deposits of the state. General description of the mines and localities, methods of working, production and value.

BANNAN, BENJAMIN.

Coal and iron in North Carolina.

See Daddow and Bannan, No. 437.

62. Bannister, Cowan & Co.

The resources of North Carolina: its natural wealth, condition and advantages as existing in 1869. Wilmington, 1869. 116 pp. 23 cm.

Presents general advantages of the state, arising from Its geographical position, climate, soils, forests, mineral, agricultural and manufacturing resources. Describes the coal and iron deposits, gold, silver and copper mines; building stones, marls and phosphates, and mineral springs.

63. BARKER, GIEORGE, FIREDERICK,

Memoir of Frederick Augustus Genth.

Nat. Acad. Sci., Biog. Mem., v. 4 (1902): 201-231.

--- Am. Phil. Soc., Proc., v. 40 (1901): x-xxii.

Contains account of Genth's investigations upon the corundum deposits of North Carolina, and a list of his scientific papers. 64. — Radio-activity of thorium minerals.

Am. Jour. Sci., Ser. IV, v. 16 (1903): 161-168.

Account of investigations upon gummite, samarskite and monazite sand from North Carolina in relation to their radio-activity.

65. Barlow, $\Lambda_{\text{I}} \text{LFRED}_{1} \to \text{[RNEST]}$.

On the nickel deposits of Webster, western North Carolina.

Can. Min. Inst., Jour., v. 9 (1906): 303-316. Map.

Review: Eng. & Min. Jour., v. 82 (1906): 629.

Describes nickel deposits of Webster, Jackson county, their geological relations, mode of occurrence, character and composition of the ore, and gives several analyses by Genth, Schneider and Dunnington.

66. BARNHARDT, GEORGE.

Sketch of the discovery and history of the Reed gold mine in Cabarrus county, North Carolina, being the first gold mine discovered in the United States.

(In Wheeler, John Hill. Historical sketches of North Carolina. Phila., 1851. Vol. 2, pp. 63-64.)

67. BARRANDE, J[OACHIM].

Système Taconique du docteur Ebenezer Emmons.

Soc. Géol. de France, Bull., Ser. II, v. 18 (1861): 235-237.

Briefly abstracts portion of Emmons' rept. of 1856 and of his text-book relating to the taconic in North Carolina.

68. Bartlett, J. R.

The Gulf stream; additional data from the investigations of the. . . "Blake."

Am. Geog. Soc., Jour., v. 14 (1882): 69-84.

A record of observations made from Florida to Currituck, North Carolina, with tables of data from seven lines of soundings off the Carolina coast.

69. BARTRAM, WILLIAM.

Travels through North and South Carolina, Georgia, east and west Florida... containing an account of the soil... of these regions... Phila., James & Johnson, 1791. 522 pp. 20½ cm.

— Ed. 2 reprinted for J. Johnson, 1794. 22 cm.

Contains account of journey (pp. 471-477) up the Cape Fear river. Describes the earth strata, and gives notes on the rocks, petrified shells and wood found on the river banks. Also printed in German, French and Dutch.


70. Baskerville, Charles and Lockhart, L. B.

The action of radium emanations on minerals and gems.

Am. Jour. Sci., Ser. IV, v. 20 (1905): 95-96.

Abstract by F. Rinne: Neues Jahr. f. Min., 1907, Bd. 1. Min., pp. 8-9.

Spodumene (hiddenite) from Alexander county, included among minerals studied.



The action of radium, roentgen rays and ultra-violet light on minerals and gems.

See Kunz and Baskerville, No. 1028.

71. — The occurrence of vanadium, chromium and titanium in peats.

Am. Chem. Soc., Jour., v. 21 (1899): 706-707.

- Elis. Mit. Sci. Soc., Jour., v. 16 (1899): 54-56.

— Eng. & Min. Jour., v. 69 (1900): 737-738.

Abstract by J. J. S_[udborough]: Chem. Soc. (London) Jour., v. 76, pt. 2 (1899): 666.

Analyses of the ash of peats from Hyde swamps, North Carolina.

72. — On the existence of a new element associated with thorium.

Elis. Mit. Sci. Soc., Jour., v. 18, pt. 1 (1901): 1-16.
- Am. Chem. Soc., Jour., v. 23 (1901): 761-774.

Contains results of laboratory experiments upon thorium salts prepared from oxides obtained from analyses of monazite sands of North Carolina.

73. — The rare metals.

Eng. & Min. Jour., v. 86 (1908): 907; 960; 1055; 1100; 1241-1242; v. 87 (1909): 10-11; 203; 257-258.

Notes on minerals containing the rare metals, many of which are found in North Carolina.

74. Bates, Albert C.

Quartz and its varieties.

Mineral Collector, v. 2 (1895): 49-54; 152-153.

Describes quartz-bearing districts in Alexander, Lincoln and Burke counties, occurrence and varieties of quartz crystals. Figures crystals of amethyst and capped quartz.

75. Battle, H_[ERBERT] B_[REMERTON].

Analyses comparing the bituminous coals of North Carolina and Tounessee.

Elis. Mit. Sci. Soc., Jour., v. 3 (1886): 51-53.

76. — The climate of North Carolina.

Southern States, v. 1 (1893): 133-143.

77. — North Carolina marls, limestones and phosphates.

(In N. C. Agric. Exp. Station. 11th Ann. Rept. Raleigh, E. M. Uzzell, 1889. 23 cm. pp. 41-47.)

Discusses phosphatic deposits of Pender and New Hanover counties, and gives many analyses of phosphates, marls and limestones.

78. BATTLE, KEMP PLUMMER.

The names of the counties of North Carolina and the history involved in them. Winston, Wm. A. Blair, 1888. 38 pp. 19½ cm.

Historical sketch of the formation of the counties of the state and derivations of their names.

79. BATTLE, S. WESTRAY.

The Asheville plateau in the mountains of western North Carolina.

Medical Record, v. 52 (1897): 774-775.

Discussion of the climate of Asheville.

80. BAUER, L_[OUIS] A_[GRICOLA].

Results of magnetic observations made by the Coast and Good. Survey, between July 1, 1904, and June 30, 1905, in North Carolina.

(In U. S. Coast & Geod. Survey, Rept. 1905. Wash., 1906. Appendix 3, pp. 127; 177.)

Gives magnetic observations made at Salisbury, Rowan county, and Wadesboro, Anson county.

81. —— Table of magnetic declinations in North Carolina, and descriptions of the stations.

(In U. S. Coast & Geod. Survey. Magnetic declination tables for 1902. Wash., 1902. pp. 209-212; 349-355.)

82. BAYLOR, JAMES B. and HAZARD, DANIEL L.

General report on the magnetic survey of North Carolina.

(In U. S. Coast and Geod. Survey, Rept. 1899. Appendix 9, pp. 887-938.)

> General account of this survey. Table of summaries of magnetic declinations in the state and descriptions of the observation stations.

83. BECKER, GEORGE FIERDINAND1.

Gold fields of the southern Appalachians.

(In U. S. Geol. Survey, 16th Ann. Rept., pt. 3. Wash., 1895. pp. 251-331. Maps.)

---- (In U. S. Mint, Prod. of precious metals in U. S. in 1895.

Abstract: Am. Jour. Sci., Ser. IV, v. 1 (1896): 57-60.

Abstract by R. M.: Zts. f. prakt. Geol., 1897, pp. 362-363.

Abstract by A. Osann: Zts. f. Kryst. u. Min., v. 28 (1897): 325-326.

Detailed descriptions of the gold districts of North Carolina with tables of gangue minerals. Includes bibliography of southern gold fields.

84. Beckwith, John.

A memoir on the natural walls or solid dikes in the state of North Carolina.

Am. Jour. Sci., Ser I, v. 5 (1822): 1-7.

Notice: Leonhard's Zts. f. Min., 1825, Bd. 2, p. 525.

Discusses diabase dikes on the Yadkin river near Salisbury.

BELDEN, H. L.

Soil survey of New Hanover county, North Carolina. See Drake and Belden, No. 510. 85. Bell, Agrippa, Nielson.

The climate and mineral springs of North Carolina.

Am. Climat. Assoc., Trans., v. 10 (1895): 124-150.

____ Sanitarian, v. 30 (1893): 521-533.

Contains physical description of the state, temperature records taken in the mountainous section, notes on climate, and list of mineral springs with analyses of the waters by W. C. Kerr, C. W. Dabney Jr., A. R. Ledoux, E. Adelmarth and E. D. Smith.

86. Bell, John.

The warm and hot springs of Buncombe county.

(In his Mineral and thermal springs of the United States and Canada. Phila., Parry & McMillan, 1855. 16 cm. pp. 282-285.)

Brief description of these waters, with analysis by E. D. Smith.

87. BENEDICT, WILLIAM DEL_[IESSELINE].

Tin fin North Carolina.

Mineral Industry, v. 1 (1892): 455.

Account of discovery of tin at King's Mountain, describing geological occurrence, veins and ores.

88. Benneville, James S. De.

[Analysis of beryl from Black mountain, Buncombe county, North Carolina.]

Am. Chem. Soc., Jour., v. 16 (1894): 65-66.

Abstract by L.: Chem. Soc. (London) Jour., v. 70, pt. 2 (1896): 186.

89. Berkeley, W. N.

Analysis of paranthite from Clay county, North Carolina.

Am. Chem. Jour., v. 14 (1892): 628.

Abstract: Am. Nat., v. 27 (1893): 1091.

Abstract by L. V. Pirsson: Zts. f. Kryst. u. Min., v. 23 (1894): 505.

Abstract by C. F. B_[aker]: Chem. Soc. (London) Jour., v. 64, pt. 2 (1893): 287.

Description and analysis of mineral from the mines of the Hiwassee Corundum Co.

90. BERRY, EDWARD WILBURI.

Coastal-plain amber.

Torreya, v. 7 (1907): 4-6.

Discusses occurrence of amber in the cretaceous deposits near Blackman's Bluff on the Neuse river and near Parker Landing on the Tar river.


91. — Contributions to the mesozoic flora of the Atlantic coastal plain, North Carolina.

Torrey Botan. Club, Bull., v. 34 (1907): 185-205.


Enumerates and describes species of cretaceous fossil plants found in formations along the Cape Fear river.


92.	— Contributions to the pleistocene flora of North Carolina.
	Jour. of Geol., v. 15 (1907): 338-349.
	Contains account of discovery of two pleistocene plant beds on the Neuse river, and of specimens occurring on the Roanoke river.
93.	— Cretaceous floras in North and South Carolina.
	Johns Hopkins Univ. Circ., n. s., No. 7, 1907, pp. 79-82.
	Brief account of a collection of 29 species of fossil plants from localities on the Neuse and Cape Fear rivers.
94.	—— A mid-cretaceous species of Torreya.
	Am. Jour. Sci., Ser. IV, v. 25 (1908): 382-386.
	Describes fossil plant locality of mid-cretaceous age on Rockfish creek in Cumberland county.
95.	Biddle, H. J.
00.	Nickel fore from North Carolina.
	(In U. S. Geol. Survey, Min. Res., 1886. Wash., 1887. pp.
	170-171.)
	Describes nickel ore occurring near Webster.
96.	BIRKINBINE, JOHN.
	Iron ores of North Carolina.
	Frank. Inst., Jour., v. 126 (1888): 196.
	Notes on magnetite deposits at the Cranberry mines in
	Notes on magnetite deposits at the Cranberry mines in western North Carolina, and on a titaniferous deposit in the central part.
97.	— Manganese fores of North Carolina ₁ .
• • •	(In U. S. Geol. Survey, 21st Ann. Rept., pt. 6 (Met. Prod.).
	Wash., 1899-1900. p. 139.)
98	BIXBY, W _[ILLIAM] H _[ERBERT].
	Improvement of Beaufort harbor, North Carolina.
	(In Chief of Eng. Rept., 1885, pt. 2. Appendix M 5, pp.
	1076-1082.)
	(In Chief of Eng. Rept., 1886, pt. 2. Appendix L 5, pp.
	986-991.)
	(In Chief of Eng. Rept., 1887, pt. 2. Appendix M 6, pp.
	1030-1036.)
	(In Chief of Eng. Rept., 1888, pt. 2. Appendix L 6, pp.
	875-881.)
	Yearly reports of progress.
99.	—— Improvement of Black river, North Carolina.
	(In Chief of Eng. Rept., 1888, pt. 2. Appendix L 9, pp.
	889-893.)
	—— (In Chief of Eng. Rept., 1890, pt. 2. Appendix M 10, pp.
	1145-1148.)
	——————————————————————————————————————
	1387-1389.)
100.	Yearly reports of progress. —— Improvement of Cape Fear river at and below Wilmington,
100.	
	North Carolina.
	(In Chief of Eng. Rept., 1889, pt. 2. Appendix M !2, pp.
	1089-1099.)

						Rept.,	1890,	pt. 2	2.	Appendix I	VI 12	2, I	pp.
				52-116		Dont	1901	nt '	2	Appendix	r 10	٠.	
				94 - 140		. керт.,	1091,	рт. 2	۷.	Appendix .	P 15	, l	pp.
			10			ts of pro	gress.						
101.		Impro	ovem	ent of	f Cape	Fear 1	river l	oelov	r V	Vilmington	n, N	Tor	th
		Car	olina										
						. Rept.,	1885,	pt.	2.	Appendix	M 8	3, Į	p.
				87-110			1006		_	4 7.			
				Oniei 00-101		g. Rept.,	, 1886,	pt.	2.	Appendix	L &	s, I	pp.
			10			ts of pro	ogress.						
102.		Impro	ovem					Nort	h (Carolina.			
						Rept.,	1885,	pt.	2.	Appendix	M	7, 1	pp.
				83-108	,								
				Chief 5-1000		g. Rept.,	1886,	pt.	2.	Appendix	L ?	7,]	pp.
				Chief 44-10		. Rept.,	1887,	pt. 2	2.	Appendix 1	M 1	0,]	pp.
				Chief 3-911.		g. Rept.,	1888,	pt.	2.	Appendix	L 10	0, 1	pp.
			(In		of Eng	g. Rept.,	1889,	pt.	2.	Appendix I	VI 1	1,]	pp.
			(In	Chief	of Eng	Rept.,	1890,	pt. 2	2.	Appendix :	MI 1	1,	pp.
				48-11:	,	Dont	1801	nt.	2	Appendix	T 1:	Ω,	n n
				90-13		. Repe.,	1051,	pt.	۷.	Appendix	L 1	J, j	pp.
				Year	ly repo	rts of pr	ogress.						
103.		Impro								Carolina.			
				Chief 060-10		g. Rept.,	1885,	pt.	2.	Appendix	M	1,	pp.
				Chief 3-976.		g. Rept.	, 1886,	pt.	2.	Appendix	L	1,	pp.
					,	g. Rept.,	1887,	pt.	2.	Appendix	M	2,	pp.
				13-10									
						g. Rept.	, 1888	, pt.	2.	Appendix	L	2,	pp.
				68-862	/	D /	1000	4	2	A 7.5	70.07	2	
			,)48-10		g. K ept.,	, 1009,	pt.	۷.	Appendix	141	٥,	pp.
					,	r. Rept.	. 1891.	. pt.	2.	Appendix	L	8,	pp.
				351-13		5 1	,	, 1		1.1		,	
						rts of pr			~				
104.		Impre								th Carolin		m	
				Chief 066-10		g. Rept.	, 1889,	pt.	2.	Appendix	IVI	/,	pp.
						g. Rent	1890	pt.	2.	Appendix	M	7.	pp.
				131-11		P. vrohe.	, 2000,	. P. c.		T F		, .	Y.T.



	 Improvement of Ocracoke inlet, North Carolina.
	(In Chief of Eng. Rept., 1891, pt. 2. Appendix L 5, pp.
	1341-1345.)
111.	 Improvement of Pamlico and Tar rivers, North Carolina.
	(In Chief of Eng. Rept., 1887, pt. 2. Appendix M 1, pp.
	1010-1013.)
	 (In Chief of Eng. Rept., 1888, pt. 2. Appendix L 1, pp.
	854-858.) ——— (In Chief of Eng. Rept., 1889, pt. 2. Appendix M 2, pp.
	 1044-1048.)
	(In Chief of Eng. Rept., 1891, pt. 2. Appendix L 7, pp.
	1347-1351.)
	Reports of progress.
112.	 Improvement of Pasquotank river, North Carolina.
	(In Chief of Eng. Rept., 1891, pt. 2. Appendix L 3, pp.
	1335-1338.)
113.	 Improvement of Roanoke river, North Carolina and Virginia.
	(In Chief of Eng. Rept., 1889, pt. 2. Appendix M 1, pp.
	1040-1043.)
	 —— (In Chief of Eng. Rept., 1890, pt. 2. Appendix M 1, pp.
	1106-1112.)
	 (In Chief of Eng. Rept., 1891, pt. 2. Appendix L 2, pp.
	1330-1335.) Reports of progress.
	reports of progress.
114	 Improvement of the line of inland navigation from Newbern
114.	 Improvement of the line of inland navigation from Newbern to Beaufort harbor, North Carolina, via Clubfoot, Harlowe
114.	 to Beaufort harbor, North Carolina, via Clubfoot, Harlowe
114.	 to Beaufort harbor, North Carolina, via Clubfoot, Harlowe and Newport rivers.
114.	 to Beaufort harbor, North Carolina, via Clubfoot, Harlowe and Newport rivers. (In Chief of Eng. Rept., 1885, pt. 2. Appendix M 4, pp.
114.	to Beaufort harbor, North Carolina, via Clubfoot, Harlowe and Newport rivers.
114.	to Beaufort harbor, North Carolina, via Clubfoot, Harlowe and Newport rivers. (In Chief of Eng. Rept., 1885, pt. 2. Appendix M 4, pp. 1070-1075.) (In Chief of Eng. Rept., 1886, pt. 2. Appendix L 4, pp. 983-986.)
114.	to Beaufort harbor, North Carolina, via Clubfoot, Harlowe and Newport rivers. (In Chief of Eng. Rept., 1885, pt. 2. Appendix M 4, pp. 1070-1075.) (In Chief of Eng. Rept., 1886, pt. 2. Appendix L 4, pp. 983-986.) (In Chief of Eng. Rept., 1887, pt. 2. Appendix M 5, pp.
114.	 to Beaufort harbor, North Carolina, via Clubfoot, Harlowe and Newport rivers. (In Chief of Eng. Rept., 1885, pt. 2. Appendix M 4, pp. 1070-1075.) (In Chief of Eng. Rept., 1886, pt. 2. Appendix L 4, pp. 983-986.) (In Chief of Eng. Rept., 1887, pt. 2. Appendix M 5, pp. 1026-1030.)
114.	 to Beaufort harbor, North Carolina, via Clubfoot, Harlowe and Newport rivers. (In Chief of Eng. Rept., 1885, pt. 2. Appendix M 4, pp. 1070-1075.) (In Chief of Eng. Rept., 1886, pt. 2. Appendix L 4, pp. 983-986.) (In Chief of Eng. Rept., 1887, pt. 2. Appendix M 5, pp. 1026-1030.) (In Chief of Eng. Rept., 1888, pt. 2. Appendix L 5, pp.
114.	 to Beaufort harbor, North Carolina, via Clubfoot, Harlowe and Newport rivers. (In Chief of Eng. Rept., 1885, pt. 2. Appendix M 4, pp. 1070-1075.) (In Chief of Eng. Rept., 1886, pt. 2. Appendix L 4, pp. 983-986.) (In Chief of Eng. Rept., 1887, pt. 2. Appendix M 5, pp. 1026-1030.) (In Chief of Eng. Rept., 1888, pt. 2. Appendix L 5, pp. 871-875.)
114.	 to Beaufort harbor, North Carolina, via Clubfoot, Harlowe and Newport rivers. (In Chief of Eng. Rept., 1885, pt. 2. Appendix M 4, pp. 1070-1075.) (In Chief of Eng. Rept., 1886, pt. 2. Appendix L 4, pp. 983-986.) (In Chief of Eng. Rept., 1887, pt. 2. Appendix M 5, pp. 1026-1030.) (In Chief of Eng. Rept., 1888, pt. 2. Appendix L 5, pp. 871-875.) (In Chief of Eng. Rept., 1889, pt. 2. Appendix M 6, pp.
114.	to Beaufort harbor, North Carolina, via Clubfoot, Harlowe and Newport rivers. (In Chief of Eng. Rept., 1885, pt. 2. Appendix M 4, pp. 1070-1075.) (In Chief of Eng. Rept., 1886, pt. 2. Appendix L 4, pp. 983-986.) (In Chief of Eng. Rept., 1887, pt. 2. Appendix M 5, pp. 1026-1030.) (In Chief of Eng. Rept., 1888, pt. 2. Appendix L 5, pp. 871-875.) (In Chief of Eng. Rept., 1889, pt. 2. Appendix M 6, pp. 1060-1066.)
114.	to Beaufort harbor, North Carolina, via Clubfoot, Harlowe and Newport rivers. (In Chief of Eng. Rept., 1885, pt. 2. Appendix M 4, pp. 1070-1075.) (In Chief of Eng. Rept., 1886, pt. 2. Appendix L 4, pp. 983-986.) (In Chief of Eng. Rept., 1887, pt. 2. Appendix M 5, pp. 1026-1030.) (In Chief of Eng. Rept., 1888, pt. 2. Appendix L 5, pp. 871-875.) (In Chief of Eng. Rept., 1889, pt. 2. Appendix M 6, pp. 1060-1066.) (In Chief of Eng. Rept., 1890, pt. 2. Appendix M 6, pp. 1060-1066.)
114.	to Beaufort harbor, North Carolina, via Clubfoot, Harlowe and Newport rivers. (In Chief of Eng. Rept., 1885, pt. 2. Appendix M 4, pp. 1070-1075.) (In Chief of Eng. Rept., 1886, pt. 2. Appendix L 4, pp. 983-986.) (In Chief of Eng. Rept., 1887, pt. 2. Appendix M 5, pp. 1026-1030.) (In Chief of Eng. Rept., 1888, pt. 2. Appendix L 5, pp. 871-875.) (In Chief of Eng. Rept., 1889, pt. 2. Appendix M 6, pp. 1060-1066.)
114.	to Beaufort harbor, North Carolina, via Clubfoot, Harlowe and Newport rivers. (In Chief of Eng. Rept., 1885, pt. 2. Appendix M 4, pp. 1070-1075.) (In Chief of Eng. Rept., 1886, pt. 2. Appendix L 4, pp. 983-986.) (In Chief of Eng. Rept., 1887, pt. 2. Appendix M 5, pp. 1026-1030.) (In Chief of Eng. Rept., 1888, pt. 2. Appendix L 5, pp. 871-875.) (In Chief of Eng. Rept., 1889, pt. 2. Appendix M 6, pp. 1060-1066.) (In Chief of Eng. Rept., 1890, pt. 2. Appendix M 6, pp. 1127-1131.) (In Chief of Eng. Rept., 1891, pt. 2. Appendix L 11, pp. 1363-1367.)
	to Beaufort harbor, North Carolina, via Clubfoot, Harlowe and Newport rivers. (In Chief of Eng. Rept., 1885, pt. 2. Appendix M 4, pp. 1070-1075.) (In Chief of Eng. Rept., 1886, pt. 2. Appendix L 4, pp. 983-986.) (In Chief of Eng. Rept., 1887, pt. 2. Appendix M 5, pp. 1026-1030.) (In Chief of Eng. Rept., 1888, pt. 2. Appendix L 5, pp. 871-875.) (In Chief of Eng. Rept., 1889, pt. 2. Appendix M 6, pp. 1060-1066.) (In Chief of Eng. Rept., 1890, pt. 2. Appendix M 6, pp. 1127-1131.) (In Chief of Eng. Rept., 1891, pt. 2. Appendix L 11, pp. 1363-1367.) Yearly reports of progress.
	to Beaufort harbor, North Carolina, via Clubfoot, Harlowe and Newport rivers. (In Chief of Eng. Rept., 1885, pt. 2. Appendix M 4, pp. 1070-1075.) (In Chief of Eng. Rept., 1886, pt. 2. Appendix L 4, pp. 983-986.) (In Chief of Eng. Rept., 1887, pt. 2. Appendix M 5, pp. 1026-1030.) (In Chief of Eng. Rept., 1888, pt. 2. Appendix L 5, pp. 871-875.) (In Chief of Eng. Rept., 1889, pt. 2. Appendix M 6, pp. 1060-1066.) (In Chief of Eng. Rept., 1890, pt. 2. Appendix M 6, pp. 1127-1131.) (In Chief of Eng. Rept., 1890, pt. 2. Appendix M 6, pp. 1363-1367.) Yearly reports of progress. Improvement of Trent river, North Carolina.
	to Beaufort harbor, North Carolina, via Clubfoot, Harlowe and Newport rivers. (In Chief of Eng. Rept., 1885, pt. 2. Appendix M 4, pp. 1070-1075.) (In Chief of Eng. Rept., 1886, pt. 2. Appendix L 4, pp. 983-986.) (In Chief of Eng. Rept., 1887, pt. 2. Appendix M 5, pp. 1026-1030.) (In Chief of Eng. Rept., 1888, pt. 2. Appendix L 5, pp. 871-875.) (In Chief of Eng. Rept., 1889, pt. 2. Appendix M 6, pp. 1060-1066.) (In Chief of Eng. Rept., 1890, pt. 2. Appendix M 6, pp. 1127-1131.) (In Chief of Eng. Rept., 1891, pt. 2. Appendix L 11, pp. 1363-1367.) Yearly reports of progress. Improvement of Trent river, North Carolina. (In Chief of Eng. Rept., 1885, pt. 2. Appendix M 2, pp.
	to Beaufort harbor, North Carolina, via Clubfoot, Harlowe and Newport rivers. (In Chief of Eng. Rept., 1885, pt. 2. Appendix M 4, pp. 1070-1075.) (In Chief of Eng. Rept., 1886, pt. 2. Appendix L 4, pp. 983-986.) (In Chief of Eng. Rept., 1887, pt. 2. Appendix M 5, pp. 1026-1030.) (In Chief of Eng. Rept., 1888, pt. 2. Appendix L 5, pp. 871-875.) (In Chief of Eng. Rept., 1889, pt. 2. Appendix M 6, pp. 1060-1066.) (In Chief of Eng. Rept., 1890, pt. 2. Appendix M 6, pp. 1127-1131.) (In Chief of Eng. Rept., 1891, pt. 2. Appendix L 11, pp. 1363-1367.) Yearly reports of progress. Improvement of Trent river, North Carolina. (In Chief of Eng. Rept., 1885, pt. 2. Appendix M 2, pp. 1062-1064.)
	to Beaufort harbor, North Carolina, via Clubfoot, Harlowe and Newport rivers. (In Chief of Eng. Rept., 1885, pt. 2. Appendix M 4, pp. 1070-1075.) (In Chief of Eng. Rept., 1886, pt. 2. Appendix L 4, pp. 983-986.) (In Chief of Eng. Rept., 1887, pt. 2. Appendix M 5, pp. 1026-1030.) (In Chief of Eng. Rept., 1888, pt. 2. Appendix L 5, pp. 871-875.) (In Chief of Eng. Rept., 1889, pt. 2. Appendix M 6, pp. 1060-1066.) (In Chief of Eng. Rept., 1890, pt. 2. Appendix M 6, pp. 1127-1131.) (In Chief of Eng. Rept., 1891, pt. 2. Appendix L 11, pp. 1363-1367.) Yearly reports of progress. Improvement of Trent river, North Carolina. (In Chief of Eng. Rept., 1885, pt. 2. Appendix M 2, pp.





(In Chief of Eng. Rept., 1889, pt. 2. Appendix № 23, pp. 1135-1137.)

mouth of Turner's cut, North Carolina.

Description of river and table of general features and distances.

131.	 Preliminary examination of Shallotte river, North Carolina. (In Chief of Eng. Rept., 1890, pt. 2. Appendix M 19, pp.
	1184-1188.)
	 U. S. 51st Cong., 1st Sess., 1890. House Doc. No. 78. 5 pp.
132.	 Preliminary examination of Swift creek, North Carolina.
	(In Chief of Eng. Rept., 1889, pt. 2. Appendix M 17, pp. 1116-1118.)
133.	 Preliminary examination of the Tar river from Tarborough
	to Rocky Mount, North Carolina.
	(In Chief of Eng. Rept., 1889, pt. 2. Appendix M 21, pp.
	1130-1131.)
	Describes the river and gives table of distances and general features.
134.	 Preliminary examination of Trent river from Trenton to
	Upper Quaker bridge, North Carolina.
	(In Chief of Eng. Rept., 1889, pt. 2. Appendix M 25, pp.
	1140-1142.)
	Describes river and gives table of distances and general features.
135.	 Preliminary examination of waterway between New river
	and Swansborough, North Carolina.
	(In Chief of Eng. Rept., 1889, pt. 2. Appendix M 19, pp.
	1124-1127.) Description of navigation of this river.
126	Preliminary examination of waterway between Pamlico river
100,	and Bay river, North Carolina.
	(In Chief of Eng. Rept., 1891, pt. 2. Appendix L 26, pp.
	1421-1425.)
	 — U. S. 51st Cong., 2d Sess., 1891. House Ex. Doc. No. 162.
	5 pp.
	Describes three routes used from Pamlico river to Bay river, discusses possibilities of these and a proposed canal route from river to river via Goose creek.
137.	 Preliminary examination of White Oak river, from Roberts'
	Landing to Collins' Crossing, North Carolina.
	(In Chief of Eng. Rept., 1891, pt. 2. Appendix L 29, pp.
	 1434-1435.) —— U. S. 51st Cong., 2d Sess., 1891. House Doc. No. 97. 3 pp.
138	Preliminary examination of White Oak river, North Caro-
100.	lina.
	(In Chief of Eng. Rept., 1889, pt. 2. Appendix M 20, pp. 1127-1129.)
	Describes White Oak river, and gives table of distances and general features.
139.	 Preliminary examination of Yadkin river from South Caro-
	1' 1' 1 1 2T 2T 11 O 1'

lina line to the Narrows, North Carolina.

948-958.)

(In Chief of Eng. Rept., 1888, pt. 2. Appendix L 19, pp.

___ (In U. S. 50th Cong., 1st Sess., 1888. House Ex. Doc. No. 58, pp. 80-83.) 140. Blake, William, Pihipps. The hydraulic process of mining in North Carolina. Min. Mag., Ser. II, v. 1 (1860): 55. Contains full description of the hydraulic process, introduced into North Carolina (1857-59) by Dr. M. H. Van 141. — Note on zircons in Unaka magnetite. Am. Inst. Min. Eng., Trans., v. 7 (1878): 76. Notes on magnetic iron ores from the Rhees and Wilder land, Unaka mountains, Tennessee, and North Carolina. 142. — Notes and recollections concerning the mineral resources of northern Georgia and western North Carolina. Am. Inst. Min. Eng., Trans., v. 25 (1895): 796-811. Contains much historical and statistical data relating to early mining in western North Carolina, with descriptions of the gold fields and mines, silver mines and other mineral deposits. 143. — Notes upon the geology and minerals of the Cherokee valley, Valley river, North Carolina. Min. Mag., Ser. II, v. 2 (1861): 80-84. Describes rock and mineral deposits of the Cherokee valley. 144. — Report on the property of the Valley River gold company. Min. Mag., Ser. II, v. 1 (1860): 461-466. Describes this property situated in Valley river. Contains statistical and historical data, and recommendations as to working the mines. 145. — Report upon the gold placers of Lumpkin county, Georgia, and the practicability of working them by the hydraulic method. New York, John F. Trow, 1858. 39 pp. 20 cm. - Min. & Stat. Mag., v. 10 (1858): 457-476. Contains general references to hydraulic mining in Burke and McDowell counties. 146. — Silver glance from North Carolina. Min. Mag., Ser. II, v. 1 (1860): 480. Describes silver sulphide occurring at the Silver Hill mine, Davidson county. 147. — Silver Hill mine of North Carolina.

(In his Silver ores and silver mines. . . New Haven, Office of Min. Mag., 1861. 23 cm. pp. 67-68.)

148. — Tin in [North Carolina].

(In U. S. Geol. Survey, Min. Res., 1883-1884. Wash., 1885. p. 601.)

Notes on discovery of tin ore in 1883 in Cleveland county, near King's Mountain.

149. BLANEY, G.

Report of examination of Cape Fear river below Wilmington. .

MSS. U. S. War Dept., Office of Chief of Engineers, Wash., D. C. 5 pp.

150. BLOME, RICHARD.

A description of Carolina.

(In his Description of the island of Jamaica, with the other isles and territories in America . . . London, 1672. 14 cm. pp. 125-138. Map.)

Contains notes on climate, soil, rivers and general conditions of Carolina.

151. BÖHM, C. RICHARD.

Monazite sand.

Eng. & Min. Jour., v. 81 (1906): 842.

Describes monazite region and deposits in Burke, Mc-Dowell, Rutherford, Cleveland and Polk counties.

152. Bolles, Charles P.

Topographic re-survey of the shores of the Cape Fear entrances and adjacent islands.

(In U. S. Coast Survey, Rept., 1858. Wash., 1859. Appendix No. 14. p. 151.)

BOLTON, H[ENRY] C[ARRINGTON].

Notice of the microscopical examination of a series of ocean, lake, river and desert sands.

See Julien and Bolton, No. 942.

153. BOLTWOOD, BIERTRAM, BIORDEN,

On the radio-activity of uranium minerals.

Am. Jour. Sci., Ser. IV, v. 25 (1908): 269-298.

Reports of experiments conducted upon uraninite from Spruce Pine, Mitchell county.

154. — On the ratio of radium to uranium in some minerals.

Am. Jour. Sci., Ser. IV, v. 18 (1904): 97-103.

Abstract by A. S. Eakle: Zts. f. Kryst. u. Min., v. 42 (1906): 297.

Contains results of chemical experiments upon various minerals; among them are uraninite, gummite, uranophane and samarskite from North Carolina.

155. — On the ultimate disintegration products of the radio-active elements.

Am. Jour. Sci., Ser. IV, v. 20 (1905): 253-267.

Uraninite, monazite, gummite and uranophane from North Carolina are used, among other minerals, in experiments described in this article.

156. — On the ultimate disintegration products of the radio-active elements. Pt. II, The disintegration products of uranium.

Am. Jour. Sci., Ser. IV, v. 23 (1907): 77-88.

Presents results of chemical experiments on uraninite from Flat Rock and Spruce Pine.

157. — The origin of radium.

Phil. Mag., Ser. VI, v. 9 (1905): 599-613.

Describes experiments in which the following North Carolina minerals are used: uraninite, gummite, uranophane, thoro-gummite, samarskite, monazite and allanite.

158. — The radio-activity of thorium minerals and salts.

Am. Jour. Sci., Ser. IV, v. 21 (1906): 415-426.

Contains results of experiments upon uraninite from North Carolina.

— The relative proportion of radium and uranium in radioactive minerals.

See Rutherford and Boltwood, No. 1599.

159. BOND, JAY F.

Report on an examination of the sand banks along the North Carolina coast.

(In Pratt, Joseph Hyde. N. C. Geol. & Econ. Survey, Biennial report of the State Geologist, 1907-1908. Raleigh, 1908. pp. 42-48.)

Description of these sand banks, outlining damage being done by drifting sands, and plan for protection.

160. BOOTH, JAMES CIURTIS.

Analysis of various ores of lead, silver, copper, zinc, iron, etc., from King's mine, Davidson county, North Carolina.

Am. Jour. Sci., Ser. I, v. 41 (1841): 348-352.

Abstract: Neues Jahr. f. Min., 1843, pp. 210-213.

Account of the mineral property of the Washington mining company, with analyses of various ores.

161. BORDEN, JOHN L.

Magnetite from Orange county.

Elis. Mit. Sci. Soc., Jour., v. 1 (1884): 87.

Analysis of magnetite from near Chapel Hill.

162. —— Solubility of North Carolina phosphate rock.

Elis. Mit. Sci. Soc., Jour., v. 1 (1884): 53-54.

Analyses of two specimens of phosphate rock.

163. BOUDINOT, ELIAS.

Report of director of the mint for 1804.

(In Am. State Papers, Finance, v. 2, 1805. Wash., 1832. pp. 118-119.)

Notes on produce of gold from Cabarrus county.

164. BOUTELLE, C. O.

[New inlets formed across Bodie's island, North Carolina, in 1846.]

(In U. S. Coast Survey, Rept., 1847. Wash., 1848. Appendix 13, pp. 76-77.)

(In U. S. Coast Survey, Rept., 1849. Wash., 1849. Appendix 16, pp. 106-107.)

165. BOWRON, WILLIAM M.

The practical metallurgy of titaniferous iron ores.

Am. Inst. Min. Eng., Trans., v. 11 (1882): 159-164.

Contains analyses of four magnetites from North Carolina.

166. BOYD, CIHARLES, RIUFUS,

Conrad Hill, N. C., gold and copper mine.

The Virginias, v. 3 (1882): 176.

Letter describing developments at this mine.

167. — Mineral resources of Ashe and Alleghany counties, North Carolina.

(In his Resources of southwest Virginia . . . Ed. 3. New York, John Wiley & Sons, 1881. 24 cm. pp. 311-320. Map.)

Describes physical features of these counties and outlines rock formations, copper veins, magnetic ore veins. Describes Ore Knob, Copper Knob, Elk Knob and Peach Bottom copper mines, and gives notes on development and production.

168. — The mineral wealth of southwestern Virginia.

Am. Inst. Min. Eng., Trans., v. 5 (1876): 81-92; v. 8 (1880): 338-344.

Describes mineral resources of Ashe, Alleghany and Watauga counties in North Carolina, where are located the Ore Knob and Elk Knob copper mines.

169. — The utilization of the iron and copper sulphides of Virginia,
North Carolina and Tennessee.

Am. Inst. Min. Eng., Trans., v. 14 (1885): 81-84.

Discusses in general way the distribution of these ores at Ore Knob, Ashe county, and suggests possible methods of handling them.

170. BOYLE, CORNELIUS BRECKINRIDGE.

A catalogue and bibliography of North American mesozoic invertebrata.

U. S. Geol. Survey, Bull. 102. Wash., 1893. 315 pp. 23 cm.

Contains list of North Carolina forms from the cretaceous, giving literature references from Conrad, White,
Morton and others.

171. BOYLE, ESMERALDA.

The mountain slopes and river banks of North Carolina.

Overland Monthly, Ser. II, v. 1 (1883): 536-540.

Popular account of a journey from Asheville, Buncombe county to Casar's Head, Greenville county, South Carolina, with notes on scenery, climate and topography.

172. Bradford, J. S.

Hydrographic changes at the entrance of Cape Fear river, North Carolina.

(In U. S. Coast Survey, Rept., 1865. Wash., 1866. Appendix 5, p. 45.)

Describes the few changes that have taken place at the western entrance.

173. Bradley, Frank H₁owe₁.

Note on the occurrence of metamorphic silurian rocks in North Carolina.

Am. Jour. Sci., Ser. III, v. 8 (1874): 390.

Discusses origin of the metamorphic rocks of the south-western corner of North Carolina.

174. — Note on the recent earthquakes of Bald mountain in Rutherford county, North Carolina.

Am. Jour. Sci., Ser. III, v. 8 (1874): 79.

175. — On a "Geological chart of the United States east of the Rocky mountains, and of Canada."

Am. Jour. Sci., Ser. III, v. 12 (1876): 286-291.

Refers briefly to the triassic in North Carolina.

176. — On the silurian age of the southern Appalachians.

Am. Jour. Sci., Ser. III, v. 9 (1875): 279-288; 370-383.

Description of rocks in North Carolina south and west of the little Tennessee river, with evidence and arguments to show that they are of silurian age.

177. — On unakyte, an epidotic rock from the Unaka range on the borders of Tennessee and North Carolina.

Am. Jour. Sci., Ser. III, v. 7 (1874): 519-520.

Describes a member of the granitic series found in the Unaka mountains in Madison county.

178. Brazier, Robert.

Report on the drainage of the Big Swamp in Robeson county.

(In Reports relative to the swamp lands in North Carolina. Raleigh, Lawrence & Lemay, 1827. 22 cm. pp. 25-28.)

——— (In North Carolina, Board of Internal Improvement. Extracts from "Reports on public improvements" in North Carolina. Raleigh, T. J. Lemay, 1837. 21½ cm. pp. 33-36.)

Describes the swamp lands of Robeson and Halifax counties, suggests possible methods of drainage and estimates cost.

179. Brezina, Aristides.

Ankauf der Hidden'schen Meteoriten-und Mineraleinsammlung für die mineralogische Abtheilung.

Ann. des K. K. Naturhist. Hofmus. Wien, v. 4 (1889): 85-87.

Notice of the purchase of the Hidden collection of minerals and meteorites together with very brief descriptions of some of the most important minerals. The collection represented largely North Carolina material.

180. — Die Meteoritensammlung des k. k. naturhistorichen Hofmuseums, am I Mai, 1895.

Ann. d. K. K. Naturhist. Hofmus. Wien, v. 10 (1895): 231-370.

Contains brief descriptive notes on Bridgewater, Linnville, Lick Creek, Jewell Hill (Duel Hill), Cross Roads and Smith Mountain meteorites which are in the Hofmuseum collection of Vienna. Figures the Duel Hill meteorite.

181. — Meteoritenstudien III. Zur Frage der Bildungsweise eutropischer Gemenge.

K. Akad. d. Wiss. Denks. Math.-Naturwiss. Klasse, v. 78 (1905): 635-641.

A detailed study of eutropic masses, in which is given a description and microphotograph of the Jewell Hill meteorite!

182. — Notice of meteorites from Duel Hill, Madison county, and Lick creek, Davidson county.

(In Bericht über neue oder wenig bekannte Meteoriten. K.K. Akad. d. Wiss. Sitz. Wien, v. 84, pt. 1 (1881): 279-281.)

183. — and Cohen, E[MIL].

Oktaedrisches Eisen mit feinen Lamellen. Jewell Hillgruppe: Jewell Hill.

(In their Die Struktur und Zusammensetzung der Meteoreisen. Stuttgart, 1886-1906; v. 1, Tafel XXIII; and Erklärung.)

184. BRICKELL, JOHN.

The natural history of North Carolina. . . Dublin, James Carson, 1737. 408 pp. 21 cm. Map.

Contains notes on climate, swamps, rivers and soils. "An almost verbal transcript of Lawson's History of North Carolina." (cf. No. Amer. Review, v. 23, pp. 288-289.)

185. Brief statement of the North Carolina Gas-coal Company, with report of Charles T. Jackson, and of Oswald Heinrich. . . Phila., M. P. Williams, 1856. 26 pp. 22 cm.

Contains reports on the Fooshee's and Streets' plantations on Deep river. See under authors.

186. Brinton, D[ANIEL] G[ARRISON].

The aboriginal mica-mines of North Carolina.

Phila. Numismatic & Antiquarian Soc., Proc., 1879, pp. 18-19.

Describes specimens of implements used by the aborigines in working the mica mines, and gives notes on the use of mica by the Indians.

187. BRITTON, NIATHANIEL, LIORDI.

Geological notes in western Virginia, North Carolina, and eastern Tennessee.

N. Y. Acad. Sci., Trans., v. 5 (1887): 215-223.


Describes Cranberry iron mine at Cranberry, geology, velns, ores and mining methods. Notes on physical and mineralogical features of valley of the French Broad river, Warm Springs and Asheville.


188. Brown, C. Barrington.

Report on the Cowec Valley ruby mines in North Carolina.

(In The American Prospecting and Mining Company. Reports upon the property. New York, 1899. 27 cm. pp. 21-30.)

Describes the ruby-bearing tract situated in Cowee Creek valley, Macon county, discovery and mode of occurrence of the ruby, and mining developments.





207. —— Preliminary examination of waterway connecting Swan Quarter bay with Deep bay, North Carolina.

U. S. 60th Cong., 1st Sess., 1908. House Ex. Doc. No. 445. 7 pp.

208. — Preliminary examination of White Oak river, North Carolina, from its mouth to Maysville.

U. S. 60th Cong., 1st Sess., 1908. House Ex. Doc. No. 401. 5 pp.

209. — Re-examination of Cape Fear river above Wilmington, North Carolina, with a view to modification of the existing project tof improvement₁.

U. S. 60th Cong., 1st Sess., 1908. House Doc. No. 890. 11 pp.

210. Brown, James T.

Report on property of the Cabarrus gold mining company, Cabarrus county, North Carolina. n. p. 1865. 15 pp. 22 cm. Map.

Describes this property, its veins and ores. Contains brief notes by Ernest Heiser explanatory of map.

211. Brown, Lucius P.

Phosphate deposits of North Carolina.

(In his Phosphate deposits of the Southern States. Eng. Assoc. South, Trans., v. 15 (1904). 121.)

Describes phosphate mining at Castle Hayne, New Hanover county, and in Duplin, Samson, Columbus and Bladen counties.

Brown, W. G.

Composition of certain mesozoic igneous rocks of Virginia.

See Campbell and Brown, No. 232.

212. Bruce, J[AMES] D[OUGLAS].

Analysis of cassiterite from King county [King's Mt.], N. C. Chem. News, v. 50 (1884): 209.

Abstract by D. A. L_[ouis]: Chem. Soc. (London) Jour., v. 48 (1885): 126.

213. Brush, G[EORGE] J[ARVIS].

[Description and analysis of pyrophyllite from North Carolina.]

(In Am. Jour. Sci., Ser. II, v. 34 (1862): 218-219.)

Abstract: Jahresber. d. Chem., 1862, pp. 744-745.

Analyses of two specimens of pyrophyllite: No. 1, a socalled soapstone from Deep river, Moore county, by Samuel T. Tyson; No. 2, from Carbonton, Moore county, by F. A. Genth.

Lazulite and kyanite from North Carolina. See Smith, J. L., and Brush, No. 1676.

214. BUCHNER, OTTO.

Die Feuermeteore. . . Giessen, 1859. 192 pp. $21\frac{1}{2}$ cm.

Notes on following meteorites from North Carolina; Black Mountain, p. 134; Charlotte, p. 99; Guilford, p. 136; Haywood, p. 129; Hominy creek, p. 135.

215. — Die Meteoriten in Sammlungen. . . Leipzig, 1863. 202 pp. 24 cm.

Brief account of following North Carolina meteorites: Asheville, Black Mountain, Cabarrus county, Caswell county, Guilford county, Haywood county, Homlny Creek, Jewell (Duel) Hill, Randolph county.

216. Buckingham, J_[ames] S_[ilk].

History of the state of North Carolina.

(In his The slave states of America. London, Fisher, Son & Co., 1842. vol. 2, chap. 9. pp. 215-224.)

Notes on the agriculture, climate and mineral resources, describing the gold region and condition of mining.

217. BUCKLEY, S[AMUEL] B[OTSFORD].

Mountains of North Carolina and Tennessee.

Am. Jour. Sci., Ser. II, v. 27 (1859): 286-294.

Rev: DeBow's Review, v. 26 (1859): 702-706.

Gives altitudes of mountains, describes scenery, geology, botany, agriculture and climate of region.

BUCKLEY, THOMAS C.

Statement of the McCullock copper and gold mining company of Guilford county, North Carolina.

See Palmer and Buckley, No. 1382.

- 218. BURBANK, LIEVII SIUMNERI.

Observations on the surface geology of North Carolina with special reference to some phenomena of the drift of the northern United States.

Bost. Soc. Nat. Hist., Proc., v. 16 (1873): 150-155.

Describes boulders of residual decay from observations made in Wake, Granville, Franklin, Guilford and Chatham counties. Notice of granite veins observed containing fine crystals of beryl and tourmaline.

219. Burchard, Ernest F.

Barite in North Carolina in 1907.

(In U. S. Geol. Survey, Min. Res., 1907, pt. 2. p. 689.)

Cites J. H. Pratt (N. C. Geol. Survey, Econ. Paper, No. 6, 1902, pp. 62-66) regarding origin and structure of barite veins. Describes operations at the Lawton mine in Gaston county.

220. Burchard, H_[ORATIO] C.

Production of precious metals in North Carolina.

(In U. S. Mint, Prod. of precious metals in U. S. in 1881. Wash., 1882. pp. 458-468.)

- --- (In U. S. Mint, Prod. of precious metals in U. S. in 1884.
 Wash., 1885. pp. 437-442.)
 Yearly reports of production.

221. BURKART.

Ueber das Vorkommen verschiedener Tellur-Minerale in den Vereinigten Staaten von Nordamerika.

Neues Jahr. f. Min., 1873, pp. 476-495.

Review of work done on various specimens of tetradymite, including one discovered by F. A. Genth near the Washington mine, Davidson county, and another from Cabarrus county, Phenix mine.

222. Burnham, Starah, Mtaria.

Precious stones in nature, art and literature. Boston, Bradlee Whidden, 1886. 400 pp. 23½ cm.

Contains numerous references to North Carolina stones, including beryl, hiddenite, diamond, corundum gems and monazite.

223. Burr, Edward.

Improvement of inland water route from Norfolk, Virginia, to Albemarle sound, North Carolina, through Currituck sound.

(In Chief of Eng. Rept., 1892, pt. 2. Appendix K 7, pp. 1094-1096.)

----- (In Chief of Eng. Rept., 1894, pt. 2. Appendix K 6, pp. 983-985.)

Reports of progress.

224. — Improvement of North Landing river Virginia and North Carolina.

(In Chief of Eng. Rept., 1892, pt. 2. Appendix K 7, pp. 1343-1344.)

225. Burton, B. S.

Notice of a meteorite from Madison county, North Carolina.

Am. Jour. Sci., Ser. III, v. 12 (1876): 439.

Abstract: Jahresber. d. Chem., 1876, p. 1317

Analysis: Cohen u. Weinschenk., Meteoreisen-Studien Annalen des K. K. Naturhist. Hofmus. Wien, 1891, p. 161.

Description and analysis of meteoric iron found at Duel (?) Hill, Madison county, August, 1873.

226. BYRD, WILLIAM.

History of the dividing line between Virginia and North Carolina, as run in 1728-1729. (Printed from original manuscript.) Richmond, privately printed, 1866, v. 1. 30 cm.

 	(In	The	Westo	ver	mar	usc	rip	ts:	con	taining	the	histor	y 01
	th	e di	viding	lin	e be f	wiz	ct	Virg	ginia	a and	North	Caro	lina
		. P	et <mark>ersb</mark> u	ırg,	Va.,	E.	&	J.	C.	Ruffin,	1841	. 25	cm.
	PI	. 1-	102.)										

Account of survey made by commissioners from both North Carolina and Virginia, to settle dispute as to boundary between the states concerning Weyanoke creek. Contains notes on climate, soil and general conditions of country. 227. C.

Remarkable metcor at Fayetteville, N. C.

Am. Jour. Sci., Ser. I, v. 49 (1845): 408.

Notice: Ann. d. Phy. u. Chem., Ergänz., Bd. II, 1848, p. 367.

Account of meteor falling Sept. 1, 1845, 2 a. m.

CAIN, WILLIAM.

Road materials and road construction in North Carolina. See Holmes and Cain, No. 848.

228. CAINE, THOMAS A.

Soil survey of the Hickory area, North Carolina.

(In U. S. Dept. Agric., Field operations, Bureau of Soils, 4th Rept., 1902. Wash., 1903. pp. 239-258. Plate. Map.)

Describes physiography, geology and soils of this area, and gives analyses of ten varieties of soils.

229. — and Mangum, A. W.

Soil survey of the Mt. Mitchell area, North Carolina.

(In U. S. Dept. Agric., Field operations, Bureau of Soils, 4th Rept., 1902. Wash., 1903. pp. 259-271. Plate. Map.) Notes on physiography, geology and climate of this area in Mitchell and Yancey counties and parts of Madison. Buncombe and McDowell. Describes and gives analyses of soils of the area.

230. CAMERON, JOHN D.

Old map of North Carolina.

N. C. Univ. Mag., Ser. IV, v. 10 (1891): 153-157.

Describes an old map in the possession of Mr. J. C. Hoyt of Buncombe county. No date of publication appears but it evidently was issued between 1755 and 1765. North Carolina is shown as a colonial possession. The coast had been accurately surveyed and the interior is clearly mapped as far as exploration and settlement had gone, with the rivers, counties and towns.

231. — Western North Carolina. Its area, topography and characteristics.

(In Western North Carolina . . . Charlotte, N. C., 1890. pp. 57-81.)

232. Campbell, H. D. and Brown, W. G.

Composition of certain mesozoic igneous rocks of Virginia.

Geol. Soc. Amer., Bull., v. 2 (1891): 339-347.

Deals with a problem common to Virginia and North Carolina, the composition of trap rock, and mentions previous work on North Carolina rocks by E. S. Dana.

233. Campbell, Marius R.

Drainage modifications and their interpretation.

Jour. of Geol., v. 4 (1896): 567-581; 657-678.

Discusses Appalachian drainage systems in a general way and cites some of the North Carolina river systems, including the French Broad, Catawba and Yadkin rivers.

— Geomorphology of the Southern Appalachians.

See Hayes and Campbell, No. 723.

234. The Cape Fear and Yadkin Valley railway (from Mt. Airy at the base of the Blue Ridge to Wilmington, N. C.) . . . embracing descriptive and statistical notes . . . and mineral resources. Phila., Allen, Lane & Scott, 1889. 119 pp. 27 cm. Map.

Contains notes on mineral resources of route.

235. CAPUTALBUM.

A trip to Mt. Mitchell.

Wake Forest Student, v. 5 (1886): 195-203.

Popular account of ascent of Mt. Mitchell, notes on scenery and climate.

236. CARPENTER, F. B.

The marls and phosphates of North Carolina.

N. C. Agric, Exp. Station, Bull. 110. Raleigh, 1894. 48 pp. 23 cm.

Deals with geology, distribution and uses of marls and phosphates, Describes and gives analyses of many varieties.

237. CARPENTER, FRANK O.

The Great Smoky mountains and Thunderhead peak.

Appalachia, v. 6 (1890): 138-146.

Popular account of travel through the Great Smoky mountains in North Carolina.

238. CARR, ELIAS.

North Carolina's resources.

Southern States, v. 1 (1893): 149-152.

Notes on general resources of the state.

239. — Resources and advantages of North Carolina. Raleigh, Josephus Daniels, 1893. 22 pp. Plates. 20 cm.

240. — Topography, climate and resources of North Carolina.

Health, Sanitation and Climatology of the Southern States, v. 1 (1895): 50-54.

Describes physical features, climate and soils of the state.

241. Casey, Thomas L_[INCOLN].

Improvement of inland water route from Norfolk, Va. to Albemarle sound, North Carolina, through Currituck sound.

(In Chief of Eng. Rept., 1895, pt. 2. Appendix J 6, pp. 1286-1289.)

---- (In Chief of Eng. Rept., 1897, pt. 2. Appendix K 7, pp. 1374-1376.)

——— (In Chief of Eng. Rept., 1898, pt. 2. Appendix L 7, pp. 1230-1232.)

---- (*In* Chief of Eng. Rept., 1899, pt. 2. Appendix L 9, pp. 1481-1482.)

Reports of progress.

WIW.	 Improvement of North Landing river, Virginia and North
	Carolina.
	(In Chief of Eng. Rept., 1896, pt. 2. Appendix J 7, pp. 1079-1080.)
	 (In Chief of Eng. Rept., 1897, pt. 2. Appendix K 8, pp.
	1376-1377.)
0.40	Reports of progress.
243.	 Improvement of Pasquotank river, North Carolina.
	(In Chief of Eng. Rept., 1898, pt. 2. Appendix L 9, pp. 1233-1234.)
244.	Improvement of Roanoke river, North Carolina.
10 2 2 1	(In Chief of Eng. Rept., 1895, pt. 2. Appendix J 8, pp.
	1290-1293.)
	 (In Chief of Eng. Rept., 1896, pt. 2. Appendix J 8, pp.
	1080-1083.)
	 —— (In Chief of Eng. Rept., 1897, pt. 2. Appendix K 9, pp.
	1377-1378.)
	 (In Chief of Eng. Rept., 1898, pt. 2. Appendix L 8, pp.
	1232-1233.)
	 —— (In Chief of Eng. Rept., 1899, pt. 2. Appendix L 11, pp. 1483-1484.)
	Yearly reports of progress.
245	 Preliminary examination of Cashie river, North Carolina.
~ 10.	(In Chief of Eng. Rept., 1897, pt. 2. Appendix K 12, pp.
	1381-1383.)
	 U. S. 54th Cong., 2d Sess., 1897. House Ex. Doc. No. 88.
	3 pp.
246.	
	Preliminary examination of Potecasi creek, North Carolina.
	Preliminary examination of Potecasi creek, North Carolina. (In Chief of Eng. Rept., 1897, pt. 2. Appendix K 13, pp.
	 (In Chief of Eng. Rept., 1897, pt. 2. Appendix K 13, pp.
	 (In Chief of Eng. Rept., 1897, pt. 2. Appendix K 13, pp. 1383-1384.)
247.	(In Chief of Eng. Rept., 1897, pt. 2. Appendix K 13, pp. 1383-1384.) U. S. 54th Cong., 2d Sess., 1897. House Ex. Doc. No. 124. 3 pp. [River and harbor improvements in North Carolina.]
247.	(In Chief of Eng. Rept., 1897, pt. 2. Appendix K 13, pp. 1383-1384.) U. S. 54th Cong., 2d Sess., 1897. House Ex. Doc. No. 124. 3 pp.
247.	(In Chief of Eng. Rept., 1897, pt. 2. Appendix K 13, pp. 1383-1384.) U. S. 54th Cong., 2d Sess., 1897. House Ex. Doc. No. 124. 3 pp. [River and harbor improvements in North Carolina.] (In Chief of Eng. Rept., 1888, pt. 1. Wash., 1888. pp. 115-128.)
247.	(In Chief of Eng. Rept., 1897, pt. 2. Appendix K 13, pp. 1383-1384.) U. S. 54th Cong., 2d Sess., 1897. House Ex. Doc. No. 124. 3 pp. [River and harbor improvements in North Carolina.] (In Chief of Eng. Rept., 1888, pt. 1. Wash., 1888. pp. 115-128.) (In Chief of Eng. Rept., 1889, pt. 1. Wash., 1889. pp.
247.	(In Chief of Eng. Rept., 1897, pt. 2. Appendix K 13, pp. 1383-1384.) U. S. 54th Cong., 2d Sess., 1897. House Ex. Doc. No. 124. 3 pp. [River and harbor improvements in North Carolina.] (In Chief of Eng. Rept., 1888, pt. 1. Wash., 1888. pp. 115-128.) (In Chief of Eng. Rept., 1889, pt. 1. Wash., 1889. pp. 133-146.)
247.	(In Chief of Eng. Rept., 1897, pt. 2. Appendix K 13, pp. 1383-1384.) U. S. 54th Cong., 2d Sess., 1897. House Ex. Doc. No. 124. 3 pp. [River and harbor improvements in North Carolina.] (In Chief of Eng. Rept., 1888, pt. 1. Wash., 1888. pp. 115-128.) (In Chief of Eng. Rept., 1889, pt. 1. Wash., 1889. pp. 133-146.) (In Chief of Eng. Rept., 1890, pt. 1. Wash., 1890. pp.
247.	(In Chief of Eng. Rept., 1897, pt. 2. Appendix K 13, pp. 1383-1384.) — U. S. 54th Cong., 2d Sess., 1897. House Ex. Doc. No. 124. 3 pp. [River and harbor improvements in North Carolina.] (In Chief of Eng. Rept., 1888, pt. 1. Wash., 1888. pp. 115-128.) (In Chief of Eng. Rept., 1889, pt. 1. Wash., 1889. pp. 133-146.) (In Chief of Eng. Rept., 1890, pt. 1. Wash., 1890. pp. 120-132.)
247.	(In Chief of Eng. Rept., 1897, pt. 2. Appendix K 13, pp. 1383-1384.) U. S. 54th Cong., 2d Sess., 1897. House Ex. Doc. No. 124. 3 pp. [River and harbor improvements in North Carolina.] (In Chief of Eng. Rept., 1888, pt. 1. Wash., 1888. pp. 115-128.) (In Chief of Eng. Rept., 1889, pt. 1. Wash., 1889. pp. 133-146.) (In Chief of Eng. Rept., 1890, pt. 1. Wash., 1890. pp.
247.	(In Chief of Eng. Rept., 1897, pt. 2. Appendix K 13, pp. 1383-1384.) U. S. 54th Cong., 2d Sess., 1897. House Ex. Doc. No. 124. 3 pp. [River and harbor improvements in North Carolina.] (In Chief of Eng. Rept., 1888, pt. 1. Wash., 1888. pp. 115-128.) (In Chief of Eng. Rept., 1889, pt. 1. Wash., 1889. pp. 133-146.) (In Chief of Eng. Rept., 1890, pt. 1. Wash., 1890. pp. 120-132.) (In Chief of Eng. Rept., 1891, pt. 1. Wash., 1891. pp.
247.	(In Chief of Eng. Rept., 1897, pt. 2. Appendix K 13, pp. 1383-1384.) U. S. 54th Cong., 2d Sess., 1897. House Ex. Doc. No. 124. 3 pp. [River and harbor improvements in North Carolina.] (In Chief of Eng. Rept., 1888, pt. 1. Wash., 1888. pp. 115-128.) (In Chief of Eng. Rept., 1889, pt. 1. Wash., 1889. pp. 133-146.) (In Chief of Eng. Rept., 1890, pt. 1. Wash., 1890. pp. 120-132.) (In Chief of Eng. Rept., 1891, pt. 1. Wash., 1891. pp. 151-171.) (In Chief of Eng. Rept., 1892, pt. 1. Wash., 1892. pp. 152-168.)
247.	(In Chief of Eng. Rept., 1897, pt. 2. Appendix K 13, pp. 1383-1384.) U. S. 54th Cong., 2d Sess., 1897. House Ex. Doc. No. 124. 3 pp. [River and harbor improvements in North Carolina.] (In Chief of Eng. Rept., 1888, pt. 1. Wash., 1888. pp. 115-128.) (In Chief of Eng. Rept., 1889, pt. 1. Wash., 1889. pp. 133-146.) (In Chief of Eng. Rept., 1890, pt. 1. Wash., 1890. pp. 120-132.) (In Chief of Eng. Rept., 1891, pt. 1. Wash., 1891. pp. 151-171.) (In Chief of Eng. Rept., 1892, pt. 1. Wash., 1892. pp. 152-168.) (In Chief of Eng. Rept., 1893, pt. 1. Wash., 1893. pp.
247.	(In Chief of Eng. Rept., 1897, pt. 2. Appendix K 13, pp. 1383-1384.) U. S. 54th Cong., 2d Sess., 1897. House Ex. Doc. No. 124. 3 pp. [River and harbor improvements in North Carolina.] (In Chief of Eng. Rept., 1888, pt. 1. Wash., 1888. pp. 115-128.) (In Chief of Eng. Rept., 1889, pt. 1. Wash., 1889. pp. 133-146.) (In Chief of Eng. Rept., 1890, pt. 1. Wash., 1890. pp. 120-132.) (In Chief of Eng. Rept., 1891, pt. 1. Wash., 1891. pp. 151-171.) (In Chief of Eng. Rept., 1892, pt. 1. Wash., 1892. pp. 152-168.) (In Chief of Eng. Rept., 1893, pt. 1. Wash., 1893. pp. 164-184.)
247.	(In Chief of Eng. Rept., 1897, pt. 2. Appendix K 13, pp. 1383-1384.) U. S. 54th Cong., 2d Sess., 1897. House Ex. Doc. No. 124. 3 pp. [River and harbor improvements in North Carolina.] (In Chief of Eng. Rept., 1888, pt. 1. Wash., 1888. pp. 115-128.) (In Chief of Eng. Rept., 1889, pt. 1. Wash., 1889. pp. 133-146.) (In Chief of Eng. Rept., 1890, pt. 1. Wash., 1890. pp. 120-132.) (In Chief of Eng. Rept., 1891, pt. 1. Wash., 1891. pp. 151-171.) (In Chief of Eng. Rept., 1892, pt. 1. Wash., 1892. pp. 152-168.) (In Chief of Eng. Rept., 1893, pt. 1. Wash., 1893. pp. 164-184.) (In Chief of Eng. Rept., 1894, pt. 1. Wash., 1894. pp.
247.	(In Chief of Eng. Rept., 1897, pt. 2. Appendix K 13, pp. 1383-1384.) U. S. 54th Cong., 2d Sess., 1897. House Ex. Doc. No. 124. 3 pp. [River and harbor improvements in North Carolina.] (In Chief of Eng. Rept., 1888, pt. 1. Wash., 1888. pp. 115-128.) (In Chief of Eng. Rept., 1889, pt. 1. Wash., 1889. pp. 133-146.) (In Chief of Eng. Rept., 1890, pt. 1. Wash., 1890. pp. 120-132.) (In Chief of Eng. Rept., 1891, pt. 1. Wash., 1891. pp. 151-171.) (In Chief of Eng. Rept., 1892, pt. 1. Wash., 1892. pp. 152-168.) (In Chief of Eng. Rept., 1893, pt. 1. Wash., 1893. pp. 164-184.)

248. — Survey of waterways connecting Dismal Swamp canal, Virginia, with sounds of North Carolina.

(In Chief of Eng. Rept., 1896, pt. 2. Appendix J 11, pp. 1086-1094.)

---- U. S. 54th Cong., 1st Sess., 1896. House Ex. Doc. No. 317. 9 pp. Maps.

249. CATESBY, MARK.

The natural history of Carolina, Florida and the Bahama islands . . . descriptions in English and French . . . observations on the air, soil and waters. . . London, 1731. 2 vols. Plates. Fold. map. 53 cm.

Contains supplement: An account of Carolina and the Bahama islands, which describes the climate, soil, and gives notes on the rivers and mountains.

250. CHANCE, HIENRY MIARTYNI.

The auriferous gravels of North Carolina.

Am. Phil. Soc., Proc., v. 19 (1881): 477-481.

Describes gold found in the gravels of the slate beit, and early workings in this region.

251. — The Burns gold mine, North Carolina.

Eng. & Min. Jour., v. 61 (1896): 132.

Describes this mine, located in Moore county, geological occurrence of the ores, mining methods and progress.

252. — Deep River coal beds of North Carolina.

Eng. & Min. Jour., v. 38 (1884): 187.

253. — The Deep River coal-fields of North Carolina.

Am. Inst. Min. Eng., Trans., v. 13 (1884): 517-520.

Review by I. C. Russell: Science, v. 6 (1885): 548-549.

Short geological account of the coal deposit at Deep River, and analyses of specimens by the State chemist and by Mr. Battle.

254. — Report on the North Carolina coal-fields to the Department of Agriculture. Raleigh, P. M. Hale, 1885. 66 pp. 22 cm. Map.

Describes coal-bearing formation of the Deep River district in Moore and Chatham counties, and the Dan River district, and gives analyses of coal made under direction of Charles W. Dabney, Jr.

255. CHANDLER, CHARLES FIREDERICK1.

Analyse des Zircons aus Buncombe county, North Carolina.

Ann. d. Phy. u. Chem., v. 178 (1857): 444-449.

Abstract: Am. Jour. Sci., Ser. II, v. 24 (1857): 131.

Abstract: Zts. f. d. Gesam. Naturwiss., v. 11 (1858): 93.

Abstract: Uebersicht der Resultate mineralogischer Forschungen in Jahre, 1856-1857. Leipzig, 1859. p. 117.

Description and analysis of pale chocolate-colored zircon crystals.

256. Charlotte, N. C., granites.

Stone, v. 4 (1892): 14.

Notes on granites quarried In Charlotte.

257. CHASE, HARVEY S. Southern magnetites and magnetic separation. Am. Inst. Min. Eng., Trans., v. 25 (1895): 551-557. Discusses iron ores from Cranberry mines in Mitchell county. Describes ores, methods of concentrating, and gives tables of chemical analyses. 258. Chatard, Thomas Miareani. Corundum in North Carolina. (In U. S. Geol. Survey, Min. Res., 1883-1884. Wash., 1885. pp. 714-718.) Describes occurrence and mining of corundum at Corundum Hill, Macon county. 259. — Decomposed dolerite from near Wadesboro, North Carolina. (In U. S. Geol. Survey, Bull. 52. Wash., 1889. pp. 17-18.) - (In U. S. Geol. Survey, Bull. 148. Wash., 1897. p. 289.) - (In U. S. Geol. Survey, Bull. 168. Wash., 1900. p. 292.) - (In U. S. Geol. Survey, Bull. 228. Wash., 1904. p. 354.) Analysis of this rock. 260. — The gneiss dunyte contacts at Corundum Hill, North Carolina, in relation to the origin of corundum. (In U. S. Geol. Survey, Bull. 42. Wash., 1888. pp. 45-63.) Abstract: Eng. & Min. Jour., v. 46 (1887): 46; 81. Abstract by W. S. Bayley: Neues Jahr. f. Min., 1890, Bd. I. Ref. pp. 36-37. Description of occurrence of corundum at Corundum Hill, Macon county. Describes contact sections and gives analytical results of examinations of many specimens. 261. — Lucasite, a new variety of vermiculite. Am. Jour. Sci., Ser. III, v. 32 (1886): 375-377. Notice: Am. Nat., v. 21 (1887): 72. Abstract by B. S. B_[rough]: Chem. Soc. (London) Jour., v. 52 (1887): 349-350. Abstract: Jahresber. d. Chem., 1886, pt. 2, p. 2275. Abstract: Soc. Min. de France, Bull., v. 12 (1889): 431-432. Abstract by C. A. Tenne: Neues Jahr. f. Min., 1890, Bd. 1. Ref. pp. 225-226. Description and analysis of lucasite from Corundum Hill, Macon county. 262. — Magnetite from North Carolina. (In U. S. Geol. Survey, Bull. 55. Wash., 1889. p. 86.) Analyses of two magnetites from the Cranberry mine, Mitchell county. 263. — Rocks from Corundum Hill, North Carolina. (In U. S. Geol. Survey, Bull. 42. Wash., 1888. pp. 45-63.) (In U. S. Geol. Survey, Bull. 148. Wash., 1897. p. 91.) --- (In U. S. Geol. Survey, Bull. 168. Wash., 1900. p. 54.) — — (In U. S. Geol. Survey, Bull. 228. Wash., 1904. p. 64.) Analyses of altered gneiss, ollvine and dunyte from Corundum HIII.

264. — Yellowish brown kaolinized, decomposed trap from four miles west of Sanford, North Carolina.

(In U. S. Geol. Survey, Bull. 42. Wash., 1888. p. 138.)
Analyses of this material.

265. CHERRY, CUMMINGS and CHERRY, JAMES.

Geological report. Gap Creek mine, North Carolina. Pittsburg, A. Matthias, 1871. 12 pp. 22 cm.

Describes Gap Creek mine in Ashe county, topography of country, geological formations, soil, veins and ores.

CHERRY, JAMES.

Geological report. Gap Creek mine, North Carolina. See Cherry, Cummings and Cherry, James, No. 265.

266. CHESTER, ALBERT H_UNTINGTON_1.

Bismutite from North Carolina.

(In Mineralogical notes, Am. Jour. Sci., Ser. III, v. 33 (1887): 290-291.)

Abstract by B. H. B_[rough]: Chem. Soc. (London) Jour., v. 52 (1887): 782-783.

Abstract by C. A. Tenne: Neues Jahr. f. Min., 1890, Bd. 1. Ref. pp. 46-47.

Description of mineral from Cashier's valley, Jackson county. Analysis by F. I. Cairns.

267. CHICKERING, J. W.

Notes on Roan mountain, North Carolina.

Phil. Soc. Wash., Bull., v. 4 (1881): 60-64.

Account of the Iron, Stone, Bald, Unaka and Great Smoky mountain ranges which form boundary line between North Carolina and Tennessee.

268. — The thermal belts of North Carolina.

Phil. Soc. Wash., Bull., v. 6 (1883): 11-13.

Am. Meteor. Jour., v. 1 (1884): 213-218.

Notice: Science, v. 1 (1883): 147.

Describes thermal belts in Macon county, quoting from letter of Mr. Silas McDowell of Franklin. (See McDowell, S.)

269. — A trip to Roan mountain.

Appalachia, v. 3 (1882): 142-147.

Description of an ascent of Roan mountain, with notes on soil, temperature, etc.

270. CHLADNI, ERNST F. F.

[Caswell county meteorite.]

(In his Feuer-Meteore . . . Wien, 1819. 23 cm. pp. 291-292.)

Brief notice of meteoric iron falling in Caswell county, January 30, 1810.

271. CHRISTY, DAVID.

Climatology of North Carolina.

(In The Southern Highlands. Cincinnati, 1858. 22½ cm. pp. 20-36.)

General description of the climate of the state, with statistics of mean mountain temperature for the year.

272. — Notes on North Carolina formations. (In his Letters on geology . . . giving an outline of the geology of the west and southwest. Rossville, Ohio. J. M. Christy, 1848. 22 cm. pp. 52-53.) Author gives his ideas of the rock formations in vicinity of Warm Springs, on the French Broad river along the valley to Asheville and the Blue Ridge. Notes on general scenery, mountains, etc. 273. — Preliminary report on the lands of the Nantahala and Tuckasege land and mineral company. Cincinnati, Wrightson & Co., 1856. 24 pp. 22 cm. Describes geology and mineralogy of the lands belonging to this company in Cherokee, Macon and Jackson counties. 274. —— Second preliminary report of the Nantahala and Tuckasege land and mineral company for 1858. Cincinnati, Wrightson & Co., 1858. 24 pp. 22 cm. Reports on the mines of this company, located in Cherokee, Macon and Jackson counties. **275.** Chrome iron in North Carolina. Mineral Industry, v. 2 (1893): 152. Notice of occurrence of chrome iron ore in Jackson, Guilford, Macon, Madison, Yancey, Clay, Mitchell, Burke and Watauga counties. 276. CHUNN, IDA F. Descriptive illustrated guide-book to North Carolina mountains. Their principal resorts. New York, E. J. Hale & Son, 1881. 87 pp. Illus. 18 cm. l'opular description of the mountains of western North Carolina, dealing especially with Asheville, Mount Carolina, dealing especially with Asheville, Mount Mitchell, Cæsar's Head, Roan mountain and Hot Springs. 277. CIRKEL, FRITZ. Mica from North Carolina. (In his Mica, its occurrence, exploitation and uses. Ottawa, Canada, Dept. Int., Mines branch, 1905. 24 cm. pp. 99; 100.) Notes on mica deposits and mines in Mitchell, Yancey, Jackson, Haywood and Macon counties. 278. CLANTON, W. S. Production of precious metals in North Carolina. (In U. S. Mint, Prod. of precious metals in U. S. in 1897. Wash., 1898. pp. 192-193.) (In U. S. Mint, Prod. of precious metals in U. S. in 1898. Wash., 1899. pp. 129-130.) - (In U. S. Mint, Prod. of precious metals in U. S. in 1899. Wash., 1900. pp. 167-168.) - (In U. S. Mint, Prod. of precious metals in U. S. in 1900. Wash., 1901. pp. 181-182.) - (In U. S. Mint, Prod. of precious metals in U. S. in 1901. Wash., 1902. pp. 192-195.) Yearly reports of production,

279. CLARK, WILLIAM, BIULLOCK,

The eocene in North Carolina.

(In his Correlation papers, Eocene. U. S. Geol. Survey, Bull. 83. Wash., 1891. pp. 48-50; 81.)

Discusses eccene formation which extends between the Neuse and Cape Fear rivers to about 100 miles inland.

280. — Shattuck, $G_{[EORGE]}$ $B_{[URBANK]}$ and DALL, $W_{[ILLIAM]}$ $H_{[EALEY]}$.

The miocene deposits of Maryland.

Maryland Geol. Survey, Baltimore, 1904. 543 pp. 28 cm.

Contains references, general and scattered, to miocene forms found in North Carolina.

281. CLARK, W[ILLIAM] B[ULLOCK].

On the tertiary deposits of the Cape Fear river region.

Geol. Soc. Amer. Bull., v. 1 (1890): 537-540.

Abstract: Am. Geol., v. 5 (1890): 119.

Abstract: Am. Nat., v. 24 (1890): 289.

Discussion of age of fossils occurring in deposits of this region.

282. CLARK, WILLIAM S.

On metallic meteorites. Inaugural dissertation. . Göttingen, 1852. 77 pp. 23 cm.

Notice: Am. Jour. Sci., Ser. II, v. 15 (1853): 7-22.

Contains descriptions and analyses of the following North Carolina meteorites: Hominy Creek, Black Mountain, Asheville, Guilford county, Randolph county.

CLARKE, E. S.

[Olivine norite near Marshall, North Carolina.]

See Herrick, Clarke and Deming, No. 762.

283. CLARKE, F. W.

A trip to North Carolina.

Appalachia, v. 2 (1879): 14-28.

Author describes trip in the mountains of western North Carolina, and the ascent of Bald and "Big Craggy" mountains. Notes on the rocks and scenery.

284. Clarke, $F_{IRANCIS_{J}}$ $W_{IIGGLESWORTH_{J}}$ and Schneider, E. A.

[Analysis of kerrite from Franklin, North Carolina.]

(In U. S. Geol. Survey, Bull. 78. Wash., 1891. pp. 28-31.)

285. — [Analyses of minerals from North Carolina.]

(In Experiments upon the constitution of the natural silicates. Am. Jour. Sci., Ser. III, v. 40 (1890): 308.)

——— (In U. S. Geol. Survey, Bull. 78. Wash., 1891. pp. 15-19.)

- — (In Experimentaluntersuchungen über die Constitution der naturlichen Silicate. Zts. f. Kryst. u. Min., v. 18 (1891): Abstract by F. Rinne: Neues Jahr. f. Min., 1894, Bd. 1. Min., pp. 27; 31-32. Analyses of picrolite from Buck Creek, and serpentine from Corundum Hill. 286. CLARKE, F₁RANCIS₁ W₁IGGLESWORTH₁ and STEIGER, GEORGE. Analysis of pyrophyllite from Deep river, N. C. Am. Jour. Sci., Ser. IV, v. 8 (1899): 245-257. 287. CLARKE, FIRANCIS, WIGGLESWORTH, Muscovite from Alexander county, North Carolina. Am. Jour. Sci., Ser. III, v. 34 (1887): 131-133. (In U. S. Geol. Survey, Bull. 55. Wash., 1889. pp. 13-14.) Abstract by B. H. B_[rough]: Chem. Soc. (London) Jour., v. 54 (1888): 117. Abstract by E. S. Dana: Zts. f. Kryst. u. Min., v. 14 (1888): 392. Abstract by C. A. Tenne: Neues Jahr. f. Min., 1891, Bd. 1. Ref. pp. 39-40. Analysis of muscovite from Stony Point. 288. — Oligoclase from Bakersville, North Carolina. (In U. S. Geol. Survey, Bull. 60. Wash., 1890. pp. 129-130.) Analysis. 289. — and Schneider, E. A. On the constitution of certain micas, vermiculites and chlorites. Am. Jour. Sci., Ser. III, v. 42 (1891): 242-251. - Zts. f. Kryst. u. Min., v. 19 (1891): 465-477. - (In U. S. Geol. Survey, Bull. 90. Wash., 1892. pp. 11-14.) Abstract by F. Rinne: Neues Jahr. f. Min., 1894, Bd. 1. Min., pp. 32-36. Description and analysis of an altered biotite from the zircon mine, Henderson county. 290. CLARKE, FIRANCIS, WIGGLESWORTH, Some nickel ores from Oregon. Am. Jour. Sci., Ser. III, v. 35 (1888): 483-488. (In U. S. Geol. Survey, Bull. 60. Wash., 1890. pp. 21-26.) Quotes J. S. Diller in regard to the Webster, North Caro-291. — Three coals from Gulf, North Carolina. (In U. S. Geol. Survey, Bull. 42. Wash., 1888. p. 146.) Analyses of these coals. 292. CLAXTON, P. P. North Carolina. (In Frye, Alex. Everett. Complete geography. North Caro-

General geographical sketch.

Map.)

lina edition. Boston, Ginn & Co., 1896. 12 pp. 32 cm.

CLEMONS, WOODSON.

Reports of sundry surveys. . .

See Price and Clemons, No. 1515.

293. The climate of North Carolina.

Am. Meteor. Jour., v. 10 (1893): 187-188.

Extracts from " Λ general sketch of the climate of North Carolina," issued by the N. C. Agric. Exp. Sta.

294. CLINGMAN, THOMAS IJANIERI.

Earthquakes of North Carolina.

Am. Jour. Sci., Ser. III, v. 9 (1875): 55-58.

Extract from a paper published in the Western Expositor of Asheville, describing earthquakes occurring in the mountains forming boundary between Haywood and Buncombe counties.

295. — The great meteor of 1860.

Appleton's Jour., v. 5 (1871): 10-13.

Description of a meteor which the writer saw to the northwest of Asheville.

296. — Mount Pisgah, North Carolina.

Appleton's Jour., v. 10 (1873): 817.

(In Selections from the speeches and writings of Hon. T. L. Clingman, of North Carolina. Raleigh, John Nichols, 1878. pp. 133-135.)

Describes briefly the principal mountain ranges and peaks of the Blue Ridge and Smoky mountains.

297. — North Carolina—her wealth, resources and history.

DeBow's Review, v. 25 (1858): 664-679.

Popular general account of state and its resources. Descriptions: topographical, climatic and historical. Brief review of mineral deposits and mining interests.

298. — On earthquakes of North Carolina.

(In Lanman, Charles. Letters from the Alleghany Mountains. New York, Putnam, 1849. 20 cm. pp. 173-182.)

Account of visit to Haywood county to examine effects of reported earthquake shocks. Discusses phenomena, rock formations, and gives mineral structure of the locality.

299. — Selections from the speeches and writings of Hon. Thomas L. Clingman of North Carolina. Raleigh, John Nichols, 1878. Ed. 2. 675 pp. 24 cm.

Contains much information in the form of speeches, letters and articles published in newspapers and periodicals, on topography, climate, general and mineral resources of western North Carolina.

300. — Topography of Black mountain.

Our Living and our Dead, v. 1 (1874): 254-256.

Describes topography of country as seen from Mt. Mitchell.

301. — Topography of Black mountain.

Smith. Inst., Bd. of Regents, Ann. Rept., 1855, pp. 299-305.

Popular sketch of the Black mountains with notes on altitudes and barometrical observations.

302. — Topography of western North Carolina.

(In Lanman, Charles. Letters from the Alleghany Mountains. New York, Putnam, 1849. 20 cm. pp. 182-186.)

Contains notes on topography and climate of the western counties, and on mineral deposits and gold mines.

303. — Volcanic action in North Carolina.

(In Selections from the speeches and writings of Hon. T. L. Clingman, of North Carolina. Raleigh, John Nichols, 1878. pp. 78-83.)

Abstract: Phil. Soc. Wash., Bull., v. 1 (1874): 104.

Describes volcanic disturbances occurring in Haywood county, in the mountains of the Blue Ridge and Smoky ranges, and the ridges of the elevated plateau between.

304. — Water spouts of North Carolina.

(In Selections from the speeches and writings of Hon. T. L. Clingman, of North Carolina. Raleigh, John Nichols, 1878. pp. 68-77.)

Abstract: Phil. Soc. Wash., Bull., v. 2 (1877): 104.

Describes water spouts in Macon and Jackson counties, June 15, 1876.

CLOIZEAUX, A. DES.

See Des Cloizeaux, A.

305. CLOUD, JOSEPHI.

Crystals of red-oxide of titanium.

Am. Min. Jour., v. 1 (1810): 242.

A notice of these crystals from "the back part of North Carolina." (Precise locality not ascertained.)

306. Coal in North Carolina.

Mining World, v. 27 (1907): 276.

States that output from the Cumnock mines ceased entirely in 1906.

307. COBB, COLLIER.

The forms of sand dunes as influenced by neighboring forests.

Elis. Mit. Sci. Soc., Jour., v. 20 (1904): 14.
Abstract by author: Geol. Centralblatt, v. 6 (1905): 215.

308. — Geography of North Carolina. New York, Amer. Book Co., 1898. 8 pp. 32 cm. Illus. Map.


(In Redway, J. W. and Hinman, Russell. Natural complete geography. Ed. for Carolinas. New York, Amer. Book Co., 1898. 8 pp. Map.)

General geographical sketch.

309. — A liriodendron from the Deep river triassic.

Elis. Mit. Sci. Soc., Jour., v. 20 (1905): 116-117.

Description of a bridgendron leaf found at Cumnock.



Elis. Mit. Sci. Soc., Jour., v. 22 (1906): 60.

320 — Rhætic flora of the Moncure shales.

Science, n. s., v. 23 (1906): 944. Describes specimens of Liriodendron found in the Deep river trias in 1904, and fragments found since that time. 321. —— Some beginnings in science. Pop. Sci. Month., v. 49 (1896): 763-771. Popular account of early scientific work at the University of North Carolina, mentioning the Mitchell and Olmsted survey in 1824. 322. —— Some changes in the North Carolina coast since 1585. North Carolina Booklet, v. 4, No. 9 (1905): 3-13. Describes North Carolina coast, its inlets and river entrances, noting changes that have occurred since 1585. Discusses several early maps of the coast. 322a. — Some human habitations. Nat. Geog. Mag., v. 19 (1908): 509-515. Description of dwelling houses on N. C. coast from Cape Hatteras to Cape Sable, together with notes on the geography of the region. 322b. — Special geography of North Carolina. A supplement to Monteith's Comprehensive Geography. (In Monteith, James. Comprehensive Geography. New York, A. S. Barnes & Co., 1882. Supplement, pp. 1-6. Map.) 322c. — Special geography of North Carolina. (In Barnes, A. S. Complete Geography. New York, American Book Co., 1885. Appendix, pp. A-J. Map.) 323. — Where the wind does the work. Elis. Mit. Sci. Soc., Jour., v. 22 (1906): 81-85. Nat. Geog. Mag., v. 17 (1906): 310-317. Descriptions of the sand dunes along the North Carolina coast, their movements and character of material of which they are composed. Abstract by B. L. Miller: Annales de Géographie, v. 16 (1907): 281. 324. COBB, NEEDHAM BRYAN. Poetical geography of North Carolina. Cambridge, Riverside Press, 1887. 63 pp. 20 cm. Rhymes on the counties, rivers, creeks, sounds, bays and mountains of North Carolina, written by author to assist his pupils in learning the geography of the state.

326. — Soil survey of the Cary area of North Carolina.

(In U. S. Dept. Agric., Field Operations, Bureau of Soils, 3d

Rept., 1901. Wash., 1902. pp. 311-318. Map.)

Soil survey of Alamance county, North Carolina.

Rept., 1901. Wash., 1902. pp. 297-310.)

325. Coffey, George N. and Hearn, W. Edward.

Description and analyses of soils of area.

(In U. S. Dept. Agric., Field Operations, Bureau of Soils, 3d

Describes physiography, geology, climate and soils of Alamance county, with mechanical analyses of the soils.

Coffey, George N.

Soil survey of the Craven area, North Carolina. See Smith, W. and Coffey, No. 1691.

327. Cohen, E_[MIL] and Weinschenk, E.

Meteoreisen-Studien.

Annalen d. K. K. Naturhist. Hofmus. Wien, 1891. pp. 131-165.

A study of the relation of nickel and cobalt to the iron in nickellferous meteoric irons. Includes Lick Creek and Duel Hill irons among those studied.

328. COHEN, E_[MIL].

Meteoreisen-Studien IV.

Annalen des K. K. Naturhist. Hofmus. Wien, v. 10, pt. 2, 1895, pp. 81-93.

Contains notes on magnetic properties and specific gravity of nickeliferous meteoric irons. The meteorites from Madison county (Duel Hill), and Davidson county (Lick Creek), are included among those studied.

329. — Meteoreisen von Deep Springs Farm, Rockingham county, Nord-Carolina, Vereinigte-Staaten.

(In Meteoreisen-Studien XI. Annalen d. K. K. Naturh. Hofmus., v. 15 (1900): 353-354.)

Abstract by E. Dull: Zts. f. Kryst. u. Min., v. 36 (1902): 645.

Contains collected results of chemical work on meteoric iron said to have fallen in 1846.

330. — Das Meteoreisen von Forsyth Co., Georgia, Vereinigte-Staaten.

K. preuss. Akad. d. Wiss. Sitz., 1897, pp. 386-396.

(This *iron* is from Forsyth county, North Carolina, and not from Georgia. It was found in 1895 while the Georgia *stone* was found in 1829.) Detailed description and chemical analysis.

331. — Meteoreisen von Linnville Mountain, Burke county, Nord-Carolina.

(In Meteoreisen-Studien, VIII. Annalen d. K. K. Naturh. Hofmus., v. 13 (1898): 145-147.)

Contains collected results of chemical work on this meteorite.

332. — Meteoreisen von Murphy, Cherokee county, Nord-Carolina, Vereinigte-Staaten.

(In Meteoreisen-Studien, XI. Annalen d. K. K. Naturh. Hofmus., v. 15 (1900): 368-369.)

Description and analysis of this meteorite found in 1899.

333. — Die Meteoreisen . . . von Persimmon creek, bei Hot House, Cherokee county, Nord-Carolina, Vereinigte-Staaten, bekannt seit 1902.

Naturwiss. Ver. f. Neuvorpommern u. Rügen in Greifswald. Mitth. 35 Jahr., 1903, pp. 58-60.

Abstract by author: Geol. Centralblatt, v. 5 (1904): 245-246.

Abstract by G. Linck: Neues Jahr. f. Min., 1905, Bd. 1. Min., pp. 216-217.

Detailed metallographic description of this meteorite.

334. — Meteoritenkunde, Parts 1, 2, 3. Stuttgart, 1894, 1903, 1905. 24 cm.

Contains notes and results of chemical work on following North Carolina meteorites: Lick Creek, Davidson county; Madison county: Guilford county; Smith Mountain; Linnville Mountain; Persimmon Creek.

— Oktaedrisches Eisen mit feinen Lamellen. Jewell Hillgruppe: Jewell Hill.

See Brezina and Cohen, No. 183.

335. — Ueber ein neues Meteoreisen von Locust Grove, Henry county (?), Nord-Carolina, Vereinigte-Staaten.

K. preuss. Akad. d. Wiss., Sitz., 1897, pp. 76-81.

Abstract by L₁eonard₁ J. S₁pencer₁: Chem. Soc. (London) Jour., v. 72, pt. 2 (1897): 272.

Describes meteorite found in July, 1857, in Georgia, not North Carolina.

336. — Zusammenfassung der bei der Untersuchung, der körnigen bis dichten Meteoreisen erhatenen Resultate.

K. preuss. Akad. d. Wiss., Sitz., 1900, pp. 1122-1135.

Summary of results of studies of granular and massive meteorites. Short descriptious and analyses of the Forsyth county and Linnville Mountain irons are given.

337. Coles, Thomas and Price, Jonathan.

Survey of the coast of North Carolina.

(In Amer. State Papers, Com. & Nav., v. 1, U. S. 9th Cong., 1st Sess., 1806. pp. 690-692.)

Review: Med. Repos., v. 10 (1807): 292-293.

Account of survey begun May 28, 1806, describing the dangerous shoals on the coast.

338. Colles, Gieorge, Wietmore,

Mica and the mica industry.

Frank. Inst., Jour., v. 160 (1905): 191-210; 275-294; 327-368; v. 161 (1906): 43-58; 81-100.

Review by R. Peele: School of Mines Quart., v. 28 (1906): 129.

Contains description of mica deposits in Mitchell, Yancey, and McDowell counties, mines and mining methods, output, value and uses. Describes pegmatite dikes and gives list of associated minerals as prepared by W. C. Kerr.

339. COLTON, HENRY E.

A farm on the French Broad, and Hickory Nut gap.

Appleton's Jour., v. 4 (1870): 737-738.

Popular description of mountain scenery along the French Broad river.

340. — Mining in North Carolina.

Eng. & Min. Jour., v. 11 (1871): 323.

Historical notes on the mining districts, descriptions of the mines and present development. 341. — Mountain scenery. The scenery of the mountains of western North Carolina and northwestern South Carolina. Raleigh, W. L. Pomery. Philadelphia, Hayes & Zell, 1859. 111 pp. Plates. 18 cm. Map.

Popular description of scenery in Buncombe, Haywood, Macon, Jackson, Cherokee, Franklin and Madison counties.

Notes on the topography and geology of western North Carolina—the Hiwassee valley.

Am. Inst. Min. Eng., Trans., v. 16 (1888): 839-851.

Discusses drainage and watersheds in countles Cherokee, Clay and part of Graham, and gives notes on economic minerals, building stones and ore deposits of district, with several ore analyses by McCreath, James A. Burns, and J. B. Britton.

- 343. Western North Carolina.
 - Amer. Inst., Trans., 1870, pp. 691-694.
 - —— Appleton's Jour., v. 5 (1871): 587.

Brief notes on topography, climate, agriculture and mineral resources,

344. Compagnie de Wilmington.

Prospectus. Campagnie de Wilmington dans la Caroline du Nord, sur la rivière de Cape-Fear aux États-Unis de l'Amerique. [Paris, 1797.] 4 pp. 26½ cm. Map.

Prospectus of a company organized in Europe for the exploitation of lands in southeastern North Carolina.

345. Comstock, W. J.

Analyses of some American tantalates.

Am. Jour. Sci., Ser. III, v. 19 (1880): 131-132.

Abstract by C. W. W[atts]: Chem. Soc. (London) Jour., v. 38 (1880): 531.

Abstract: Chem. News, v. 41 (1880): 244.

Abstract: Jahresber. d. Chem., 1880, pp. 1478-1479.

Analysis of specimen from Yancey county.

346. CONRAD, TIMOTHY, ABBOTT,

Catalogue of the eocene annulata, foraminifera, echinodermata and cirrepedia of the United States.

Acad. Nat. Sci. Phila., Proc., [v. 17] (1865): 73-75.
Includes one North Carolina form, the Sismondia alta.

347. — Catalogue of the miocene shells of the Atlantic slope.

Acad. Nat. Sci. Phila., Proc. (v. 14) (1862): 559-582.

Abstract: Neues Jahr. f. Min., 1863, pp. 871-872.

Gives name and bibliography of about 580 species, many of which are from North Carolina.

348. — Description of twenty-four new species of fossil shells, chiefly from the tertiary deposits of Calvert cliffs, Maryland.

Acad. Nat. Sci. Phila., Jour., v. 8 (1842): 183-190. Includes Astrea bella from near Newbern.

349. — Descriptions of a new genus and of twenty-nine new miocene and one eocene fossil shells of the United States. Acad. Nat. Sci. Phila., Proc., [v. 1] (1843): 305-311. Describes eight fossil shells from Newbern and Wilming. 350. — Descriptions of a new recent species of glycimeris from Beaufort, North Carolina, and of miocene shells of North Carolina. Acad. Nat. Sci. Phila., Proc., [v. 24] (1872): 216-217. Describes Donax idoncus from the coast, and Ostrenomia from eocene of North Carolina. 351. — Descriptions of miocene shells of the Atlantic slope. Am. Jour. Conch., v. 4 (1868): 64-68. Names two varieties from the Natural well, Duplin county. 352. — Descriptions of new genera and species of fossil shells of North Carolina. (Appendix a, to Kerr, W. C., Rept. Geol. Survey of North Carolina. Raleigh, Josiah Turner, 1875. 241/2 cm. pp. Description and synopsis of the cretaceous fossils and "Remarks on some genera of shells." 353. — Descriptions of new genera and species of miocene shells, with notes on other fossil and recent species. Am. Jour. Conch., v. 3 (1867): 257-270. Names five miocene shells from the Natural well, Duplin county. 354. — Descriptions of new genera, subgenera and species of tertiary and recent shells. Acad. Nat. Sci. Phila., Proc., [v. 14] (1862): 284-291. Contains descriptions of four species from the Neuseriver below Newbern. 355. —— Descriptions of new, recent and miocene shells. Acad. Nat. Sci. Phila., Proc., [v. 14] (1862): 583-586. Contains descriptions of two species from Wilmington. 356. — Descriptions of new species of fossils and recent shells and corals. Acad. Nat. Sci. Phila., Proc., [v. 3] (1846): 19-27. Names one miocene fossil shell from Wilmington. 357. — Descriptions of the new tertiary fossils from the Southern States. Acad. Nat. Sci. Phila., Jour., v. 7, pt. 1 (1834): 130-157. Names nine species of pliocene fossils from North Carolina. 358. — Descriptions of nineteen species of tertiary fossils of Virginia and North Carolina.

Acad. Nat. Sci. Phila., Proc., [v. 1] (1843): 323-329.

Names four varieties from miocene (?) of the Neuse below Newbern.

359. — Illustrations of miocene fossils, with descriptions of new species. Am. Jour. Conch., v. 2 (1866): 65-74. Names Volutifusus typus from North Carolina. 360. — New fossil shells from North Carolina. Am. Jour. Sci., Ser. I, v. 39 (1840): 387-388. Names and describes six new fossil shells from Duplin 361. — Notes on shells with descriptions of new fossil genera and species. Acad. Nat. Sci. Phila., Proc., [v. 16] (1864): 211-214. Contains description of two specimens from the "Natural Well," Duplin county. 362. — Observations on a portion of the Atlantic tertiary region with a description of new species of organic remains. Nat. Inst. Promotion of Sci., Bull. 2 (1842): 171-194. Remarks on North Carolina medial tertiary, with a list of fossils found on land belonging to Mr. Benners on the Neuse river. 363. — Observations on the eocene lignite formation of the United States. Acad. Nat. Sci. Phila., Proc., [v. 17] (1865): 70-73. Am. Jour. Sci., Ser. II, v. 40 (1865): 265-268. Describes eocene and cretaceous fossils mingled in breccia in Wilmington rock, North Carolina. **364.** — Observations on the tertiary strata of the Atlantic coast. Am. Jour. Sci., Ser. 1, v. 28 (1835): 104-111; 280-282. Abstract: Neues Jahr. f. Min., 1838, p. 483. Gives list of fossils from "Benner's," on the Neuse river, Craven county. 365. — On some points connected with the cretaceous and tertiary of North Carolina. Am. Jour. Sci., Ser. III, v. 1 (1871): 468-469. Note in same: v. 2 (1871): 75. Describes fossiliferous miocene deposits on Tar river near Greenville, and mentions shark teeth and Belemnites found at same locality. **366.** — Sketches from the notebook of a traveller. Advocate of Science & Annals of Nat. Hist., v. 1 (1834): Sketch of travel on the North Carolina coast with many notes on the natural history and geology. **367.** — Tertiary of North and South Carolina. Am. Jour. Sci., Ser. II, v. 43 (1867): 260. Cites Emmons and Tuomey, and notes mixture of cocene and cretaceous species at Wilmington. 368. Conrad Hill mine, North Carolina. n. p. 1853. 4 pp. 22 cm.

— Min. Mag., Ser. I, v. 1 (1853): 628.

Description of the mlne.

369. Cooke, Josiah P., Jr.

Culsageeite, the vermiculite of the Jenks mine, North Carolina.

Am. Acad. Arts & Sci., Proc., v. 9 (1873): 48-59.

——— Phil. Mag., Ser. IV, v. 47 (1874): 255-264.

Abstract: Am. Jour. Sci., Ser. III, v. 7 (1874): 425.

Abstract: Neues Jahr. f. Min., 1874, pp. 635-636.

Describes occurrence of a variety of vermiculite at the Jenks mine, Macon county, and gives analyses of specimens.

370. COOPER, THOMAS.

Floetz trap in North Carolina.

Am. Jour. Sci., Ser. I, v. 4 (1822): 241.

Notes on supposed natural wall near the Yadkin river.

371. COPE, E[DWARD] D[RINKER].

Discovery of a huge whale in North Carolina.

Am. Nat., v. 4 (1870): 128.

Notice of discovery of Mesoteras kerrianus near Balaena.

372. — Extinct vertebrata from North Carolina.

Am. Phil. Soc., Proc., v. 17 (1877): 182.

Remarks that a labyrinthodont and Belodon have been found in the triassic formation.

373. — Fourth contribution to the history of the fauna of the miocene and eocene periods of the United States.

Am. Phil. Soc., Proc., v. 11 (1870): 285-294.

Descriptions of fossil bones, including Mesoteras found in Edgecombe county, Mesoteras kerrianus found in Halifax county, and a vertebra of similar character found in Wayne county, North Carolina.

374. — Miocene fossils from North Carolina.

Acad. Nat. Sci. Phila., Proc., [v. 25] (1873): 207.

Mentions cranium and other bones of a hog taken from the miocene marl of Wilson county.

375. — Observations on the distribution of certain extinct vertebrata in North Carolina.

Am. Phil. Soc., Proc., v. 12 (1873): 210-216.

Ten species ranging from trias to miocene are given from Chatham and Sampson counties.

376. —— Polydectes biturgidus, Cope.

Am. Phil. Soc., Proc., v. 11 (1870): 271.

Description of this cretaceous reptlle from marl pits in Sampson county.

377. — Remarks on some fossil vertebrata from North Carolina.

Acad. Nat. Sci. Phila., Proc., [v. 21] (1869): 192.

Describes fossils of cretaceous reptiles from mlocene beds in Sampson county, and the left remus of the mandible of a finner whale from miocene of Edgecombe county. 378. — Synopsis of the vertebrata whose remains have been preserved in the formations of North Carolina.

(Appendix b to Kerr, W. C., Rept. Geol. Survey of North Carolina. Raleigh, Josiah Turner, 1875. 24½ cm. pp. 29-52.)

Descriptions of the above-named fossils, from the marl pits of Duplin county, miocene beds of Sampson county, triassic coal beds of the Dan River region, Cape Fear river, and the miocene maris of Pitt, Edgecombe and Halifax counties.

379. — Two batrachians from North Carolina.

Acad. Nat. Sci. Phila., Proc., [v. 20] (1868): 211-212.

Describes cranium of *Pariostegus* Cope from the triassic coal measures of Chatham county, and *Pariostegus myops* Cope from coal bed of the Keuper triassic.

- 380. The copper mines of Jackson county. Cambridge, 1867. 43 pp. Maps. (Not seen.)
- 381. CORDELL, EDWARD.

Hydrographic changes at Beaufort entrance, North Carolina.

(In U. S. Coast Survey, Rept., 1864. Wash., 1865. Appendix 6, p. 57.)

Describes changes on the inner bar, and in the shore line at Shakelford island.

382. Corundum.

Mineral Collector, v. 4 (1897): 37-40.

Historical notes on corundum. Outlines the commencement of the work of Charles W. Jenks at Franklin.

383. Corundum in North Carolina.

Pop. Sci. Month., v. 4 (1874): 452-456.

Describes search for corundum *in situ*, and the opening and working of the first mine near Franklin, with notes on mode of occurrence of the corundum.

384. Corundum in North Carolina in 18981.

Mineral Industry, v. 7 (1899): 15-16.

385. Corundum of North Carolina.

Am. Jour. Sci., Ser. III, v. 3 (1872): 301-302.

Description of corundum veins in Macon county.

386. CRAIGHILL, WILLIAM, E.

Improvement of Black river, North Carolina.

(In Chief of Eng. Rept., 1897, pt. 2. Appendix L 12, pp. 1402-1404.)


387. — Improvement of Cape Fear river above Wilmington, North Carolina.

(In Chief of Eng. Rept., 1897, pt. 2. Appendix L 13, pp. 1404-1406.)


———— (In Chief of Eng. Rept., 1898, pt. 2. Appendix M 13, pp. 1253-1255.)

388. — Improvement of Cape Fear river, North Carolina, at and below Wilmington.

(In Chief of Eng. Rept., 1897, pt. 2. Appendix L 14, pp. 1406-1417.)



398.	—— Improvement of Trent river, North Carolina.
	(In Chief of Eng. Rept., 1898, pt. 2. Appendix M 5, pp.
	1243-1244.) Yearly reports of progress.
399.	- Survey of Cape Lookout Harbor of Refuge, with a view of
	making it capable of sheltering the largest vessels.
	(In Chief of Eng. Rept., 1897, pt. 2. Appendix L 20, pp.
	1430-1433.)
400.	CRAIGHILL, WILLIAM PIRICE].
	Cape Fear and Deep rivers, North Carolina.
	(In Chief of Eng. Rept., 1872. Appendix Q 24, pp. 742-749.) Report of survey of these rivers, describing them in detail with notes on the mineral deposits of the region.
401.	— Dismal Swamp canal.
	(In Chief of Eng. Rept., 1872. Appendix Q 25, pp. 750-752.)
	Describes canal which connects Elizabeth river in Virginia with Pasquotank river in North Carolina.
402.	
	ton, and mouth of Mackey's creek, North Carolina.
	(In Chief of Eng. Rept., 1873. Appendix T 30, pp. 854-859.)
	(In U. S. 42d Cong., 3d Sess. House Ex. Doc. No. 153, pp
	54-59.)
403.	—— Improvement of Cape Fear river, North Carolina.
	(In Chief of Eng. Rept., 1871. Appendix Q 8, pp. 609-670.)
	——— (In Chief of Eng. Rept., 1872. Appendix Q 15, pp. 70; 698-699.)
	(<i>In</i> Chief of Eng. Rept., 1873. Appendix T 20, pp. 789-791.)
	(In Chief of Eng. Rept., 1874, pt. 2. Appendix U 21, pp
	68-81.)
	——— (In Chief of Eng. Rept., 1875, pt. 2. Appendix V 14, pp 98-104.)
	——————————————————————————————————————
	(In Chief of Eng. Rept., 1877, pt. 1. Appendix F 8, pp
	332-350.)
	—— (In Chief of Eng. Rept., 1879, pt. 1. Appendix F 14, pp
	556-574.) ————————————————————————————————————
	(<i>In</i> Chief of Eng. Rept., 1880, pt. 1. Appendix G 22, pp 695-713.)
	(In Chief of Eng. Rept., 1881, pt. 1. Appendix G 24, pp
	918-934.)
	(In Chief of Eng. Rept., 1882, pt. 1. Appendix G 26, pp
	934-947.) ————————————————————————————————————
	937-948.)
	Yearly reports of progress.
404.	— Improvement of Roanoke river below Weldon, North Caro
	lina.
	(In Chief of Eng. Rept., 1872. Appendix Q 22, pp. 696-697;



412. Crane, C[HARLES] A[LBERT].

North Carolina kaolin mining.

Clayworker, v. 37 (1902): 427-428.

Abstract: Mining Reporter, v. 45 (1902): 511-512.

Abstract: Mineral Industry, v. 11 (1903): 129.

Notes on kaolin mining with analysis of the clay.

413. CRANE, WALTER R.

Gold and silver in the Carolinas.

(In his Gold and silver, comprising an economic history of mining in the United States. New York, John Wiley & Sons, 1908. 23 cm. pp. 62-64.)

Brief historical sketch of gold and silver mining in North Carolina.

CRAYON, PORTE.

See Strother, D. H., No. 1750.

414. CREDNER, HERMANN.

Die Geognosie und der Mineralreichthum des Alleghany-Systems.

Petermann's Mittheilungen, v. 17 (1871): 41-50.

Abstract: Neues Jahr. f. Min., 1871, pp. 429-431.

Describes rocks, mountains and minerals of the Atlantic coast. Brief mention of North Carolina.

415. — Geognostische Skizze der Goldfelder von Dahlonega, Georgia, Nordamerika.

Zts. d. deutsch. Geol. Gesell., v. 19 (1867): 33-40.
Contains notes on the Carolina portion of the belt.

416. — Geognostische Skizzen aus Virginia, Nordamerika.

Zts. d. deutsch. Geol. Gesell., v. 18 (1866): 77-85.

Contains notes on geology and minerals of the northwestern part of North Carolina near the Virginia line. Describes the granite formations that extend into North Carolina. Short account of the Dismal Swamp, and brief notes on Palwotrochis major and Palwotrochis minor.

417. — Die Gliederung der eozoischen (vorsilurischen) Formationsgruppe Nord-Amerikas.

Zts. f. d. Gesam. Naturwiss., v. 32 (1868): 353-405.

Review: Neues Jahr. f. Min., 1870, pp. 637-638.

Includes (pp. 375; 384) brief mention of North Carolina formations.

418. CROOM, HENRY B.

Organic remains found in marl pits of Lucas Benners, Esq., Craven county, N. C.

Am. Jour. Sci., Ser. I, v. 27 (1835): 168-171.

List of fossils found at this locality. Was also published as appendix to Croom and Loomls. Catalogue of plants... Newbern, 1833. 16 pp.

419. CROSBY, W[ILLIAM] O[TIS].

Ore deposits of the eastern gold belt of North Carolina. Tech. Quart., v. 20 (1907): 280-286. Abstract: Mining World, v. 28 (1908): 366.

Treats of the gold belt lying chiefly in Franklin and Nash countles. Describes genetic and structural relations of the gold-bearing formations, the Alston mine in Warren county, and the Sturgess (Portis) mine and North Carolina placer mine in Franklin county.

420. Crowninshield, Jacob.

Survey of the shoals of Cape Hatteras, Cape Lookout and the Frying Pan.

(In Am. State Papers, Com. & Nav., v. 1, U. S. 9th Cong., 1806. Wash., 1832. p. 639.)

Describes the coast and dangerous shoals.

421. CURREY, RICHARD O.

The copper and iron region of the Floyd-Carroll-Grayson plateau of the Blue Ridge in Virginia.

The Virginias, v. 1 (1880): 62-64; 70-71; 74-77; 80-81; 95.

Includes Ashe and Alleghany counties in North Carolina in this region; gives geological and climatic notes on district, and describes the Ore Knob and Peach Bottom mines in Alleghany county.

422. — and Procter, Charles A.

Copper district of Tennessee, Georgia, North Carolina and Virginia—its history, geography, geology and mining interests.

Southern Jour. Med. & Pharm., v. 3 (1855): 38-44.

Contains brief historical notes on discovery of copper in the district above named and the crude attempts at mining. Describes old work of mining on Valley river, North Carolina.

423. CURREY, RICHARD O.

A geological visit to the Virginia copper region. Knoxville, Tenn., Beckett, Haws & Co., 1859. 64 pp. 22 cm. Map.

Detailed description of this region located in Floyd, Carroll and Grayson counties, Virginia, and Ashe and Alleghany counties, North Carolina. Describes physiographical and geological features, district, mineral resources, historical discovery and workings of the mines.

424. — A sketch of the geology of Tennessee.

Min. Mag., Ser. I, v. 8 (1857): 156-163; 237-243; 450-460; v. 9 (1857): 34-44.

Contains incidental mention of many geological features of western North Carolina.

425. Cutts, $R_{[ICHARD]}$ D.

Legislative history of the southern boundary of Virginia.

MSS. in possession of the U. S. Coast & Geod. Survey, Wash., D. C., 1869. 31 pp.

Describes legislative operations in regard to boundary line between Virglnia and North Carolina from Byrd's survey in 1728. 426. D., T.

An account of hill on the borders of North Carolina supposed to have been a volcano. In a letter from a Continental officer . . . to Dr. James Greenway, near Petersburg in Virginia. With remarks by Dr. Greenway.

Am. Phil. Soc., Trans., v. 3 (1790): 231-233.

Notice: Am. Phil. Soc., Early proc. From MS. copy of its meetings, 1744-1838. p. 180.

Describes as a "volcano" a hill of conical shape on Dan river, North Carolina.

427. Dabney, Charles William, Jr.

Catalogue of the North Carolina exhibit at the American Exposition, Boston, 1883. Raleigh, 1884. 63 pp.

428. — Marls and phosphates of North Carolina.

(In N. C. Agric. Exp. Sta., Ann. Rept., 1885. Raleigh, P. M. Hale, 1886. 23 cm. pp. 73-89.)

Account of work on marks and phosphates for 1885. Analyses of many varieties from localities in the lower counties.

429. — North Carolina phosphates.

(In N. C. Agric. Exp. Station, Rept. 1883. Raleigh, Ashe & Gatling, 1884. 23 cm. pp. 57-83.)

Abstract: Eng. & Min. Jour., v. 37 (1884): 363.

Historical account of distribution and occurrence of phosphate rock in Saupson, Duplin, Onslow, Pender, New Hanover, Bladen, Columbus and Brunswick counties, with many chemical analyses. Quotes from Emmons and Kerr on coprolites found in the coal and marl beds.

430. — North Carolina phosphates.

(In N. C. Agric. Exp. Station, Bull. April, 1884. pp. 4-6.) Historical notes and descriptions of the phosphate discoveries in Duplin and Sampson counties, with analyses.

431. — North Carolina phosphates.

Elis. Mit. Sci. Soc., Jour., v. 1 (1884): 64-68.

Describes phosphate deposits in Sampson, Duplin, Onslow, Pender, New Hanover, Bladen, Columbus and Brunswick counties, with many chemical analyses of material.

432. — Note on cassiterite from King's Mountain, North Carolina. Elis. Mit. Sci. Soc., Jour., v. 1 (1884): 79-81.

Abstract: Science, v. 3 (1884): 217.

Account of discovery of tin, with two analyses by G. B. Hanna.

433. — The phosphate exploration.

(In N. C. Agric. Exp. Station, Ann. Rept., 1884. Raleigh, P. M. Hale, 1885. 23 cm. pp. 44-86. Map.)

Historical account of discovery of phosphates in North Carolina, and of explorations in Columbus, Ouslow, Duplin. Lenoir, Sampson, Bladen and Pender counties in 1884, with many analyses of phosphate rock.

434. — Phosphates in North Carolina.

Science, v. 3 (1884): 31-32.

Notes on phosphates found near Wilmington, and in Sampson, Duplin and Jones counties.

435. — Phosphatic marls and other marls.

(In N. C. Agric, Exp. Station, Bull. May, 1884. pp. 2-4.) Brief account of the marls, limestones and the phosphatic conglomerates found in New Hanover and Pender counties, with tables of analyses.

436. — Progress of the phosphate investigation.

(In N. C. Agric. Exp. Station, Bull. March, 1884. pp. 4-7.)

Account of investigation in Lenoir, Jones, Onslow and Duplin counties, with many analyses of phosphates.

437. Daddow, Siamuel Hiarries and Bannan, Benjamin.

Coal and iron in North Carolina.

(In their Coal, iron and oil . . . Pottsville, Pa., B. Bannan; Phila., Lippincott; London, Trubner & Co., 1866. 23 cm. pp. 47; 393; 403-406; 536-538.)

Describes Deep River coal field in Chatham county.

438. DADOURIAN, H[AROUTUNE] M[UGURDICH].

The radio-activity of thorium.

Am. Jour. Sci., Ser. IV, v. 21 (1906): 427-432.

Thorium nitrates prepared from North Carolina monazites were used in experiments described in this paper.

439. DALL, WILLIAM HIEALEY.

Diagnosis of new tertiary fossils from the southern United States.

U. S. Nat. Mus., Proc., v. 18 (1895): 21-46.

Describes eight species found in Duplin county, at the "Natural Well," and clsewhere.

440. — List of marine mollusca comprising the quaternary fossils and recent forms from American localities, between Cape Hatteras and Cape Roque, including the Bermudas.

U. S. Geol. Survey, Bull. 24. Wash., 1885. 336 pp. 23 cm. Contains varieties from North Carolina.

—— The miocene deposits of Maryland.

See Clark, Shattuck and Dall, No. 280.

441. — Monograph of the genus Gnathodon, Gray. (Rangia, Desmoulins.)

(In U. S. Nat. Mus., Proc., v. 17 (1894): 89-106.)

Enumerates varieties found in the pliocene and miocene beds of North Carolina.

442. — and Harris, Gilbert, Diennison,

Neocene in North Carolina.

(In Correlation papers, Neocene. U. S. Geol. Survey, Bull.

84. Wash., 1892. pp. 68-74.)

Describes two classes of tertiary deposits, the marine and the perezonal, and the miocene exposures on the Chowan, Roanoke, Tar, Neuse, and Cape Fear rivers.

443. DALL, WILLIAM HIEALEY.

On the marine pliocene beds of the Carolinas.

(In his Tertiary fauna of Florida . . . Wag. Free Inst. Sci., Trans., v. 3, pt. 2 (1892): 201-217.)

North Carolina neocene forms are occasionally referred to from "Slocum's Creek" and "Mallison's." A list of species found is included.

444. — On the species of Donax of eastern North America.

The Nautilus, v. 5 (1891): 125-127.

Brief notes on fossil species of Donax found in North Carolina localities.

445. Dana, E_[DWARD] S_[ALISBURY].

Chemical mineralogy.

(In Smithsonian Inst., Bd. of Regents, Rept., 1882, pp. 538-541.)

Abstract: Neues Jahr. f. Min., 1886, Bd. 2. Ref. p. 189.

Contains summary of progress of chemical mineralogy for 1882. Reviews Genth's researches on corundum of North Carolina, and notices discovery of several minerals in the state.

446. — Mineralogical notes: No. 2. On the samarskite of Mitchell county, North Carolina.

Am. Jour. Sci., Ser. III, v. 11 (1876): 201-204.

Abstract: Jahresber. d. Chem., 1876, pp. 1257-1258.

Abstract: Neues Jahr. f. Min., 1876, pp. 427; 428.

Description and crystallographic measurements of samarskite from the mica mines of Mitchell county, and its associated minerals.

447. — Mineralogical notes, No. 3. On staurolite, new twins of staurolite and pyrrhotite.

Am. Jour. Sci., Ser. III, v. 11 (1876): 384-385.

Mentions staurolite crystals from Valley river, Cherokee county.

448. — [North Carolina minerals.]

(In his Text-book of mineralogy. Ed. 2. New York, John Wiley & Sons, 1878. 23 cm. pp. 465-466.)

Contains list of minerals.

449. — On crystals of monazite from Alexander county, North Carolina.

Am. Jour. Sci., Ser. III, v. 24 (1882): 247-250.

Review: Neues Jahr. f. Min., 1883, Bd. 2. Ref. pp. 164-165.

Abstract: Am. Nat., v. 16 (1882): 927.

Abstract: Jahresber. d. Chem., 1883, pt. 2, p. 1862.

Detailed description of monazite crystals from Milhol land's mill. Careful measurements given and compared with those of crystals from other localities.

450. — On the emerald green spodumene from Alexander county, North Carolina.

Am. Jour. Sci., Ser. III, v. 22 (1881): 179-182.

Abstract by C. A. Tenne: Neues Jahr. f. Min., 1882, Bd. 2. Ref. pp. 345-346.

Abstract by B. H. B_lrough₁: Chem. Soc. (London) Jour., v. 44 (1883): 440.

Abstract by P. Groth: Zts. f. Kryst. u. Min., v. 6 (1882): 519.

Detailed crystallographic description of hiddeuite from Alexander county.

451. Dana, James D_[wight].

Contributions to mineralogy.

Am. Jour. Sci., Ser. II, v. 18 (1854): 417.

Figures zircon crystal from McDowell county.

452. — Mineralogical notices: No. III.

Am. Jour. Sci., Ser. II, v. 12 (1851): 205-222.

Mentions rutherfordite occurring at gold mines of Rutherford county, and corundophilite occurring with corundum near Asheville, Buncombe county, analyzed by Shepard.

453. — North Carolina minerals.

(In his System of mineralogy. Ed. 3. New York & London, George P. Putnam, 1850. 24 cm. p. 658.)

Contains list of minerals found in North Carolina. Later editions also contain this list.

454. DARTON, NIELSON HIORATIO.

Artesian well prospects in North Carolina.

(In U. S. Geol. Survey, Bull. 138. Wash., 1896. pp. 190-207.)

General descriptions of wells situated in the Coastal Plain region.

455. — Deep borings in North Carolina.

(In U. S. Geol. Survey, Water-supply and Irrig. Paper No. 149. Wash., 1905. p. 94.)

List of deep borings in Durham, Johnston, Mecklenburg, Moore, New Hanover, Rowan, Stokes, Union and Wilkes counties.

456. — Norfolk folio, Virginia—North Carolina.

U. S. Geol. Survey, Geol. Atlas of U. S., No. 80. Wash., 1902.
Plates. Maps.

Lat. 36° 30'-37°, long. 75° 30'-76° 30'; scale 1; 125,000, contour interval, 5 ft.

457. DAUBENY, CHARLES.

Thermal springs of North Carolina.

(In his Sketch of the geology of North America. Oxford, Ashmolean Soc., 1839. 20½ cm. pp. 68; 69.)

Short sketch of Hot Springs in Madison county.

458. Davidson copper mining company of North Carolina. Prospectus. . Baltimore, J. F. Wiley, 1866. 10 pp. 22 cm.

Describes this property located in Davidson county, its workings, and includes a report on the mines by Eugene

459. Davis, Arthur Plowell.

Report of progress of stream measurements for the year 1896 in North Carolina₁.

(In U. S. Geol. Survey, 18th Ann. Rept., pt. 4. Wash., 1897. pp. 47-61; 64-65; 116-118. Illus. Map.)

Gives estimated monthly discharges of the rivers.

460. — River heights in North Carolina in 18961.

Gaussoin.

(In U. S. Geol. Survey, Water-supply & Irrig. Paper No. 11. Wash., 1898. pp. 15-17.)

Tables of monthly gauge heights of Roanoke, Tar, Neuse, Cape Fear and Yadkin rivers.

461. Davis, Herbert J.

Pyrites [in North Carolina].

(In U. S. Geol. Survey, Min. Res., 1885. Wash., 1886. pp. 505-506.)

Describes pyrites deposits in Gaston and Mecklenburg counties

DAVIS, JOSEPH J.

Sketch of the history and resources of Franklin county.

See Green, Davis and Arrington, No. 681.

462. DAVIS, WILLIAM, MORRIS,

The Blue Ridge of North Carolina.

Geol. Soc. Amer., Bull., v. 14 (1904): 543.

Discusses physiography of the Blue Ridge.

463. — The geological dates of origin of certain topographic forms on the Atlantic slope of the U. S.

Geol. Soc. Amer., Bull., v. 2 (1891): 545-586.

Abstract: Am. Geol., v. 8 (1891): 260.

Contains a few notes on the cretaceous peneplain of North Carolina.

464. — On the relations of the triassic traps and sandstones of the eastern United States.

Harvard Mus. Comp. Zool., Bull., v. 7 (1883): 249-309. Abstract by H. Rosenbusch: Neues Jahr. f. Min., 1884, Bd. 1. Ref. p. 230.

Contains general references to North Carolina traprock and sandstone.

465. — The stream contest along the Blue Ridge.

Phila. Geog. Soc., Bull., v. 3 (1903): 213-244.

Describes stream capture in the Blue Ridge as seen from Mt. Mitchell.

466. DAWSON, J. W.

[Age of trias of North Carolina.]

Can. Nat., v. 3 (1858): 80.

Discusses age of triassic and mentions *Dromatherium sylvestre* (Emmons).

467. Day, Arthur L_[OUIS] and Allen, E_[UGENE] T_[HOMAS].

The isomorphism and thermal properties of the feldspars.

Pt. 1. Thermal study by Arthur L. Day and E. T. Allen.

Pt. 2. Optical study by J. P. Iddings. With an introduction by George F. Becker.

Wash., Carnegie Inst. of Wash., 1905. 95 pp. Illus. 26 cm. Abstract: Am. Jour. Sci., Ser. IV, v. 19 (1905): 93-142.

Review: Am. Jour. Sci., Ser. IV, v. 20 (1905): 72-75.

Gives results of experiments on albite and microcline from Mitchell county, with analyses.

468. DAY, DAVID T_[ALBOT].

Minor minerals of the United States.

Engineering, v. 11 (1896): 299-306; 504-513.

Describes occurrence of mica in Mitchell and Yancey counties, and gives notes on monazite occurrence in Burke and McDowell countles.

(In U. S. Geol. Survey, Min. Res., 1883-1884. pp. 788-793.)

– (In U. S. Geol. Survey, Min. Res., 1885. pp. 449-450.)

469. — Phosphate rock [in North Carolina].

	Notes on discovery and mining of phosphate rock. Describes deposits in Columbus, Bladen, Sampson, Pender, Duplin, and parts of Lenoir, Jones and Onslow counties. Table of analyses.
470.	— Soapstone [in North Carolina].
	(In U. S. Geol. Survey, Min. Res., 1893. p. 625.)
471.	— Zirconium [in North Carolina].
	(In U. S. Geol. Survey, Min. Res., 1885. pp. 393-394.)
450	Describes occurrence of zircon in Buncombe county.
472.	DAY, WILLIAM C.
	Granite and sandstone production in North Carolina.
	(In U. S. Geol. Survey, 16th Ann. Rept., pt. 4 (Non-metallic
	products). Wash., 1895. p. 461.) ————————————————————————————————————
	products). Wash., 1896. p. 765.)
	— (In U. S. Geol. Survey, 18th Ann. Rept., pt. 5 (Non-metallic
	products). Wash. 1897. pp. 970-971; 1024.)
	Contains analysis of Mt. Airy granite by C. M. Cresson, and of brown sandstone by F. A. Genth, Jr.
	(In U. S. Geol. Survey, 19th Ann. Rept., pt. 6 (Non-metallic
	products). Wash., 1898. pp. 222; 275.)
	—— (In U. S. Geol. Survey, 20th Ann. Rept., pt. 6 (Non-metallic
	products). Wash., 1899. pp. 279; 429.)
,	Contains analysis of sandstone from Moore county by Charles Cresson.
473.	— Stone in North Carolina.
	(In U. S. Geol. Survey, Min. Res., 1889-1890. Wash., 1892.
	pp. 414-415.)
	Extract: Stone, v. 7 (1893): 35-36.
	——— (In U. S. Geol. Survey, Min. Res., 1891. Wash., 1893. pp. 459; 460; 463; 470-471; 473.)
	——————————————————————————————————————
	546; 569-570.)
	DE BENNEVILLE, JAMES S.
	See Benneville, James S. de.
474.	DE KALB, COURTNEY.
	Relation of tin to trap dykes.
	Eng. & Min. Jour., v. 45 (1888): 435.
	Discusses occurrence of cassiterite in western North Carolina in the neighborhood of trap dikes.
475	Delafontaine, Marc.
2.31	Nouvelles observations sur le philippium.
	Archives des Sci. Phy. et Nat., Ser. III, v. 3 (1880): 246-249.

Abstract: Jahresber. d. Chem., 1880, pp. 297-299.

Account of further chemical experiments upon the new earth philippium, contained in the samarskite of Mitchell county and its associated mineral euxenite.

476. — On the hermannolite of Shepard, and on the samarskite of North Carolina. Am. Jour. Sci., Ser. III, v. 13 (1877): 390. Abstract by E. S. Dana: Zts. f. Kryst. u. Min., v. 1 (1877): 503. Brief account of the constituents of these minerals as found by recent examination. 477. — Remarques sur les métaux nouveaux de la gadolinite et de la samarskite. Acad. des. Sci., Comp. Rend., v. 90 (1880): 221-223. - Frank. Inst., Jour., v. 79 (1880): 201-203. Abstract: Chem. News, v. 41 (1880): 72-73. Abstract: Jahresber. d. Chem., 1880, pp. 296-297. 478. — Samarskite des États-Unis. Archives des Sci. Phy. et Nat., Ser. II, v. 59 (1877): 176-Abstract: Jahresber. d. Chem., 1877, pp. 251; 288; 1346. Describes earths contained in samarskite from Mitchell county. 479. — Sur le décipium et ses principaux composés. Archives des Sci. Phy. et Nat., Ser. III, v. 3 (1880): 250-260. Account of chemical experiments upon decipium, a rare earth which is stated by author to occur in samarskite from Mitchell county. 480. — Sur le décipium, métal nouveau de la samarskite. Acad. des Sci., Comp. Rend., v. 87 (1878): 632-635. Abstract by H. Carrington Bolton: Science News (Salem, Mass.), v. 1 (1879): 73-74. Abstract by G_[eorge] F. B_[arker]: Am. Jour. Sci., Ser. III, v. 17

(1879): 61-62.

Abstract: Jour. f. prakt. Chem., n. f., v. 10 (1879): 47-48.

Jahresber. d. Chem., 1878, pp. 259-260.

Mentions new metal found in samarskite of North Carolina, and briefly describes the action of its compounds.

Sur le mosandrum de M. Lawrence Smith.

Acad. des Sci., Comp. Rend., v. 87 (1878): 600-602.

Abstract: Jour. f. prakt. Chem., n. f., v. 19 (1879): 47-48.

Abstract: Jahresber. d. Chem., 1878, p. 262.

482. — Sur le terbium et ses composés et sur l'existence probable d'un nouveau métal dans la samarskite de la Caroline du Nord.

Archives des Sci. Phy. et Nat., Ser. II, v. 61 (1878): 273-

Abstract: Jahresber. d. Chem., 1878, pp. 255-257.

Describes chemical experiments on the earths contained in samarskite of North Carolina, resulting in the discovery of the probable existence of a new metal.

483. — Sur un nouveaux métal, le philippium.

Acad. des Sci., Comp. Rend., v. 87 (1878): 559-561.

Abstract: Chem. News, v. 38 (1878): 202-203.

Abstract by H_1 enry₁ Carrington Bolton: Science News (Salem, Mass.), v. 1 (1879): 73.

Abstract by G_[eorge] F. B_[arker]: Am. Jour. Sci., Ser. III, v. 17 (1879): 61.

Abstract: Jour. f. prakt. Chem., n. f., v. 19 (1879): 47-48.

Abstract: Jahresber. d. Chem., 1878, pp. 257-259.

Describes discovery of the oxide of a new metal belonging to the yttria group, and named philippium. Samarskite from North Carolina used in experiments.

DEMING, J. L.

[Olivine norytes near Marshall, North Carolina.]

See Herrick, Clarke and Deming, No. 762.

DE POURTALES, LOUIS FRANÇOIS.

See Pourtales, Louis François de.

484. DES CLOIZEAUX, A.

Sur un mineral qui paraît offrir une forme dimorphe du rutile.

Soc. Min. de France, Bull., v. 9 (1886): 184-186.

Notice: Am. Nat., v. 24 (1890): 173.

Gives crystallographic characters of rutile from Polk county.

485. Description of North Carolina.

(In A new and complete system of universal geography, ... v. 2. Edinburgh, R. Morison & Son, 1796. 21½ cm. pp. 465-479.)

Geographical description of the state.

486. Description of North Carolina.

(In Warden, D. B. A statistical, political and historical account of the United States of North America, v. 2. Edinburgh, 1819. 21 cm. pp. 364-394.)

Description of the state, its resources and products.

487. Description of the oil and iron works of the Deep River Coal & Iron Co.

Min. Mag., Ser. II, v. 2 (1861): 90-94.

488. Descriptive gazette of the Cape Fear and Yadkin Valley Railway.

Wilmington and Northwestern North Carolina. . . Raleigh,
Edwards, Broughton & Co., 1884. S5 pp. 23½ cm. Map.

General account of this section of country with notes on mineral deposits.

489. DESOR, E.

Post-pliocene of the Southern States and its relation to the Laurentian of the North and the deposits of the valley of the Mississippi.

Am. Jour. Sci., Ser. II, v. 14 (1852): 49-59.

Discusses post-pliocene deposit at the mouth of the Neuse river.

490. DEVEREUX, WALTER B₁OURCHIER₁.

Gold and its associated minerals at King's Mountain.

Eng. & Min. Jour., v. 31 (1881): 39-40.

Contains results of observations on the King's Mountain mine, taken below water level. Describes the veins, ores and associated minerals.

491. Dewey, Frederick P_[ERKINS].

A preliminary descriptive catalogue of the systematic collections in economic geology and metallurgy in the U. S. National Museum.

- U. S. Nat. Mus., Bull. 42. Wash., 1891. 256 pp. 23 cm. Names many specimens from North Carolina, and includes those in the 10th census iron ore collection, (p. 128).
- 492. Diamonds in North Carolina.

Am. Jour. Sci., Ser. II, v. 2 (1846): 119.

Describes diamond from Rutherford county.

493. DICKESON, MONTROVILLE WILSON.

Report of the geological survey and condition of the Brown and Edwards' property in the county of Randolph, North Carolina. Phila., J. B. Chandler, 1860. 10 pp. 22 cm.

- 494. Report of the geological survey and condition of the Phœnix Mining Co. in the county of Guilford, North Carolina. Phila., J. B. Chandler, 1860. 15 pp. 22 cm.
- 495. Report of the geological survey and condition of the Rhea mine in the county of Mecklenburg, North Carolina. Phila., J. B. Chandler, 1860. 10 pp. 20 cm.

 Includes report of E. Emmons made in 1853.

496. — Report of the geological survey and condition of the Twin mine in the county of Guilford, North Carolina. Phila., J. B. Chandler, 1860. 11 pp. 22 cm.

497. DICKSON, JAMES.

An essay on the gold regions of the United States.

Geol. Soc. Penn., Trans., v. 1 (1835): 16-32.

Abstract by Robert Jameson: Edin. Phil. Jour., v. 19 (1835): 185-188.

General remarks on gold deposits of North Carolina, in connection with and comparing with other deposits of the U. S.

498. DICKSON, JOHN.

Notices of the mineralogy and geology of parts of South and North Carolina.

Am. Jour. Sci., Ser. 1, v. 3 (1821): 1-4.

Notice: Taschenbuch f. die Min., v. 18 (1824): 933-934.

Contains a few topographical notes on western North Carolina, describes a specimen of compact oxide of titanium from Lincoln county, and mentions gold from Cabarrus county.

499. Dieffenbach, Otto.

Bemerkungen über den Mineralreichtum der Vereinten Staaten von Nord-Amerika.

Neues Jahr. f. Min., 1855, pp. 527-532.

Short discussion of the coals of the United States, giving principally a geographical distribution of the coal-bearing formation. Bare mention of the Deep River coal-field.

500. — Bemerkungen über den Mineral-Reichthum der Vereinten Staaten von Nord-Amerika.

Neues Jahr. f. Min., 1856, pp. 385-394.

Briefly describes the principal copper mines of North Carolina, comprising the McCullock, Gold Hill, Vanderburg, Phœnix and Fentress mines.

501. — Beobachtungen über die Erz-Gänge und das Gang-Gebirge von Nord-Carolina und den angrenzenden Staaten.

Neues Jahr. f. Min., 1854, pp. 663-669.

Abstract: Jahresber. d. Chem., 1854, p. 810.

Describes geology, deep weathering and mode of occurrence of the gold and associated minerals in the North Carolina mines.

502. — Das Vorkommen von Chrom-Erzen und ihre Verarbeitung in den Vereinten Staaten von Nord-Amerika.

Neues Jahr. f. Min., 1855, pp. 533-539.

Mentions presence of chrome ores in Virginia and North Carolina.

503. DILLER, JOSEPH SILAS.

Origin of palæotrochis.

Elis. Mit. Sci. Soc., Jour., v. 16 (1899): 59-67.

— — Am. Jour. Sci., Ser. IV, v. 7 (1899): 337-342.

Review by M. L. Fuller: Am. Chem. Research, Rev., v. 5 (1899): 75.

Abstract by Milch: Neues Jahr. f. Min., 1901, Bd. 1. Min., p. 411.

Discussion of *Palactrochis*, described as a fossil sponge by Emmons, and proved to be a spherulite by the author, Analysis by W. F. Hillebrand of specimen from the Sam Christian mine, Montgomery county.

504. DIMMOCK, GEORGE.

A trip to Mt. Mitchell in North Carolina.

Appalachia, v. 1 (1877): 141-151.

Entertaining account of climbing Mt. Mitchell; notes on scenery, mountains, rocks, flora, with brief account of Prof. Elisha Mitchell.

505. Discovery of Lake Scuppernong (Phelps), North Carolina, with notes by Maj. George P. Collins.

Southern Hist. Assoc., Pub., v. 6 (1902): 21-27.

Description of discovery of Lake Scuppernong, situated within the Dismal Swamp, by Josiah and Joseph Phelps.

506. Dismal Swamp canal.

Niles' Register, v. 29 (1825): 247.

Brief notice of Dismal Swamp canal which connects Chesapeake and Albemarle sounds.

507. Dismal Swamp canal.

Reports in relation to Dismal Swamp canal.

U. S. 50th Cong., 2d Sess., 1889. Sen. Mis. Doc. No. 89. 70 pp. Map.

Various reports and communications on history, condition and progress of the Dismal Swamp canal.

508. Dorsey, Clarence W. and others.

Soil survey of the Statesville area. North Carolina.

(In U. S. Dept. Agric., Field Operations, Bureau of Soils, 3d Rept., 1901. Wash., 1902. pp. 273-295. Map.)

Detailed descriptions of soils in the area, with notes on the geology, physiography and climate. Many analyses of soils.

509. Douglass, E. A.

Report of progress in improving navigation of Cape Fear and Deep rivers.

(In Cape Fear and Deep River Navigation Co., Rept. 1855-1856. N. C. Gen. Assem., Sess. 1856-1857. Doc. No. 13, pp. 17-20.)

510. Drake, J. A. and Belden, H. L.

Soil survey of New Hanover county, North Carolina.

(In U. S. Dept. Agric., Field Operations, Bureau of Soils, 8th Rept., 1906. pp. 245-279. Map.)

Detailed description of soils of area with analyses, and notes on topography and climate.

511. DUANE, J. C.

River and harbor improvements in North Carolina.

(In Chief of Eng. Rept., 1886, pt. 1. Wash., 1886. pp. 153-169.)

511a. — — (In Chief of Eng. Rept., 1887, pt. 1. Wash., 1887. pp. 121-134.)

512. Duffield, W[ILLIAM] W[ARD].

[Operations in North Carolina in 1894.]

(In U. S. Coast & Geod. Survey, Rept. 1894, pt. 1. Wash., 1895. p. 26.)

Account of survey of Outer Diamond shoal off Cape Hatteras.

513. DUNCAN, W. C.

North Carolina.

DeBow's Review, v. 11 (1851): 30-40; 105-122.

Compiled sketch on history, geography and general resources. Topographical description of state. Quotes Olmsted in regard to minerals and describes the coal and iron deposits in detail.

514. DUNNINGTON, FIRANCIS, PIERRY,

Analysis of a mineral from Webster, Jackson county, North Carolina.

Chem. News, v. 25 (1872): 270.

Description of specimen which resembles pimelite from Silesia.

515. — Analysis of genthite (nickel-gummite) from North Carolina. Chem. News, v. 25 (1872): 270.

Abstract by $J_{\{0hn\}}$ $W_{\{atts\}}$: Chem. Soc. (London) Jour., v. 25 (1872): 680-681.

Abstract: Jahresber. d. Chem., 1872, pp. 1120-1121.

Description and analysis of genthite from Webster, Jackson county.

516. Du Pré, Warren. .

On a series of eathquakes in North Carolina, commencing on the 10th of February, 1874.

Smith. Inst., Bd. of Regents, Ann. Rept., 1874, pp. 254-260. Abstract: Nature, v. 13 (1875): 94.

Account of earthquakes In vicinity of Stone Mountain.

517. DUTTON, GEORGE.

Oracock bar, North Carolina.

U. S. 21st Cong., 2d Sess., 1831. House Ex. Doc. No. 40. 5 pp.

Report on progress of removing obstructions at Oracock bar, outlining methods of opening channel.

518. Eakins, L. G.

Analysis of iron ore from Troy, North Carolina.

(In U. S. Geol. Survey, Bull. 78. Wash., 1891. p. 126.)

519. — Meteoric iron from North Carolina.

Am. Jour. Sci., Ser. III, v. 39 (1890): 395-396.

Abstract by B. H. B_lrough₁: Chem. Soc. (London) Jour., v. 58 (1890): 1081.

— (In U. S. Geol. Survey, Bull. 78. Wash., 1891. pp. 93-94.)

—— — (In U. S. Geol. Survey, Bull. 148. Wash., 1897. p. 244.)
—— (In U. S. Geol. Survey, Bull. 168. Wash., 1900. p. 241.)

Abstract by E. Cohen: Neues Jahr. f. Min., 1891, Bd. 1. Ref.

Description and analysis of meteoric iron found in 1880 near Ellenboro, Rutherford county.

520. — Note on xanthitane.

Am. Jour. Sci., Ser. III, v. 35 (1888): 418-419.

Notice: Am. Nat., v. 22 (1888): 735.

Abstract: Soc. Min. de France, Bull., v. 12 (1889): 500.

Description and analysis of xanthitane from Henderson county.

521. — Xenotime from North Carolina.

(In U. S. Geol. Survey, Bull. 113. Wash., 1893. p. 112.)
Describes mineral from Brindletown, Burke county.

522. — Zoisite from North Carolina.

(In U. S. Geol. Survey, Bull. 113. Wash., 1893. p. 111.)

Analysis of zoisite from James' mica mine, Yancey county.

523. EAMES, RICHARD, JR.

Copper in North Carolina.

Eng. & Min. Jour., v. 83 (1907): 583.

Describes geological occurrence of copper veins and ores, with notes on the Union, Gold Hill and Ashboro mlnes in Rowan county, the Ore Knob mine in Ashe county and the Conrad Hill mine in Davidson county.

524. — Copper in North Carolina in 1907₁.

(In Mineral Industry, v. 16 (1908): 292-293.

Notes on mining at Gold Hill.

525. — Gold and copper mines of the south.

Mineral Industry, v. 12 (1903): 463-464.

—— Eng. & Min. Jour., v. 77 (1904): 37.

Notes on mining operations at the Barringer and Iola mines in 1903.

526. — A North Carolina development.

Eng. & Min. Jour., v. 79 (1905): 376.

Account of mining, granite and water-power properties in Montgomery, Rowan and Stanly counties, purchased by the Whitney Co., including the Reimer mine and Rowan granite quarry in Rowan county, and the Barringer mine in Stanly county.

527. The earthquake scare in North Carolina.

Pop. Sci. Month., v. 13 (1878): 635.

Notes on rumblings and so-called earthquakes of Bald mountain.

528. EATON, AMOS.

The gold of Mexico in a rock equivalent to that which contains the gold of North Carolina.

Am. Jour. Sci., Ser. I, v. 20 (1831): 124.

Describes specimen of gold from Mexico, with its gangue and wall rock which precisely resembles those from North Carolina.

529. — The gold of the Carolinas in talcose slate.

Am. Jour. Sci., Ser. 1, v. 18 (1830): 50-52.

Abstract: Bull. des Sci. Nat. et de Géol., v. 26 (1831): 259-260.

Description of specimens of gold, gangue and wall rock from the gold mines near Charlotte.

530. Eaton, H[ARRY] N[ELSON].

Micropegmatite at Chapel Hill.

Elis. Mit. Sci. Soc., Jour., v. 24 (1908): 104-105.

Microscopical description of micropegmatite near Chapel Hill.

531. — Micro-structure and probable origin of flint-like slate near Chapel Hill, North Carolina.

Elis. Mit. Sci. Soc., Jour., v. 24 (1908): 1-8.

532. ECKEL, EDWIN CILARENCE.

Iron-ores in North Carolina in 1906.

(In U. S. Geol. Survey, Min. Res., 1906. Wash., 1907. p. 88.)

Mentions deposits of magnetic ore at the Cranberry mine in Mitchell county.

533. — Portland cement resources for North Carolina,

(In U. S. Geol. Survey, Bull. 243. Wash., 1905. pp. 267-268.)

> Describes limestone deposits in Cherokee county; marls on the Neuse river, near Wilmington in New Hanover county, and those limestones suitable for cement manufacture.

534. Edson, Helen R.

Frost forms on Roan mountain.

Pop. Sci. Month., v. 45 (1894): 30-39.

Notes on temperatures and climate on Roan mountain.

535. Edwards, Richard.

The State of North Carolina.

(In his Statistical gazetteer of the States of Virginia and North Carolina . . . Richmond, for the proprietor, 1856. 22 cm. pp. 469-597.)

Contains notes on physiography, soil, climate and mineral resources.

536. Egleston, Thomas.

[Copper refining at Ore Knob, North Carolina.]

Am. Inst. Min. Eng., Trans., v. 9 (1880): 699-700; 729-730.
Contains analyses of refining slags resulting from treatment of sulphurous ores at Ore Knob, and analyses of the copper ore.

537. — The Hunt and Douglas copper process.

Engineering, v. 22 (1876): 419-420; 437-438.

Description of the Hunt and Douglas process for the reduction of copper in use at the Ore Knob mine, Ashe county.

538. — Investigations on the Ore Knob copper process.

Am. Inst. Min. Eng., Trans., v. 10 (1881): 25-57.

--- Eng. & Min. Jour., v. 32 (1881): 254-255; 268-269.

---- Published separately. 33 pp.

Describes mining operations at the Ore Knob mine in Ashe county, the Hunt and Douglass process in use, and gives analyses of the ores.

539. — The Thies process of barrel chlorination.

Sch. of Mines Quart., v. 11 (1890): 138-147.

Describes this process as operated successfully at the Phœnix mine.

540. Eights, James.

The College and Hepler copper mines.

Min. Mag., Ser. 1, v. 2 (1854): 198-199.

Descriptive notes on these mines located 20 miles southwest of Greensboro.

541. — North Carolina, its geology, mining regions, scenery.

Min. & Stat. Mag., v. 10 (1858): 183-188; 268-273; 369-373; 423-427.

General popular description of the state from observations taken in an imaginary geological journey from the coast westward.

542. — Report in relation to the Fisher Hill and Pucket mines in Guilford county, North Carolina. Fisher Hill, N. C., 1854. 7 pp. 22 cm.

Describes geology, veins and ores of this property.

543. — A report on the geological, mineralogical and other resources of the Hiatt tract of land, containing 2000 acres and situated in the county of Surry, North Carolina. Greensborough, 1855. 8 pp. 21 cm.

Describes topography, geological structure and mineralogical character of this property.

544. ELLERY, J. G.

The property of the Catawba mining company in McDowell county, North Carolina.

Min. Mag., Ser. I, v. 3 (1854): 15-25.

Describes topographical features of district, geological formation, veins, ores and workings of this mine.

545. ELLET, WILLIAM H.

Gold mining by the hydraulic process in North Carolina and Georgia.

Min. & Stat. Mag., v. 10 (1858): 27-30.

Concise account of hydraulic mining as in operation in Burke and McDowell counties.

546. ELLIOTT, JOHN B.

The age of the southern Appalachians.

Am. Jour. Sci., Ser. III, v. 25 (1883): 282-298.

Abstract by Kayser: Neues Jahr. f. Min., 1883, Bd. 2. Ref. pp. 350-351.)

Discusses formations of the Blue Ridge and Smoky mountains.

547. The Emerald and Hiddenite Mining Company. Prospectus. . . New York, E. H. Coffin, 1882. 16 pp. 20 cm.

Description of discovery of this mine located near Stony Point, Alexander county, and its subsequent development.

548. Emmens, Stephen H.

The nickel deposits of North Carolina.

Eng. & Min. Jour., v. 53 (1892): 476-477.

Describes nickel deposits at Webster, Jackson county.

549. Emmons, Ebenezer.

Agriculture. Containing descriptions, with many analyses of the soils of the swamp lands. Raleigh, W. W. Holden, 1860. 95 pp. 23 cm.

Appendix: Brief descriptions of the mineral springs and well waters which occur in and about Raleigh.

Discusses character and composition of the soils of the swamp lands, their mode of formation, geological age. with geographical position and extent.

550. — Agriculture of North Carolina, pt. 2: containing a statement of the principles of the science upon which the practices of agriculture as an art are founded. Raleigh, W. W. Holden, 1860. 112 pp. 23 cm.

Treats the principles of agriculture in an elementary way, describes varieties of soils, composition of the rocks which furnish the soils, and states results of experiments in the use of different fertilizers.

551. — American geology, containing a statement of the principles of the science, with full illustrations of the characteristic American fossils. Albany, N. Y., Sprague & Co., 1855.
2 pts. in 1 vol. Plates. 24½ cm. Pt. 6. Albany, N. Y., Sprague & Co., 1857. 147 pp. Plates. 24½ cm.

Describes North Carolina "Taconic" rock structure, auriferous veins and ores, and economic mineral deposits. Many references to North Carolina geology throughout the book. Pt. 6 gives account of Chatham series, and figures and describes numerous triassic fossils.

552. — Appendix to the special report made to . . . Gov. Bragg relative to the resources of the valley of Deep river and its advantages as a site for a national foundry.

MSS., Raleigh, March 27, 1858. 5 pp. 32 cm.

Contains descriptions of several varieties of iron ore newly discovered near Buckhorn Falls, and descriptions and chemical analyses of ores from the Deep River valley.

553. — The chemical constitution of certain of the Chatham series in the valley of Deep river, North Carolina.

Am. Assoc. Adv. Sci., Proc., 12th meet. (1858): 230-232. Abstract: Neues Jahr. f. Min., 1859, p. 511.

554. — [Coal in North Carolina.]

Acad. Nat. Sci. Phila., Proc., [v. 15] (1859): 162.

Discusses the debituminization of coal.

555. — Fossils of the sandstones and slates of North Carolina.

Am. Assoc. Adv. Sci., Proc., 11th meet., pt. 2 (1857): 76-80.

Discusses fossil-bearing horizons which lie obliquely across the state from Granville county to Union county.

556. — Geological and agricultural survey.

N. C. Gen. Assem., Sess., 1860-1861. Ex. Doc. No. 26. Raleigh, 1861. 6 pp. 21 cm.

Report of re-examination of the mountain counties and enumeration of general mineral and agricultural resources.

557. — Geological report of the midland counties of North Carolina. New York, Putnam; Raleigh, H. D. Turner, 1856. 351 pp. 21 cm. Illus. Plates. Maps. 24 cm.

Review by C_t hester₁ D_t ewey₁: Am. Jour. Sci., Ser. II, v. 24 (1857): 427-429.

Abstract of review: Neues Jahr. f. Min., 1858, pp. 358-359.

Deals with geology of the midland counties and describes in detail the rock formations, metallic veins, ores, mines and mining methods. The Gold Hill, Courad Hill and McCullock mines are described and a detailed account given of the Deep and Dan River coal beds, the organic remains found there, and the iron and manganese deposits.

558. — Gold veins in the syenetic granite of the Salisbury and Greensborough belt, North Carolina.

Min. Mag., Ser. II, v. 2 (1861): 25-36.

Extract from the "Midland counties," discussing the Mc-Cullock, Fisher Hill, Lindsay, Gardner, Rudisil, Dunn, Phœnix, Orchard, Barnhardt, Gold Hill, Pioneer, Long and Rhymer mines. Describes the rock formations, veins, ores and their treatment, mining operations and production.

559. — Manual of geology. Designed for the use of colleges and academies. Phila., Sower, Barnes & Co., 1860. 290 pp. 20 cm. Ed. 2. New York, A. S. Barnes & Burr, 1860. 296 pp. 22 cm.

Contains many references to North Carolina geology and paleontology. Describes Chatham beds and triassic series in Wake and Orange counties.

- 560. National foundry.—Deep River, N. C. Special report concerning the advantages of the valley of the Deep river as a site for the establishment of a national foundry. Raleigh, Holden & Wilson, 1857. 14 pp. 23 cm.
 - —— Min. Mag., Ser. I, v. 10 (1858): 281-288.

 Enumerates advantages which the Deep River valley affords as a site for a national foundry, describes coal and iron ores and gives chemical analyses.
- 561. A national foundry in North Carolina.

DeBow's Review, v. 24 (1858): 403-409.

Letter to Governor Bragg setting forth advantages of the Deep River valley as a site for a national foundry, describing the soil and climate, the coal and Iron ores and stone quarries.

562. — North Carolina iron.

Min. Mag., Ser. I, v. 1 (1853): 198-199.

Discusses iron deposits at Deep River.

563. — On age of trias in Virginia and North Carolina.

St. Louis Acad. Sci., Trans., v. 1 (1860): 101-102.

Letter from Prof. Emmons on examination of his collection of fossil plants from North Carolina by Prof. Heer of Zurich, discussing their geological age.

564. — On new fossil corals from North Carolina.

Am. Jour. Sci., Ser. II, v. 22 (1856): 389-390.

Abstract: Neues Jahr. f. Min., 1857, pp. 123-124.

Description of supposed fossil specimens from Montgomery county, named Palwotrochis major and Palwotrochis minor.

565. — Permian and triassic systems of North Carolina.

Edin. Phil. Jour., n. s., v. 5 (1857): 370.

Abstract: Neues Jahr. f. Min., 1857, p. 343.

Describes remains of the codont saurians found in what author regards as permian, and fossil plants found in the coal measures.

566. — Remarks on the head of Clepsysaurus.

Acad. Nat. Sci. Phila., Proc., [v. 59] (1859): 150-151.

Notice of specimens of Palwotrochis and description of a fossil head (Clepsysaurus) found in Chatham county.

567. — Report of Prof. Emmons on his geological survey of North Carolina.

N. C. Gen. Assem., Sess. 1852. Ex. Doc. No. 13. 181 pp. 23 cm.

Deals with two principal subjects: soils and agriculture of the lower counties, and the coal-fields of Rockingham, Stokes, Chatham and Moore counties. Describes in detail the tertiary marl beds situated largely upon the Neuse, Tar, Roanoke and Cape Fear rivers, and gives many analyses of these marls and account of the fossils found therein. Describes the coal fields of the Deep and Dan rivers in detail.

568. — Report of the North Carolina geological survey. Agriculture of the eastern counties, together with descriptions of the fossils of the marl beds. Raleigh, Henry D. Turner, 1858. 314 pp. 23 cm.

Deals with character and classification of the soils of the eastern counties, with notes on the topography of the district, composition and character of the soils and clays. Describes the greensand with its characteristic fossils, and fossils found in the marl beds on the Cape Fear and Neuse rivers.

569. — Report of the progress and present state of the geological and agricultural survey of North Carolina.

N. C. Gen. Assem., 1855. Ex. Doc. Raleigh, W. W. Holden, 1855. 20 pp. 21 cm.

Account of geological investigations in Stanly, Anson, Richmond, Montgomery, Chatham, Moore, Bladen, Johnston, Wake, Granville, Person, Caswell, Rockingham, Stokes, Surry, Ashe, Yadkin, Wilkes, Davie and Davidson counties, with especial reference to the mining and agricultural resources.

570. — Report on the natural resources of that part of North Carolina west of the Blue Ridge.

(In N. C. Gen. Assem., Sess. 1860-1861. Ex. Doc. No. 25. Appendix b. Raleigh, 1861. pp. 7-9.)

Notes on physiography of western North Carolina, and the mineral and agricultural resources of Haywood, Macon and Cherokee counties.

571. —— _tReport on the Rhea mining property, Mecklenburg county, North Carolina.₁

Min. Mag., Ser. I, v. 2 (1854): 307-309.

Description of veins and ores found on this property.

572. ENDEMANN, HERMANN and LOEW, OSCAR.

On the earth contained in the zircons of North Carolina.

N. Y. Lyc. Nat. Hist., Annals, v. 9 (1869): 211-213. Analyses of zircon from Henderson county. 573. English, G[EORGE] L[ETCHWORTH].

Monazite and the wonderful Carolina sands.

Mineral Collector, v. 10 (1904): 169-170.

Abstract of a lecture delivered at the Brooklyn Institute. Describes the monazite mines of North Carolina, occurrence and geological distribution of monazite.

574. ERVIN, W. C.

Catawba valley and highlands, Burke county, western North Carolina. Morganton, N. C., 1896. 40 pp. 23 cm. Map.

General description of the county, including the mines and mineral deposits.

575. Extended use of some of the rarer minerals.

Eng. & Min. Jour., v. 46 (1888): 1-2.

Notes on Monazite sand occurring in Burke, Polk, McDowell, Rutherford and Alexander counties, and on zircon from Henderson county.

576. FARIS, RIOBERT, L.

Results of magnetic observations _tin North Carolina₁ between July 1, 1906, and June 30, 1907, and descriptions of stations.

(In U. S. Coast & Geod. Survey, Rept. 1907. Wash., 1908. Appendix 5, pp. 170; 200-202.)

577. FARRINGTON, OLIVER CUMMINGS.

Analyses of iron meteorites compiled and classified.

Field Columbian Museum, Pub. No. 20. Geol. Ser., v. 3, No. 5 (1905): 59-110.

Includes following North Carolina meteorites: Lick Creek, Black Mountain, Duel Hill, Asheville. Guilford county, Bridgewater, Smith's Mountain, Deep Springs.

578. FEATHERSTONEHAUGH, THOMAS.

A private mint in North Carolina.

Southern Hist. Assoc., Pub., v. 10 (1906): 67-77.

_____ [Wash.], n. d. 11 pp. 22 cm.

Popular account of a private mint established at Rutherfordton by Christopher Bechlor in 1831.

579. FIEBEGER, GIUSTAVE, JOSEPH,

Improvement of Currituck sound, Coanjok bay and North river bar, North Carolina.

(In Chief of Eng. Rept., 1890, pt. 1. Appendix J 6, pp. 1027-1029.)

580. — Improvement of North Landing river, Virginia and North Carolina.

(In Chief of Eng Rept., 1890, pt. 1. Appendix J 5, p. 1027.)

_____ (In Chief of Eng. Rept., 1891, pt. 2. Appendix K 8, pp. 1304-1305.)

581. — Preliminary examination of Northwest river, North Carolina, up to Moyock.

(In Chief of Eng. Rept., 1891, pt. 2. Appendix K 14, pp. 1321-1324.)

Describes river and general character of country along the river. Map.

582. FINLEY, JOHN P.

State tornado charts, North Carolina.

Am. Meteor. Jour., v. 6 (1889): 322-325.

Gives table of tornadoes from 1826-1888.

FISHER, HENRY.

Barite in North Carolina.

See Struthers and Fisher, No. 1751.

— Copper in North Carolina.
See Struthers, Newland and Fisher, No. 1752.

583. — Mica in North Carolina.

Mineral Industry, v. 11 (1902): 467.

Describes mica deposits in Mitchell, Yancey, Jackson, Haywood and Macon counties.

584. FLEURY, A. L.

Report of an examination of the High Shoals property. Pittsburg, Pa., 1866. 15 pp. 23 cm.

Describes geological formation, veins and ores found on this property in Gaston county, with notes on the Asbury, Dickson and Briggs mines.

585. FLIGHT, WALTER.

[Meteorites from North Carolina.]

(In his Chapter in the history of meteorites. London, Dulac & Co., 1887. 24 cm. pp. 54; 68; 72; 127; 211.)

Description of the Rockingham county, Madison county and Nash county meteorites. Chemical analyses of those from Madison and Nash counties.

586. FONTAINE, W[ILLIAM] M[ORRIS].

Notes on fossil plants collected by Dr. Ebenezer Emmons from the older mesozoic rocks of North Carolina.

(In U. S. Geol. Survey, 20th Ann. Rept., pt. 2. Wash., 1900. pp. 279-315.)

Contains detailed descriptions of fossils found by Dr. Emmons and preserved at Williams College in Massachusetts. These are described by Dr. Emmons in his "American Geology."

587. — The older mesozoic flora of North Carolina.

(In U. S. Geol. Survey, Monographs, v. 6, pt. 3. Wash., 1883. pp. 97-128.)

Review: Annals Nat. Hist., Ser. V, v. 16 (1885): 517.

Review: Pop. Sci. Month., v. 28 (1885): 129.

Review by Lester F. Ward: Science, v. 5 (1885): 280-281.

Review by Geyler: Neues Jahr. f. Min., 1887, Bd. 2. Ref. pp. 513-514.

Author gives an account of the mesozoic plants taken from Emmons' "American Geology," and compares Emmons' descriptions and conclusions regarding these fossils with his own. Gives list of plants found mostly in the Deep River belt in Orange, Anson and Chatham counties.

588. — The Potomac formation mear Weldon, North Carolina.

(In U. S. Geol. Survey, Bull. 145. Wash., 1896. pp. 16; 24-25.)

589. — Report of work done during 1888-1889.

(In U. S. Geol. Survey, 10th Ann. Rept., pt. 1. Wash., 1890. p. 174.)

Discusses so-called "Trias." of North Carolina, between Greensboro and Raleigh, and reports on an investigation of localities named by Prof. Emmons as affording some of his fossil specimens.

590. Гооте, А. Е.

On a probable pseudomorphism of gummite and uranotil after uraninite.

Acad. Nat. Sci. Phila., Proc., [v. 32] (1880): 292.

Describes 20 crystals plainly pseudomorphs after some pre-existing crystal in a collection from Mitchell county.

591. Forbes, Edward.

New species of cretaceous shells.

Geol. Soc. London, Quart. Jour., v. 1 (1845): 61-63.

Ostrea subspatulata is described and figured from South Washington, on Lewis' creek, North Carolina.

592. Forest reserve in the southern Appalachian mountain region.

U. S. 56th Cong., 2d Sess., 1901. Sen. Rept. No. 2221. 14 pp. Map.

Report on bill presenting petition for a forest reserve in the southern Appalachians, which region includes part of the mountain district in North Carolina. General description of physiographic features of region.

593. Foster, J. W.

[Fossil elephant in North Carolina.]

Am. Assoc. Adv. Sci., Proc., 10th meet., pt. 2 (1856): 166.

Refers to fossil bones found by Conrad in the upper tertiary deposits on the banks of the Neuse river.

594. FOSTER, JAMES T.

A brief sketch of the early discoveries of gold mines and mining in North Carolina down to the present time. Greensboro, 1883. 13 pp. (*Not seen*.)

595. Foster, $J_{[OHN]}$ $B_{[ATES]}$.

Brief history of the surveys and charts made of the Cape Fear river between its mouth and Wilmington; the reports rendered and plans of improvement proposed at various times; the works executed; under whose plans, and the resulting effects upon the navigation of the river.

(In Chief of Eng. Rept., 1873. Appendix T 21, pp. 804-815.)

—— (In U. S. 42d Cong., 3d Sess. House Ex. Doc. No. 108. pp. 4-20.)

596. FOULLON, H. VON.

Ueber Verwitterungsproducte des Uranpecherzes und über die Trennung von Uran und Kalk.

K. K. geol. Reichsanst., Jahr., v. 33 (1883): 1-29.

Abstract by Streng: Neues Jahr. f. Min., 1885, Bd. 2. Ref. pp. 21-22.

Detailed description of alteration of uraninite from Mitchell county, North Carolina, and analysis of the resulting products.

597. Foust, J. I. and Allen, Nettie M.

North Carolina. (Supplementary volume to Tarr & Mc-Murry geographies.) New York, MacMillan, 1906. 76 pp. Map.

General geographical description of the state with account of mineral products and mining.

598. Fox, S. Moylan.

Report on survey of western turnpike.

N. C. Gen. Assem., Sess. 1850-1851. Ex. Doc. No. 5. 16 pp. 21 cm.

Survey from French Broad river west to head of Scott's creek and east to Salisbury.

599. Frazer, Persifor. Jr.

The mesozoic sandstone of the Atlantic slope.

Am. Nat., v. 13 (1879): 284-292.

A résumé of the views of Heinrich, Fontaine and Russell on the mesozoic formation of Virginia and North Carolina, and a review of papers by these authors on the subject.

600. — On a specimen of quartz from Australia, and three specimens of oligoclase from North Carolina exhibiting curious optical properties.

Brit. Assoc. Adv. Sci., Rept. 1888. pp. 655-656.

601. FULLER, MYRON LIESLIE,

The occurrence and uses of mica.

Stone, v. 19 (1899): 530-532.

Popular account of the mica deposits of western North Carolina, mode of occurrence and economic value.

602. — and Sanford, Samuel.

Record of deep well drilling for 1905-1906 in North Carolina₁.

(In U. S. Geol. Survey, Bull. 298. Wash., 1906. pp. 124-125; 245-246.)

Describes wells at Kinston, Lenoir county, and at Fort Caswell, New Hanover county.

603. Fuller, Myron L_[ESLIE].

Underground waters [of North Carolina]. .

(In U. S. Geol. Survey, Water-supply & Irrig. Paper No. 114. Wash., 1905. pp. 136-139.)

Describes development of the Potomac formation as the most important water-bearing formation in Harnett, Moore and Richmond counties. Glves list of deep wells in this region, and of mineral springs in the Piedmont plateau.

604. FULTON, HAMILTON.

Report on a proposed line of canal from Plymouth to the Pungo river. . .

(In North Carolina, Board of Internal Improvement. Extracts from "Reports on public improvements in North Carolina." Raleigh, 1837. 21 cm. pp. 14-15.)

- 605. Report on the drainage of the Brown and White marshes in Bladen and Columbus counties.
 - (In North Carolina, Board of Internal Improvement, Ann. Rept. for 1822. Raleigh, 1822. 23 cm. pp. 16-19.)
 - --- (*In* North Carolina, Board of Internal Improvement. Extracts from "Reports on public improvements" in the State of North Carolina. Raleigh, 1837. 21 cm. pp. 12-14; 16.)
- 606. Reports of Mr. Fulton to the Board of Internal Improvement of North Carolina.
 - (In North Carolina, Board of Internal Improvement, Ann. Rept. to the Gen. Assem. for 1821. Raleigh, J. Gales, 1821. pp. 1-55.)

Reports on practicability of opening communication from Albemarle sound to the Atlantic Ocean, and on conditions of rivers in the state.

- 607. —— Reports of Mr. Fulton to the Board of Internal Improvement of North Carolina, for 1822.
 - (In North Carolina, Board of Internal Improvement, Ann. Rept. to the Gen. Assem. for 1822. Raleigh, J. Gales & Son, 1822. 23 cm. pp. 1-72.)

Contains reports of works of improvement carried on during the year on the Neuse river, Roanoke canal, Clubfoot and Harlow's Creek canal; on drainage of the Brown and White marshes in Bladen and Columbus counties; on the Cape Fear, Roanoke, Dan, Broad and Tar rivers, and on various roads in the state.

608. — Reports of sundry surveys made by Hamilton Fulton, State engineer, agreeably to certain instructions from Judge Murphey, and submitted to the General Assembly in 1819.

(In Murphey, A. D. Report of sundry surveys in 1819. Raleigh, T. Henderson, 1819. 22 cm. pp. 42-70.)

Reports of examinations of the Roanoke, Tar. Neuse, Cape Fear and Yadkin rivers, and on progress of Fayetteville canal. 609. — Reports on sundry public works.

(In North Carolina, Board of Internal Improvement, Ann. Rept. to the Gen. Assem., Raleigh, J. Gales & Son, 1824. 23 cm. pp. 18-28.)

Report of improvements made upon the Cape Fear river.

610. ——Reports to the Board of Internal Improvement of North Carolina.

(In North Carolina, Board of Internal Improvement, Ann. Rept. to the Gen. Assem., 1820. Raleigh, J. Gales, 1820. 21 cm. pp. 1-56.)

Contains reports on conditions for navigable purposes of the Clubfoot and Harlow's Creek canal; on the necessity of buoys on the coast and inlets; on the Fayetteville and Roanoke canals; on the Cape Fear river and inlets; on the practicability of opening a communication from Albemarle sound to the Atlantic; on obstructions at Ocracoke inlet; on the Tar, Broad, Yadkin and Catawba rivers.

611. FURMAN, JOHN H.

The tin deposits of North Carolina.

N. Y. Acad. Sci., Trans., v. 8 (1889): 136-145.

Describes discovery of tin at King's Mountain, the formations, veins, lodes and mining operations.

612. Gabb, William M.

Notes on American cretaceous fossils with descriptions of some new species.

Acad. Nat. Sci. Phila., Proc., [v. 28] (1876): 276-324.

Names and describes a few species from the Ripley group of the North Carolina cretaceous. Two specimens are from Snow Hill.

613. GALE, HOYT S.

Water resources of Cowee and Pisgah quadrangles, North Carolina.

(In U. S. Geol. Survey, Water-supply & Irrig. Papers No. 110. Wash., 1905. pp. 174-176.)

Describes rivers, drainage systems, mineral springs and rock formations in parts of Macon, Jackson, Swain, Haywood, Transylvania, Buncombe and Henderson counties.

614. Gallatin, Albert.

Chesapeake and Albemarle.

(In U. S. 17th Cong., 1st Sess., 1808. Repts. of Committees,


v. 1, No. 8, pp. 18-20; 24-26.)

Contains notes on progress of Dismal Swamp canal connecting Deep creek in Virginia with Joyce's creek, a branch of Albemarle sound in North Carolina, and on progress of improvement of navigation on the Catawba river.

615. —— Chesapeake and Albemarle canal.

(In Report on roads and canals. Am. State Papers, Misc., v. 1, U. S. 10th Cong., 1st Sess., 1808. Wash., 1834. pp. 727-728; 762-765.)

Describes progress made in opening canal through the Dismal Swamp from Deep creek in Virginia to Joyce's creek in North Carolina.



4

625. GATCHELL, EDWIN A.

The standard guide to Asheville and western North Carolina. Asheville, F. L. Jacobs, 1887. 65 pp. 24 cm. Illus.

626. GATCHELL, HORATIO P.

Western North Carolina: its agricultural resources, mineral wealth, climate, salubrity and scenery. Asheville, N. C., E. J. Aston, 1870. 24 pp. 21 cm. New York, A. L. Chatterton Pub. Co., 1885. 32 pp. 16 cm.

627. GEMMEL, WILLIAM.

Iron and coal resources of North Carolina.

DeBow's Review, v. 27 (1859): 351.

Extract from a letter describing iron and coal deposits in Deep River valley, Chatham county.

628. Genth, Firederick, Aiugustus,

Allanite from North Carolina.

(In Contributions to mineralogy. Am. Phil. Soc., Proc., v. 24 (1887): 42-43.)

Abstract by S. L. Penfield: Neues Jahr. f. Min., 1888, Bd. 1, Min., p. 188.

Abstract by B. H. B_[rough]: Chem. Soc. (London) Jour., v. 54 (1888): 564.

Abstract by E. S. Dana: Zts. f. Kryst. u. Min., v. 14 (1888): 295.

Describes allanite from near Statesville. Analysis by Harry F. Keller.

629. —— Analysis of the emerald-green spodumene from North Carolina.

Am. Jour. Sci., Ser. III, v. 23 (1882): 68.

— — Eng. & Min. Jour., v. 33 (1882): 81.

—— Jahresber. d. Chem., 1882, p. 1558. —— Neues Jahr. f. Min., 1882, Bd. 2. Ref. p. 345.

Abstract by E. S. Dana: Zts. f. Kryst u. Min., v. 6 (1882): 522

Analysis of hiddenite from Alexander county.

630. — Bismuthite from a new locality.

Am. Jour. Sci., Ser. II, v. 23 (1857): 427.

Notes discovery of bismuthite at Charlotte by Dr Asbury, (?)

631. — Contributions to mineralogy.

Am. Jour. Sci., Ser. II, v. 16 (1853): 81-86.

_____ Jour. f. prakt. Chem., v. 60 (1853): 272-274.

Abstract by W. B.: Zts. f. d. Gesam. Naturwiss., v. 3 (1854): 66-67.

Abstract: Jahresber. d. Chem., 1853, p. 777.

Abstract: Neues Jahr. f. Min., 1855, p. 198.

Descriptions and analyses of tetradymite from Davidson county, and of gray copper from McMackin's mine, Cabar rus county.

632. — Contributions to mineralogy.

Am. Jour. Sci., Ser. II, v. 19 (1855): 15-23.

____ Jour. f. prakt. Chem., v. 64 (1855): 466-474.

Abstract by W. B.: Zts. f. d. Gesam. Naturwiss., v. 5 (1855): 395-398.

Abstract: Neues Jahr. f. Min., 1856, pp. 36-37; 350-351; 445; 565; 1857, pp. 432-433; 434-435; 439.

Abstract: Jahresber. d. Chem., 1855, pp. 909-910.

Abstract: Pharm. Centr., 1855, p. 389.

Describes and gives analyses of tetradymite from Davidson county, barnhardite and gray copper from Cabarrus county. Describes tungstates from Cabarrus and Davidson counties, and wavellite from the Washington mine, Davidson county.

633. — Contributions to mineralogy.

Am. Jour. Sci., Ser. II, v. 28 (1859): 246-255.

Abstract: Min. Mag., Ser. II, v. 1 (1859): 147-150; 159-160.

Abstract: Phil. Mag., Ser. IV, v. 18 (1859): 318-320.

Abstract: Jour. f. prakt. Chem., v. 80 (1860): 421-426.

Abstract: Uebersicht der Resultate mineralogischer Forschungen im Jahre 1860. Leipzig, 1862. p. 65.

Describes following minerals from North Carolina: barnhardite; albite from the Steele mine, Montgomery county, (analysis by J. P. Pöpplein); ripidolite; scheelite from Cabarrus and Mecklenburg counties, with analyses; rhombic tungstate of lime from the Flowe mine, Mecklenburg county. Contains notes on the occurrence of gold in Cabarrus and Rowan counties.

634. — Contributions to mineralogy.

Am. Jour. Sci., Ser. II, v. 33 (1862): 190-206.

Abstract: Jour. f. prakt. Chem., v. 88 (1863): 257-265.

Abstract: Soc. Chim., Bull., 1863, pp. 324-328.

Abstract. Jahresber. d. Chem., 1862, pp. 745; 750; 762; 780.

Abstract: Uebersicht der Resultate mineralogischer Forschun-

gen im Jahre 1860. Leipzig, 1862. pp. 202; 217.

Describes following minerals: proustite (?) adhering to tetrahedrite (?) from the McMackin mine, Cabarrus county; leopardite from Montgomery county, with analysis; two varieties of chrysolite from Webster, Jackson county, with analyses; monazite from Mecklenburg county.

635. — Contributions to mineralogy.

Am. Jour. Sci., Ser. II, v. 45 (1868): 305-321.

Abstract by Em. Kopp: Soc. Chim., Bull., v. 10 (1868): 383-387.

Abstract: Jour. f. prakt. Chem., v. 105 (1868): 252.

Abstract: Jahresber. d. Chem., 1868, p. 1000.

Abstract: Neues Jahr. f. Min., 1868, p. 844.

Mentions discovery of tetradymite in Davidson county, and two new localities of this mineral, the Phœnix and Boger mines in Cabarrus county, with analysis of variety from the Phœnix mine.

636. — Contributions to mineralogy.

Am. Jour. Sci., Ser. III, v. 39 (1890): 47-50.

Mentions specimens of blue corundum in grayish brown rhwtizite found at Statesville.

637. — Contributions to mineralogy. No. 20.

Am. Phil. Soc., Proc., v. 20 (1882): 381-404.

Abstract: Am. Jour. Sci., Ser. III, v. 24 (1882): 398-399.

Abstract: Am. Nat., v. 16 (1882): 1032-1033.

Abstract by Streng: Neues Jahr. f. Min., 1883, Bd. 2. Ref. pp. 316; 324.

Abstract by B. H. B_[rough]: Chem. Soc. (London) Jour., v. 46 (1884): 267-268; 274.

Abstract: Jahresber. d. Chem., 1883, pt. 2, pp. 1835-1837; 1873; 1894.

Abstract: Zts. f. Kryst. u. Min., v. 9 (1884): 87.

Describes occurrence and products of alteration of corundum in western North Carolina, and gives many chemical analyses. Describes and gives analysis of gahnite from the Deake mica mine, Mitchell county.

638. —— Corundum, its alterations and associated minerals.

Am. Phil. Soc., Proc., v. 13 (1873): 361-406.

— Jour. f. prakt. Chem., n. f., v. 9 (1874): 49-112.

Review: Am. Jour. Sci., Ser. III, v. 6 (1873): 461-462.

Review by F. W. R.: Geol. Mag., Dec. 11, v. 1 (1874): 174-175. Abstract: Neues Jahr. f. Min., 1873, p. 956; 1874, pp. 84-85; 86-88; 536-537.

Abstract: Zts. f. d. Gesam. Naturwiss., v. 43 (1874): 257-258.

Abstract: Quart. Jour. Science, v. 11 (1874): 265.

Abstract by H_[enry] W_[atts]: Chem. Soc. (London) Jour., v. 27 (1874): 549-551; 1068-1069.

Abstract: K. K. Geol. Reichsanst., Verh., 1873, pp. 318-319.

Abstract: Jahresber. d. Chem., 1873, pp. 1151-1160.

Contains detailed description of occurrence of corundum in the western counties of North Carolina. Describes the Culsagee mine in Macon county, and the Cullakanee mine in Clay county, and gives account of the alteration of corundum, its associated minerals and many chemical analyses.

639. — Examination of the North Carolina uranium minerals.

Am. Chem. Jour., v. 1 (1879): 87-93.

— Chem. News, v. 40 (1879): 210-212.

Review by E. S. Dana: Am. Jour. Sci., Ser. III, v. 18 (1879): 153-154.

Notice: Frank. Inst., Jour., v. 79 (1880): 116-120.

Abstract: Am. Chem. Soc., Jour., v. 1 (1879): 281-282.

Abstract: Eng. & Min. Jour., v. 28 (1879): 128.

Abstract by L. T. O'S_[hea]: Chem. Soc. (London) Jour., v. 38 (1880): 96-97.

Abstract: Jahresber. d. Chem., 1880, p. 1433.

Abstract: Neues Jahr. f. Min., 1880, Bd. 1. Ref. pp. 35-37.

Abstract: Zts. f. Kryst. u. Min., v. 4 (1880): 385-386.

Examination and analyses of following minerals from the Flat Rock mine, Mitchell county: uranotil, gummite, phosphuranylite, a new species.

640. — Ilmenite from Carter's mine. North Carolina.

Am. Phil. Soc., Proc., v. 23 (1886): 42-43; 46.

Abstract: Jahresber. d. Chem., 1885, pt. 2, pp. 2270; 2297.

Abstract: Neues Jahr. f. Min., 1887, Bd. 1. Ref. pp. 254-257.

Description and analysis of ilmenite (analysis by Harry F. Keller), from a corundum vein in the chrysolite rock at Carter's mine, and analysis of titanlite from mica schist near Statesyllie.

641. — Löllingite from North Carolina.

Am. Jour. Sci., Ser. III, v. 44 (1892): 384.

Abstract by F. G_[rünling]: Zts. f. Kryst. u. Min., v. 23 (1894): 596.

Analysis of specimen from Drum's farm, Alexander county.

642. — and Kerr, Wiashington, Ciaruthers.

Minerals and mineral localities of North Carolina, being Chapter 1 of the second volume of the Geology of North Carolina. Raleigh, P. M. Hale & Edward Broughton, 1881. 122 pp. 24 cm. Raleigh, P. M. Hale, 1885. 128 pp. 23 cm.

Notice: Am. Jour. Sci., Ser. III, v. 21 (1881): 410.

Review by M. E. Wadsworth: Am. Nat., v. 15 (1881): 380-382. Abstract by G. W. Hawes: Neues Jahr. f. Min., 1881, Bd. 2. Ref. pp. 338-339.

Notice by H_[enry] W_[atts]: Chem. Soc. (London) Jour., v. 42 (1882): 147.

General survey of mineralogy of the state, giving locallties, occurrence, associations and descriptions of about 178 species of minerals, together with many chemical analyses. Contains brief synopsis of minerals and localities by counties, descriptions of 14 authenticated North Carolina meteorites, and an addendum by W. E. Hidden giving results of his mineralogical explorations in search of platinum.

643. GENTH, F[REDERICK] A[UGUSTUS].

Minerals of North Carolina.

(Appendix C to Kerr, W. C., Rept. Geol. Survey of North Carolina. Raleigh, Josiah Turner, 1875. 24 cm. pp. 53-88.)

Notice: Am. Jour. Sci., Ser. III, v. 3 (1872): 146.

Detalled account of native elements, metals, economic and gem minerals found in the state, with their localities and mode of occurrence.

644. — The minerals of North Carolina.

U. S. Geol. Survey, Bull. 74. Wash., 1891. 119 pp. 23 cm. Abstract: Am. Geol., v. 9 (1892): 342.

Notice: Am. Nat., v. 26 (1892): 702.

Abstract by W. S. Bayley: Neues Jahr. f. Min., 1893, Bd. 1. Min., p. 261.

Detailed descriptions of the native elements, the sulphides and tellurides of metals, economic and gem minerals, their localities, and many analyses of the minerals. Account of the mines and mining operations in the separate counties, and a synopsis of minerals and localities by counties.

645. —— tOn a meteorite from Rockingliam county, North Carolina.]

Am. Phil. Soc., Proc., v. 11 (1871): 443.

Description and analysis of meteoric iron from Rocking-ham county.

646. — On a new variety of gray copper.

Acad. Nat. Sci. Phila., Proc. [v. 6] (1853): 296-297.

Description and analysis of perhaps a new mineral found at McMackin's mine, Cabarrus county.

647. — On American tellurium and bismuth minerals.

Am. Phil. Soc., Proc., v. 14 (1874): 223-226.

Jour. f. prakt. Chem., n. f., v. 10 (1874): 355-367.

Abstract by G. T. A_[tkinson]: Chem. Soc. (London) Jour., v. 28 (1875): 430.

Abstract: Jahresber. d. Chem., 1874, p. 1231.

Abstract: Neues Jahr. f. Min., 1875, pp. 188; 314.

Detailed account of altaite as it occurs at King's Mountain mine, Gaston county. Notes on tetradymite observed in quartz from the gravel deposits of Burke and Mc-Dowell counties.

648. — On the mineral resources of North Carolina.

Frank. Inst., Jour., v. 63 (1872): 48-61; 114-130.

Practical Mag., v. 3 (1874): 452-459.

Am. Jour. Sci., Ser. III, v. 3 (1872): 146. Review:

> General description of the geology of the state, gold mines and mining operations, and mineral deposits occurring principally in the central and western counties.

649. — Report on the Stewart gold mine of Union county, North Carolina. Phila., 1856. 6 pp. 22 cm.

> Describes geological formations, veins and mode of occurrence of the ores at this mine.

650. — Zircon from North Carolina.

Am. Jour. Sci., Ser. III, v. 40 (1890): 116; 117-118.

Abstract by F. Rinne: Neues Jahr. f. Min., 1893, Bd. 2. pp. 460-461.

> Descriptions and analyses of a zircon crystal from Mar's Hill, Madison county, and of titaniferous garnet from Jones mine. Henderson county.

651. Geography of the South Atlantic and Gulf States. New York, 1878. xvi pp. $28\frac{1}{2}$ cm.

Describes North Carolina, pp. viii. Map.

652. The Geological Survey of North Carolina.

Eng. & Min. Jour., v. 55 (1893): 293-294.

Historical notes on the N. C. Geol. Survey, account of work done up to 1893 and a list of publications to be issued.

653. Geology and mineral resources of Piedmont and western North Carolina.

> (MSS. Geology, Misc. Papers, pub. by Southern Railway Co., Aug., 1896. 13 pp.)

Describes geology, topography and mineralogy of the state. MSS in possession of North Carolina Geological Survey.

654. GIBBES, RIOBERT WILSON.

Fossil tooth from North Carolina.

Am. Assoc. Adv. Sci., Proc., 3d meet. (1850): 69. Refers to a fossil Elephas molar found in Duplin county. 655. GIBBON, J. H.

Gold of North Carolina.

Am. Jour. Sci., Ser. I, v. 48 (1845): 398-399.

Describes the recent workings of the sands of the Catawba river.

656. — Meteorite in North Carolina.

Am. Jour. Sci., Ser. II, v. 9 (1850): 143-146.

—— Phil. Mag., Ser. III, v. 36 (1850): 240-242.

Abstract: Ann. Sci. Discovery, 1850, pp. 275-276.

Abstract: L'Institut, v. 18 (1850): 183-184.

Abstract: Jahresber. d. Chem., 1850, p. 824.

Abstract by C. U. Shepard: Am. Jour. Sci., Ser. II, v. 10 (1850): 127.

Abstract: Kenngott, G. A. Uebersicht der Resultate mineralogischer Forschungen in den Jahren 1850 und 1851. Wien, 1853. p. 180.

Account of meteorite falling near Charlotte, on Oct. 31, 1849, at 3 p. m.

657. GIBBS, WALCOTT.

Frederick Augustus Genth.

Am. Acad. Arts & Sci., Proc., v. 28 (1893): 393-394.

Short biographical sketch.

658. GILLESPIE, G. L.

River and harbor improvements in North Carolina.

(In Chief of Eng. Rept., 1901, pt. 1. Wash., 1901. pp. 296-310.)

658a. —— (In Chief of Eng. Rept., 1902, pt. 1. Wash., 1902. pp. 223-237.)

658b. —— (In Chief of Eng. Rept., 1903, pt. 1. Wash., 1903. pp. 225-243.)

659. GILMAN, D[ANIEL] C[OIT].

Prof. Guyot's measurements of the Alleghany system.

Am. Jour. Sci., Ser. II, v. 30 (1860): 391-392.

Brief account of Prof. Guyot's work among the Great Smoky mountains and Blue Ridge, with topographic notes.

660. GIPPERICH, FREDERICK.

Report on the gold mines of the Philadelphia and North Carolina mining and smelting company. Phila., John H. Schwacke, 1847. 17 pp. 21 cm. Map.

Describes geological formations, veins and shafts on property five miles from Rutherfordton, Rutherford county.

661. GLASER, CHARLES.

Analysis of a coarse monazite sand from Shelby, North Carolina.

Am. Chem. Soc., Jour., v. 18 (1896): 792.

662. — Analysis of a fine monazite sand from Bellewood, North Carolina.

Am. Chem. Soc., Jour., v. 18 (1896): 793.

663. GLENN, L_[EONIDAS] C_[HALMERS].

The Hatteras axis in triassic and miocene time.

Am. Geol., v. 23 (1899): 375-379.

Discusses evidence from triassic and later sedimentation pointing to the existence of the Hatteras region as one of minimum movement since triassic time.

664. — Notes on a new meteorite from Hendersonville, North Carolina. . .

Am. Jour. Sci., Ser. IV, v. 17 (1904): 215-216.

Abstract by E. Cohen: Geol. Centralblatt, v. 5 (1904): 243.

Abstract by G. Linck: Neues Jahr. f. Min., 1907, Bd. 1. Min., p. 366.

Describes stony meteorite which fell about 1876 near Hendersonville.

665. GLENN, WILLIAM.

Chrome in the southern Appalachians.

Am. Inst. Min. Eng., Trans., v. 25 (1895): 481-499.

Discusses in a general way the distribution of chrome ores in Yancey, Madison, Buncombe and Haywood counties. Mentions occurrence of nickel ore at Webster, Jackson county.

666. Glimmer in Nordcarolina.

Zts. f. prakt. Geol., 1901, p. 349.

Notes on occurrence of mica in Yancey, Wilkes, Watauga, Ashe and Mitchell counties.

667. Gold and copper in North Carolina.

DeBow's Review, v. 15 (1853): 320-322.

Brief account of gold and copper resources, mentioning the Gold Hill mine in Rowan county, and the Fentress mine in Guilford county.

668. Gold and silver produced by the mines of America from 1492-1848.

Min. Mag., Ser. I, v. 1 (1853): 365-373.

Notes on the Washington, Reed and Gold Hill mines of North Carolina. Describes veins, ores, methods of working mines and statistics regarding output and values.

669. Gold mine in North Carolina.

Am. Mag., v. 1 (1841): 158.

Notice of discovery of a vein of gold on the lands of Mr. Flowe on Clear creek.

670. Gold mines near Charlotte, North Carolina.

Min. Mag., Ser. I, v. 2 (1854): 69-70.

Brief sketch of the mines in the vicinity of Charlotte, including the Gold Hill, Washington, Lawson and Howie mines.

671. Gold mines of North Carolina.

Min. Mag., Ser. 1, v. 1 (1853): 513-514.

Brief notes on the Gold Hill mine in Rowan county, Capps mine in Mecklenburg county and the Reed mine in Cabarrus county.

672. Gold mines of North Carolina. Descriptions and values of the mining properties of the North Carolina mining and bullion company. [New York, 1890.] 16 pp. 23 cm.

Contains notes on mines and minerals of the state.

673. Gore, J. W.

Latitude of Chapel Hill.

Elis. Mit. Sci. Soc., Jour., v. 2 (1885): 32-33.

674. GRAHAM, CAMPBELL.

Report upon the practicability of an outlet from Albemarle sound to the ocean, 1843.

MSS. U. S. War Dept., Office of Chief of Eng., Wash., D. C. 27 pp.

675. Granites from Asheville, North Carolina. Compression tests.

(In Report of the tests of metals . . . made at the Water-town Arsenal, Massachusetts, for the year 1905. Wash., 1906. 23 cm. pp. 419-421.)

Tests on material from quarry 5 miles southeast of Salisbury, and from the Balfour granite quarry about 18 miles south of Asheville.

676. Graton, L₁ouis₁ C₁aryl₁.

The Carolina tin belt.

(In U. S. Geol. Survey, Bull. 260. Wash., 1905. pp. 188-195.)

Review: Min. Mag., v. 11 (1905): 477.

Abstract by W. L. C.: Iron Age, v. 78 (1906): 1163.

Outlines general geology of the Carolina tin belt in parts of Cleveland, Gaston and Lincoln counties. Describes tinbearing rock, ore, development and economic importance of deposits, and the Faires and Jones mines in Cleveland and Gaston counties.

677. — [Copper in North Carolina in 1907.]

(In U. S. Geol. Survey, Min. Res., 1907, pt. 1. Wash., 1908. p. 620.)

Notes on copper production from the Virgilina district in Person and Granville counties, and from Gold Hill, Rowan county.

678. — and Schaller, W[ALDEMAR] T.

Purpurite, a new mineral.

Am. Jour. Sci., Ser. IV, v. 20 (1905): 146-151.

- ____ Zts. f. Kryst. u. Min., v. 41 (1905): 433-438.

Abstract by L_(eonard) T. S_(pencer): Chem. Soc. (London) Jour., v. 88, pt. 2 (1905): 724.

Description and analyses of purpurite, discovered at the Faires tin mine, Gaston county.

679. Graton, L_louis₁ C_laryl₁.

Reconnaissance of some gold and tin deposits of the southern Appalachians.

U. S. Geol. Survey, Bull. 293. Wash., 1906. 118 pp. 23 cm. Extract: Mining World, v. 25 (1906): 634.

Deals with economic geology of the North Carolina gold and tin belts. Describes distribution of the ore deposits, mining developments, mines and prospects, with brief necount of the other mineral products of the region. 680. GRAVE, CASWELL.

The oyster reefs of North Carolina: a geological and economic study.

Johns Hopkins Univ. Circ., v. 20 (1901): 50-53.

Abstract: Geol. Centralblatt, v. 3 (1903): 11.

A detailed study of the oyster reefs located in Newport river, describing the gradual change of the reefs into islands, and the discovery of new beds where previous attempts to locate them had failed.

681. Green, William, Davis, J₁oseph₁ J. and Arrington, A₁rthur₁. Sketch of the history and resources of Franklin county, prepared for North Carolina State Exposition. Franklinton, N. C., 1884. 10 pp. 22½ cm.

GROSSCUP, BEN S.

The Heart of the Alleghanies. . .

See Zeigler and Grosscup, No. 1934.

682. Grover, N. C. and Hoyt, John C.

Progress of stream measurements in North Carolina.

(In U. S. Geol. Survey, Water-supply & Irrig. Paper No. 126. Wash., 1905. pp. 94-95; 100-103; 106-119.)

682a. —— (In U. S. Geol. Survey, Water-supply & Irrig. Paper No. 167. Wash., 1906. pp. 102; 107-109; 112; 114-122.)

Contains descriptions of drainage basins, and tables of discharge measurements of the Roanoke, Dan, Yadkin. Reddie, Mulberry, Roaring, Mitchell and Ararat rivers.

683. Grover, N. C.

Surface water supply of North Carolina in 19061.

(In U. S. Geol. Survey, Water-supply & Irrig. Paper No. 203. Wash., 1907. pp. 82-83; 86-94.)

Descriptions of drainage basins, and tables of daily gauge heights at stations on the Roanoke, Dan. Yadkin and Cape Fear rivers.

684. Guidebook of western North Carolina. . . Salem, N. C., L. V. & E. T. Blum, 1878. 109 pp. 20 cm.

Brief descriptions of the western counties with notes on soils, climate, rock formations, mineral deposits and mineral springs therein.

685. Gulliver, F. P.

Cuspate forelands.

Geol. Soc. Amer., Bull., v. 7 (1896): 399-422.

Abstract: Am. Geol., v. 17 (1896): 98.


Describes numerous cusps, shoals and stream deflections along the North Carolina coast, and discusses their causes.

686. GUYNN, WALTER.

Report of a reconnaissance of a line for a railroad between the city of Raleigh and Goldsborough on the line of the Wilmington and Raleigh railroad.

> (In North Carolina, Board of Internal Improvement. Report to the Gen. Assem. N. C. Gen. Asem., 1840. Ex. Doc. No. 16. 21 cm. pp. 46-49.)

Topographical account of county through which this survey was made.



693. H.

Mining at the Boston exhibition. The North Carolina exhibit.

Eng. & Min. Jour., v. 36 (1883): 260-261.

Enumerates mineral specimens from North Carolina at this exhibition. Gives table of iron ore analyses by Hanna, Schaeffer and Genth, and a table of assays of the gold mines.

694. H., A. H.

Asheville, North Carolina. Asheville, N. C., 1886. 55 pp. 17 cm. Map.

Descriptive notes on climate and general advantages of Asheville.

695. H., F. L.

Mountains of North Carolina.

Am. Geog. & Stat. Soc., Jour., v. 1 (1859): 19-21.

Gives Buckley's barometric measurements of numerous peaks.

696. HAFER, CLAUDE.

Notes on mining in North Carolina.

Mining World, v. 28 (1908): 332-333.

Announces discovery of gold on the Iola property in Montgomery county, describes development and operation of the Iola, Montgomery and Golconda mines, and gives notes on the Sam Christian, Russell, Steele, Carter, Reynolds, Moore and Appalachian mines.

697. HALE, E. J.

Improvement of the Cape Fear river. Published by order of the Chamber of Commerce. Fayetteville, N. C., 1907. 15 pp. $27\frac{1}{2}$ cm.

Outlines in part the improvement of Cape Fear river, and presents reasons why the improvement should be continued.

698. HALE, PETER M.

In the coal and iron counties of North Carolina. Raleigh, P. M. Hale; N. Y., E. J. Hale & Son, 1883. 425 pp. 19 cm. Map.

A compilation of information from various sources of the general resources of the central and western counties of the state. Includes extracts from the reports of Emmons on the Deep River coal deposits; the reports of Kerr on coal and iron ores, topography and general mineral resources of the country; from the reports of Wilkes and Laidley on the Deep River region.

699. HALL, JAMES.

An account of a supposed artificial wall discovered under the surface of the earth in North Carolina, in a letter to James Woodhouse (and Dr. Woodhouse's reply).

Med. Repos., v. 2 (1799): 272-278.

Description of this wall (diabase dike) discovered about 14 miles from Salisbury.

700. HALL, W. C. and HOYT, JOHN C.

Catawba river from Marion, North Carolina to Connelly Springs, North Carolina.

(In River surveys and profiles of 1903. U. S. Geol. Survey, Water-supply and Irrig. Paper No. 115. Wash., 1905. pp. 13-17.)

Brief account of survey of Catawba river in 1903, with table of elevations and profile of the river.

701. HALLOCK, CHARLES.

Physiography of a pocoson.

Goldthwaite's Geog. Mag., v. 3 (1892): 373-376.

Description of these elevated swamps of the North Carolina coast, with notes on their fauna and flora.

702. HANKS, HENRY G.

[Mineral resources of] North Carolina.

(In Cal. State Mining Bureau. Fifth annual report of the State Mineralogist, 1885. Sacramento, 1885. 25 cm. pp. 176-184.)

Notes on mineral resources of the state. Contains letter from C. D. Smith in regard to the geological formations, mode of occurrence of the gold veins, and mining operations, and a paper by Wm. Earl Hidden on the minerals of North Carolina shown at the Louisiana (New Orleans) Exposition.

703. HANNA, GEORGE BIYRON,

The fineness of native gold in the Carolinas and Georgia.

Eng. & Min. Jour., v. 42 (1886): 201.

Describes quality of gold found at the Phœnix, Reed, Rudisil, Gold Hill, Howle and Burke county mines.

704. — Geology of North Carolina.

(In Western North Carolina . . . Charlotte, N. C., 1890. 27 cm. pp. 9-56.)

Account of topography, geology and general and mineral resources of the state.

— Gold deposits of North Carolina.

See Nitze and Hanna, No. 1291.

705. — [Mines and mining in North Carolina during 1880.]

(In U. S. Mint, Prod. of precious metals in U. S. in 1880.

Wash., 1881. pp. 169-175.)

706. — Mines of the Appalachian ranges.

Sch. of Mines Quart., v. 3 (1882): 208-211.

A general description of the gold mines. Notes on the rock formations, mining methods, production and values.

— Ores of North Carolina. . .

See Kerr and Hanna, No. 992.

707. — Statistics of mines and minerals in North Carolina collected by the Mining Board of Charlotte, N. C. Charlotte, N. C., 1878. 15 pp. 21 cm.

708. HARBISON, T. G.

Stone products of North Carolina.

Stone, v. 3 (1890): 47-48.

Brief notes on the rocks and minerals of the mountain region, principally gold, iron, mica and corundum.

709. The harbor and improvements of Cape Fear river and bar below Wilmington.

(In Past, present and future of Wilmington, N. C., J. S. Reilly, N. C. 26 cm. pp. 44-47.)

A historical account of these improvements.

710. HARLAN, R.

Notice of two new fossil mammals from Brunswick canal, Georgia; with observations on some fossil quadrupeds of the United States.

Am. Jour. Sci., Ser. I, v. 43 (1842): 141-144.

Brief description of Sus americana from Newbern, North

711. HARN, E. H.

Some crystallized micas of North Carolina.

Mineral Collector, v. 3 (1896): 24-25.

Describes mica crystals found in Alexander, Lincoln and Gaston counties.

712. HARRIS, ELLIJAH, PLADDOCK,

The chemical constitution and chronological arrangement of meteorites. An inaugural dissertation. . . Göttingen, 1859. 131 pp. 21 cm.

Notes on the following meteorites of North Carolina: Asheville, Black Mountain, Caswell, Charlotte (Cabarrus), Guilford, Hominy Creek, Haywood, Randolph.

HARRIS, G[ILBERT] D[ENNISON].

Neocene in North Carolina.

See Dall and Harris, No. 442.

713. HARRIS, HUNTER L.

History of the Atlantic shore line.

Elis. Mit. Sci. Soc., Jour., v. 11 (1894): 33-50.

Discusses changes which may have taken place in the Atlantic shore line since Cambrian time, including the North Carolina coast.

714. — A new instance of stream capture.

Bost. Soc. Nat. Hist., Proc., v. 26 (1893): 27-29.

Study of Hominy Creek drainage basin.

715. — A North Carolina catalan or blomary forge.

Elis. Mit. Sci. Soc., Jour., v. 8 (1891): 67-70.

Describes a blomary forge on Helton creek in Ashe county.

716. HARRIS, THOMAS C.

Kaolin.

(In N. C. Agric. Exp. Station, Bull., v. 14, No. 2 (1893): 1-2.)

Notes on economic uses of kaolin and on its occurrence in Jackson, Macon, Burke, Transylvania, Catawba, McDowell and Lincoln counties.

717. HARRIS, WADE H.

The May flood (1901) in the southern Appalachian region.

Forestry & Irrigation, v. 8 (1902): 105-109.

Description of this flood occurring in the Catawba River valley.

718. HAUPT, L_[EWIS] M_[UHLENBERG].

The physical phenomena of harbor entrances.

Am. Phil. Soc., Proc., v. 25 (1888): 19-41.

Discusses the Atlantic coast, and gives data regarding the coast and rivers of North Carolina.

719. HAUSER, WILLIAM.

North Carolina mines.

Am. Jour. Mining, v. 6 (1868): 372-373; v. 7 (1869): 37; 52; 84; 117-118; 228-229.

Notes on gold occurrence and mining in Iredell, Alexander, Caldwell, Watauga and Cabarrus counties.

720. HAVENS, JONATHAN.

The New Bern and Pamlico section of North Carolina. New Bern, N. C., N. S. Richardson & Son, 1886. 88 pp. 20 cm.

General description, with notes on the several counties, seenery and canals.

721. [HAWKS, FRANCIS LISTER, supposed author.]

Hints on the internal improvement of North Carolina, respectfully addressed to his countrymen by a North Carolinian. New York. John F. Trow, 1854. 50 pp. 23 cm. Map.

Detailed account of physical condition of the state, giving many suggestions as to improvements of harbors, inlets and rivers, and general commercial interests.

722. HAWKS, FRANCIS LISTER1.

History of North Carolina, with maps and illustrations. Fayetteville, N. C., E. J. Hale & Son, 1857-1858. 2 vs. 23 cm.

Review: North Amer. Review, v. 91 (1860): 40-71.

Contains numerous extracts from early descriptions, and reproductions and drawings of early maps, throwing light on the geography and exploration of the state. Vol. 1 was also Issued in 1858-1859. Some authority points to a third volume having been printed and the entire edition destroyed in the Civil War.

723. HAYES, CIHARLES, WILLARD, and CAMPBELL, MARIUS R.

Geomorphology of the southern Appalachians.

Nat. Geog. Mag., v. 6 (1894): 63-126.

Describes and classifies the main topographic features of the southern Appalachian region. 724. HAYES CIHARLES, WILLARD.

The southern Appalachians.

Nat. Geog. Monograph, v. 1 (1895): 305-336.

Describes physiographic features of the mountain region of North Carolina, characteristics of the intermontaine valleys, general geologic history and conditions, drainage systems, and outlines physiographic development of the southern Appalachians.

HAZARD, DANIEL L.

General report on the magnetic survey of North Carolina.

See Baylor and Hazard, No. 82.

725. — Magnetic survey of North Carolina.

U. S. Coast & Geod. Survey, Bull. 41. Wash., 1901. 12 pp. 29 cm.

726. HEADDEN, WILLIAM P.

Cassiterite, Mecklenburg, North Carolina.

Col. Sci. Soc., Proc., v. 8 (1906): 167-168.

Description and analysis of this mineral.

727. HEAP, DIANIEL PORTER.

Improvement of Black river, North Carolina.

(In Chief of Eng. Rept., 1896, pt. 2. Appendix K 12, pp. 1125-1127.)

728. — Improvement of Cape Fear river above Wilmington, North Carolina.

(In Chief of Eng. Rept., 1896, pt. 2. Appendix K 13, pp. 1128-1131.)

729. — Improvement of Cape Fear river, North Carolina, at and below Wilmington.

(In Chief of Eng. Rept., 1896, pt. 2. Appendix K 14, pp. 1131-1140.)

730. — Improvement of Contentnea creek, North Carolina.

731. — Improvement of harbor at Beaufort, North Carolina.


(In Chief of Eng. Rept., 1896, pt. 2. Appendix K 8, pp. 1115-1117.)


732. — Improvement of inland waterway between Beaufort harbor and New river, North Carolina.

(In Chief of Eng. Rept., 1896, pt. 2. Appendix K 9, pp. 1117-1119.)

733. — Improvement of inland waterway between Newbern and Beaufort, North Carolina, via Clubfoot, Harlowe, and Newport rivers.

(In Chief of Eng. Rept., 1896, pt. 2. Appendix K 7, pp. 1113-1116.)





1884. pp. 41-68.)

Abstract: Am. Nat., v. 17 (1883): 308-309.

Discusses subject in detail, giving a list of the post-pliocene tertiary lamellibranchiata of North and South Carolina.

753. — A revision of the tertiary species of arca of the eastern and southern United States.

Acad. Nat. Sci., Phila., [v. 33] (1881): 448-453.

A few specimens from North Carolina are considered.

754. — The tertiary geology of the eastern and southern United States.

Acad. Nat. Sci. Phila., Jour., Ser. II, v. 9 (1884): 115-154.

--- (In his Contributions to the tertiary geology and paleontology of the United States. Phila., pub. by the author, 1884. pp. 17-18.)

A discussion of the distribution, relative age and correlation of tertiary of region as a whole, and of the states separately. Many general references to North Carolina formation.

131.129.

Description of North Carolina tertiary, pp. 131.129.

755. Heinrich, Oswald J.

The mesozoic formation in Virginia.

Am. Inst. Min. Eng., Trans., v. 6 (1878): 227-274.

——— The Virginias, v. 1 (1878): 120-126; 142-145; 155; 176-177; 190-192.

Describes North Carolina extension of this formation, the "Dan River coal-basin."

756. — Report on the coal lands of Fooshee's and Street's plantations on Deep river, North Carolina.

(In Brief Statement of the North Carolina Gas-coal Company, Phila., 1856, 22 cm. pp. 11-15.)

757. HENDERSON, C₁HARLES₁ HANFORD.

Mica and the mica mines.

Pop. Sci. Month., v. 41 (1892): 652-665.

Abstract: Eng. & Min. Jour., v. 55 (1893): 4.

Abstract: Zts. f. prakt. Geol., 1893, p. 252,

Popular account of mica mining using mines in western North Carolina as examples for description.

758. Henderson, James M.

The Cabarrus mine.

Min. Mag., Ser. I, v. 3 (1854): 205-206.

Brief notes on development and operations of this mine.

759. HENRICH, CARL.

The Ducktown ore-deposits and the treatment of the Ducktown copper-ores.

Am. Inst. Min. Eng., Trans., v. 25 (1895): 173-245.

Of value for comparative study of Tennessee and North Carolina copper ores.

760. HENRY, ALFRED J.

Climate of the southern Appalachians.

(Appendix D to Roosevelt, T. Message from the President transmitting a report of the Secretary of Agriculture in relation to the forests, rivers and mountains of the southern Appalachian region. U. S. 57th Cong., 1st Sess. Sen. Doc. No. 84. Wash., 1902. pp. 143-153.)

Brief account of the climate of the Appalachian region of western North Carolina, with tables of normal monthly mean temperatures from observations taken at the hydrographic stations, through a series of years.

761. — Maximum precipitation of southwestern North Carolina particularly on the southern and eastern slopes of the Blue Ridge.

Amer. Meteor. Jour., v. 11 (1894): 6-10.

Gives general topographical features of Cherokee, Clay, Macon, Jackson, Polk, Transylvania and Henderson counties, with a record of rainfall observations made at various points in the area.

762. HERRICK, C. L., CLARKE, E. S. and DEMING, J. L.

[Olivine norite near Marshall, North Carolina.]

Am. Geol., v. 1 (1888): 340-342.

Gives petrography of olivine norite and adjacent rocks near Marshall.

763. Hess, Frank L.

The Carolina tin deposits.

Eng. Mag., v. 32 (1906): 10-20.

763a. — Mining Reporter, v. 54 (1906): 366-368.

Describes discovery and development of tin ore in North Carolina.

764. — Tin in North Carolina.

(In U. S. Geol. Survey, Min. Res., 1906. Wash., 1907. p. 544.)

764a. —— (In U. S. Geol. Survey, Min. Res., 1907, pt. 1. Wash., 1908. p. 726.)

Notes on tin mining at King's Mountain.

765. — [Titanium, uranium and tantalum from North Carolina in 1906.]

(In U. S. Geol. Survey, Min. Res., 1906. Wash., 1907. pp. 530; 532; 534.)

Describes occurrence of nickeliferous iron near Lenoir, uranium in Franklin and Mitchell counties and tantalum in Mitchell county.

766. HIDDEN, WILLIAM, ELARL,

Addendum to the minerals and mineral localities of North Carolina.

Elis. Mit. Sci. Soc., Jour., v. 6 (1889): 45-79.

A résumé of the mineral discoveries in North Carolina, made by the writer previous to this date, with descriptions of species and localities discovered while on a search for platinum in 1879. Crystallographic and chemical descriptions are given with analyses by many different analysts.

767. — [Auerlite from North Carolina.]

N. Y. Acad. Sci., Trans., v. 8 (1889): 8-9.

Describes occurrence of auerlite in Henderson county.

Zts. f. Kryst. u. Min., v. 15 (1889): 295-297.

Abstract: Soc. Min. de France, Bull., v. 13 (1890): 40.

Abstract by C. A. Tenne: Neues Jahr. f. Min., 1891, Bd. 2. Ref.

Description and analysis of this mineral found in Hen-

768. — and Mackintosh, Jiames, Biuckton,

p. 240.

Auerlith, ein neues Thoriummineral.

derson county.

769. — and Washington, Hienry Stherman. Contributions to mineralogy. Am. Jour. Sci., Ser. III, v. 33 (1887): 501-507. Notice: Am. Nat., v. 21 (1887): 1025. Abstract by E. S. Dana: Zts. f. Kryst. u. Min., v. 14 (1888): 298-302. Abstract: Soc. Min. de France, Bull., v. 12 (1889): 484-485 Abstract by C. A. Tenne: Neues Jahr. f. Min., 1890, Bd. 2. Ref. pp. 47-49. Gives crystallographic measurements of crystals obtained at the Emerald and Hiddenite mine, Alexander county. The following minerals are described: rutile, apatite, beryl, tonrmaline, quartz, topaz and corundum twins. 770. HIDDEN, WILLIAM, EIARL, Corundum twins. Am. Jour. Sci., Ser. IV, v. 13 (1902): 474. Abstract by A. S. Eakle: Zts. f. Kryst. u. Min., v. 38 (1904): 681. Describes crystals of corundum, gray and ruby red, twinned, parallel, which have been found sparingly in the "In situ" mine, Caler Fork of Cowee creek, Macon county 771. — The discovery of emeralds in North Carolina. N. Y. Acad. Sci., Trans., v. 1 (1882): 101-105. Notice: Am. Nat., v. 16 (1882): 425. - Privately printed, 1881. 4 pp. - (In U. S. Geol. Survey, Min. Res., 1883. pp. 500-503.) History of the emerald discoveries in Alexander county, with descriptions of crystals and mining operations. 772. — Emeralds from Alexander county, North Carolina. Am. Jour. Sci., Ser. III, v. 22 (1881): 489-490. Abstract by E. S. Dana: Zts. f. Kryst. u. Min., v. 6 (1882): 517-518. Describes discovery and occurrence of emeralds 16 miles northwest of Statesville. 773. — Fluid-bearing quartz crystals. N. Y. Acad. Sci., Trans., v. 1 (1882): 131-136. Notice: Am. Jour. Sci., Ser. III, v. 25 (1883): 393-394. Abstract by E. S. Dana: Smithsonian Inst., Bd. of Regents. Rept. 1883, p. 671. Describes quartz crystals with fluid inclusions found in Alexander county.

774. — Gold and amber from North Carolina.

N. Y. Acad. Sci., v. 2 (1883): 79; 86.

Describes gold nuggets found in Burke county, and states that amber has been found in the marl beds.

775. — Mineral discoveries in Alexander county, North Carolina.

Am. Jour. Sci., Ser. III, v. 221 (1881): 159-160.

Abstract by E. S. Dana: Zts. f. Kryst. u. Min., v. 5 (1881):

514.

Mentions occurrence of following minerals in Alexander county: beryl crystals, spodumene (hiddenite), rutile crystals, quartz, monazite, orthoclase, black tourmaline, graphite, sphene and magnetite.

776. — Mineral localities in North Carolina.

Am. Jour. Sci., Ser. III, v. 22 (1881): 21-25.

Review by C. A. Tenne: Neues Jahr. f. Min., 1882, Bd. 2. Ref. p. 361.

Abstract by H_1 enry₁ W_1 atts₁: Chem. Soc. (London) Jour., v. 40 (1881): 1109-1110.

Abstract: Jahresber. d. Chem., 1881, pp. 1357; 1362; 1375-1376; 1396: 1407.

Abstract by E. S. Dana: Zts. f. Kryst. u. Min., v. 6 (1882): 517-518.

Descriptions of mineral localities and specimens; monazite, quartz and beryl in Alexander county; monazite in Burke, Polk, McDowell, Rutherford, Mitchell and Yancey counties; uraninite, gummite, uranotil and uranochre in Mitchell county; æschynite (?) in Yancey county, and samarskite in Mitchell county.

777. — Mineral localities in North Carolina.

Am. Jour. Sci., Ser. III, v. 24 (1882): 372-374.

Review by C. A. Tenne: Neues Jahr. f. Min., 1883, Bd. 2, pp. 148-149.

Abstract by H. B_[aker]: Chem. Soc. (London) Jour., v. 44 (1883): 163.

Abstract: Jahresber. d. Chem., 1882, pp. 1546; 1561; 1573; 1574.

Abstract by E. S. Dana: Zts. f. Kryst. u. Min., v. 9 (1884): 79:90.

Descriptions and analyses of minerals as follows: beryl from Alexander county; æschynote (?) from the Ray mica mine, Yancey county, has proved to be columbite; uraninite from Mitchell county; "euxenite" from the Wiseman mica mine is thought to be altered samarskite. (Analyses by J. Lawrence Smith and J. W. Mallett); fergusonite from Burke county; allanite from Alexander and Mitchell counties, with analysis by J. W. Mallett.

778. — Mineralogical notes.

Am. Jour. Sci., Ser. III, v. 41 (1891): 440.

Notice: Am. Nat., v. 25 (1891): 1008.

Describes fergusonite crystals from Mitchell and Rutherford counties.

779. — Mineralogical notes.

Am. Jour. Sci., Ser. III, v. 46 (1893): 254-257.

Notice: Am. Nat., v. 28 (1894): 518.

Abstract by B. H. B_[rough]: Chem. Soc. (London) Jour., v. 66, pt. 2 (1894): 54.

Abstract by A. Osann: Zts. f. Kryst. u. Min., v. 25 (1895):

Abstract: Soc. Min. de France, Bull., v. 18 (1895): 152.

Crystallographic description of transparent xenotime from Alexander county, and of green xenotime from Burke county.

780. — and M[ACKINTOSH], J[AMES] B[UCKTON].

Mineralogical notes. Auerlite.

Am. Jour. Sci., Ser. III, v. 41 (1891): 438.

Notice: Am. Nat., v. 25 (1891): 1008.

Abstract by F. Grünling: Zts. f. Kryst. u. Min., v. 22 (1893): 419-420; 421.

Notes on lemon yellow auerlite found in Henderson county.

781. HIDDEN, WILLIAM, EIARL.

Minerals from North Carolina.

(In Mineralogical notes. Am. Jour. Sci., Ser. III, v. 29 (1885): 250-251.)

Abstract by B. H. B_[rough]: Chem. Soc. (London) Jour., v. 48 (1885): 878.

Abstract: Jahresber. d. Chem., 1886, pt. 2, pp. 2240; 2257; 2281.

Abstract by C. A. Tenne: Neues Jahr. f. Min., 1887, Bd. 1. Ref. pp. 25-27.

Describes rutile crystals from Alexander county, and a new occurrence of emeralds and hiddenite.

782. — A new American locality of fergusonite.

Am. Jour. Sci., Ser. III, v. 20 (1880): 150.

Abstract: Jahresber. d. Chem., 1880, p. 1479.

States this mineral has been found at Brindletown, Burke county, and gives analysis by J. Lawrence Smith.

783. — A new meteoric iron from North Carolina.

Am. Jour. Sci., Ser. III, v. 20 (1880): 324-326.

Review by C. Klein: Neues Jahr. f. Min., 1881, Bd. 2. Ref. p. 180.

Abstract by H_[enry] W_[atts]: Chem. Soc. (London) Jour., v. 40 (1881): 1017.

Abstract: Jahresber. d. Chem., 1880, p. 1542.

Description of meteoric iron found near Lick creek, Davidson county, and analyses by J. Lawrence Smith and J. B. Mackintosh.

784. — North Carolina mineral localities (with crystallographic notes by A. Des Cloizeaux).

Am. Jour. Sci., Ser. III, v. 32 (1886): 204-208.

Notice: Am. Nat., v. 21 (1887): 75.

Abstract by B. H. B_[rough]: Chem. Soc. (London) Jour., v. 52 (1887): 118-119.

Abstract: Jahresber. d. Chem., 1886, pt. 2, pp. 2239; 2258; 2263.

Abstract: Soc. Min. de France, Bull., v. 9 (1886): 313-314.

Abstract by C. A. Tenne: Neues Jahr. f. Min., 1890, Bd. 1. Ref. pp. 219-220.

Description and measurements of crystals from Alexander county as follows: spodumene, black tourmaline, xenotime, quartz crystals with basal plane, and twin crystals of monazite.

785. — Notable discovery of precious stones in Alexander county, North Carolina.

N. Y. Acad. Sci., Trans., v. 6 (1886): 2-4.

—— Am. Jour. Sci., Ser. III, v. 32 (1886): 483-484.

Account of "important discovery" of emeralds and hiddenite crystals at the Emerald and Hiddenite mine, Alexander county.

786. — Notes on zircon.

N. Y. Acad. Sci., Trans., v. 7 (1887): 6.

Announces discovery of new twinning law in zircon crystals from Green river, Henderson county.

787. — Occurrence of sperrylite in North Carolina.

Am. Jour. Sci., Ser. IV, v. 6 (1898): 381-383.

Notice by W. O. Crosby: Am. Chem. Research, Rev., v. 7 (1901): 88.

Abstract by A. S. Eakle: Zts. f. Kryst. u. Min., v. 32 (1900): 599.

Abstract by K. Busz: Neues Jahr. f. Min., 1899, Bd. 2. Min.,

p. 11.

Describes discovery and occurrence of sperrylite in Macon county, and gives micro-chemical and crystallographic examinations by S. L. Penfield.

788. — Octahedrite from Burke county, North Carolina.

Am. Jour. Sci., Ser. III, v. 21 (1881): 160-161.

Review by C. A. Tenne: Neues Jahr. f. Min., 1883, Bd. 1. Ref. p. 14.

Abstract by E. S. Dana: Zts. f. Kryst. u. Min., v. 5 (1881): 514.

Crystallographic description of octahedrite occurring at Brindletown.

— On a new mode of occurrence of ruby in North Carolina.

With crystallographic notes by J. H. Pratt.

See Judd and Hidden, No. 938.

789. — and Mackintosh, J[AMES] B[UCKTON].

On a new thorium mineral, auerlite.

Am. Jour. Sci., Ser. III, v. 36 (1888): 461-463.

Abstract by B. H. B_lrough₁: Chem. Soc. (London) Jour., v. 56 (1889): 221-222.

Abstract by E. S. Dana: Smithsonian Inst., Bd. of Regents. Rept. 1888, p. 464.

Abstract: Jahresber. d. Chem., 1888, pt. 1, pp. 637-638.

Abstract: Soc. Min. de France, Bull., v. 12 (1889): 515-516.

Abstract by C. A. Tenne: Neues Jahr. f. Min., 1891, Bd. 2. Ref. p. 240.

Description and analyses of auerlite from the Freeman mine on Green river, and from the Price land, Henderson county.

Describes mode of occurrence and associated minerals.

790. HIDDEN, WILLIAM E_[ARL].

On edisonite, a fourth form of titanic acid.

Am. Jour. Sci., Ser. III, v. 36 (1888): 272-274.

Abstract by E. S. Dana: Smithsonian Inst., Bd. of Regents. Rept. 1888, p. 468.

Abstract: Jahresber. d. Chem., 1888, pt. 1, p. 634.

Abstract: Soc. Min. de France, Bull., v. 12 (1889): 502.

Abstract by C. A. Tenne: Neues Jahr. f. Min., 1891, Bd. 2. Ref. p. 44.

Description and analysis of the original specimen of edisonite discovered by the writer at the Whistnant gold mine, Polk county. In addition to his own crystallographic measurements, gives those of Prof. Des Cloizeaux.

791. — and Pratt, Joseph Hyde.

On rhodolite, a new variety of garnet.

Am. Jour. Sci., Ser. IV, v. 5 (1898): 294-296.

Notice: Am. Nat., v. 32 (1898): 613.

Review by W. O. Crosby: Am. Chem. Research, Rev., v. 4 (1898): 108.

Abstract by L_[eonard] J. S_[pencer]: Chem. Soc., (London) Jour., v. 74, pt. 2 (1898): 605-606.

Abstract by A. S. Eakle: Zts. f. Kryst. u. Min., v. 32 (1900): 592-593.

Abstract by K. Busz: Neues Jahr. f. Min., 1900, Bd. 1. Min., p. 187.

Description and analysis of a new variety of garnet named rhodolite, found at "Mason's Branch," near Franklin, Macon county. Describes its mode of occurrence and associated minerals.

792. — On the associated minerals of rhodolite.

Am. Jour. Sci., Ser. IV, v. 6 (1898): 463-468.

Notice by W. O. Crosby: Am. Chem. Research, Rev., v. 5 (1899): 38.

Abstract by $L_{leonard_1}$ J. $S_{lpencer_1}$: Chem. Soc. (London) Jour., v. 76, pt. 2 (1899): 300-301.

Abstract by A. S. Eakle: Zts. f. Kryst. u. Min., v. 32 (1900): 599-600.

Abstract by K. Busz; Nenes Jahr. f. Min., 1900. Bd. 1. Min., pp. 187-188.

Descriptions of the following minerals associated with rhodolite found in Macon county: Quartz and quartz pseudomorphs, corundum, spinel group, (gahnite, chromite), bronzite, iolite, staurolite, monazite and zircon, cyrtolite, gold and sperrylite.

793. HIDDEN, W_[ILLIAM] E_[ARL] and Mackintosh, J_[AMES]B_[UCKTON]. On the occurrence of polycrase or of an allied species in both North and South Carolina.

Am. Jour. Sci., Ser. III, v. 39 (1890): 302-306.

Notices: Am. Nat., v. 24 (1890): 1191-1192; v. 25 (1891): 1007-1008.

Abstract by B. H. B₁rough₁: Chem. Soc. (London) Jour., v. 58 (1890): 854; v. 60, pt. 2 (1891): 1329.

Abstract: Soc. Min. de France, Bull., v. 13 (1890): 393; v. 17 (1894): 65.

Abstract by F. Grünling: Zts. f. Kryst. u. Min., v. 22 (1893): 418-419.

Abstract by F. Rinne: Neues Jahr. f. Min., 1893, Bd. 2. Min., pp. 32-33; 1894, Bd. 1, Min., p. 25.

Description and analysis of polycrase crystals from the Davis land, in Henderson county. A corrected analysis which positively identifies this mineral as polycrase, may be found, Am. Jour. Sci., Scr. III, v. 41 (1891): 424.

794. HIDDEN, WILLIAM EARL.

Report and description of a new ruby district discovered and controlled by the American Prospecting and Mining Company.

(In The American Prospecting and Mining Company. Reports upon the property. New York, 1899. pp. 1-16.)

Detailed description of occurrence of ruby in Macon county, the mining developments and progress.

795. — Stone implement from North Carolina.

N. Y. Acad. Sci., Trans., v. 1 (1882): 85.

Describes implement found in Haywood county.

796. — and Pratt, Joseph Hyde.

Twinned crystals of zircon from North Carolina.

Am. Jour. Sci., Ser. IV, v. 6 (1898): 323-326.

Abstract by A. S. Eakle: Zts. f. Kryst. u. Min., v. 32 (1900): 598-599.

Abstract by K. Busz: Neues Jahr. f. Min., 1899, Bd. 2. Min., p. 195.

Crystallographic description of twinned zircon from the Meredith Freeman mine, Henderson county.

797. HIDDEN, WILLIAM, ETARLI.

Xenotime from Burke county, N. C.

Am. Jour. Sci., Ser. III, v. 21 (1881): 244.

Review by C. A. Tenne: Neues Jahr. f. Min., 1883, Bd. 1. Ref., p. 14.

Abstract by B. H. B_lrough₁: Chem. Soc. (London) Jour., v. 44 (1883): 435.

Abstract by E. S. Dana: Zts. f. Kryst. u. Min., v. 6 (1882): 110.

Describes xenotime crystals from Brindletown.

798. — Xenotime from North Carolina.

(In Mineralogical notes. Am. Jour. Sci., Ser. III, v. 36 (1888): 381-383.)

Abstract by B. H. B₁rough₁: Chem. Soc. (London) Jour., v. 56 (1889): 355-356.


Abstract by E. S. Dana: Zts. f. Kryst. u. Min., v. 17 (1889): 413.


Abstract: Soc. Min. de France, Bull., v. 12 (1889): 505.

Abstract by C. A. Tenne: Neues Jahr. f. Min., 1891, Bd. 2. Ref. p. 50.


Crystallographic descriptions of xenotime from Alexander and McDowell counties, and of xenotime-zircon from Henderson and Mitchell counties.

799.		Zircon from North Carolina.
		Am. Jour. Sci., Ser. III, v. 36 (1888): 73. Mentions zircon obtained from the Green River mines Henderson county.
800.		Zoisite from the Flat Rock mine, Mitchell county, North Carolina.
		Am. Jour. Sci., Ser. III, v. 46 (1893): 154. Abstract by B. H. B ₁ rough ₁ : Chem. Soc. (London) Jour., v. 66, pt. 2 (1894): 20.
		Abstract by A. Osann: Zts. f. Kryst. u. Min., v. 25 (1895): 106-107.
		Abstract by F. Rinne: Neues Jahr. f. Min., 1895, Bd. 2. Min., p. 15. Description of this mineral, and analyses by L. G. Eakins.
801.	HILGA	ard, J_{t} ulius ₁ E_{t} rasmus ₁ .
		[Coast survey operations in North Carolina.] (In U. S. Coast & Geod. Survey, Rept. 1882. Wash., 1883. pp. 36-38.)
801a.		—— (In U. S. Coast & Geod. Survey, Rept. 1883. Wash., 1884. pp. 40-41.)
801b.		—— (In U. S. Coast & Geod. Survey, Rept. 1884. Wash., 1885. pp. 47-48.) Reports of progress.
802.		[Coast survey operations in North Carolina in 1866.] (In U. S. Coast Survey, Rept. 1866. Wash., 1866. pp. 18- 19.) Account of progress of surveys of the coast.
		On the general distribution of terrestrial magnetism in the
		United States See Bache and Hilgard, No. 52.
		On the general distribution of terrestrial magnetism in the United States
		See Bache and Hilgard, No. 52.
803.		ROBERT T _[HOMAS].
		Clay materials [of North Carolina]. (In U. S. Geol. Survey, Min. Res., 1891. Wash., 1893. pp. 505-506.)
		—— (<i>In</i> U. S. Geol. Survey, Min. Res., 1892. Wash., 1893. p. 734.)
		——— (In U. S. Geol. Survey, Min. Res., 1893. Wash., 1894. pp. 616-617.) Notes on clay and kaolin deposits and mining in Mitchell, Yancey, Macon and Jackson counties, mentioning mincs at Sylva, Dillsboro and Webster in Jackson county.





822.	Preliminary examination of Pasquotank river, above mouth
	of canal, North Carolina.
	(In Chief of Eng. Rept., 1885, pt. 2. Appendix L 17, pp. 1049-1052.)
	U. S. 48th Cong., 2d Sess., 1885. House Doc. No. 98. 5 pp.
202	— Preliminary examination of Perquimans river above Hert-
೦೭೮.	
	ford, North Carolina.
	(In Chief of Eng. Rept., 1885, pt. 2. Appendix L 15, pp. 1045-1046.)
	(In U. S. 48th Cong., 2d Sess., 1885. House Doc. No. 71, pp.
	75-76.)
824.	
0.21.	To the President and Directors of the Washington Mining
	company. n. p. May, 1852. 8 pp. 22 cm.
	Report of general conditions of the Washington silver mine, Davidson county.
825.	Hobbs, William H _[erbert].
	The correlation of fracture systems and the evidences of
	planetary dislocations within the earth's crust.
	Wis. Acad. Sci., Arts & Letters, Trans., v. 15, pt. 1 (1905):
	15-29.
	Discusses fracture systems on the earth's surface, and in- cludes tabulated measurements made by Mr. F. B. Laney in the Newark area of North Carolina.
826.	Hodge, James T.
0&U.	
	The boulders and deposit gold mines of North Carolina.
	Assoc. Amer. Geol. & Nats., Repts. of 1st, 2d & 3d meet. 1841, pp. 34-35.
	Am. Jour. Sci., Ser. I, v. 41 (1841): 182-183.
	Discusses Piedmont boulders, placer gold deposits, gold and copper ores in Davidson and Guilford counties, and mode of occurrence of minerals at the King mine, Davidson
0.0 M	county.
827.	— Observations on the secondary and tertiary formations of
	the southern Atlantic States. With appendix by T. A.
	Conrad.
	Assoc. Amer. Geol. & Nat., Repts. of 1st, 2d & 3d meet.
	1841, pp. 94-111.
	Describes secondary and tertiary formations in eastern
	Describes secondary and tertiary formations in eastern North Carolina, and fossil shells found at Murfreesboro: on the Roanoke, New and Trent rivers; the "Natural Well" in Dunlin county; on Cape Fear river and at Wilmington. Gives a list of tertiary fossils found at Wilmington and "Natural Well." Appendix describes and name shells.
	Well' in Duplin county; on Cape Fear river and at Wilmington. Gives a list of tertiary fossils found at Wil-
	mington and "Natural Well." Appendix describes and
828	
0.00.	
	& Co., 1853. 15 pp. 22 cm.
	Describes geological structure and vein formation of this mine in Cabarrus county. Contains remarks on the gold diggings by C. Ludwig Richter.



836. — Geology of the sand-hill country of the Carolinas.

Geol. Soc. Amer., Bull., v. 5 (1893): 33-34.

Discusses Coastal Plain region of the Carolinas and general features of cretaceous and tertiary deposits.

837. — and Nitze, Henry Benjamin Ceharles.

Gold in the Carolinas.

(In Gold Fields along the Southern Railway. Wash., The Southern Railway, 1897. 17 cm. pp. 8-19.)

Describes gold deposits and mining.

838. Holmes, Josephi Alustini.

Historical notes concerning the North Carolina geological surveys.

Elis. Mit. Sci. Soc., Jour., v. 6 (1889): 5-18.

Historical sketch of surveys of the state, with data as to organization and work accomplished.

839. — Improvement of public roads in North Carolina.

(In U. S. Dept. Agric., Yearbook, 1894. Wash., 1895. pp. 513-529.)

Historical sketch of road improvement in the several counties, and an enumeration of the road materials available in the state.

840. — Mica deposits in the United States.

(In U. S. Geol. Survey, 20th Ann. Rept., pt. 6. Wash., 1899. pp. 691-707.)

Abstract: Mineral Industry, v. 7 (1899): 510-511.

Abstract: Science, n. s., v. 9 (1899): 142.

Abstract: Am. Geol., v. 23 (1899): 106-108.

Abstract: Eng. & Min. Jour., v. 67 (1899): 174.

Discusses mica deposits in general. Describes nature of deposits, mode of occurrence, quantity and value of the mica found in the western counties of North Carolina, and gives a list of associated minerals in the mica-bearing pegmatities of the state. Notes on mining development and operation.

841. — Mica deposits of the United States.

Geol. Soc. Amer., Bull., v. 10 (1898): 501-503.

General discussion of mica deposits, describing those of Mitchell and Yancey counties.

842. — Mica industry in North Carolina in 1900₁.

(In U. S. Geol. Survey, Min. Res., 1900. Wash., 1901. pp. 853-954.)

Describes mica industry in Mitchell, Haywood, Yancey and Jackson counties in 1900.

843. — Mineralogical, geological and agricultural surveys of South Carolina.


Elis. Mit. Sci. Soc., Jour., v. 7 (1890): 89-117.

Ilistorical sketch of the scientific surveys of North and South Carolina.

844. — North Carolina mineral industry in 1898.

Eng. & Min. Jour., v. 67 (1899): 50-51.

Describes copper mining in Person and Granville counties, gem mining in Macon, Mitchell and Yancey counties, and kaolin mining in Jackson county during the year.



854. Hopkins, Thomas C.

[North Carolina brownstone.]

(In his Building materials of Pennsylvania. Appendix to Ann. Rept. of Penna. State College for 1896. p. 117.)

Description of this mine in Randolph county.

Describes occurrence of triassic brownstone in Anson, Macon and Chatham counties.

855. HORNE, ROBERT (supposed author).

Brief description of the province of Carolina on the coasts of Florida. And more particularly of a new plantation begun by the English at Cape Feare, on that river . . . London, Robert Horne, 1666. 10 pp. Map.

---- (In Hawkes, F. L. History of North Carolina. Fayette-ville, N. C., 1858. Vol. 2, pp. 37-42.)

This is the first printed description of North Carolina, after the first permanent settlement. Contains account of entrance to Cape Fear river, and notes on climate and soil

856. HOWELL, EDWIN E.

Cross roads meteorite.

Am. Jour. Sci., Ser. III, v. 46 (1893): 67.

Describes fall of meteorite at Cross Roads, Wilson county.

HOYT, JOHN C.

Catawba river from Marion, North Carolina, to Connelly Springs, N. C.

See Hall and Hoyt, No. 700.

— Progress of stream measurements in North Carolina.

See Grover and Hoyt, No. 682.

857. — Progress of stream measurements in 1903 in North Carolina.

(In U. S. Geol. Survey, Water-supply & Irrig. Paper No. 98. Wash., 1904. pp. 13-18; 26-38; 45-47; 265-275.)

Describes drainage basins of following rivers: Roanoke, Dan, Cape Fear, Yadkin, Nottely, Hiwassee. Little Tennessee and Tuckasegee. Gives tables of daily gauge heights made at stations on these rivers.

858. Huger, T. B.

Comparisons of the hydrographic surveys made in December, 1856, and March, 1858, at the entrances of Cape Fear river, North Carolina.

(In U. S. Coast Survey, Rept. 1858. Appendix No. 13, Wash., 1858. pp. 150-151.)

859. Humphreys, John T.

Discoveries of minerals in western North Carolina.

Am. Nat., v. 15 (1881): 76-78.

Describes quartz crystals with basal planes from Catawba county, and gives lists of minerals found in Catawba and Burke counties.

860. Hunt, Tihomas, Siterry,


The decay of rocks, geologically considered.

Am. Jour. Sci., Ser. III, v. 26 (1883): 190-213.

Abstracts: Science, v. 1 (1883): 324-325.

Abstracts: Am. Nat., v. 17 (1883): 645-646.

Discusses briefly the decay of the crystalline rocks of the Blue Ridge in North Carolina.



870. — The Ore Knob copper mine.

Eng. & Min. Jour., v. 16 (1873): 25-26; v. 18 (1874): 69-

Describes copper ore deposit at Ore Knob, Ashe county, mode of occurrence of ores, and mining development.

871. — The Ore Knob copper mine and some related deposits.

Am. Inst. Min. Eng., Trans., v. 2 (1874): 123-129; 130. Discussed by R. W. Raymond. pp. 129-130; 131.

872. — Remarks on the Hunt and Douglas copper process.

Am. Inst. Min. Eng., Trans., v. 1 (1872): 258-260.

Discusses this new process for extracting copper from its ores as applied in the treatment of the Ore Knob and Davidson county copper ores.

873. Hunter, Alexander.

Through the Dismal Swamp.

Potter's Amer. Monthly, v. 17 (1881): 1-15.

Popular description of the Dismal Swamp. Refers to Wm. Byrd's survey for the boundary between North Carolina and Virginia, and gives a few extracts from his manuscript.

874. HUNTER, CYRUS L.

Notices of the rarer minerals and new localities in North Carolina.

Am. Jour. Sci., Ser. II, v. 15 (1853): 373-378.

Jour. f. prakt. Chem., v. 59 (1853): 510-511.

Abstract: Neues Jahr. f. Min., 1854, pp. 345; 450.

Describes occurrence of following minerals: Diamonds in Rutherford, Lincoln and Mecklenburg counties; gold in Cabarrus county; corundum and emery in Buncombe county; amethyst, lazulite, and kyanite in Lincoln county; chalcedonic quartz in Rutherford county, and leopardite in Mecklenburg county.

875. Huntington, Joshua, Hienry, (?).

Report on the Simpson gold and silver mining company's property in Mecklenburg county, North Carolina. Boston, 1880. 14 pp. (Not seen.)

876. HUNTINGTON, OLIVER WHIPPLE.

Catalogue of all recorded meteorites. . . Cambridge, John Wilson & Son, 1887. 110 pp. 23 cm.

--- Am. Acad. Arts & Sci., Proc., v. 23 (1887): 37-110.

Many meteorites from North Carolina are named and described.

877. Hurley, T_[HOMAS] J_[EFFERSON].

Famous gold nuggets of the world. New York, Van Nostrand, 1900. 64 pp. 20 cm.

Notes on gold nuggets from Reed mine in Cabarrus county, and from Stanly and Montgomery counties.

The Blue Ridge highlands of western North Carolina.

See Kelsey and Hutchinson, No. 967.

HUTCHINSON, C. C.

878. In the North Carolina mountains.

Eng. & Min. Jour., v. 46 (1888): 259-260.

Notes on scenery and mineral resources of western North Carolina.

879. Information and statistics respecting Wilmington, North Carolina. . . Wilmington, N. C., Jackson & Bell, 1883. 254 pp.

26 cm.

Contains information regarding the improvement of the Cape Fear and Lillington rivers, notes on the swamp lands of Duplin county, and an account of the Duplin canal.

880. INGALLS, WIALTER, RIENTON,

Copper production in North Carolina in 1905-1906₁.

Mineral Industry, v. 14 (1906): 133-134; v. 15 (1907): 214.

Notes on copper production, principally from the Union mines at Gold Hill, Rowan county.

881. — Monazite in North Carolina.

(In The rare elements. Mineral Industry, v. 2 (1893): 559.)

Notes on monazite mining and production in Rutherford,
Polk, Alexander, Burke, McDowell and Mecklenburg
counties.

882. — Nickel in North Carolina.

Mineral Industry, v. 1 (1892): 344-345.

Notes on occurrence of hydrous silicate of magnesia and nickel at Webster, Jackson county.

883. Ingram, J. N.

North Carolina minerals.

Stone, v. 6 (1892): 33.

Notes on topography of western North Carolina, and on the minerals found in the locality.

884. Jackson, C₁Harles₁ T₁Homas₁.

[Age of trias of North Carolina.]

Bost. Soc. Nat. Hist., Proc., v. 5 (1855): 186.

885. — The coal-lands of Egypt, Belmont, Evans, Palmer and Wilcox plantations on Deep river, North Carolina.

Min. Mag., Ser. I, v. 2 (1854): 253-264.

Discusses geology of this coal district and describes the ores.

886. — [Deep river coal deposits.]

L'Institut, v. 22 (1854): 166-167.

Contains notes on geological age of deposits.

887. — Deep River coal region of North Carolina.

Bost. Soc. Nat. Hist., Proc., v. 6 (1856): 30-34.

—— Min. Mag., Ser. I, v. 7 (1856): 373-376.

Description of the Deep River coal formation and fossil remains found. Description and analysis of a variety of againstolite.


888. — Exploitation des mines de la Caroline du Nord.

Acad. des Sci., Comp. Rend., v. 46 (1858): 254-255.

Notes on Silver Hill mine, Davidson county, and the Gold Hill mines fin Rowan county.

889. — Gold and copper mines of North Carolina.

Acad. des Sci., Comp. Rend., v. 38 (1854): 838-839.



Historical account of discovery of corundum in the state, the different varieties, mines and mining operations.

899. — Sapphire in North Carolina.

Mineral Industry, v. 5 (1896): 235-238.

Describes oriental sapphires and crystals of ruby corundum found at Corundum Hill, Macon county.

900. Jenks, Charles W.

Corundum and its gems. A lecture before the Soc. of Arts at Mass. Inst. Tech., 1876.

Eng. & Min. Jour., v. 26 (1878): 311-313.

Description of the corundum locality in the Blue Ridge in western North Carolina, where corundum gems have been discovered in situ.

901. — Corundum of North Carolina.

Am. Jour. Sci., Ser. III, v. 3 (1872): 301-302.

Notes on occurrence of corundum masses in Franklin, Macon county, describing the veins and associated minerals.

902. — Notes on the occurrence of sapphires and rubies in situ with corundum at the Culsagee corundum mine in Macon county, North Carolina.

Geol. Soc., Quart. Jour., v. 30 (1874): 303-305.

Abstract: Geol. Mag., Dec. II, v. 1 (1874): 234-235.

Abstract: Phil. Mag., Ser. III, v. 49 (1875): 152.

Abstract: Quart. Jour. Sci., v. 11 (1874): 264-265.

Abstract: Neues Jahr. f. Min., 1875, pp. 189-190.

Account of discovery of corundum deposits in Macon county in 1871. Describes the veins, occurrence of the mineral and associated minerals. Analyses by Chatard, Genth and Koenig.

903. Johnson, B. L.

Pleistocene terracing in the North Carolina coastal plain.

Science, n. s., v. 26 (1907): 640-642.

Discusses causes of topography of the coastal plain, and describes formation of the ridges and terraces.

904. JOHNSON, WIALTER, RIOGERS,

Coal field of North Carolina.

(In his Coal trade of British America . . . Wash., Taylor & Maury; Phila., A. Hart, 1850. 23 cm. pp. 161-167.)

Describes Deep River coal field in Chatham county.

905. — The coal lands of the Deep River company in North Carolina, with analyses of minerals.

Min. Mag., Ser. I, v. 1 (1853): 352-365.

Describes this coal region, and gives analyses of the coal.

906. — On the coal formation of central North Carolina.


Am. Assoc. Adv. Sci., Proc., 4th meet. (1850): 274-276.

Discusses relation of the coal-bearing formation of Moore and Chatham counties to the metamorphic slates upon which it rests. Analyses of coal.

Poort on the coal lands of the Deep River mining and transportation company in Chatham and Moore counties, North Carolina, with analyses of minerals. Albany, Weed, Parsons & Co., 1851.
Ppp. Plates. Maps. 23 cm.

Reports on general character of these coal lands, estimates cost of mining, and gives tables of analyses of varieties of coal.

908.	— Some observations on the gold formations of Maryland, Virginia and North Carolina.
	Am. Assoc. Adv. Sci., Proc., 4th meet. (1850): 20-21.
	Describes a portion of the gold region extending through Rockingham, Guilford, Davidson, Rowan, Cabarrus and Mecklenburg counties, and the veins in which the gold occurs.
909.	Johnston, R _[obert] P.
	Examination of Cape Fear river at and below Wilmington, N. C.
	U. S. 59th Cong., 1st Sess., 1905. House Doc. No. 545.
910.	—— Improvement of Beaufort Harbor, North Carolina. (In Chief of Eng. Rept., 1906, pt. 1. Appendix M 7, pp. 1153-1154.)
911.	Improvement of Beaufort inlet, North Carolina. (In Chief of Eng. Rept., 1906, pt. 1. Appendix M 8, pp. 1155-1156.)
912	Improvement of Cape Fear river, North Carolina, at and be-
O I N.	low Wilmington.
	(In Chief of Eng. Rept., 1904, pt. 2. Appendix M 12, pp.
	1495-1505.)
	—— (In Chief of Eng. Rept., 1905, pt. 1. Appendix M 13, pp. 1224-1234.)
	——————————————————————————————————————
	1165-1169.)
012	Reports of progress.
310.	Improvement of Contentnea creek, North Carolina. (In Chief of Eng. Rept., 1905, pt. 1. Appendix M 4, pp.
	1205-1207.)
	——— (In Chief of Eng. Rept., 1906, pt. 1. Appendix M 4, pp. 1147-1148.)
914	—— Improvement of Fishing creek, North Carolina.
olt.	(In Chief of Eng. Rept., 1905, pt. 1. Appendix M 2, p.
	1203.)
	(In Chief of Eng. Rept., 1906, pt. 1. Appendix M 2, p. 1145.)
915.	— Improvement of harbor at Beaufort, North Carolina.
	(In Chief of Eng. Rept., 1904, pt. 2. Appendix M 8, pp. 1486-1487.)
	——————————————————————————————————————
916.	—— Improvement of Neuse and Trent rivers, North Carolina.
	(In Chief of Eng. Rept., 1904, pt. 2. Appendix M 6, pp. 1481-1485.)
	——————————————————————————————————————
	1207-1210.)



924.		Preliminary examination and survey of Livingston creek,
		North Carolina.
		(In Chief of Eng. Rept., 1904, pt. 2. Appendix M 16, pp.
		1516-1521.) —— U. S. 58th Cong., 2 Sess., 1903. House Doc. No. 249. 7 pp.
925.		Preliminary examination and survey of Neuse river, North
		Carolina, from Goldsborough to Newbern.
		(In Chief of Eng. Rept., 1904, pt. 2. Appendix M 18, pp.
		1525-1537.)
		U. S. 58th Cong., 2d Sess., 1903. House Doc. No. 648. 13 pp.
926.		Preliminary examination of Indian island slough, North
		Carolina, from Pamlico river to mouth of South river.
		(In Chief of Eng. Rept., 1904, pt. 2. Appendix M 15, pp.
		1511-1516.) —— U. S. 58th Cong., 2d Sess., 1903. House Doc. No. 113. 6 pp.
927.		Preliminary examination of Lockwood Folly river, North
0.000		Carolina.
		(In Chief of Eng. Rept., 1904, pt. 2. Appendix M 17, pp.
		1522-1525.)
		U. S. 58th Cong., 2d Sess., 1903. House Doc. No. 229. 5 pp.
928.		Preliminary examination of New river, North Carolina.
		(In Chief of Eng. Rept., 1904, pt. 2. Appendix M 19, pp.
		1537-1542.) ——— U. S. 58th Cong., 1903. House Doc. No. 239. 6 pp.
929.		Preliminary examination of Northeast river, North Caro-
		lina.
		U. S. 59th Cong., 1st Sess., 1905. House Doc. No. 229. 5 pp.
930.		Preliminary examination of Pamlico and Tar rivers, North
		Carolina.
		U. S. 59th Cong., 2d Sess., 1907. House Ex. Doc. No. 342.
001		10 pp.
931.		Preliminary examination of Shallotte river, North Carolina,
		from its mouth to the town of Shallotte. U. S. 59th Cong., 1st Sess., 1905. House Doc. No. 146. 4 pp.
932	JONES	o. S. 39th Cong., 1st Sess., 1903. House Doc. No. 140. 4 pp. s, John H.
00.01		Coal product of North Carolina.
		(In U. S. Census Bull. 94. Wash., 1891. pp. 15-16.)
		Abstract: Eng. & Min. Jour., v. 52 (1891): 168.
		Notes on coal deposits and production in Stokes and Rockingham counties along the Dan river, and in Chatham and Moore counties in the Deep River valley.
933.	Jones	J _[OSEPH] S _[EAWELL] .
		Gold mines of North Carolina.
		(In his Memorials of North Carolina. New York, Scatcherd
		9- Adama 1939 33 am 93 95 \

& Adams, 1838. 23 cm. pp. 82-85.)

state.

Historical and traditional data on gold mines of the

934. JOYNER, A.

Report of the select committee on the re-opening of Nag's Head inlet in North Carolina.

N. C. Gen. Assem., Sen. Doc. No. 50. Raleigh, Thos. J. Lemay, 1850. 5 pp. 21 cm.

Résumé of surveys and work done in regard to re-opening Nag's Head inlet.

935. Judd, Edward K.

Barytes in North Carolina.

(In Barytes, Mineral Industry, v. 15 (1907): 68.)
Notes on barite production at Stackhouse.

936. — Corundum and emery in North Carolina.

(In Corundum and emery. Mineral Industry, v. 14 (1906): 191; 193.)

Notes on corundum occurrence in fifteen counties, and on occurrence of emery in Macon county.

937. — The Virgilina copper belt.

Eng. & Min. Jour., v. 82 (1906): 1005-1008.

Describes location and geology of the Virgilina copper district in Granville and Person counties, North Carolina, occurrence of the copper ores, mines and mining operations.

938. Judd, J. W. and Hidden, William, Eiarl.

On a new mode of occurrence of ruby in North Carolina. With crystallographic notes by J. H. Pratt.

Am. Jour. Sci., Ser. IV, v. 8 (1899): 370-381.

—— Min. Mag. & Jour. Min. Soc., London, v. 12 (1899): 139-149.
—— (In The American Prospecting and Mining Co. Reports

upon the property. New York, 1899. pp. 31-40.)

Review: Am. Geol., v. 25 (1900): 175-176.

Abstract by M. L. Fuller: Am. Chem. Research, Rev., v. 6 (1900): 67-68.

Abstract by A. S. Eakle: Zts. f. Kryst. u. Min., v. 34 (1900): 88.

Abstract by A. Klautzsch: Zts. f. prakt. Geol., 1902, pp. 61-62. Abstract by F. Rinne & K. Busz: Neues Jahr. f. Min., 1901,

Bd. 1. Min., pp. 187-189.

Detailed description of occurrence of rubles in Macon county, on a tract of land between Caler Fork of Cowee creek and the Mason branch. Crystallographic measurements and description by Joseph Hyde Pratt.

939. Julien, $A_{[LEXIS]}$ $A_{[NASTAY]}$.

The dunyte-beds of North Carolina.

Bost. Soc. Nat. Hist., Proc., v. 22 (1882): 141-149.

Review: Am. Jour. Sci., Ser. III, v. 27 (1884): 72.

Review by G. H. Williams: Neues Jahr. f. Min., 1884, Bd. 2. Ref., p. 347.

Describes distribution, geology and petrology of the rock, mode of occurrence, alterations and origin.

940. — The genesis of the crystalline iron-ores.

Acad. Nat. Sci. Phila., Proc., [v. 34] (1882): 335-346.

Abstract by G. H. Williams: Neues Jahr. f. Min., 1884, Bd. 2. Ref., p. 347.

Discusses garnet rock at the Buckhorn mine, Harnett county.

941. — The genesis of the pegmatite in North Carolina.

Am. Assoc. Adv. Sci., Proc., 49th meet. (1900): 189.

Notice of a paper read before the Association in which the author reviews the hypothesis based on the principles of intrusion, vein infiltration or segregation, from observations made in North Carolina.

942. — and Bolton, Hienry Ciarrington.

Notice of the microscopical examination of a series of ocean, lake, river and desert sands.

Am. Assoc. Adv. Sci., Proc., 33d meet. (1885): 413-415.
Contains notes on sands near Cape Hatteras.

943. JULIEN, ALEXIS, AINASTAY,

On the geological action of the humus acids.

Am. Assoc. Adv. Sci., Proc., 28th meet. (1880): 311-410.

Discusses dunite beds of North Carolina with regard to decomposition, and mentions occurrence of byalite crusts at Juggenheim's mine in Yancey county, and at the Puzzle mine in Mitchell county.

944. JUNKEN, CHARLES.

Hydrographic development of the Cape Lookout Shoals, North Carolina.

(In U. S. Coast Survey, Rept. 1865. Wash., 1866. Appendix 4, p. 45.)

945. JUSTICE, GEORGE M.1.

On itacolumite from Stokes county, North Carolina.

Am. Phil. Soc., Proc., v. 4 (1847): 244.

946. KASE, J. D.

The iron ores of North Carolina.

Eng. & Min. Jour., v. 57 (1894): 555.

Letter regarding statement made by W. B. Phillips that only the iron ores found in the western part of North Carolina are worth consideration, and purporting to be taken from H. B. C. Nitze's report on the iron ores, published by the N. C. Geol. Survey.

947. KEARNEY, JAMES.

Dismal swamp, Winyaw bay, Core sound.


U. S. 25th Cong., 2d Sess., 1838. House Ex. Doc. No. 445. 14 pp.

Detailed description of survey made from Dismal Swamp canal to Winyaw bay, and of Core sound.

948. —— Report of surveys and examinations near the coast of North and South Carolina during the year 1837.

MSS. U. S. War Dept., Office of Chief of Eng., Wash., D. C. 23 pp.

These reports include Pasquotank, Neuse and Cape Fear rivers, and Croatan, Core and Bogue sounds.



959. — Mount Mitchell folio, North Carolina—Tennessec.

U. S. Geol. Survey, Geol. Atlas U. S. No. 124. Wash., 1905.
Plates. Maps.

Lat. 35° 30′-36°; long. 82°-82° 30′; scale, 1:125,000. Contour interval 100 feet.

960. — Nantahala folio, North Carolina—Tennessee.

U. S. Geol. Survey, Geol. Atlas U. S. No. 143. Wash., 1907.
Plates. Maps.

Lat. 35°-35° 30′; long. 83° 30′-84°; scale, 1:125,000. Contour interval 100 feet.

961. — Pisgah folio, North Carolina—South Carolina.

U. S. Geol. Survey, Geol. Atlas U. S. No. 147. Wash., 1907. Plates. Maps.

Lat. 35°-35° 30'; long. 82° 30'-83°; scale, 1:125,000. Contour interval 100 feet.

962. — Roan Mountain folio, Tennessee—North Carolina.

U. S. Geol. Survey, Geol. Atlas U. S. No. 151. Wash., 1907. Plates. Maps.

Lat. 36°-36° 30'; long. 82°-82° 30'; scale, 1:125,000. Contour interval 100 feet.

963. — Tale deposits of North Carolina.

(In U. S. Geol. Survey, Bull. 213. Wash., 1903. pp. 433-438.)

Describes character, occurrence and methods of mining talc deposits in western part of the state.

964. — Topography and geology of the southern Appalachians.

(Appendix B to Roosevelt, T. Message from the President transmitting a report of the Secretary of Agriculture in relation to the forests, rivers and mountains of the southern Appalachian region. U. S. 57th Cong., 1st Sess., Sen. Ex. Doc. No. 84. Wash., 1902. pp. 111-112.)

Topographical and geological description of the mountain systems of western North Carolina, comprising the Blue Ridge and Smoky mountains with their sub-divisions, together with the river systems, climatic features and soils.

965. Keith, N. S.

New methods in the metallurigical treatment of copper ores.

Frank. Inst., Jour., v. 160 (1905): 147-155.

Describes method of treating siliceous copper-bearing recks such as exist in the Virgilina district in Granville and Person counties, to extract the copper, gold and silver.

966. Keller, H. A.

Report on the Virgilina mining district situated in Virginia and North Carolina.

MSS. in possession of N. C. Geol. Survey. 25 pp.

Report on examinations of this district made in 1904 and in 1907. Describes geology and general conditions of the locality and the following mines: Blue Wing, Copper King and Dursy.

KELLER, HARRY F.

Memoir of Frederick Augustus Genth.

See Wahl, Keeler and Wolf, No. 1817.

967. Kelsey, S. T. and Hutchinson, C. C.

The Blue Ridge highlands of western North Carolina. Greenville, S. C., 1876. 12 pp. 21 cm. Highlands, Macon Co., N. C., 1878. 24 pp. 21 cm.

Description of western North Carolina with notes on mineral resources and advantages of climate.

968. Kemp, J[AMES] F[URMAN].

Geological relations and distribution of platinum and associated metals.

(In U. S. Geol. Survey, Bull. 193. Wash., 1902. pp. 34; 58-59.

Describes discovery of sperrylite by W. E. Hidden in 1894 in Macon county, and a fresh discovery in 1898 in connection with the mining of rhodolite.

969. KENNGOTT, GUSTAV ADOLPH.

North Carolina meteorites.

(In his Uebersicht der Resultate mineralogischer Forschungen in den Jahren 1850 und 1851. Wien, 1853. pp. 135; 136.)

Contains brief descriptive notes on the Asheville, Hominy Creek, Black Mountain and Randolph county meteorites.

970. Kenworthy, Charles J.

Roan mountain, western North Carolina.

Amer. Climat. Assoc., Trans., v. 5 (1888): 114-120.

Description of Roan mountain in Mitchell county, and its advantages as a health resort.

971. KERR, W[ASHINGTON] C[ARUTHERS].

Appendix to the report of the Geological Survey of North Carolina, 1873, being a brief abstract of that report, and a general description of the state, geographical, geological, climatic and agricultural. Raleigh, Stone & Uzzell, 1873. 24 pp. 22 cm. Map.

Map is based on Colton's map and shows timber belts, elevations and location of mines then in operation. Gives a brief outline of the minerals found, with localities. This appendix to a report which was never published was somewhat revised and reissued by the Survey in 1882 with title, Physiographical description of North Carolina.

972. — The developed and undeveloped mineral wealth in North Carolina.

The Virginias, v. 1 (1880): 72-73.

Letter from Prof. Kerr to Governor Jarvis describing his address to the Chamber of Commerce in Pittsburg in reference to extension of Pittsburg Southern Railway into North Carolina. This address described the geological formations, metal and mineral deposits of North Carolina, and advantages to be gained in regard to commercial facilities by extension of railroad.

973. — Distribution and character of the eocene deposits in eastern North Carolina.


Elis. Mit. Sci. Soc., Jour., v. 2 (1885): 79-84.

- Am. Nat., v. 19 (1885): 69. Review by E. Koken: Neues Jahr. f. Min., 1887, Bd. 1. Ref., p. 119. Discusses deposits between the Neuse and Cape Fear rivers, formerly considered quaternary, but now considered eocene. 974. — Geological relations of the topography of the south Appalachian plateau. Science, v. 1 (1883): 105. Discusses topography between the Blue Ridge and Smoky 975. — Geological survey of North Carolina. (In N. C. Agric. Exp. Station, Bull. July, 1881, pp. 2-3.) Outlines work of the geological survey, gives table of mean humidity, and notes on mining industries. 976. — The geology of Hatterns and the neighboring coast. Phil. Soc. Wash., Bull., v. 6 (1883): 28-30. Review: Science, v. 1 (1883): 402. Describes the coast lines and refers Cape Hatteras to the cretaceous formation. 977. — The gold gravels of North Carolina—their structure and origin. Am. Inst. Min. Eng., Trans., v. 8 (1880): 462-466. Extract: The Virginias, v. 1 (1880): 166-168. Abstract: Am. Nat., v. 15 (1881): 75. Discusses the deep residual decay of the rocks of the south, and the formation and occurrence of the gold gravels. 978. — Letter to the North Carolina Land Co., enumerating general resources of the state. (In Statistical and descriptive account of the several counties of the State of North Carolina. Raleigh, Nichols & Gorman, 1869. 22 cm. pp. 95-113.) Contains geographic and climatic notes on the state, its agricultural resources and mineral deposits. 979. — Marls of North Carolina. (In N. C. Agric. Exp. Station, 3d Ann. Rept. Raleigh, 1880. 23 cm. pp. 77-92.) Describes in detail the occurrence of three kinds of marl belonging to three different geological formations, in thirty counties in the eastern part of the state. 980. — The mica veins of North Carolina. Am. Inst. Min. Eng., Trans., v. 8 (1880): 457-462. Abstract: Phil. Soc. Wash., Bull., v. 7 (1884): 9. Abstract: Science, v. 1 (1880): 138. Abstract: The Virginias, v. 1 (1880): 161-170. Notice: Science, v. 3 (1884): 208. Notice: Eng. & Min. Jour., v. 31 (1881): 211-212.

Discusses types and characteristics of the mica veins giving sketches and diagrams. Mentions the associated minerals and describes rocks in which the veins occur.

Abstract by G. W. Hawes: Neus Jahr. f. Min., 1881, Bd. 1.

Ref., p. 387.



989. — On peculiarities of the mode of occurrence of gold in North Carolina.

Eng. & Min. Jour., v. 33 (1882): 121.

Describes modes of occurrence of gold at the different mines.

990. — On some points in the stratigraphy and surface geology of North Carolina.

Am. Nat., v. 4 (1871): 570.

Discusses origin and formation of the coal-bearing triassic rocks, the quaternary gravels, and the evidences of oscillations of sea level in the eastern part of the state.

991. — On the action of frost in the arrangement of superficial earthy material.

Am. Jour. Sci., Ser. III, v. 21 (1881): 345-358.

Discusses present topography of western North Carolina, and describes surface creep and allied phenomena due to frost action.

992. — and Hanna, George Biyroni.

Ores of North Carolina: being Chapter II of the second volume of the geology of North Carolina. Raleigh, Edwards & Broughton, 1888. 125: 359 pp. 24 cm. Illus. Maps.

Appendices: (a) The gold gravels of North Carolina, their structure and origin. (Reprinted from Am. Inst. Min. Eng., Trans., v. 6 (1880): 462.) (b) On some peculiarities in the occurrence of gold in North Carolina. (Reprinted from Am. Inst. Min. Eng., Trans., v. 10 (1880): 475.) (c) On the action of frost in the arrangement of superficial earthy material. (Reprinted from Am. Jour. Sci., Ser. III, v. 21 (1881): 345-358.)

Discusses iron, silver, lead, zinc, copper and gold ores of the state. Numerous maps and cross-sections illustrate the workings, location and nature of the mines. Many analyses are given.

993. Kerr, Wiashington, Ciaruthers.

Origin of some new points in the topography of North Carolina.

Am. Jour. Sci., Ser. III, v. 21 (1881): 216-219.

Discusses probability of occurrence of glaciation on a large scale.

994. — Our mineral wealth.

South Atlantic, v. 2 (1878): 289-299; 470-474; 484-495.
Popular account of the mineral resources of the state.

995. —— Outlines of the physical geography of the State of North Carolina.

(In U. S. 10th Census Rept., v. 6, pt. 2. Wash., 1884. pp. 541-557.)

Describes physical and geological features of the state, and gives analyses of marls and soils by E. H. Bogardus and G. B. Hanna.

996. — Physiographical description of North Carolina, 1879. Raleigh, Ashe & Gatling, 1882. 322 pp. 21 cm. Map.

Revised reprint of the appendix to the report of the Geological Survey, 1873. The report was never published.

- 997. Report of geologist in charge of the southern division of the U. S. Geol. Survey, on resources of the country along the line of the Cape Fear and Yadkin Valley R. R., through the middle region of North Carolina from the head of navigation near the Atlantic seaboard to the Blue Ridge and high plateau beyond to the border of the great valley of Virginia and Tennessee.
 - (In Hale, P. M. In the coal and iron counties of North Carolina. Raleigh, 1883. 19 cm. pp. 216-236.)

Describes main features of route, topography, climate, soils, minerals, forests, agricultural products, manufactures and water-power.

998. — Report of progress of the geological survey of North Carolina, 1866_[-1868]. Raleigh, W. E. Pell, 1867-[1869]. 2 vols. 21½ cm.

Notice: Am. Jour. Sci., Ser. II, v. 43 (1867): 284.

Account of progress of geological investigation of the western counties of the state. Describes topography, surface, economical and agricultural geology. 1867-1868 covers two years, 1867-1868 has no title page and has at head of caption title, Doc. No. 27, Sess, 1868-1869.

- 999. Report of State geologist.
 - N. C. Gen. Assem., Sess. 1870-1871. Ex. Doc. No. 29. 6 pp. 21 cm.

Brief notes on work and expenditures of the State geologist for the year.

- 1000. Report of the geological survey of North Carolina.
 - N. C. Gen. Assem., Sess. 1872-1873. Ex. Doc. 16. 4 pp. This report was never published.
- 1001. Report of the geological survey of North Carolina, Vol. I: Physical geography, résumé, economical geology. Raleigh, Josiah Turner, 1875. 235,120 pp. 24 cm. Fig. Map.

Appendices: (a) Descriptions of new genera and species of fossil shells of North Carolina, by T. A. Conrad. (b) Synopsis of the vertebrata whose remains have been preserved in the formations of North Carolina, by E. D. Cope. (c) Preliminary report on the minerals of North Carolina, by F. A. Genth. (d) Corundum and its associated rocks: Essay on the geology of western North Carolina, by C. D. Smith. (For annotations of appendices, see under respective authors.)

Review: Am. Jour. Sci., Ser. III, v. 11 (1876): 61-62.

1002.	 Report of the State geologist concerning the establishment
	of a department of agriculture.
	N. C. Gen. Assem., Sess. 1876-1877. Ex. Doc. No. 32. 12 pp. 21 cm.
	Briefly outlines benefits to the state to be gained by the establishment of a department of agriculture.
1003.	 Report of the State geologist on the expenditures of the geological survey.
	N. C. Gen. Assem., Sess. 1876-1877. Ex. Doc. 21. 17 pp. 21 cm.
	Contains itemized statement of expenditures of geological survey for 1876.
1004.	 Report on the geology and the soils of the tobacco region of North Carolina.
	(In Tobacco production in the United States. U. S. 10th
	Census Rept., 1880, v. 3. Wash., 1883. pp. 121-125.) Describes rock formations producing soils of the bright
1005	tobacco region of the state. Analyses of soils.
1005.	A report on the sanitary relations of drainage and water-
	supply in North Carolina and the south Atlantic States as
	affected by topographical and geological conditions.
	Am. Assoc. Pub. Health, Repts. & Papers, v. 2 (1875): 348-356.
	Discussion of the topographical, stratigraphical and lithological features as related to water-supply and drainage.
1006.	 Report on the swamp lands [of North Carolina].
	(In Repts, on the swamp lands belonging to the State
	Board of Education. Raleigh, Ashe & Gatling, 1883. pp. 5-23.)
	Historical notes and descriptions on condition, surveys and improvements of the swamp lands located in Columbus, Hyde, Carteret, Onslow, Jones, Craven, Robeson, Tyrrell and other eastern counties.
1007.	 [Rockingham and Nash county (Castalia) meteorites.]
	(In his Report on the geological survey of North Carolina,
	v. 1. Raleigh, 1875. pp. 313-315.)
	Brief notes on these meteorites with analyses by Genth and Smith.
1008.	 Some peculiarities in the occurrence of gold in North Carolina.
	Am. Inst. Min. Eng., Trans., v. 10 (1880): 475-476.
	Discusses in a general way the distribution of gold in Moore, Gaston, Montgomery, Davidson and Randolph counties, describing its occurrence in the rock formations.
1009.	 The State of North Carolina.
	N. C. Agric. Exp. Station, Bull., July, 1883. 8 pp. General description of the state and its resources.
1010.	 The State of North Carolina.
	(In What northern men say of North Carolina edited by
	N. Dumont. Raleigh, The Observer, 1879. 22 cm. pp.
	5-32.)
	Describes physiographic features of the state, geological structure, mineral deposits, climate, forests, soils and agriculture.

1011. — Topography as affected by the rotation of the earth.

Am. Phil. Soc., Proc., v. 13 (1873): 190-192.

Discusses topography and drainage of eastern North Carolina

1012. — The "volcano" of Bald mountain.

Eng. & Min. Jour., v. 33 (1882): 131-132.

Discusses disturbances supposed to be volcanic occurring on Bald mountain, a spur of the Blue Ridge.

1013. Washington Caruthers Kerr. (Biographical sketch.)

Elis. Mit. Sci. Soc., Jour., v. 2 (1884): 8-9.

1014. Kimball, James P.

On the magnetite belt at Cranberry, North Carolina, and notes on the genesis of this iron ore in general in crystalline schists.

Am. Geol., v. 20 (1897): 299-312.

Review by W. O. Crosby: Am. Chem. Research, Rev., v. 4 (1898): 17.

Describes deposits of magnetic iron ore at Cranberry, Mitchell county, topography of region, geological structure, ore belts, mines and mining operations. Analyses of ores by Edward Riley of London, A. A. Blair and Pattison & Stead of Middlesborough, England.

1015. KING, EDWARD.

Among the mountains of western North Carolina.

Scribner's Monthly, v. 7 (1874): 513-544.

Describes the mountains, physical characteristics of the country and mineral resources.

1016. King, Francis P.

Preliminary report on the corundum deposits of Georgia.

Georgia Geol. Survey, Bull. 2. Atlanta, George W. Harrison, 1894. 133 pp. 24 cm.

Contains historical notes on occurrence of corundum in North Carolina, and many notes and references to the North Carolina deposits. Quotes from F. A. Genth, C. D Smith, E. W. Parker, C. W. Jenks and T. M. Chatard on this subject.

1017. KING, J. T.

Dismal Swamp of North Carolina.

N. C. Univ. Mag., Ser. III, v. 1 (1878): 55-61.

General description of the Great Dismal Swamp.

1018. Kirchhoff, Charles.

Copper in North Carolina.

(In U. S. Geol. Survey, 20th Ann. Rept., pt. 6 (Met. Prod.).
Wash., 1899. p. 186.)

Describes development work just over the Virginia line.

1019. KLEIN, CARL.

Ueber das Meteoreisen von Persimmon creek, bei Hot House. Cherokee county, Nord-Carolina.

K. preuss Akad. d. Wiss. Sitz., 1904, pt. 1, p. 572.

Abstract by E. Cohen: Geol. Centralblatt, v. 5 (1904): 435.

Describes magnetic iron meteorite of Persimmon creek.

1020. KNOWLTON, FIRANK, HIALL. Description of a small collection of fossil wood from the triassic area of North Carolina. (In U. S. Geol. Survey, 20th Ann. Rept., pt. 2. Wash., 1900. pp. 272-274.) Describes material from Walnut cove, Germantown and Lockville. Collection made by I. C. Russell, Contains a few notes on the Emmons collection of fossil plants. 1021. Koenig, George A₁ugust₁. On spessarite from Yancey county, North Carolina. Acad. Nat. Sci. Phila., Proc., [v. 28] (1876): 53-54. Description and analysis of this species of garnet. 1022. — On tantalite from Yancev county, North Carolina. Acad. Nat. Sci. Phila., Proc., [v. 28] (1876): 39-40. Abstract by Cihichester, A. Biell: Chem. Soc. (London) Jour., v. 32 (1877): 281. Description and analysis of tantalite. 1023. Kuhn, Joseph E. Improvement of inland route from Norfolk harbor, Virginia, to Albemarle sound, North Carolina, through Currituck sound. (In Chief of Eng. Rept., 1907, pt. 2. Appendix L 9, pp. 1213-1215.) - (In Chief of Eng. Rept., 1908, pt. 2. Appendix L 9, pp. 1269-1271.) 1024. — Improvement of Meherrin river, North Carolina. (In Chief of Eng. Rept., 1907, pt. 2. Appendix L 12, pp. 1217-1218.) - — (In Chief of Eng. Rept., 1908, pt. 2. Appendix L 12, p. 1273.) 1025. — Improvement of Perquimans river, North Carolina. (In Chief of Eng. Rept., 1907, pt. 2. Appendix L 10, pp. 1215-1216.) - ____ (In Chief of Eng. Rept., 1908, pt. 2. Appendix L 10, pp. 1271-1272.) 1026. — Improvement of Roanoke river, North Carolina. (In Chief of Eng. Rept., 1907, pt. 2. Appendix L 13, pp. 1218-1219.) - (In Chief of Eng. Rept., 1908, pt. 2. Appendix L 13, pp. 1274-1275.) 1027. — Improvement of waterway from Norfolk, Virginia, to the

sounds of North Carolina.

1268-1269.)

(In Chief of Eng. Rept., 1908, pt. 2. Appendix L 8, pp.

1028. Kunz, George Firederick, and Baskerville, Charles.

The action of radium, roentgen rays and ultra-violet light on minerals and gems.

Science, n. s., v. 18 (1903): 769-783.

Extracts: Chem. News, v. 89 (1904): 1-6.

Names minerals used in experiments: auerlite and monazite from Alexander county; autunite and euxenite (in samarskite) from Mitchell county.

1029. Kunz, George Firedericki.

American gems and precious stones.

(In U. S. Geol. Survey, Min. Res., 1882. pp. 483-499.)

Refers to corundum sapphires and rubies found in Macon county; emeralds, garnets, spodumene and rutile in Alexander county; aquamarine, and smoky quartz in Burke and Alexander counties; zircon crystals in Burke county, and sagenite or "rutile in quartz" in Iredell and Alexander counties.

1030. —— [Crystal of beryl from Alexander county. North Carolina.]

N. Y. Acad. Sci., Trans., v. 8 (1888): 2.

Notice of a green beryl crystal found in Alexander county.

1031. — Emeralds from North Carolina.

Am. Jour. Sci., Ser. III, v. 27 (1884): 153-154.

Notice: Am. Nat., v. 18 (1884): 419.

Notice: N. Y. Acad. Sci., Trans., v. 3 (1884): 38.

Review by C. A. Tenne: Neues Jahr. f. Min., 1885, Bd. 2. Ref. p. 258.

Describes occurrence and appearance of emerald crystals from Stony Point, Alexander county.

1032. — Gems and precious stones of North America. New York, Scientific Pub. Co., 1890. 336 pp. 28 cm. Illus.

Contains descriptions of North Carolina minerals and mineral localities; gold and diamonds, pp. 17-21; corundum, pp. 40-48; zircon, pp. 104-105; rock crystal, pp. 108-109; quartz, pp. 112-113.

1033. — History of the gems found in North Carolina.

N. C. Geol. Survey, Bull. 12. Raleigh, E. M. Uzzell & Co., 1907. 60 pp. Plates. 26 cm.

Review by D. B. Sterrett: U. S. Geol. Survey, Min. Res., 1907, pt. 2. p. 838.

Treats of production of gems in North Carolina. Historical sketch of gem mining, and detailed descriptions of all gem minerals found and their localities.


1034. — Meteoric iron from Colfax township, Rutherford county, North Carolina.

N. Y. Acad. Sci., Trans., v. 9 (1890): 197-198.

Abstract by B. H. B₁rough₁: Chem. Soc. (London) Jour., v. 62, pt. 2 (1892): 1059.

Abstract by E. Cohen: Neues Jahr. f. Min., 1892, Bd. 1. Min., p. 267.

Description of this meteorite, with analysis by Stuart W. Cramer.



1043.	 Production of precious stones in North Carolina.
	(In U. S. Geol. Survey, Min. Res., 1883-1884. Wash., 1885.
	pp. 723-782.)
	 —— (In U. S. Geol. Survey, Min. Res., 1885. Wash., 1886. pp.
	437-442.)
	Contains notes on mining for emeralds in Alexander county, and on original discovery of corundum gems in situ by C. W. Jenks in Macon county.
	 —— (In U. S. Geol. Survey, Min. Res., 1886. Wash., 1887. pp.
	595-598.)
	 —— (In U. S. Geol. Survey, Min. Res., 1887. Wash., 1888. pp.
	555; 559; 560; 562; 563.)
	Notes on occurrence of beryl and cyanite in Mitchell county, spodumene and tourmaline in McDowell county, and oligoclase near Bakersville.
	 (In U. S. Geol. Survey, Min. Res., 1888. Wash., 1890. pp.
	580-581.)
	 —— (In U. S. 11th Census Rept., Min. Indust., 1890. Wash.,
	1892. pp. 669-677.)
	 — U. S. Census, Bull. No. 49. Wash., 1891. 8 pp.
	 —— (In U. S. Geol. Survey, Min. Res., 1892. Wash., 1893. pp.
	756-758; 760; 765-766; 768-770; 778; 780.) Contains historical notes on corundum localities in Macon
	county.
	 —— (In U. S. Geol. Survey, Min. Res., 1893. Wash., 1894. pp. 693; 697.)
	 (In U. S. Geol. Survey, 16th Ann. Rept., pt. 4. (Non-metal-
	lic Prod.) Wash., 1895. pp. 595; 599; 600; 601.)
	 —— (In U. S. Geol. Survey, 17th Ann. Rept., pt. 3. Wash., 1896.
	pp. 895-926.)
	 (In U. S. Geol. Survey, 18th Ann. Rept., pt. 5. (Non-
	metallic Prod.) Wash., 1897. pp. 1197; 1203; 1204; 1205.)
	Abstract: Pop. Sci. Month., v. 53 (1898): 716.
	Describes prospecting for rubies in Macon county, oc-
	currence of emeralds at Bakersville, green tourmaline near Waynesville, olivine and rutilated quartz in Jackson county and smoky quartz in Surry county.
	 —— (In U. S. Geol. Survey, 20th Ann. Rept., pt. 6. (Non-
	metallic Prod.) Wash., 1899. pp. 569-570; 577; 584-
	585; 586; 588.)
	Notes on occurrence of rhodolite in Macon county, zircon crystals in Iredell county, and workings for beryl in Mitchell, Yancey, Macon and Iredell counties.
	 —— (In U. S. Geol. Survey, 21st Ann. Rept., pt. 6. (Non-
	metallic Prod.) Wash., 1901. pp. 432-436; 450.)
	Describes occurrence of ruby corundum in Macon county.
	 —— (In U. S. Geol. Survey, Min. Res., 1900. Wash., 1901. pp.
	749; 756; 758.)
	(In U. S. Geol. Survey, Min. Res., 1901. Wash., 1902. pp.
	729; 738; 741; 744; 749; 751; 762; 763.)
	 —— (In U. S. Geol. Survey, Min. Res., 1902. Wash., 1903. pp. 813: 837: 852)

—— (In U. S. 12th Census, Spec. Rept., Mines & Quarries, 1902.

Wash., 1905. pp. 1043-1058.) (In U. S. Geol. Survey, Min. Res., 1903. Wash., 1904. pp. 924; 935-937; 948; 950.) Extract: Mining World, v. 21 (1904): 566. Mentions corundum specimens collected by R. T. Brumby from Clubb mountain, Lincoln county, in 1852. ___ (In U. S. Geol. Survey, Min. Res., 1905. Wash., 1906. pp. 1335: 1340: 1345.) Yearly reports of gem mining and production. 1044. — Rare minerals. Science, v. 12 (1888): 23. Describes occurrence of monazite and zircon in Burke, Alexander, Rutherford, Polk, Henderson, McDowell and Mecklenburg counties. 1045. —— Some remarkable gems. N. Y. Acad. Sci., Trans., v. 5 (1886): 131-133. - Science, v. 7 (1886): 399. Notice of a ruby cut en cabochon from Franklin, Macon county. 1046. —— Tiffany exhibit prepared for Paris exposition. N. Y. Acad. Sci., Trans., v. 8 (1889): 160-161. Names minerals from North Carolina in the exhibit. 1047. L., J. King's Mountain, North Carolina, gold mine. Eng. & Min. Jour., v. 54 (1892): 75. Criticizes article on "A southern gold mine" (Eng. & Min. Jour., v. 54 (1892):34.) 1048. Laidley, T. T. S. Timber and minerals of the Deep River country, North Carolina. U. S. 34th Cong., 1st Sess. Ex. Doc. No. 109. Wash., 1856. Report of a visit to the Deep River area in Moore, Chatham and Randolph counties, describing the mineral resources and mining operations. LANEY, FRANCIS BAKER. • The building and ornamental stones of North Carolina. See Watson and Laney, No. 1829. 1049. — The Gold Hill mining district of North Carolina. A detail of Piedmont Plateau geology. A thesis presented to Yale University for the degree of Doctor of Philosophy, 1908. Map. A detailed geologic and petrographic study of the district. Contains historical sketch and list of literature relating to gold and copper deposits in the state. To be published by the North Carolina Geological Survey as Bull. 21.

MSS. N. C. Geol. Survey, Asheville, N. C., 1906. 11 pp. Commercial report on the area.

1050. — Preliminary report of geological survey of the Eagle creek and a portion of the Hazel creek watersheds.

1051. LANMAN, CHARLES.

Letters from the Alleghany mountains. New York, George P. Putnam, 1849. 198 pp. 20 cm.

A series of letters written among the mountains of western North Carolina and Georgia, containing desultory notes on the geology, topography, climate, forests, minerals and mineral springs of the region. The addenda consist of letters from T. L. Clingman, C. U. Shepard and Elisha Mitchell. (For annotations of these, see under respective authors.)

1052. — Novelties of southern scenery.

Appleton's Jour., v. 2 (1869): 253-259.

Popular sketch of mountain scenery in western North Carolina, giving a few altitudes.

1053. LAPHAM, J. E. and LYMAN, WEBB S.

Soil survey of Perquimans and Pasquotank counties, North Carolina.

(In U. S. Dept. Agric., Field Operations, Bureau of soils, 7th Rept., 1905. Wash., 1907. pp. 271-288. Map.)

Describes climate, geology and physiography of this area, and gives table of monthly annual temperature and precipitation. Describes drainage systems and gives analyses of soils.

1054. Lapham, J. E. and Meeker, F. N.

Soil survey of the Asheville area, North Carolina.

(In U. S. Dept. Agric., Field Operations, Bureau of Soils, 5th Rept., 1903. Wash., 1905. pp. 279-297. Map.)

Describes physiography, geology and climate, the river basins, varieties of soils found, and gives analyses of these.

1055. Lawson, John.

A new voyage to Carolina; containing the exact description and natural history of that country; together with the present state thereof. . . London, 1709. 258 pp. Plates. 21 cm. Map.

- The history of Carolina: Containing the natural history of that country . . . London, Taylor & Baker, 1714. 258 pp. Plates. Map.
- Pp. 20 cm. Strother & Marcom, 1860. 390
- Reprint: History of North Carolina. Charlotte, Observer print. house, 1903. 171 pp. 28 cm. Map.

Contains brief description of early North Carolina; the inlets and havens; soil, climate and products.

1056. LEA, ISAAC.

Further notes on "inclusions" in gems.

Acad. Nat. Sci. Phila., Proc., [v. 28] (1876): 98-107.

Describes inclusions in specimens of garnet and corundum from North Carolina.

1057. — Notes on microscopic crystals included in some minerals.

Acad. Nat. Sci. Phila., Proc., (v. 21) (1869): 4; 119-121.

Describes acicular crystals observed in a thin fractured place of a large garnet from North Carollna.

1058. — Remarks on the age of the new Red Sandstone.

Acad. Nat. Sci. Phila., Proc., [v. 10] (1858): 90-92.

Brief summary of the opinions of others and a reaffirmation of his own belief in the Permian age of the Red Sandstone formation of North Carolina.

1059. Leconte, John.

Observations on thermal belts of North Carolina.

Science, v. 1 (1883): 278.

Describes "frostless zones" from observations made at Flat rock, Henderson county.

1060. LEDOUX, A, LBERT, R, EID,.

[Analyses of marls and mineral waters of North Carolina.]

(In N. C. Agric. Exp. Sta., Rept. 1879. Raleigh, The Observer, 1879. 23 cm. pp. 122-126.)

Contains eleven analyses of maris from Jones, Wayne and Greene counties, and five analyses of mineral water from Iredell and Alamance counties and localities near Chapel Hill.

1061. — Minerals and ores from North Carolina.

(In N. C. Agric. Exp. Sta., Rept. 1879. Raleigh, The Observer, 1879. 23 cm. pp. 138-139.)

Analyses of: green feldspar from Cumberland county; gummite lignite, "potash rock," from Raleigh; manganese ore from Warm Springs; gold and copper ore from Alamance county, and dolomitic limestones from Macon county.

1062. — Tin in North Carolina.

Eng. & Min. Jour., v. 48 (1889): 521-522.

Describes exploration for tin at King's Mountain, geological occurrence of the ore, and its associated minerals.

1063. — The Union copper mines, Gold Hill, N. C.

Eng. & Min. Jour., v. 69 (1900): 167-170.

Describes the gold and copper bearing belt at Gold Hill, Rowan county, the veins and ores, mines and mining operations.

1064. LEEDS, STEPHEN P. and PARTZ, ANGUS D.

Charter and by-laws of the Karriker gold and copper company; also reports of Stephen P. Leeds, and Angus D. Partz. Jersey City, J. Raymond, 1855. 15 pp. 22 cm.

Description of this mining property located in Cabarrus county.

1065. LEEDS, STEPHEN P.

Gold ores and their workings.

Min. Mag., Ser. I, v. 7 (1856): 23-32; 265-275; 344-356; 445-453.

Describes ores in a general way, and gives detailed notes on methods of working. Many references to North Carolina mines as examples of mining methods.

1066. — North Carolina gold mines.

Min. Mag., Ser. I, v. 5 (1855): 431-433.

Brief account of five months spent in studying the gold mines of the state.

1067. — Notes on the gold regions of North and South Carolina. . . Min. Mag., Ser. I, v. 2 (1854): 27-34; 357-369. Topographical, geological, climatic and economical notes on the gold region, discussing the mines and mining pos-1068. — Report on the Rhymer gold mine, Rowan county, North Carolina. Min. Mag., Ser. I, v. 2 (1854): 543-545. Describes this mine located in Rowan county about eight miles from the Gold Hill n ine. 1069. — and Penman, John E. Reports on the Rudisil gold and copper mine at Charlotte, Mecklenburg county, North Carolina. New York, McSpedon & Baker, 1854. 12 pp. 21 cm. 1070. LEEDS, STEPHEN P. The Rudisil gold and copper mine of North Carolina. Min. Mag., Ser. I, v. 2 (1854): 516-518. Description of this mine near Charlotte, Mecklenburg 1071. Leidy, Joseph. Biotite from North Carolina. Acad. Nat. Sci. Phila., Proc., [v. 34] (1882): 261. Describes plates of muscovite containing hexagonal plates of biotite. 1072. —— Dromætherium silvestre. Acad. Nat. Sci. Phila., Proc., [v. 22] (1870): 9. Remarks on apparent absence of a condyle in mandible of Dromatherium silvestre. 1073. — The extinct mammalian fauna of Dakota and Nebraska. . . Synopsis of the mammalian remains of North America. Acad. Nat. Sci. Phila., Jour., Ser. 2, v. 7, Phila., 1869. 472 pp. 34 cm. Plates. Names and describes several North Carolina forms. 1074. — Fossils from Chatham county, North Carolina. Acad. Nat. Sci. Phila., Proc., [v. 16] (1859): 162. Remarks on Dromætherium sylvestre, Clepsysaurus, Rutiodon and Palæosaurus. 1075. — Notice of corundum. Acad. Nat. Sci. Phila., Proc., [v. 24] (1872): 19. Ann. Record Sci. & Indust., 1872. p. 117. Describes corundum specimens from Franklin, Macon county. 1076. — Notice of some remains of extinct vertebrated animals. Acad. Nat. Sci. Phila., Proc., [v. 8] (1856): 163-165. Proposes name Compsosaurus priscus for remains of a saurian from the Chatham coal field. 1077. — Notices of remains of extinct vertebrated animals discovered by Prof. E. Emmons. Acad. Nat. Sci. Phila., Proc., [v. 8] (1856): 255-256. Am. Jour. Sci., Ser. II, v. 23 (1857): 271-272. Describes; Orycterocetus cornutideus; Drepanodon impar; Pliogonodon priscus; Oneosaurus perplexus; Dictyocephalus clegans; Ischrhiza antiqua from the miocene.

1078. — Remains of mastodon and horse in North Carolina.

Acad. Nat. Sci. Phila., Proc., [v. 23] (1871): 113.

Describes specimen of Mastodon americanus found in Lenoir county, molar tooth of same species, and upper molar tooth of Equus complicatus found in Pitt county.

1079. — Remarks on Palacotrochus.

Acad. Nat. Sci. Phila., Proc., [v. 11] (1859): 150. Considers Palwotrochis a coral.

1080. Lesley, J. Peter.

Note on the titaniferous iron ore belt near Greensboro, North Carolina. Phila., M'Calla & Stanley, 1871. 34 pp. 22 cm.

— Am. Phil. Soc., Proc., v. 12 (1871): 139-158.

Abstract: Jahresber. d. Chem., 1871, p. 1163.

Describes geological structure of this district in Guilford and Rockingham counties, outcropping ore beds and relations of the ores to the rocks. Analyses of the ores by Genth, Buck, Britton and Fesquet.

1081. — The primary iron ores of North Carolina.

(In his Iron Manufacturer's Guide. New York, John Wiley. London, Trubner & Co. 1859. 23½ cm. pp. 446-452.)

Descriptions of the iron ores taken almost wholly from Emmons' reports. Enumerates furnaces and bloomary forges in past and present operation, and gives notes on iron manufacture in the state from first discovery of the ores.

1082. LETHAM, JOHN.

Historical and descriptive review of the State of North Carolina. Charleston, S. C., Empire Publishing Company, 1885. 2 vols. 24 cm. Maps.

Notes on conditions, resources and industries of the state

1083. LEWIS, H[ENRY] C[ARVILLE].

Gold from North Carolina.

Acad. Nat. Sci. Phila., Proc., [v. 35] (1883): 301.

—— Am. Nat., v. 18 (1884): 66.

Describes gold nuggets from Montgomery county.

1084. — The minerals of Surry county, North Carolina.

Acad. Nat. Sci. Phila., Proc., (v. 32) (1880): 280.

Gives a list of minerals found near Dobson, Surry county

1085. —— The optical characters of some micas.

Acad. Nat. Sci. Phila., Proc., [v. 32] (1880): 244-251.

Contains optical determination of biotite, damourite, maconite and culsageeite from Macon county, and muscovite from Buncombe county.

1086. — Tin from North Carolina.

Am. Nat. v. 18 (1884): 620; 1040.

Notice of discovery of tin at King's mountain, Shelby county.

1087. — Tin in North Carolina.

Acad. Nat. Sci. Phila., Proc., [v. 32] (1880): 253.

Describes a doubtful specimen of tin ore from Surry county.

1088. Lewis, Joseph Violney.

Corundum and the basic magnesian rocks of western North Carolina.

N. C. Geol. Survey, Bull. 11. Winston, M. I. & J. C. Stewart, 1896. 107 pp. 24 cm. Plates. Maps.

Notice: Am. Nat., v. 30 (1896): 1038-1039.

Notice: Am. Jour. Sci., Ser. IV, v. 11 (1900): 92.

Summary: Elis. Mit. Sci. Soc., Jour., v 12 (1895): 25-37.

Abstract by author: Jour. of Geol., v. 15 (1907): 85-91.

Abstract by author: Geol. Centralblatt, v. 8 (1906): 487-492.

Describes geologic structure of the corundum belt which includes nearly all the western counties, character and

Describes geologic structure of the corundum pert which includes nearly all the western counties, character and distribution of the peridotites, mode of occurrence of the corundum, mines and prospects, and gives historical account of the corundum mines in Clay, Macon, Jackson, Madison and Iredell counties.

— Corundum and the peridotites of western North Carolina. See Pratt and Lewis, No. 1469.

1089. — Corundum of the Appalachian crystalline belt.

Am. Inst. Min. Eng., Trans., v. 25 (1895): 852-906.

Abstract by L_ieonard_i J. S_ipencer_i: Chem. Soc. (London) Jour., v. 76, pt. 2 (1899): 561-562.

Treats of corundum in general and gives historical notes on its discovery in western North Carolina. Describes geology of corundum region, varieties and mode of occurrence of the corundum, and gives several rock analyses. Describes the mines and mining methods, and gives a list of literature on the corundum localities of the Appalachian region.

1090. — Notes on building and ornamental stone.

(*In* N. C. Geol. Survey, 1st Biennial Rept., 1891-1892. Raleigh, Josephus Daniels, 1893. pp. [57]-103.)

Descriptions of the quarries in the state, names of owners, location, and many analyses of stone. Discusses granite, sandstone and other stones. Gives list of specimens of building and ornamental stone in the collection at the State museum at Raleigh.

1091. — Origin of the peridotites of the southern Appalachians.

Elis. Mit. Sci. Soc., Jour., v. 12, pt. 2 (1895): 24-37.

Describes peridotite belt in western North Carolina, and presents evidence to show that the peridotites are plutonic igneous rocks.

1092. Lewis, Zechariah.

Letter on subterranean wall on the Yadkin in North Carolina.

Med. Repos., v. 5 (1802): 397-407.

A reply to letter from Dr. Woodhouse in which the latter criticizes Mr. Lewis' opinion that this wall is of artificial origin.

1093. — Remarks on a subterranean wall in North Carolina.

Med. Repos., v. 4 (1801): 227-234.

Description of this wall situated in Rowan county, about 12 miles notheast of Salisbury, presenting evidence in favor of its artificial origin.

1094. Lieber, Oscar Miontgomery.

A contribution to the geologic chronology of the southern Alleghanies.

Am. Assoc. Adv. Sci., Proc., 12th meet. (1858): 227-230. Discusses age of the crystalline slates of the southern Alleghanies.

1095. — A fragmentary contribution to the vein geology of the southern states.

Min. & Stat. Mag., v. 10 (1858): 108-112.

Brief description of Brigg's gold mine located in Gaston

1096. — Itacolumite and its associates . . . a contribution to the geologic chronology of the southern Alleghanies. Supplementary to Repts. 1, 2 and 3, on the Geol. Survey of South Carolina. Bound with Rept. 3. Columbia, S. C., R. W. Gibbes, 1859. 223 pp. 24 cm.

--- (In Cotta, Bernhard von. Gangstudien oder Beiträge zur Kenntniss der Erzgange, v. 3 (1860): 309-507.)

Discusses Itacolumite and various types of gold occurrence illustrating by mode of occurrence in various mines in the Carolinas, among those in North Carolina being the Brigg's, Reed, Gold Hill, Phænix, Karriker and Honeycutt

1097. — Mineral resources of South Carolina.

Min. Mag., Ser. 1, v. 9 (1857): 9-30; 105-121; 355-358.

Describes many North Carolina mines and veins by way of comparison with those of South Carolina. Includes the Reed, Gold Hill and Huey mines.

1098. —— Notes on North Carolina minerals and mines.

(In his Report on the Geol. Survey of South Carolina, First

Ann. Rept. to Gen. Assem. . . 1856. 24 cm. pp. 41-99.)

Notes on mineral veins of North Carolina at different lo-calities, with references to many of the deposits and mines including brief descriptions of the Reed, Gold Hill, Huey and Hiatt mines.

1099. — Some remarks on the metalliferous veins of the South.

Min. Mag., Ser. I, v. 5 (1855): 306-312.

Discusses the relations of the various minerals in the velns to each other—citing many examples, a few of which are in North Carolina, the McCullock and Vanderburg

1100. — Ueber das Goldvorkommen in Nord-Carolina.

(In Cotta, B. von Gangstudien oder Beiträge zur Kenntniss der Erzgange, v. 3 (1860): 253-255.)

Describes occurrence of gold and gives notes on the Van derburg, Huey and Gold Hill mines.

1101. LIMBER, JOHN.

Fossil remains in Lenoir county, North Carolina.

Am. Jour. Sci., Ser. I, v. 40 (1841): 405.

Extract: Annales des Sci. Géol., 1842. p. 117.

Describes formations between the Neuse and Northeast rivers, which contain shells and hones.

1102. LINDGREN, WALDEMAR.

Gold and silver in North Carolina in 1905.1

(In U. S. Geol. Survey, Min. Res., 1905. Wash., 1906. pp.

Brief notes on the gold belts, mines and mining industry of the state.

1103. — Orthoclase as gangue material in a fissure vein.

Am. Jour. Sci., Ser. IV, v. 5 (1898): 418-420.

Mentlons orthoclase as noted by Genth, occurring in minute crystals at the Silver Hill and Steele mines.

1104. LINDSEY, THOMAS H.

Lindsey's guidebook to western North Carolina. . . Asheville, Randolph-Kerr Print. Co., 1890. 92 pp. $15\frac{1}{2}$ cm. General account of scenery, resources and climate of western North Carolina.

LOCKHART, L. B.

The action of radium emanations on gems. See Baskerville and Lockhart, No. 70.

LOEW, OSCAR.

On the earth contained in the zircons of North Carolina. See Endemann and Loew, No. 572.

1105. Lonsdale, W.

Account of twenty-six species of polyparia obtained from the eocene tertiary formation of North America.

Geol. Soc. London, Quart. Jour., v. 1 (1845): 509-533. Seven varieties of fossil corals found at Wilmington are named and described. (Descriptions of four of these species are reprinted in Gabb, W. M., and Horn, G. H., Acad. Nat. Sci. Phila., Jour., Ser. II, v. 5 (1862): 115; 119; 121.)

1106. Lucas, E_fugene₁ W. Van C.

Examination and survey for Harbor of Refuge, Cape Lookout, North Carolina.

(In Chief of Eng. Rept., 1900, pt. 3. Appendix N 16, pp. 1829-1837.)

- U. S. 56th Cong., 1st Sess., 1900. House Doc. No. 80. 8 pp. Map.

1107. — Examination and survey of Scuppernong river, North Carolina.

> (In Chief of Eng. Rept., 1901, pt. 2. Appendix L 18, pp. 1541-1545.)

- U. S. 56th Cong., 2d Sess., 1901. House Doc. No. 131. 6 pp.


1108. — Examination and survey of Trent river, North Carolina.

(In Chief of Eng. Rept., 1901, pt. 2. Appendix L 19, pp. 1545-1552.)

- U. S. 56th Cong., 2d Sess., 1900. House Doc. No. 121. 8 pp.

1109.	 Examination and survey of waterway from South Mills, North Carolina. to and including Ocracoke and Beaufort inlets.
	(In Chief of Eng. Rept., 1901, pt. 2. Appendix L 17, pp. 1511-1540.)
	— U. S. 56th Cong., 2d Sess., 1901. House Doc. No. 202. 30 pp. Map.
1110.	 Examination and survey of Wilmington harbor and Cape Fear river, North Carolina.
	(In Chief of Eng. Rept., 1901, pt. 2. Appendix L 20, pp. 1552-1569.)
	 U. S. 56th Cong., 2d Sess., 1901. House Doc. No. 180. 18 pp. Map.
1111.	 Improvement of Black river, North Carolina.
	(In Chief of Eng. Rept., 1899, pt. 2. Appendix M 11, pp. 1502-1504.)
	 —— (In Chief of Eng. Rept., 1900, pt. 3. Appendix N 11, pp. 1813-1814.)
	 —— (In Chief of Eng. Rept., 1901, pt. 2. Appendix L 11, pp. 1499-1500.) Reports of progress.
1112.	 Improvement of Cape Fear river, North Carolina, above Wil-
	mington.
	(In Chief of Eng. Rept., 1900, pt. 3. Appendix N 13, pp. 1816-1818.)
	 —— (In Chief of Eng. Rept., 1901, pt. 2. Appendix L 13, pp. 1502-1503.) Reports of progress.
1113.	 Improvement of Cape Fear river, North Carolina, at and be-
	low Wilmington.
	(In Chief of Eng. Rept., 1899, pt. 2. Appendix M 14, pp. 1507-1515.)
	 —— (In Chief of Eng. Rept. 1900, pt. 3. Appendix N 14, pp. 1818-1826.)
	 —— (In Chief of Eng. Rept., 1901, pt. 2. Appendix L 14, pp. 1504-1509.) Reports of progress.
1114.	 Improvement of Contentnea creek, North Carolina.
	(In Chief of Eng. Rept., 1899, pt. 2. Appendix M 4, pp. 1492-1493.)
	 ——————————————————————————————————————
	 —— (In Chief of Eng. Rept., 1901, pt. 2. Appendix L 4, pp. 1488-1490.) Reports of progress.

1115.	 Improvement of Fishing creek, North Carolina.
	(In Chief of Eng. Rept., 1899, pt. 2. Appendix M 2, pp.
	1489-1490.)
	 ——— (In Chief of Eng. Rept., 1900, pt. 3. Appendix N 2, pp. 1896-1898.)
	 (In Chief of Eng. Rept., 1901, pt. 2. Appendix L 2, pp.
	1485-1486.)
1110	Reports of progress.
1116.	 Improvement of harbor at Beaufort, North Carolina.
	(In Chief of Eng. Rept. 1899, pt. 2. Appendix M 8, pp. 1498-1499.)
	 —— (In Chief of Eng. Rept., 1900, pt. 3. Appendix N 8, pp.
	1808-1810.)
	 - (In Chief of Eng. Rept., 1901, pt. 2. Appendix L 8, pp.
	1495-1496.)
	Reports of progress.
1117.	 Improvement of Neuse river, North Carolina.
	(In Chief of Eng. Rept., 1900, pt. 3. Appendix N 6, pp.
	1804-1806.)
	 (In Chief of Eng. Rept., 1901, pt. 2. Appendix L 6, pp.
	1492-1493.) Reports of progress.
1118.	 Improvement of Northeast (Cape Fear) river, North Caro-
	lina.
	(In Chief of Eng. Rept., 1900, pt. 3. Appendix N 12, pp.
	1815-1816.)
	 (In Chief of Eng. Rept., 1901, pt. 2. Appendix L 12, pp.
	1500-1501.)
1110	Reports of progress. Improvement of Ocracoke inlet, North Carolina.
1110.	 (In Chief of Eng. Rept., 1899, pt. 2. Appendix M 1, pp.
	1487-1489.)
	 —— (In Chief of Eng. Rept., 1900, pt. 3. Appendix N 1, pp.
	1793-1796.)
	 —— (In Chief of Eng. Rept., 1901, pt. 3. Appendix L 1, pp.
	1484-1485.)
1100	Reports of progress.
1120.	 Improvement of Pamlico and Tar rivers, North Carolina.
	(In Chief of Eng. Rept., 1899, pt. 2. Appendix M 3, pp. 1490-1492.)
	——— (In Chief of Eng. Rept., 1900, pt. 3. Appendix N 3, pp.
	1798-1800.)
	 —— (In Chief of Eng. Rept., 1901, pt. 2. Appendix L 3, pp.
	1487-1488.)
4461	Reports of progress.
1121.	 Improvement of Town creek, Brunswick county, North Caro-
	lina.
	(In Chief of Eng. Rept., 1900, pt. 3. Appendix N 15, pp.
	1827-1828.)



1129. — Travels in North America in the years 1841-1842. New York, Wiley & Putnam; London, J. Murray, 1845. Ed. 2. London, 1855. 2 vols. Maps.

Chapters VII and X, Vol. 1, contain observations on North Carollna localities, the Pine Barrens from Norfolk, Va., to Weidon, N. C., the Dismal Swamp, and Wilmington.

1130. LYMAN, BIENJAMINI SIMITHI.

Age of the Newark brownstone.

Am. Phil. Soc., Proc., v. 33 (1894): 5-10.
Discusses geological age.

1131. —— Some new red horizons.

Am. Phil. Soc., Proc., v. 33 (1894): 192-215.

Abstracts: Jour. of Geol., v. 2 (1894): 644-645.

Abstracts: Am. Nat., v. 28 (1894): 878-879.

Reviews evidence on which the red horizons east of the Blue Ridge are ascribed to the mesozoic. Describes outcrops in North Carolina and gives account and list of fossils found in the state.

1132. LYMAN, C_[HESTER₁ S_[MITH_].

Biographical sketch of Professor Denison Olmsted.

Am. Jour. Sci., Ser. II, v. 28 (1859): 109-118.

LYMAN, WEBB S.

Soil survey of Perquimans and Pasquotank counties, North Carolina.

See Lapham and Lyman, No. 1053.

1133. LYON, EDWARD WEST.

The progress of gold mining in North Carolina.

Eng. & Min. Jour., v. 87 (1909): 293-297.

Historical notes on gold mining naming many of the early mines and mining methods. Describes the gold belts, geological occurrence and mineralogical character of the ores, the principal mines and mining methods.

1134. "MAC."

Our southern gold mines.

Eng. & Min. Jour., v. 26 (1878): 134.

Notes on Rudisil and McGinn mines, Mecklenburg county, and King's Mountain mine.

1135. McCallie, S. A.

The Ammons Branch mine.

(In A preliminary report on a part of the gold deposits of Georgia. Geol. Survey Ga., Bull. 4-A. Atlanta, 1896. 26 cm. pp. 99-100.)

Notes on this mine located in "Horse Cove," North Carolina, near the Georgia line.

1136. McCarthy, Gerald.

Ground and deep waters of North Carolina.

N. C. Board of Health, Bull., v. 22, (1907): 1-14.

Describes geologic occurrence of waters in the state, methods of digging wells, cost of boring, with analyses of samples from public water supplies.

1137. McCaskey, H_[IRAM] D_[RYER].

Gold and silver production in North Carolina.

(In U. S. Geol. Survey, Min. Res., 1906. Wash., 1907. pp. 323-325; 328-331.)

—— (In U. S. Geol. Survey, Min. Res., 1907, pt. 1. Wash., 1898.

Notes on mines within the gold belts, the workings and production for 1906 and 1907.

1138. McCoy, Herbert N. and Ross, W. H.

The relation between the radio-activity and the composition of thorium compounds.

Am. Jour. Sci., Ser. IV, v. 21 (1906): 433-443.

Describes experiments in which monazite from McDowell county is used.

1139. McDowell, Silas,

Belt of no frost, or thermal belt.

(In Commissioner of Patents, Wash., 1862. pp. 146-147.)

Describes thermal belt on the mountains in Macon county.

1140. McEachern, D. P.

"All about Robeson county." Published by order of the Board of County Commissioners . . . embodying a full and accurate description of our lands, timbers, waterpower. . . Lumberton, N. C., W. W. McDiarmid, 1884. 20 pp. 23 cm. Map.

1141. McElrath, Thomas.

The gold of North Carolina and Georgia.

Min. & Stat. Mag., v. 10 (1858): 363-364.

Brief notes on gold region in Burke, Rutherford and McDowell counties, and on the hydraulic system of mining introduced into the state by Dr. M. II. Van Dyck.

1142. — Notes on gold mining operations in North Carolina.

Min. & Stat. Mag., v. 10 (1858): 393-395.

Briefly describes workings of the Wilkinson, Bunker Hill, Collins and Jamestown mines in Burke, Rutherford and McDowell counties, respectively.

1143. McFarland, Walter.

Examination of "French Broad river from the Henderson county line to its junction with the Holston, Tennessee."

(In Chief of Eng., Rept., 1876, pt. 1. Appendix P 6, pp. 718-724.)

1144. — Examination of the French Broad river, North Carolina, from Brevard to Buncombe county line.

(In Chief of Eng. Rept., 1875, pt. 1. Appendix R 10, pp. 817-821.)

Describes the country in Transylvania county through which this river flows and its uatural resources.

Examination of the Little Tennessee river from the Chilhowee mountains to the Georgia line in Macon county, North Carolina.

(In Chief of Eng. Rept., 1876, pt. 1. Appendix P 5, pp. 715-718.)

1146. MACFARLANE, JAMES.

Coal regions of North Carolina.

(In his Coal regions of America, their topography, geology and development. New York, Appleton, 1873. 24 cm. pp. 516-528.)

Describes Deep and Dan River coal fields, giving extracts from Emmons and Johnson. Analyses of the coal.

1147. — Geological formations in North Carolina.

(In his American geological railway guide, giving the geological formations at every railway station. Ed. 2. Rev. & Enl. New York, Appleton, 1890. 21 cm. pp. 365-368.)

Contains sketch of the geology of state taken from Kerr's reports. Article revised and enlarged for second edition by H. M. Chance. Other mentions of North Carolina formations on pp. 11; 41-42.

1148. McGee, W J

The Lafayette formation.

(In U. S. Geol. Survey, 12th Ann. Rept., pt. 1. Wash., 1891. pp. 347-521.)

Discussion of the Lafayette formation of the Atlantic coastal plain, with many general references to the formation in North Carolina, with particular description, pp. 485-486.

1149. — The southern extension of the Appomattox formation.

Am. Jour. Sci., Ser. III, v. 40 (1890): 15-41.

Abstract: Geol. Soc. Amer., Bull., v. 1 (1889): 546-547; 548-549.

Abstract: Am. Geol., v. 5 (1890): 120.

Abstract: Am. Nat., v. 24 (1890): 209; v. 25 (1891): 823.

Discusses features of Appomattox formation in North Carolina.

1150. — Three formations of the Middle Atlantic slope.

Am. Jour. Sci., Ser. III, v. 35 (1888): 120-143; 328-330; 367-388; 448-466.

Abstract: Nature, v. 38 (1888): 91; 190.


Abstract: Am. Geol., v. 2 (1888): 129-131.

Describes occurrence of Potomac and Appomattox formations in North Carolina.

1151. MACKENZIE, A_[LEXANDER].

Report of a board of engineers on examination and survey for waterway from Norfolk, Va., to Beaufort inlet, North Carolina.

U. S. 59th Cong., 21st Sess., 1907. House Ex. Doc. No. 84. 20 pp. Map.



MANGUM, A. W.

Soil survey of the Mt. Mitchell area, North Carolina.

See Caine and Mangum, No. 229.

1158. Manning, I. H.

Analysis of kaolin.

Elis. Mit. Sci. Soc., Jour., v. 2 (1885): 93.

Analysis of specimen from Jackson county.

1159. — Analysis of specular iron ore.

Elis. Mit. Sci. Soc., Jour., v. 2 (1885): 95.

Analysis of specimen from Salem, Forsyth county.

1160. MARCOU, JULES.

Biographical notice of Ebenezer Emmons.

Am. Geol., v. 7 (1891): 1-23.

1161. — Distribution géographique de l'or et de l'argent aux Etats-Unis et dans les Canadas.

Soc. de Géographie, Bull., Ser. V, v. 14 (1867): 523-534.

Abstract: Neues Jahr. f. Min., 1870, pp. 117; 118.

Describes first discovery of gold in Cabarrus county, by John Reed in 1799.

1162. — Ebenezer Emmons.

Science, v 5 (1885): 456-458.

Biographical sketch of Emmons.

1163. — Geology of North America. . . Zurich, Zürcher & Furrer; New York, Wiley & Halsted, 1858. 144 pp. 32½ x 25 cm. Plates. Maps.

Review by F. Roemer: Neues Jahr. f. Min., 1858, pp. 553-555.

Discusses in a general way the geology of North Carolina, and presents a geological map of the United States showing the North Carolina formations.

1164. — Gold in North Carolina.

Bost. Soc. Nat. Hist., Proc., v. 9 (1862): 47.

Notes on gold contained in beds of red sandstone.

1165. — Triassic flora of Richmond, Va.

Am. Geol., v. 5 (1890): 160-174.

Discusses age of coal-formation of North Carolina.

1166. MARIGNAC, CHARLES.

Sur les terres de la samarskite.

Archives des Sci. Phy. et Nat., Ser. III, v. 3 (1880): 413-438.

Résumé of chemical experiments upon the earths of the samarskite of North America. (Mitchell county, North Carolina.)

1167. Marls of North Carolina.

(In Commissioner of Agriculture, Rept. 1868. Wash., 1869.

23 cm. pp. 385-386.)

Contains tables of analyses of marls from Wayne, Edge-combe, Pitt, Bladen, Jones, Craven and Nash counties.

1168. Marsh, Othniel Ctharles.

Fossil from North Carolina.

Acad. Nat. Sci. Phila., Proc., [v. 22] (1870): 2.

Exhibits tooth of Mosasaurus crassidens from the cretaceous.

1169. — On the Palceotrochis of Emmons, from North Carolina.

Am. Jour. Sci., Ser. II, v. 45 (1868): 217-219.

Abstract: Neues Jahr. f. Min., 1868, p. 875.

Description and discussion of the Palaotrochis.

1170. Marshall, William, L.

[River and harbor improvements in North Carolina in 1908.]
(In Chief of Eng. Rept., 1908, pt. 1. pp. 274-306.)

1171. MATHER, WILLIAM W.

On the occurrence of boulders and scratches.

Am. Jour. Sci., Ser. I, v. 41 (1841): 174.

— Assoc. Am. Geol., Trans. (1843): 27-28.
Abstract: Neues Jahr. f. Min., 1842, pp. 245-246.

Note on granite decomposition in the gold region.

1172. MATHEWS, E_[DWARD] B_[ENNETT].

Notes on some flattened garnets from North Carolina.

Johns Hopkins Univ. Circ., v. 15 (1895): 8.

Crystallographic and goniometrical descriptions.

1173. MAURY, MIATTHEW, FIONTAINE,

Geography of North Carolina: a supplement to Maury's Manual of Geography. New York, 1882. 10 pp. 31 cm. Map.

General geographical sketch.

1174. — Remarks on the Gulf stream and currents of the sea.

Am. Jour. Sci., Ser. I, v. 47 (1844): 161-181.

1175. MAXWELL, HENRY V.

Mining in eastern North Carolina.

Eng. & Min. Jour., v. 77 (1904): 167-168.

Describes the eastern gold belt in Nash, Franklin, Halifax and adjoining counties, the mines and mining operations. Names the Mann-Arrington, Burt and Portis mines, all placer mines.

1176. MAYER, ALFRED GOLDSBOROUGH.

/ Our neglected southern coast. . .

Nat. Geog. Mag., v. 19 (1908): 859-871.

Popular account of general conditions along the coast of the Southern Atlantic states, with geographical notes on portions of the North Carolina coast.

1177. Mease, James.

A geological account of the United States, comprehending a short description of their animal, vegetable and mineral productions. Phila., Birch & Small, 1807. 496 pp. 15 cm.

Many references to North Carolina: coast, p. 58; soil, p. 209; clay, p. 401; limestone, p. 406; gold, pp. 413-415; Pilot mountain, pp. 451-452.

1178. Mecklenburg gold mining company. Act of incorporation, and report of secretary of the company... with accompanying documents. New York, W. Tolefree, 1833. 31 pp. 19 cm.

Contains notes on condition of mines in Mecklenburg county, including Charlotte, Rudisil, Maxwell, McClure and Capps mines.

1179. MEEHAN, THOMAS.

On the timber line of high mountains.

Acad. Nat. Sci. Phila., Proc., [v. 32] (1890): 341-346.

Notes on Roan mountain.

MEEKER, F. N.

Soil survey of the Asheville area, North Carolina.

See Lapham and Meeker, No. 1054.

1180. Meeks, Reginald.

Corundum [in North Carolina in 1906].

Mineral Industry, v. 15 (1906): 317.

1181. MEGRAW, HERBERT A.

Cyanidation in the south.

Eng. & Min. Jour., v. 79 (1905): 705-707.

Describes the Iola mine in Montgomery county, geology of locality, occurrence of gold ore and the cyanidation process in use.

1182. MELL, P[ATRICK] H[UES].

Auriferous slate deposits of the southern mining region.

Am. Inst. Min. Eng., Trans., v. 9 (1881): 399-402.

Eng. & Min. Jour., v. 31 (1881): 398-399.

Discusses the auriferous slate deposits of North Carolina, and the methods of working them.

1183. Melliss, D. Ernest.

Report on the property of the Empire gold mining company, Mecklenburg county, North Carolina. New York, Craft & Oxford, 1868. 24 pp. 22 cm.

Description of this property, ores and methods of working.

1184. Memminger, C_{l} Harles, G_{l} Ustavus.

Phosphate in North Carolina.

MSS. N. C. Geol. Survey. Barlow, Florida, June 15, 1894.

Describes phosphate deposits near Castle Hayne station, gives geological and topographic notes on region, with analyses of specimens.

1185. — [Phosphate rock in North Carolina.]

Mineral Industry, v. 11 (1902): 521.


Notes on production of shell rock at Castle Hayne in recent years.

1186. Memoir of the Rev. Elisha Mitchell, D. D., late professor of chemistry, mineralogy and geology of the University of North Carolina.


Chapel Hill, J. M. Henderson, 1858. 88 pp. 221/2 cm.


1187.	MENDENHALL, T _[HOMAS] C _[ORWIN].
	Coast survey operations in North Carolina.
	(In U. S. Coast & Geod. Survey, Rept. 1889. Wash., 1890.
	pp. 46-47.)
	——— (In U. S. Coast & Geod. Survey, Rept. 1890. Wash., p. 44.)
	—— (In U. S. Coast & Geod. Survey, Rept. 1891 pt. 1. Wash.,
	. 1892. pp. 43-44.)
1188.	Mercur, James.
	Examination of Meherrin river, North Carolina.
	(In Chief of Eng. Rept., 1882, pt. 2. Appendix I 23, pp.
	1114-1117.)
	—— (In U. S. 47th Cong., 1st Sess., 1882. Sen. Ex. Doc. No.
	169, pp. 2-4.)
1189.	Examination of New river, North Carolina.
	(In Chief of Eng. Rept., 1882, pt. 2. Appendix I 24, pp.
	1117-1119.)
	(In U. S. 47th Cong., 1st Sess., 1882. Sen. Ex. Doc. No.
1100	169, pp. 6-7.)
1190.	Examination of Oregon inlet, Dare county. North Carolina
	(In Chief of Eng. Rept., 1882, pt. 2. Appendix I 27, pp. 1127-1128.)
	U. S. 47th Cong., 1st Sess., 1882. Sen. Ex. Doc. No. 190.
	2 pp.
1191.	- Examination of water connection between Waccamaw and
	Cape Fear rivers, North Carolina.
	(In Chief of Eng. Rept., 1882, pt. 2. Appendix I 25, pp.
	1119-1122.)
	—— (In U. S. 47th Cong., 1st Sess., 1882. Sen. Ex. Doc. No. 169,
	pp. 8-11.)
	Describes general character of the country between the
1192	- Examination of White Oak river, North Carolina.
	(In Chief of Eng. Rept., 1882, pt. 2. Appendix I 22, pp.
	1113-1114.)
	—— (In U. S. 47th Cong., 1st Sess., 1882. Sen. Ex. Doc. No.
	169, pp. 4-5)
1193.	Improvement of Beaufort harbor, North Carolina.
	(In Chief of Eng. Rept., 1883, pt. 1. Appendix K 14, pp.
	855-857.)
	—— (In Chief of Eng. Rept., 1882, pt. 2. Appendix I 13, pp.
	1093-1098.)
1194.	Improvement of Cape Fear river from Wilmington to Fay-
	etteville, North Carolina.
	(In Chief of Eng. Rept., 1881, pt. 1. Appendix I 14, pp.
	1017-1020.)
	(In U. S. 46th Cong., 3d Sess., 1881, House Ex. Doc. No.

78, pp. 3-6.)



993-996.)





Stone, v. 4 (1892): 77-79.

Describes the geological formations of the state, and the various deposits of building stones found therein.

1216. — Notes on the composition and structure of the Henderson-ville, North Carolina, meteorite.

U. S. Nat. Mus., Proc., v. 32 (1907): 79-82.

Notice: Am. Jour. Sci., Ser. IV, v. 23 (1907): 395.

Abstract by L_[eonard] J. S_[pencer]: Chem. Soc. (London) Jour., v. 92, pt. 2 (1907): 278.

Description of this meteorite with analysis by Wirt Tassin.

1217. — On the meteorite from Rich mountain, Jackson county, North Carolina, with chemical analysis by Wirt Tassin.

U. S. Nat. Mus., Proc., v. 32 (1907): 241-244.

Abstract by L_[eonard] J. S_[pencer]: Chem. Soc. (London) Jour., v. 92, pt. 2 (1907): 484-485.

Abstract: Nature, v. 76 (1907): 65.

1218. — Stones for building and decoration. 3d ed. New York, John Wiley & Sons, 1903. 551 pp. 24 cm.

Enumerates building stone resources of North Carolina: granites and gneisses, pp. 79-81; porphyry, pp. 98-99; sandstone and conglomerates, p. 154; marble, pp. 221-222; limestones and dolomites, p. 319; serpentine, p. 369.

1219. Meteorological record at Chapel Hill for the five years 1880-1884.

Elis. Mit. Sci. Soc., Jour., v. 2 (1885): 48-56.

Tables of monthly means of temperature, monthly ranges of barometer, barometric waves and rainfall, and annual means and ranges.

1220. MEZGER, C. A.

The monazite districts of North and South Carolina.

Am. Inst. Min. Eng., Trans., v. 25 (1895): 822-826.

Abstract by A. S: Zts. f. prakt. Geol., 1896, p. 166.

Describes monazite districts of the state, situated in Alexander, Catawba, Burke, Rutherford, McDowell, Cleveland, Lincoln, Polk and Henderson counties, the mines and mining methods.

1221. —— Some geological observations in the vicinity of Charlotte.

North Carolina.

Eng. & Min. Jour., v. 52 (1891): 725.

Describes the red and yellow clays present in the railroad cuts of the vicinity, and discusses propriety of considering the red clay, laterite.

1222. Mica mines in the south.

Mineral Collector, v. 4 (1897): 132-135.

Describes mica industry at Bakersville.

1223. Mica mining in North Carolina.

Mineral Industry, v. 1 (1892): 340; v. 12 (1905): 447.

1224. MIDDLETON, GEORGE.

The North Carolina zircon mines.

Mineral Collector, v. 10 (1903): 125-127.

Notes of personal trips made to Zirconia with brief observations on the general conditions.

1225. MIDDLETON, JEFFERSON.

Clay from North Carolina.

(In U. S. 12th Census. Spec. Rept., Mines & Quarries. Wash., 1905. p. 861.)

Describes clay and kaolin production and gives analysis of washed kaolin quoted from N. C. Geol. Survey, Bull. 13.

1226. MIERS, HIENRY, AILEXANDER,

Quartz from the Emerald and Hiddenite mine, North Carolina

Am. Jour. Sci., Ser. III, v. 46 (1893): 420-424.

Abstract by A. Osann: Zts. f. Kryst. u. Min., v. 25 (1895): 111-112.

Abstract: Soc. Min. de France, Bull., v. 18 (1895): 154-155.

Abstract by F. Rinne: Neues Jahr. f. Min., 1895, Bd. 2. Min., pp. 235-236.

Detailed crystallographic description of three quartz crystals from this locality.

1227. MILLER, C. C.

General report of the President and Directors of the western North Carolina mining, smelting and copperas manufacturing company. . . Anderson, S. C., 1866. 18 pp. 22 cm.

General account of the mineral lands of this company in Jackson county. Contains reports of C. D. Smith and John P. Cunningham, describing the geological and mineralogical character and value of these lands.

1228. MILLER, S[AMUEL] A[LMOND].

North American mesozoic and comozoic geology and paleontology.

Cin. Soc. Nat. Hist., Jour., v. 2 (1879): 140-161; 223-244; v. 3 (1880): 9-32; 79-118; 165-202; 245-288; v. 4 (1881): 3-46; 93-144; 183-234.

Résumé of what has been done and written on this subject. North Carolina triassic coal fields on the Deep and Dan rivers are discussed. Summaries of Emmons' and Kerr's reports. Names fossils discovered in tertiary, cretaceous and triassic formations, and described by Emmons, Kerr, Cope, Bunbury, Morton, Conrad and Wagner.

1229. [Mineral collection from North Carolina.]

(In Mineralogical collection in the Crystal Palace. Min. Mag., Ser. I, v. 2 (1854): 593-609.)

Description of mineral specimens exhibited at the Crystal Palace, N. Y., 1854, from North Carolina.

1230. Minerals found at Dysartville, North Carolina.

Eng. & Min. Jour., v. 61 (1896): 425.

A list of minerals found at this locality, with the names of the finders, and quality of the minerals.

1231. Minerals of North Carolina.

Land we love, v. 1 (1866): 162-169.

Popular account of the mineral resources of the state.

1232. Mines, minerals and mineral industries of the South. Wash., Southern R. R., Land & Indust. Dept., 1899. 27 pp. 24 cm.

Notes on iron, coal, gold, marble, clay, bauxite and corundum deposits in North Carolina.

1233. Mines of North Carolina.

(In U. S. 12th Census, Spec. Rept., Mines & Quarries. Wash., 1905. pp. 275-279.)

Describes mineral deposits and mining conditions in 1902.

1234. Mining Engineer.

King's Mountain, North Carolina, gold mine.

Eng. & Min. Jour., v. 54 (1892): 147.

Notes on ores at this mine.

1235. Mining resources of North Carolina.

DeBow's Review, v. 5 (1848): 93.

Describes mineral deposits and mines in Davidson, Rowan, Gaston, Lincoln, Catawba, Caldwell, Montgomery, Rutherford, Burke and McDowell counties.

1236. MITCHELL, ELISHA.

[Altitudes and soils of western North Carolina.]

(In Lanman, Charles. Letters from the Alleghany Mountains. New York, Putnam, 1849. 20 cm. pp. 192-198.)

Letter to Thomas L. Clingman describing altitudes of the peaks of the Black mountains and Blue Ridge and general topographic features, with notes on the soils.

1237. — Diary of a geological tour by Dr. E. Mitchell in 1827-1828, with introduction and notes by Dr. Kemp P. Battle.

James Sprunt Hist. Mono., No. 6. Published by the Univ., Chapel Hill, N. C., 1905. 73 pp. 22 cm.

Contains letters descriptive of topography and geology of North Carolina, written while on a trip through the western counties. Notes on a tew mines and mineral deposits. Popularly written, without technical descriptions.

1238. — Elements of geology: with an outline of the geology of North Carolina. . . n. p. 1842. 141 pp. 23½ cm. Map.

Descriptions of the geological formations and mineral deposits in the state as then known.

1239. — Geological report of Professor Mitchell.

(In Repts. for the use of the Board of Agriculture. 23 cm. pp. 101-108.)

Brief outline of the general geology of the state principally of the northwestern counties. Describes the rock formations of Ashe, Wilkes and Surry counties, and the deposits of iron and copper ores. Contains geographical notes on the district.

1240. — Notice of the height of mountains in North Carolina.

Am. Jour. Sci., Ser. I, v. 36 (1839): 377-380.

General notes on topography, with altitudes of the Black

1241. — On the character and origin of the low country of North Carolina.

Am. Jour. Sci., Ser. I, v 13 (1828): 336-347.

Abstract by A. B_[oué]: Bull. des Sci. Nat. et de Géol., v. 17 (1829): 38.

Abstract: Leonhard's Zts. f. Min., 1828, pp. 902-903.

Describes composition and constitution of the low country, age and mode of formation.

1242. — On the geology of the gold region of North Carolina.

Am. Jour. Sci., Ser. I, v. 16 (1829): 1-19. Map.

Abstract by A. Boué: Bull. des Sci. Nat. et de Géol., v. 22 (1830): 19-22.

Author outlines geology of the state, particularly the gold region, and criticizes the statements of Olmsted and Rothe on same subject.

Report on the geology of North Carolina, conducted under the Board of Agriculture. Pt. 3. Raleigh, J. Gales & Son, 1827. 43 pp. 23 cm.

Outlines in a general way the geology of the state. Forms pt. 3, of Olmsted, D. Report on geology of North Carolina.

1244. — Report on the turnpike from Raleigh, west.

(In Message from His Excellency, Governor Graham, communicating report of Professor Mitchell. Raleigh, W. R. Gales, 1846. 18 pp. 21 cm.)

Describes physiographic features of country through which survey was made for a turnpike from Raleigh west, and to Fayetteville.

1245. MITCHILL, S[AMUEL] L[ATHAM].

Catalogue of the organic remains, which with other geological and some mineral articles, were presented to the N. Y. Lyceum of Nat. Hist. in August, 1826. . . New York, J. Seymour, 1826. 40 pp. 23 cm.

Fossil specimens named from Murfreesborough, Salisbury and Wilmington.

1246. — A detailed narrative of the earthquakes which occurred on December 16, 1811, and agitated the parts of North America which lie between the Atlantic Ocean and Louisiana. . .

N. Y. Lit. & Phil. Soc., Trans., v. 1 (1815): 284-307.

Notes on earthquake shocks felt at Raleigh on morning of Dec. 16, 1811, and at Lincolu on the night of the 20th.

1247. — [Fossil remains in North Carolina.]

(In his Observations on the geology of North America... In Cuvier, M., Essay on the Theory of the earth. New York, 1818. 23 cm. pp. 400-402.)

Brief descriptions of skeleton of a whale discovered at Fishing creek, a huge skeleton found on the bank of the Meherriu river near Murfreesborough, and of beds of shells found in the "Chicasaw country."

1248. Monazite and zircon in North Carolina.

Mining World, v. 26 (1907): 725; v. 27 (1907): 317; v. 28 (1908): 151.

Describes monazite deposits and production for 1906.

1249. Monazite in North Carolina.

Mineral Industry, v. 3 (1894): 455-456.

Describes occurrence of monazite in the state.

1250. Mooney, Charles N. and Ayrs, O. L.

Soil survey of the Greeneville area, Tennessee-North Carolina.

(In U. S. Dept. Agric., Field Operations, Bureau of Soils, 6th Rept., 1904. Wash., 1905. pp. 493-525.)

Description of this area which includes a part of Madison county, with analyses of soils.

1251. Moore, A.

Memorial of the inhabitants of Wilmington to the General Assembly of North Carolina, on the subject of the flats or shoals of the Cape Fear. Raleigh, Thomas Henderson, 1822. 4 pp. 22 cm.

Memorial requesting improvement of the Cape Fear river.

1252. Moore, Frederick.

Gold in North Carolina.

Sci. Amer. Suppl., v. 53 (1902): 21918.

Brief account of the discoveries of gold, some of the mining properties and methods of mining.

1253. MOORMAN, JOHN J.

Mineral springs of North Carolina.

(In his The mineral waters of the United States and Canada... Baltimore, Kelly & Piet, 1867. 19 cm. pp. 391-395.)

—— (In his Mineral springs of North America. . . Phila., Lippincott, 1873. 18½ cm. pp. 200-203.)

Enumerates mineral springs in Buncombe, Warren, Granville and Catawba counties. Analysis of water of the Warm and Hot springs of Buncombe county by E. D. Smith.

1254. Morceau d'or natif.

Bull. des Sci. Nat. et de Géol., v. 4 (1825): 54.

Mentions discovery of lump of native gold.

1255. Morehead, J. M.

Occurrence of gold in Montgomery county, North Carolina.

Elis. Mit. Sci. Soc., Jour., v. 7 (1890): 87-88.

Describes occurrence of gold at the Sam Christian mine, and discusses Emmons' theory of the sedimentary origin of the gold.

1256. — Quantitative analysis of the zircon.

Elis. Mit. Sci. Soc., Jour., v. 8 (1891): 24-26.

1257. Morris, Charles S.

The Piedmont Air Line, and the mountain resorts of western North Carolina, South Carolina and Georgia. Phila., J. W. Nagle, n. d., 78 pp. 26 cm.

Contains description of scenery with notes on the mineral resources and gold mining.

1258. Morse, Jedidiah.

The American universal geography . . . Boston, I. Thomas & E. T. Andrews, 1793, 2 pts. 22 cm. 3d ed., 1796; 4th ed., 1802; 5th ed., 1805; 6th ed., 1812; 7th ed., 1819.

Contains geographical descriptions of the state, with notes on topography, mineralogy, soil and climate, rivers and sounds. To be found in pt. 1, 2d ed., pp. 569-584; pt. 1, 3d ed., pp. 640-657, with map; pt. 1, 4th ed., pp. 638-658; pt. 1, 6th ed., pp. 501-516; pt. 1, 7th ed., pp. 500-507.

1259. — North Carolina.

(In his American Geography...London, printed for J. Stockdale, 1794. 28 cm. pp. 513-526.)

Geographical description of the state.

1260. Morton, Stamuel Greorge.

Geological observations on the secondary, tertiary and alluvial formations of the Atlantic coast of the United States of America. Arranged from the notes of Lardner Vanuxem.

Acad. Nat. Sci. Phila., Jour., v. 6, pt. 1 (1829): 59-71.

General discussion of these formations on the Atlantic coast, including North Carolina.

1261. — Notice of the fossil teeth of fishes of the United States, the discovery of the galt in Alabama and a proposed division of the American cretaceous group.

Am. Jour. Sci., Ser. I, v. 28 (1835): 276-278.

Names characteristic fossils found near Wilmington: Spatangus parastatus; Ananchytes fimbriaties; Ananchytes cinctus; Nucleolites crucifer; Belemnites(?) ambiguns; Scalaria annulata, and Cidarites diatretum.

1262. — Supplement to the synopsis of the organic remains of the ferruginous sand formation of the United States; with geological remarks.

Am. Jour. Sci., Ser. I, v. 23 (1833): 288-294; v. 24 (1833): 128-132.

Mentions occurrence of a green sand district at Ashwood near the Cape Fear river, and a calcareous deposit near Wilmington.

1263. — Synopsis of the organic remains of the cretaceous group of the United States, illustrated by nineteen plates. . . Phila.. Key & Biddle, 1834. 24 cm.

Abstract: Neues Jahr. f. Min., 1838, pp. 237-238.

Description of the cretaceous of the United States, its mineralogical and organic characteristics, and its geographical distribution including the formation along the Cape Fear river.

1264. Mountain region of North Carolina.

DeBow's Review, v. 29 (1860): 537.

Topographical description of Asheville, Deaver White Sulphur Springs and the French Broad valley.

1265. Mountain regions of North Carolina and Tennessee.

DeBow's Review, v. 26 (1859): 702-706.

Describes the Smoky mountains, giving heights as estimated by Profs. Mitchell, Guyot and Mr. S. B. Buckley. Notes on the geology, topography and hydrography of the region.

1266. Mountain seenery of North Carolina.

DeBow's Review, v. 29 (1860): 649-658.

Topographic descriptions of the counties of Cherokee, Macon, Jackson, Haywood, Henderson, Madison and Yancey. Gives lists of the mountains with measurements.

1267. Moxam, Edgar C.

The great gossan lead of Virginia.

Am. Inst. Min. Eng., Trans., v. 21 (1892): 133-138.

Describes the lead as a source of iron ore, remarking upon its continuation into North Carolina.

1268. MURPHEY, A RCHIBALD, D EBOW,

Memoir on the internal improvement contemplated by the Legislature of North Carolina: and on the resources and finances of that state. Raleigh, J. Gales, 1819. 88 pp. $21\frac{1}{2}$ cm.

Review by J₁ared₁ S₁parks₁: North Amer. Review, v. 12 (1821): 16-37.

Improvements contemplated relate to:

Albemarle sound, Old Topsail inlet at Beaufort, and Bogue inlet at Swansborough.

Sounds along the coast.

- 3. Primary rivers.
 4. Junction of two or more of these rivers by navigable

- 5. Public highways.
 6. Drainage of marshes and swamps of eastern and southern counties.
- 1269. Memorial to the General Assembly of North Carolina. Hillsborough, N. C., D. Heartt, Printer. n. d. 11 pp. 22 cm.

Presents plan for an extensive historical and scientific work on North Carolina, which includes the geology, topography and mineralogy of the state. This memorial should not be confounded with his Memoir on Internal improvement. It is in the possession of Dr. S. B. Weeks of North Carolina.

1270. — Report of sundry surveys made by Hamilton Fulton, State Engineer, agreeably to certain instructions from Judge Murphey, chairman, and submitted to the General Assembly at their session in 1819. Raleigh, Thomas Henderson, 1819. 70 pp. 22 cm.

> An outline of the contemplated improvements on the in-lets, sounds and primary rivers is given, followed by Mr. Fulton's first report which describes as regards navigation the general condition of the large rivers. See Fulton, II., No. 608.

1271. — Report to the Legislature of North Carolina on inland navigation. Raleigh, T. Henderson, 1816. 19 pp. 19 cm.

Report to the Legislature urging the necessity of the improvement of inland navigation of the state.

1272. Murphy, E_[DWARD] C_[HARLES].

Flood discharge and frequency of Cape Fear river in North Carolina.

(In U. S. Geol. Survey, Water-supply and Irrig. Paper No. 162. Wash., 1906. pp. 69-70.)

Contains table giving flood flow of the Cape Fear river at Fayetteville, during all the floods from 1889-1902, and the approximate daily discharges during some of them.

1273. Muse, W. T.

Report relative to changes at the bar of Hatteras and Ocracoke inlets, N. C.

(In U. S. Coast Survey, Rept. 1857. Wash., 1858. Appendix 15, pp. 151-152.)

MYERS, E. W.

Hydrography of the southern Appalachians.

See Pressey and Myers, No. 1514.

1274. — Water-power as a source of power and the water-power of North Carolina.

(In North Carolina, Bureau of Labor & Printing, Thirteenth Ann. Rept., 1899. Raleigh, Edwards & Broughton, 1900. 24 cm. pp. 318-331.)

Description of the water-powers of the state, and the dralnage basins of the principal rivers.

1275. N.

Magnetic iron ores of the Unaka mountains, North Carolina and Tennessee.

Eng. & Min. Jour., v. 25 (1878): 272-273; 293-294.

Contains topographic and geographic notes on MItchell and Watauga counties, progress of mining development at Cranberry, and brief descriptions of mining properties in the vicinity. Analyses of ore by F. A. Genth.

1276. NASH, A LANSON 1.

Report to the Board of Internal Improvement for North Carolina, on reclamation of the swamp lands.

(In Reports relative to the swamp lands. Raleigh, Lawrence & Lemay, 1827. 22 cm. pp. 5-23.)

Report of examination of the following swamp lands: White Oak river in Jones and Onslow countles; Catfish lake, Clubfoot and Harlow's creek canal, Albemarle and Pamlico sounds, Waccamaw lake.

1277. NASON, FRANK I.

Limestones associated with pyrites and pyrrhotite of the Appalachian system.

Eng. & Min. Jour., v. 82 (1906): 170-172.

Notes occurrence of limestone associated with pyrite and pyrrhotite in Jackson, Haywood and Alleghany counties.

1278.	Native gold discovered in North Carolina.
	Med. Repos., v. 7 (1804): 307; v. 8 (1805): 439-440; v. 9
	(1806): 429-430; v. 12 (1809): 192-193. Notice of gold picked up in lumps and grains in Meadow
1080	creek, Cabarrus county.
1279.	Neue Forschungen und Messungen im Gebirgssystem der Alle-
	ghanies. Petermann's Mittheilungen, 1860, pp. 263-272. Map.
	A small part deals with North Carolina, treating of the height of Mt. Mitchell and other points.
1280.	New gold mines in America.
	Dublin Phil. Jour., v. 21 (1826): 431.
	Notice of recent discovery of a gold mine in Montgomery county (North Carolina), one mile east of the Yadkin river.
1281.	Newell, F _[REDERICK] H _[AYNES] .
	Method for using steam gaugings for the computation of
	water-power.
	(In U. S. Geol. Survey, Water-supply and Irrig. Paper No. 47. Wash., 1901. pp. 10-15.)
	Describes methods for obtaining and recording gauge heights using measurements obtained on the Deep river at Moncure, North Carolina, as a basis.
1000	
1282.	Operations at river stations in North Carolina.
	(In U. S. Geol. Survey, Water-supply & Irrig. Paper No. 15. Wash., 1898. pp. 28-34; 60-63.)
	—— (In U. S. Geol. Survey, Water-supply & Irrig. Paper No.
	27. Wash., 1899. pp. 25-27; 33-37; 44-45; 62-64.)
	——————————————————————————————————————
	—— (In U. S. Geol. Survey, Water-supply & Irrig. Paper No.
	48. Wash., 1901. pp. 134-144; 179-180; 186-191.)
	(In U. S. Geol. Survey, Water-supply & Irrig. Paper No. 65. Wash., 1902. pp. 242-248; 291-292; 301-308.)
	Contains descriptions of river stations and tables of dis- charge measurements.
1283.	Progress of hydrographic work in North Carolina for
	1895.]
	(In U. S. Geol. Survey, Bull. 140. Wash., 1896. pp. 65-72.) Lists of discharge measurements and gauge heights of
	Lists of discharge measurements and gauge heights of Dan, Cape Fear, Yadkin and Catawba rivers. Quotes from J. A. Holmes on North Carolina rivers in general.
1284.	
	(In U. S. Geol. Survey, 19th Ann. Rept., pt. 4. Wash., 1899. pp. 174-219; 255-260.)
	(In U. S. Geol. Survey, 20th Ann. Rept., pt. 4. Wash.,
	1900. pp. 50; 142-149; 205-209.)
	—— (In U. S. Geol. Survey, 21st Ann. Rept., pt. 4. Wash., 1901. pp. 111-123; 160-165.)
	——————————————————————————————————————
	1902 np 150-156: 174-184: 223-224)

—— (In U. S. Geol. Survey, Water-supply & Irrig. Paper No. 75. Wash., 1903. pp. 51-58.)

—— (In U. S. Geol. Survey, Water-supply & Irrig. Paper No. 83. Wash., 1903. pp. 15-18; 26-68; 73-82; 194-200; 212-220.)

Contains descriptions of river basins, water-power developments, and tables of estimated monthly discharges of the Roanoke, Tar, Neuse, Haw, Cape Fear, Yadkin, Catawba, Deep, Tuckasegee, French Broad and Hiwassee rivers.

NEWLAND, DAVID H.

Copper in North Carolina.

See Struthers, Newland and Fisher, No. 1752.

1285. — Manganese in North Carolina.

Mineral Industry, v. 11 (1902): 461-462.

Describes manganese deposits in Wayne, Haywood and Transylvania counties.

1286. NEWTON, JOHN.

River and harbor improvements in North Carolina.

(In Chief of Eng. Rept., 1884, pt. 1. Wash., 1884. pp. 161-163; 166-174.)

Reports of progress.

1287. NICHOLAS, FRANCIS C.

The Gold Hill copper mine and its development.

Mining World, v. 27 (1907): 1001-1002.

Historical account of the development and working of the Gold Hill copper mine at Gold Hill, Rowan county.

1288. — The Union copper mines of North Carolina.

Mining World, v. 27 (1907): 883-884.

Account of the development and working of this property located at Gold Hill, Rowan county.

1289. NIEJAHR, F.

Wilmington, Nord Carolina.

A. d. Hydrog. u. Maritimen Meteorol. Berlin, v. 22 (1894): 459-462.

Chiefly a description of the bar of Cape Fear at Wilmington, from the ravigator's point of view.

1290. NITZE, HIENRY, BIENJAMIN, CIHARLES,

The genesis of the gold ores in the central slate belt of the Carolinas.

Eng. & Min. Jour., v. 63 (1897): 628-629.

Discusses deposits of gold ores in Granville, Person, Durham, Orange, Alamance, Chatham, Randolph, Davidson, Rowan, Montgomery, Moore, Stanly, Cabarrus, Anson and Union counties.

1291. — and Hanna, George Biyron.

Gold deposits of North Carolina.

N. C. Geol. Survey, Bull. 3. Winston, M. I. & J. C. Stewart, 1896. 200 pp. 24 cm. Plates. Maps.

Describes geographic and geologic occurrence of gold, the ore-bearing rocks, deposits, mines and mining operations.

NITZE, H_[ENRY] B_[ENJAMIN] C_[HARLES].
Gold in the Carolinas.

See Holmes and Nitze, No. 837.

1292. — and Wilkens, H_[ENRY] A. J.

Gold mining in North Carolina and adjacent south Appalachian region.

N. C. Geol. Survey, Bull. 10. Raleigh, Guy V. Barnes, 1897.

164 pp. 24 cm. Plates. Maps.

Geographical and geological descriptions of the gold belts, historical notes on carry gold discoveries and mining, and detailed descriptions of the existing mines, ores, and methods of mining.

1293. NITZE, H_[ENRY] B_[ENJAMIN] C_[HARLES].

Gold mining in the Southern States.

Engineering, v. 10 (1896): 821-844.

Historical and statistical notes on gold mining, describing gold deposits, mines and mining methods in North Carolina.

1294. — Ground mica industry in North Carolina.

Eng. & Min. Jour., v. 54 (1892): 292.

Describes ground mica industry in Mitchell county.

1295. — Iron ores of North Carolina.

(In N. C. Geol. Survey, First Biennial Report, 1891-1892. Raleigh, Josephus Daniels, 1893. 24 cm. pp. 25-56.)

— N. C. Geol. Survey, Bull. 1. Raleigh, Josephus Daniels, 1893. 239 pp. 24 cm. Plates. Maps.

Review by Albert Williams, Jr.: Engineering, v. 7 (1894): 427.

Review: N. C. Univ. Mag., Ser. IV, v. 13 (1894): 351-352.

Detailed account of the iron ore deposits, mines and mining operations, with many ore analyses. Bulletin 1 is an enlargement and development of the report given in the First Biennial Report of the State Geologist.

1296. — The limonite area of Cherokee county, North Carolina.

Eng. & Min. Jour., v. 63 (1897): 330-331.

Discusses topographic and geologic features of Cherokee county and the deposits of limonite found therein. Describes the ore-bearing zones in detail, quantity and quality of the ores, mines, prospects and workings, and gives many analyses. Mentions marble beds of the district and gives four analyses.

1297. — Magnetic iron ore in Granville county, North Carolina.

Eng. & Min. Jour., v. 53 (1892): 447.

Description of general and geological features of magnetic iron ore beds in Oak Hill township in Granville county, Analysis of average sample from two of the openings by Dr. F. P. Venable.

1298. — The magnetic iron ores of Ashe county, North Carolina.

Am. Inst. Min. Eng., Trans., v. 21 (1892): 260-280.

Reprint: Elis. Mit. Sci. Soc., Jour., v. 8 (1892): 78-95.

Describes deposits of magnetite in Ashe county, their characteristics and distribution, and includes analyses of the ores made by Messrs. A. S. McCreath, C. B. White and Charles Baskerville.

1299. — Monazite.

Frank. Inst., Jour., v. 144 (1897): 127-133.

Abstract: Pop. Sci. Month., v. 52 (1898): 573-574.

Describes monazite placer deposits of Burke, McDowell. Rutherford, Cleveland and Polk counties, and methods of working the sands. Includes several typical analyses by S. L. Penfield.

1300. — Monazite.

(In U. S. Geol. Survey, 16th Ann. Rept., pt. 4. Wash., 1895. pp. 667-693.)

Abstract by G. Maas: Zts. f. prakt. Geol., 1897, pp. 228-229.

Describes occurrence of monazite sand in Burke, McDowell, Rutherford, Cleveland and Polk counties, mining operations, output and value. Contains a bibliography of monazite,

1301. — Monazite and monazite deposits in North Carolina.

N. C. Geol. Survey, Bull. 9. Raleigh, M. I. & J. C. Stewart, 1895. 47 pp. 24 cm.

Résumé: Elis. Mit. Sci. Soc., Jour., v. 12 (1895): 38-48.

Abstract by Max Bauer: Neues Jahr. f. Min., 1897, Bd. 2. Min. pp. 267-268.

Contains detailed account of monazite and monazite deposits. Describes mining operations, output and value.

1302. — North Carolina monazite.

Am. Inst. Min. Eng., Trans., v. 25 (1895): 40-43.

- — Chem. News, v. 71 (1895): 181.

Review: Engineering, v. 9. (1895): 370-371.

Abstract by D. A. L_[ouis]: Chem. Soc. (London) Jour., v. 68, pt. 2 (1895): 319.

Abstract: Zts. f. prakt. Geol., 1895, p. 220.

Discussion of monazite deposits in McDowell, Burke, Rutherford, Cleveland, Polk, Lincoln, Gaston, Madison, Mitchell and Yancey counties.

1303. — Notes on some of the magnetites of southwestern Virginia and the contiguous territory of North Carolina.

Am. Inst. Min. Eng., Trans., v. 20 (1891): 174-185.

Describes deposits of iron ore situated in Stokes county. Three analyses of ore are given. Discussion by Edmund C. Pechin, pp. 185-188.

1304. — Notes on the Dan River coal basin in North Carolina.

Eng. & Min. Jour., v. 51 (1891): 448.

Describes triassic coal deposit of the Dan River basin.

1305. — and Wilkins, H_[ENRY], A. J.

The present condition of gold mining in the southern Appalachian States.

Am. Inst. Min. Eng., Trans., v. 25 (1895): 661-796.

Deals with gold-mining industry in North Carolina, giving historical and statistical information, descriptions geographical and geological, of the gold belts, distribution of the mines, and mining, milling and metallurgical practice in general. Discussion of paper by Messrs, Thies, Raymond, Nitze, Phillips and Crandall. pp. 1016-1027.

1306. NITZE, H_[ENRY] B_[ENJAMIN] C_[HARLES].

Report on the iron ore, copper ore and other mineral deposits in Granville county, North Carolina.

MSS. N. C. Geol. Survey, July 29, 1896. 17 pp. Sketch map.

Report of examination of iron ore deposits at Cornwall on Grassy creek. Gives assays of the concentrates made by Charles Baskersville. This MSS. is in possession of the State of North Carolina.

1307. —— Some late views on the so-called taconic and huronian rocks in central North Carolina.

Elis. Mit. Sci. Soc., Jour., v. 13 (1896): 53-72.

Describes the Taconic of Emmons and the Huronian of Kerr as the central gold-bearing slate belt.

1308. — Statistics of the mineral products of North Carolina for 1892.

Elis. Mit. Sci. Soc., Jour., v. 9 (1892): 55-61. Abstract: Eng. & Min. Jour., v. 55 (1893): 343.

Statements as to location of the mines of the various ores and minerals are given.

1309. Noble, Miarcus, Cicero, Sitevens.

Geography of North Carolina. A supplement to Maury's manual of geography. New York, 1896. 16 pp. 31 cm.

1310. Nord-Carolina und was es dem Einwanderer anzubieten hat. Leipzig, Grübel & Sommerlatte, 1900. 131 pp. 24 cm. Illus. Map.

This is a German edition of "North Carolina, and its resources, 1896." Title on cover: Beschreibung von Nord-Carolina, die farmen, frucht und wein-garten, die wälder, gruben und fabriken.

1311. North Carolina.

(In Appleton's Hand-book of American Travel. New York, Appleton & Co., 1872. 181/2 cm. pp. 344-348.)

Description of the state, including the mountain region.

1312. — (In The British Colonist in North America. London, S. Sonnenschein & Co., 1890. 19 cm. pp. 279-320.)

General description of the state; notes on climate, physiography, mineral resources and agriculture.

1313. — N. C. Univ. Mag., v. 2 (1853): 1-4.

Physiographic notes explanatory of Moseley's map. See

Map No. 30.

The Southern Guide, v. 1 (1878): 82-92.

Description of the state, the swamp lands in the eastern

Description of the state, the swamp lands in the eastern part, the Pledmont and mountainous districts. Notes on geology, agriculture, mineral and rock products and scenery.

1315. North Carolina. Asheville.

Amer. Climat. Assoc., Trans., v. 12 (1896): 271.

Notes on climate of Asheville, with table of meteorological observations.

1316. North Carolina barytes.

Niles' Register, v. 36 (1829): 34.

Notice of discovery of barite in the gold mines.

1317. — Eng. & Min. Jour., v. 70 (1900): 769.

Notes on barite mining near Bessemer City.

1318. North Carolina. Board of Education.

Report of the secretary of the Board of Education in relation to swamp lands and also report of agent and engineer. Raleigh, P. M. Hale, 1887. 27 pp. 23 cm.

Contains reports of S. M. Finger, secretary of the board, and of W. G. Lewis, engineer, on the swamp lands situated at Angola bay, and in Carteret, Columbus, Craven, Washington and Hyde counties. Includes two soil analyses by Charles W. Dabney.

1319. — Reports on the swamp lands of North Carolina belonging to the State Board of Education. Raleigh, Ashe & Gatling, 1883. 81 pp. 23 cm.

Reports by W. C. Kerr, Walter Guynn, W. G. Lewis and Thomas H. Allen on the swamp lands. Concerns chiefly surveying the lands, with notes on drainage, clearing and probable fertility.

1320. North Carolina. Board of Immigration, Statistics and Agriculture. North Carolina: its resources and progress; its beauty, healthfulness and fertility; and its attractions and advantages as a home for immigrants. Raleigh, Josiah Turner, 1875. 99 pp. 23 cm. Raleigh, Daily News Book & Job Presses, 1876. 107 pp. 21 cm. Map.

General and statistical account of the state and its resources. Includes account of the mineral resources by W. C. Kerr.

1321. North Carolina. Board of Internal Improvement.

Annual report of the Board of Internal Improvement of North Carolina to the General Assembly, Nov. 27, 1820, together with Mr. Fulton's reports to the Board. Raleigh, J. Gales & Son, 1820. 56 pp. 21½ cm.

Contains general report of the board and various reports of Hamilton Fulton of examinations of rivers and canals. See Fulton, H., No. 610.

1322. — Annual report of the Board of Internal Improvement of the State of North Carolina to the General Assembly, Dec. 10, 1822, together with Mr. Fulton's reports. . . Raleigh, J. Gales & Son, 1822. 72 pp. 23 cm.

Contains general report of the board on examinations and improvements of roads and rivers, and reports of Hamilton Fulton on the works projected and carried on during the year throughout the state. See Fulton, H., No. 607.

1323. — Annual report of the Board for Internal Improvement of North Carolina to the General Assembly, with a statement of their accounts, together with Mr. Fulton's reports on sundry public works. Raleigh, J. Gales & Son, 1824. 38 pp. 23 cm.

See Fulton, H., No. 609.

1324. — Extracts from "Reports on Internal Improvements" in the State of North Carolina, published for the use of the Board of the Literary Fund of North Carolina, Raleigh, T. J. Lemay, 1837. 36 pp. 21½ cm.

Contains: Report of Jonathan Price and Woodson Clemons of sundry surveys made by them between the Roanoke and Pamlico, and the Pamlico and Neuse; report of Hamilton Fulton on drainage of the Brown and White marshes in Bladen and Columbus counties; on a proposed canal from Plymouth to the Pungo river; report of Allanson Nash on the swamp lands east of Clubfoot and Harlow's creek canal and between Albemarle and Pamlico sounds; report of Robert H. B. Brazier on drainage of the Big swamp in Robeson county. See under authors.

- 1325. Memorial of the Internal Improvement convention to the General Assembly of North Carolina.
 - N. C. Gen. Assem., Sess. 1838. Doc. No. 13. Raleigh, T. J. Lemay, 1838.

Outlines improvements proposed by the Board of Internal Improvements, and contains report of the Board recommending the same.

- 1326. Report of the Board for 1833.
 - N. C. Gen. Assem., 1833. Ex. Doc. No. 7. Raleigh, Lawrence & Lemay, 1833. 38 pp. 21 cm.

Contains report of David L. Swaln on progress and condition of public works of the state, and letter from Hinton James describing operations on the Cape Fear river from 1822 to 1833.

1327. — Report of the Board for Internal Improvement to the General Assembly, Nov. 1821, with Mr. Fulton's reports and other papers in relation to the improvement of the State of North Carolina. Raleigh, J. Gales, 1821, xxviii, 68 pp. 23 cm.

Contains general report of the Board; reports of Hamllton Fulton on examinations and surveys (see Fulton, H., No. 606.). Letter from Denison Olmsted on general geology of North Carolina. See Olmsted, D., No. 1368.

- 1328. Report of the President and Directors of the Board of Internal Improvement to the Legislature of North Carolina.
 - N. C. Gen. Assem., Sess. 1838. Doc. No. 12. Raleigh, 1838. 36 pp. 23 cm.

Contains general account of the improvements of rivers and inlets in the state, and as appendix, reports of various surveys and examinations by Jonathan Price, Woodson Clemons, Hamilton Fulton and others. See extracts from "Reports on Public Improvements" in the State of North Carolina, published for the use of the Literary Fund of North Carolina, No. 1324.

1329. — Report of the President and Directors of the Board of Internal Improvement to the Legislature of North Carolina. Raleigh, J. Gales & Son, 1839. 39 pp. 22 cm.

Contains account of the various improvements being carried on throughout the state, including those at Ocracoke inlet and Beaufort harbor, and New river, and a discussion of the re-opening of Roanoke inlet.

1330. — Reports relative to the swamp lands in North Carolina. Raleigh, Lawrence & Lemay, 1827. 28 pp. 22 cm.

Contains reports on the swamp lands by A. Nash and R. Brazier. See Nash, A., No. 1276.

1331. North Carolina. Board of Literature.

Swamp-lands of the State of North Carolina: facts for emigrants and capitalists. Published by order of the Literary Board. Raleigh, W. E. Pell, 1867. 31 pp. 22 cm.

General description of the swamp lands owned by the literary board in Beaufort, Hyde, Washington, Tyrrell, Craven, Carteret, Onslow, Jones, Brunswick, New Hanover. Columbus, Cumberland, Bladen, Robeson and Richmond counties.

1332. North Carolina. Bureau of Labor Statistics.

First annual report of the inspector of mines for 1897.

(In its 11th Ann. Rept. Raleigh, Guy V. Barnes, 1898. pp. 270-336.)

—— Second annual report of the inspector of mines for 1898.

(In its 12th Ann. Rept. Raleigh, Guy V. Barnes, 1899. pp. 341-396.)

Reports of mlning and mineral production.

1333. North Carolina copper company.

Min. Mag., Ser. I, v. 1 (1853): 290-292.

Semi-annual report of this company, whose mine is located in Guilford county.

1334. North Carolina. Department of Agriculture.

Annual report of the meteorological division of the N. C. Agric. Exp. Station constituting the North Carolina State weather service for 1889. Raleigh, Edwards & Broughton, 1890. 194 pp. 23 cm.

Summary of metcorological work for the year.

1335. — Climatology of North Carolina.

N. C. Agric. Exp. Station, Meteor. Div., 5th Ann. Rept., 1891. Raleigh, Edwards & Broughton, 1892. 184 pp. 23 cm.

Review: N. C. Univ. Mag., Ser. IV, v. 12 (1893): 172.

Contains sketches of climate and physiography; history of the State weather service, and tables of monthly mean temperature and rainfall from 1820-1892.

1336. — Hand-book of North Carolina. Raleigh, Edwards & Broughton, 1893. 333 pp. 24 cm. Illus. Map.

Written by John D. Cameron for the World's Columbian Exposition. Describes physiography, mineral resources and industries.

Hand-book of North Carolina. (L. L. Polk, commissioner.)
Raleigh, Raleigh News steam book and job print, 1879.
291 pp. 22 cm.

Descriptions, physiographic and geologic of state. Account of climate, timber and mineral resources, with separate descriptions of counties.

1338. — Hand-book of North Carolina, with map of the state. Raleigh, P. M. Hale, 1886. 352 pp. 18½ cm.

Practically same as edition of 1883. An extract entitled, "North Carolina. General sketch of its surface..."
66 pp., was published separately the same year.

1339. — Hand-book of the State of North Carolina, exhibiting its resources and industries. Prepared under the direction of the Board of Agriculture. (M. McGehee, commissioner.) Raleigh, Ashe & Gatling, 1883. 154 pp. 24 cm.

General description of the state. Treats in detail of the iron ores describing localities, veins and mines. Information is taken from Kerr's "Geology of North Carolina." Notes on mining operations in Lincoln and Gaston counties for 1882. Gold mining briefly outlined by G. B. Hanna. Mines described under countles, giving a few assays. Genth quoted as to copper ores.

1340. — Marls and phosphates.

(In N. C. Agric. Exp. Station, Ann. Rept. 1886. Raleigh, P. M. Hale, 1887. 23 cm. pp. 49-53.)

Thirty analyses of marls and thirteen of phosphates from the eastern counties made during the year.

1341. — [Marls and potable waters.]

(In N. C. Agric. Exp. Station, Ann. Rept. 1889. Raleigh, Edwards & Broughton, 1890. 23 cm. pp. 37-40.)

Twenty-five analyses of marls, and eighteen of potable waters.

1342. — Marls, limestones and phosphates.

(In N. C. Agric. Exp. Station, 10th Ann. Rept. Raleigh, Josephus Daniels, 1888. 23 cm. pp. 50-55.)

Forty-four analyses of marls, limestones and phosphates from the eastern counties.

1343. — North Carolina and its resources. Winston, M. I. & J. C. Stewart, 1896. 413 pp. 24 cm. Illus. Plates. Maps. Review: Southern States, v. 4 (1897): 542.

Historical and general sketch of the state, including climate, forests, geology, building stone industry, economic mineral deposits, gems, waters and waterways, with separate descriptions of cach county. Physiography of state is given in detail, with an account of the work of the Geological Survey.

1344. — North Carolina, conditions inviting farming . . . soils and climate. Raleigh, E. M. Uzzell & Co., n. d. 42 pp. 22 cm.

Contains accounts of soils and climate, and describes thermal belts in Macon, Polk, Buncombe and Henderson counties, citing observations of Silas McDowell and John Leconte.


1345. — North Carolina exhibit at Boston.

N. C. Dept. Agric., Monthly Bull., Raleigh, 1883. 8 pp. 33 cm.

A description of North Carolina mineral products exhibited at Boston, Mass.

1346. — North Carolina weather reports.

N. C. Agric. Exp. Station, Meteor. Div. Raleigh, 1890 37 pp. 23 cm.



1354. A North Carolina hydraulic proposition.

Eng. & Min. Jour., v. 67 (1899): 291.

Describes the hydraulic mining in operation on a shallow placer deposit at Marble, in Cherokee county.

1355. North Carolina internal improvement.

Report of chief engineer transmitting reports in relation to the progress of internal improvements in the state.

U. S. 23d Cong., 2d Sess., 1835. House Ex. Doc. No. 59. 9

pp.

Contains reports of George Blaney on improvement of the Cape Fear river below Wilmington, and of T. Dutton on improvement at Ocracoke inlet.

1356. North Carolina Land Co.

Statistical and descriptive account of the several counties of the State of North Carolina. Raleigh, Nichols & Gorman, 1869. 136 pp. 22½ cm.

Contains following letters: On the physical geography and climate, by William B. Rodman; on general advantages and climate, by Wm. E. Pell; on general advantages, by Thomas L. Clingman; on general advantages, by Jonathan Worth; on physical geography, climate and minerals, by D. M. Barringer; on agricultural and mineral resources, by W. C. Kerr; and extracts from various reports describing the swamp lands of the state.

1357. North Carolina mines.

Am. Jour. Mining, v. 3 (1867): 246; v. 4 (1867): 99; v. 5 (1868): 68; 269; 324; 357.

1358. North Carolina mining notes.

Eng. & Min. Jour., v. 28 (1879): 162-163; 240; 278; 315; 362; v. 29 (1880): 173; v. 30 (1880): 193; v. 32 (1881): 341; v. 34 (1882); 86; v. 35 (1883); 138; 152; v. 36 (1883): 346; v. 37 (1884): 129; v. 40 (1885): 188; v. 41 (1886): 217; 238; 254; 362; 433; 452; v. 42 (1886): 12; 66; 192; 300; 462; v. 43 (1887): 66; 102; 281; 318; 444; v. 44 (1887): 31; 102; 138; 300; 353-354; v. 46 (1888): 400-401; 443; 553; v. 49 (1890): 431; 479; 504; 545; 740; v. 50 (1890): 554; 581; v. 51 (1891): 151; 361; 387; v. 52 (1891): 55; 513; 539; 686; v. 55 (1893): 495; 567; v. 56 (1893): 353; 379; 431; 457; v. 57 (1894): 87; 112; 208; 303-304; 327; 490; v. 58 (1894); 87; 615; v. 59 (1895): 374; v. 61 (1896): 383; v. 62 (1896): 206-207; 326; 591; 614-615; v. 63 (1897): 170; 313-314; 409; 581; v. 64 (1897): 617; v. 67 (1899): 125; 390; 420; v. 68 (1899): 498; 589; v. 70 (1900): 619; v. 71 (1901): 189; 286; v. 73 (1902): 499; 773; v. 74 (1902): 62; 461; 561-562; 599; 764; 861.

Brief notes on mining operations at various mines.

1359. North Carolina mining notes.

Mining World, v. 26 (1907): 433; 459; 519; 642; 707; v. 27 (1907): 38-39; 84; 292; 452-453; 655; 946; v. 28 (1908): 349; 540; 1009; v. 29 (1908): 297; v. 30 (1909): 67.

Brief notes on mining operations at various mines.

1360. North Carolina mountains.

Am. Jour. Sci., Ser. II, v. 24 (1857): 277.

List of barometric measurements of twelve of the lofty peaks, made by Prof. Arnold Guyot in July, 1856.

1361. North Carolina mountains.

Appleton's Jour., v. 4 (1870): 465.

Notes on mountain scenery in Caldwell and Watauga counties.

1362. North Carolina tertiary.

Am. Jour. Sci., Ser. II, v. 2 (1871): 75.

Notes on fossil horse discovered near Greenville.

1363. Northrop, R. H.

Report on the Pioneer Mills mine of North Carolina. Baltimore, 1860. 8 pp. (Not seen.)

1364. OLCUTT, E_[BEN] E_[RSKINE].

The Ore Knob copper mine and reduction works, Ashe county, North Carolina.

Am. Inst. Min. Eng., Trans., v. 3 (1875): 391-399.

Discusses occurrence of the ores, veins, gangue and associated minerals. Describes the mine workings and gives analyses of the ores.

1365. OLDMIXON, JOHN.

[Geographical description of Carolina. . . 1

(In his British Empire in America. . . London, 1708. Vol.

1. 20 cm. pp. 368-381.)

Brief notes on North and South Carolina, climate, soil and products. Dutch edition of this work was published in Amsterdam in 1721.

1366. Oligoclase de Bakersville (?) (North Carolina).

Soc. Min. de France, Bull., v. 13 (1890): 648-652.

Describes crystal, and compares results with those obtained by Penfield & Sperry (Am. Jour. Sci., v. 36 (1888).

1367. OLMSTED, DENISON.

Descriptive catalogue of rocks and minerals collected in North Carolina.

Am. Jour. Sci., Ser. I, v. 5 (1822): 257-264.

Enumerates and describes briefly the rocks and minerals found in the state.

1368. — Letter to the Board of Internal Improvements on the geology of North Carolina.

(In North Carolina. Board of Internal Improvement. Report to the Gen. Assem. 1821. Raleigh, J. Gales, 1821. 23 cm. pp. 65-67.)

Advocates investigation of geological and mineral resources of the state, which, as far as is known, is the first suggestion to be offered of a geological survey. Author offers his services to the Board during his university vacations, to make a geological examination of the state, with only sufficient appropriation to pay travelling expenses.

1369. — On the gold mines of North Carolina.

Am. Jour. Sci., Ser. I, v. 9 (1825): 5-15.

—— Phil. Mag., v. 65 (1825): 375-384.

Review: Bost. Jour. Phil. & Arts, v. 2 (1825): 288-289.

Review by G. D_l elafosse]: Bull. des Sci. Nat. et de Géol., v. 5 (1825): 413-415.

Notice: Leonhard's Zts. f. Min., 1826, Bd. 1, p. 556.

Describes geological features of the gold region, situated in Montgomery, Anson, Cabarrus, Mecklenburg, Rowan and Randolph counties, and the principal mines: the Anson mine in Anson county, Reed's mine in Cabarrus county, and Parker's mine four miles south of the Yadkin river.

1370. — Red sandstone formation of North Carolina.

Am. Jour. Sci., Ser. I, v. 2 (1820): 175-176.

Describes red sandstone formation in Orange and Chatham counties.

1371. — Report on the geology of North Carolina, conducted under the Board of Agriculture. Raleigh, J. Gales & Son, 1824-1827. 3 vols. 23 cm.

Review with extracts: Am. Jour. Sci., Ser. I, v. 14 (1828): 230-251; Ser. II, v. 19 (1855): 430-433.

Review with extracts: Southern Review, v. 1 (1828): 235-261. Abstract: Neues Jahr. f. Min., 1833, pp. 501-502.

Abstract by A. B_[oué]: Bull. des Sci. Nat. et de Géol., v. 17 (1829): 38-40.

Notice: Geol. Soc. Penn., Trans., v. I (1835): 173-174.

Notice: Niles' Register, v. 29 (1825): 247.

Vol. 1 contains Report on geology of North Carolina, pt. 1, by Denison Olmsted. Describes physiographic and geologic features of western North Carolina, its ore deposits, veins and mineral deposits. Vol. 2 contains Report on geology of North Carolina, pt. 2, by Denison Olmsted. Describes rock formations, limestones and marls of eastern North Carolina, and continues the observations on slates and clays begun in pt. 1. Vol. 3 contains Report on geology of North Carolina, pt. 3, by Elisha Mitchell, and Gold mines, by Charles E. Rothe. See under authors.

1372. — Thermometrical observations made by President Caldwell, at Chapel Hill, North Carolina, during the years 1820, 1821, 1822. Lat. 35° 54'.

Am. Jour. Sci., Ser. I, v. 10 (1826): 294-295.

Abstract: Edin. Jour. Sci., v. 6 (1827): 249-250.

Table of monthly averages of maximum and minimum temperatures.

1373. — Useful minerals in North Carolina.

Am. Jour. Sci., Ser. I, v. 5 (1822): 407.

Notes discovery of an independent coal formation hitherto unobserved in Rockingham, Stokes, Surry and Gullford counties. Mentions deposits of manganese in Surry, and graphite in Stokes county.

1374. On the French Broad river, North Carolina.

Appleton's Jour., v. 4 (1870): 644.

Popular description of the French Broad river from Asheville to the Tennessee line.

1375. L'or dans la Caroline du Nord.

L'Institut, v. 14 (1846): 96.

Note on increasing production of gold, mentioning methods in practice at a mine on the Catawba river.

1376. The Ore Knob Copper Company.

Eng. & Min. Jour., v. 29 (1880): 10.

Brief account of the Ore Knob Copper Company's mines in Ashe county.

1377. OSBORN, HIENRY, FIAIRFIELD.

Observations upon the upper triassic mammals, Dromatherium and Microconodon.

Acad. Nat. Sci. Phila., Proc., [v. 38] (1886): 359-363.

Abstract: Science, v. 8 (1886): 540.

Abstract: Neues Jahr. f. Min., 1887, Bd. 2. Ref. pp. 363-364.

Detailed description of the type specimens of these forms from Chatham county.

1378. — The triassic mammals, dromatherium and microconodon.

Am. Phil. Soc., Proc., v. 24 (1887): 109-111.

Shows that the two specimens of *Dromatherium* are two distinct genera, *Dromatherium sylvestre* and *Microconodon tenuirostris*.

1379. OSBORNE, JAMES W.

Resources and advantages of North Carolina.

DeBow's Review, v. 7 (1849): 545-547.

Brief account of resources of the state, with notes on iron ore of Lincoln, Catawba, Iredell, Wilkes, Ashe, Surry and Stokes counties and on the gold mines of Stanly and Rowan counties.

1380. OWEN, RICHARD.

Report of a geological examination made on certain lands and mines in the counties of Haywood, Madison, Buncombe, Jackson and Macon, N. C., and in Cocke county, Tennessee. Indianapolis, Indianapolis print. & pub., 1869. 19 pp. 23 cm.

Notes on physical geography, general geology and mining prospects in counties named.

1381. PAGE, W. T.

Examination of auriferous sand from North Carolina.

Chem. News, v. 46 (1882): 205.

Am. Nat., v. 17 (1883): 313.

Abstract by S. L. Penfield. Science, v. 1 (1883): 227.

Abstract by E. W. P_[revost]: Chem. Soc. (London) Jour., v. 44 (1883): 29.

Description and analysis of this sand from Burke county

1382. Palmer, Wialter, William, and Buckley, Thomas C.

Statement of the McCullock copper and gold mining company of Guilford county, North Carolina.


Min. Mag., Ser. I, v. 4 (1855): 282-286.

Statistical and historical report on the McCullock mines, with short sketch of the veins, ores and workings.

1383.	Palæotrochis of Emmons.
	Am. Jour. Sci., Ser. II, v. 23 (1857): 278; v. 24 (1857): 151.
1384.	PARKER, E _[DWARD] W _[HEELER] .
	Coal in North Carolina. (In U. S. Geol. Survey, Min. Res., 1889-1890. Wash., 1892.
	p. 234.)
	(In U. S. Geol. Survey, Min. Res., 1891. Wash., 1893.
	(In U. S. Geol. Survey, Min. Res., 1892. Wash., 1893.
	(In U. S. Geol. Survey, Min. Res., 1893. Wash., 1894.
	p. 328.) (In U. S. Geol. Survey, 16th Ann. Rept., pt. 4 (Min. Res.).
	Wash., 1895. pp. 153-154.) ————————————————————————————————————
	pp. 462-463.) ———————————————————————————————————
	Wash., 1899. pp. 446-447.) ————————————————————————————————————
	Wash., 1901. p. 474.) (In U. S. Geol. Survey, Min. Res., 1900. Wash., 1901.
	pp. 411-412.) (In U. S. Geol. Survey, Min. Res., 1901. Wash., 1902.
	pp. 407-408.)
	(In U. S. Geol. Survey, Min. Res., 1903. Wash., 1904.
	(In U. S. Geol. Survey, Min. Res., 1904. Wash., 1905.
	pp. 519-520.) (In U. S. 12th Census, Spec. Rept., Mines & Quarries.
	Wash., 1905. p. 693.) ————————————————————————————————————
	p. 700.)
	(In U. S. Geol. Survey, Min. Res., 1907, pt. 2. Wash., 1908. p. 156.)
1005	Yearly reports of production.
1385.	— Mica mining in North Carolina. (In U. S. Geol. Survey, Min. Res., 1893. Wash., 1894.
	pp. 749; 752.) Brief notes on progress of mica industry.
1386.	— The occurrence of corundum and emery in North Carolina.
	(In U. S. Geol. Survey, Min. Res., 1893. Wash., 1894. pp. 674-678.)
	Describes occurrence of corundum in Macon, Jackson and Transylvania counties, mines and methods of mining.
	PARTZ, ANGUS D.
	Charter and by-laws of the Karriker gold and copper com-

See Leeds and Partz, No. 1064.

pany.



(In U. S. Geol. Survey, Bull. 32. Wash., 1886. pp. 74-79.)
Gives list of 66 springs (seven of which are used commercially), in 35 counties. Eighteen analyses are given, most of which are by Charles W. Dabney, Jr.

13

1394. PECK, JACOB.

Geological and mineralogical account of the mining districts in the State of Georgia, the western part of North Carolina . . . with a map.

Am. Jour. Sci., Ser. I, v. 23 (1833): 1-10.

Abstracts: Neues Jahr. f. Min., 1833, pp. 564-566.

Abstracts: Soc. Géol. de France, Ser. I, v. 5 (1834): 400-401.

Topographical and geological notes on portions of the Smoky mountains and Valley river.

1395. PEGRAM, W. H.

A sketch of Randolph county, N. C., showing its resources and possibilities. Greensboro, Thomas, Reece & Co., 1884. 14 pp. 19 cm.

1396. Peirce, Benjamin.

Coast survey operations in North Carolina. (In U. S. Coast Survey, Rept. 1867. Wash., 1868. 27-29.) - (In U. S. Coast Survey, Rept. 1868. Wash., 1869. pp. - (In U. S. Coast Survey, Rept. 1869. Wash., 1870. pp. 28-31.) ____ (In U. S. Coast Survey, Rept. 1870. Wash., 1871. pp. 29-31.) - (In U. S. Coast Survey, Rept. 1871. Wash., 1872. pp. 38-41.) - (In U. S. Coast Survey, Rept. 1872. Wash., 1873. pp. 25-28.) - -- (In U. S. Coast Survey, Rept. 1873. Wash., 1874. pp. 28-32.)

Yearly reports of progress.

1397. — List of geographical positions [in North Carolina], determined by the U. S. Coast Survey.

(In U. S. Coast Survey, Rept. 1868. Wash., 1869. pp. 210-215.)

1398. — List of hydrographic sheets tof North Carolina, registered in the archives of the U. S. Coast Survey from June, 1865, to January, 1873.

(In U. S. Coast Survey, Rept. 1873. Wash., 1874. Appendix 7, pp. 90-91.)

1399. Penfield, Stamuel Lewis.

Anthophyllite from Franklin, Macon county, North Carolina.

Am. Jour. Sci., Ser. III, v. 40 (1890): 394-397.

Notice: Am. Nat., v. 25 (1891): 829.

Description, crystallographic measurements and analysis of anthrophyllite from the dump of the Jenks corundum mine.

1400. — and Sperry, E. S.

[Monazite and oligoclase from North Carolina.]

(In Mineralogical notices. Am. Jour. Sci., Ser. III, v. 36 (1888): 322-325.)

Abstract by E. S. Dana: Zts. f. Kryst. u. Min., v. 17 (1890): 407; 408.

Abstract by B. H. B_[rough]: Chem. Soc. (London) Jour., v. 56 (1889): 356.

Abstract: Am. Nat., v. 22 (1888): 1112.

Abstract: Soc. Min. de France, Bull., v. 12 (1889): 503; 504.

Description and analysis of monazite crystals from Alexander county, and of oligoclase from Bakersville. Analysis of oligoclase by Mr. Sperry.

1401. PENFIELD, SAMUEL LEWIS and PRATT, JOSEPH HYDE.

On the chemical composition of staurolite and the regular arrangement of its carbonaceous inclusions.

Am. Jour. Sci., Ser. III, v. 47 (1894): 81-89.

___ Zts. f. Kryst. u. Min., v. 23 (1894): 64-72.

Notice: Am. Nat., v. 28 (1894): 874; v. 29 (1895): 361.

Abstract by B. H. Brough: Chem. Soc. (London) Jour., v. 66. pt. 2 (1894): 142.

Abstract by F. Rinne: Neues Jahr. f. Min., 1895, Bd. 2. Min. pp. 418-421.

Description and analysis of staurolite from Burnsville North Carolina.

1402. Penfield, S[AMUEL] L[EWIS].

On the cleavage and parting planes of oligoclase and albite.

(In Mineralogical notes. Am. Jour. Sci., Ser. III, v. 48 (1894): 115-118.)

Discusses physical properties of a clear glass feldspar from the Hawk mica mine in Mitchell county. Analysis by Mr. Sperry, has been given. (See Penfield and Sperry, Am. Jour. Sci., Ser. III, v. 36 (1888): 324.)

1403. — On the occurrence and composition of some American varieties of monazite.

Am. Jour. Sci., Ser. III, v. 24 (1882): 250-254.

Review by C. A. Tenne: Neues Jahr. f. Min., 1883, Bd. 2. Ref. pp. 165-166.

Abstract by H. B_[aker]: Chem. Soc. (London) Jour., v. 44 (1883): 162.

Abstract: Jahresber. d. Chem., 1883, pt. 2, p. 1861.

Abstract: Zts. f. Kryst. u. Min., v. 7 (1883): 366-367.

Contains description and analysis of monazite from the gold washings of the Brindletown district, Burke county.

1404. — Products of the alteration of corundum.

Science, v. 1 (1883): 430.

Abstract of results of observations made by F. A. Genth, on corundum from North Carolina localities. Notes on the deposits of Madison, Jackson, Iredell, and Burke counties.

PENMAN, JOHN E.

Reports on the Rudisil gold and copper mine at Charlotte, Mecklenburg county, North Carolina.

See Leeds and Penman, No. 1069.

1405. PENNYPACKER, CHARLES H.

About corundum.

Mineral Collector, v. 8 (1901): 36-39.

Brief notes on the occurrence of corundum of North Carolina.

1406. PENROSÉ, RICHARDI ALEXANDERI FULLERTONI, JR.

Amorphous nodular phosphates of North Carolina.

(In Nature and origin of deposits of phosphate of lime.

U. S. Geol. Survey, Bull. 46. Wash., 1888. pp. 70-75.)

Detailed descriptions of phosphate deposits in Sampson, Duplin. Pender, Onslow, Columbus and New Hanover counties, with tables of analyses. Contains map showing location of phosphate beds in Duplin and Sampson counties.

1407. — North Carolina exhibit at the World's Columbian Exposition in 1893.

Jour. of Geol., v. 1 (1893): 462.

Short sketch of the North Carolina exhibit, which included ores of iron, gold, copper, kaolin, mica, asbestos and many other minerals.

1408. Perrine, Frederick A_[UTEN] C_[OMBS].

Water-powers of the southeastern Appalachian region.

Am. Inst. Elec. Eng., Proc., v. 24 (1905): 605-616.

Abstract: Eng. Mag., v. 30 (1905): 109-111.

Describes drainage basins of some of the principal rivers including the Cape Fear, Yadkin and Catawba, and outlines resources available for hydraulic purposes.

1409. Perry, J_[OHN] B.

[Sketch of the life of Ebenezer Emmons.]

Bost. Soc. Nat. Hist., Proc., v. 12 (1869): 214-216.

Contains a brief sketch of Emmons' connection with the North Carolina Geological Survey.

1410. — [Notice of occurrence of cretaceous at Snow Hill in North Carolina.]

Am. Nat., v. 5 (1871): 521-522.

Description of cretaceous deposits of peculiar interest discovered by Prof. Kerr at Snow Hill.

1411. PETHERICK, THOMAS.

Report . : . upon the Silver Hill mine, Davidson county, North Carolina.

(In Report of the Silver Hill Mining Co. New York, 1860. 221/2 cm. pp. 8-11.)

—— Min. Mag., Ser. II, v. 1 (1860): 428-431.

Description with longitudinal and transverse sections of the workings of the Silver Hill mine.

1412. PETHERICK, WILLIAM.

Report on the Hepler and College mines in Davidson and Randolph counties, North Carolina. New York. 1854. 2 pp. 21 cm.

Descriptions of these mines.

1413. Petrified forest in Stokes county, North Carolina.

Our living and our dead, v. 1 (1875): 578-579.

Describes this forest, extending from Germantown to the south side of Dan river.

1414. PHALEN, WILLIAM C.

A new occurrence of unakite.

Smithsonian Misc. Coll., v. 45 (1904): 306-316.

Discusses casually and briefly the localitles in which unakite is found in North Carolina.

1415. PHELPS, THOMAS S.

Reconnaissance of the Cape Lookout shoals off the coast of North Carolina.

(In U. S. Coast Survey, Rept. 1864. Wash., 1865. Appendix 5, p. 56.)

1416. PHILLIPS, A LEXANDER, LACY.

The physical, political and mathematical geography of North Carolina. Wilson, N. C., Josephus Daniels, 1883. 4 pp. 26 cm.

Brief account of the physiographic features of the state, climate and mineral deposits.

1417. PHILLIPS, CHARLES.

A sketch of Elisha Mitchell.

Elis. Mit. Sci. Soc., Jour., v. 1 (1883): 9-18.

Short biographical sketch of Elisha Mitchell, giving account of his explorations in western North Carolina.

1418. PHILLIPS, CHARLES B.

Examination and survey of inland water routes from Norfolk Harbor, Virginia, to the Atlantic Ocean, south of Hatteras, including communication with Cape Fear river, North Carolina.


(In Chief of Eng. Rept., 1880, pt. 1. Appendix I 17, pp. 851-896.)


— U. S. 46th Cong., 2d Sess., 1880. Sen. Ex. Doc. No. 73. 47 pp. Maps.

Describes the Albemarle and Chesapeake canal, the Dismal Swamp canal, Albemarle, Pamlico and Core sounds, and the various outlets therefrom to the ocean south of Hatteras.

1419. — Examination of Catawba river, North and South Carolina.

(In Chief of Eng. Rept., 1880, pt. 1. Appendix I 23, pp. 911-914.)





1436. PHILLIPS, JAMES. Meteorological data at Chapel Hill. Elis. Mit. Sci. Soc., Jour., v. 1 (1884): 35-37. Contains tables of monthly and yearly temperatures from 1844-1859, and of the monthly means of the barometer 1437. PHILLIPS, WILLIAM, BIATTLE, Analysis of crystals of dog-tooth spar from Gander Hall, New Hanover county, North Carolina. Elis. Mit. Sci. Soc., Jour., v. 2 (1884): 62-63. Description of these crystals found lining the interior of 1438. — The chlorination of low grade auriferous sulphides. Am. Inst. Min. Eng., Trans., v. 17 (1888): 313-322. Describes barrel chlorination process used at the Phœnix mine in Cabarrus county, introduced by Adolph Thies in 1881. 1439. — Coal in western North Carolina. Eng. & Min. Jour., v. 60 (1895): 612-613. General discussion of occurrence of coal in Madison county, describing prospecting at the Jack branch. 1440. — Copper deposits of North Carolina. Eng. & Min. Jour., v. 67 (1899): 382. Notes on development of copper mining in Person county. 1441. — Copper in North Carolina in 1899. Mineral Industry, v. 7 (1899): 211. Describes the Holloway and Blue Wing mines in Person county. 1442. — The fertilizer trade in North Carolina in 1886₁. (In U. S. Geol. Survey, Min. Res., 1886. Wash., 1887. pp. 611-617; 619.) Notes on phosphate and marl deposits in Bladen and Edgecombe counties, with analyses of phosphate rock. 1443. — Mica mining in North Carolina. (In U. S. Geol. Survey, Min. Res., 1887. Wash., 1888. pp. 661-671.) Notes on mica industry, the deposits in Mitchell, Yancey, Jackson and Macon counties, mines and mining operations, production and value. Gives list of associated minerals prepared by W. C. Kerr, supplemented by F. A. Genth. 1444. — Mica mining in North Carolina. Elis. Mit. Sci. Soc., Jour., v. 5 (1888): 73-97. - Eng. & Min. Jour., v. 45 (1888): 286; 306-307; 322-324;

382-383; 398; 418; 436.


— — Sci. Amer. Suppl., v. 26 (1888): 10449; 10462-10463; 10474-10475.

Describes development of the mica industry in Mitchell county, the mica deposits in Yancey, Mitchell, Buncombe, Haywood, Jackson, Cherokee and Macon countles, their distribution, geological occurrence and associated minerals.

1445. — North Carolina fire-clays.

Eng. & Min. Jour., v. 42 (1886): 326.

Description and analyses of fire-clays from a locality about two miles east of Spout Spring in Harnett county.



1455. PORTER, JOHN B.

Iron ores of North Carolina.

(In Iron ores and coals of Georgia. . Am. Inst. Min. Eng., Trans., v. 15 (1886): 190-191; 206.

Brief account of the Cranberry specular and magnetite ores in Ashe and Mitchell counties. Table of analyses of the different ores.

1456. PORTER, TIMOTHY DIWIGHT.

Cursory notice of some parts of North and South Carolina.

Am. Jour. Sci., Ser. I, v. 3 (1821): 227-229.

Describes zircon crystals found in Buncombe county.

1457. Pourtales, L_[OUIS] F_[RANÇOIS] DE.

Constitution of the bottom of the ocean off Cape Hatteras. Bost. Soc. Nat. Hist., Proc., v. 14 (1872): 58-59.

Abstract: Am. Nat., v. 5 (1871): 124-125.

1458. — Effect of winds in varying the level of the water in Albemarle sound.

(In U. S. Coast Survey, Rept. 1856. Wash., 1857. Appendix 43, pp. 271-272.)

Brief description of shape and general character of Albemarle sound, with table of observations made at Pasquotank light-boat, Caroon's point and Edenton bay, of the direction of wind and helght of the water.

1459. POWELL, GEORGE S.

Memorial to the Congress of the United States from the Appalachian National Park Association.

Southern Pictures and Pencilings, v. 2, No. 3, 1900.

Describes physical features and climate of the Appalachian region and gives mountain altitudes.

1460. Pratt, Joseph Hyde.

Abrasive materials in North Carolina.

(In U. S. Geol. Survey, Min. Res., 1901. Wash., 1902. pp. 793-794; 801; 802-803.)

Abstract by W. S. Bayley: Neues Jahr. f. Min., 1904, Bd. 1. Min. p. 37.

—— (In U. S. Geol. Survey, Min. Res., 1903. Wash., 1904. pp. 1005; 1006.)

——— (In U. S. Geol. Survey, Min. Res., 1905. Wash., 1906. pp. 1069-1085.)

Yearly reports of production of garnet and corundum in Macon, Jackson, Clay and Madison counties.


1461. — Analysis of North Carolina titanic iron ore.

(In Steel hardening metals. U. S. Geol. Survey, Min. Res., 1903. p. 310.)

Iron ore from Caldwell county.

1462. — Asbestos in North Carolina.

(In U. S. Geol. Survey, Min. Res., 1900. Wash., 1901. p. 862.)



Review: Elis. Mit. Sci. Soc., Jour., v. 22 (1906): 8-16.

Review: Min. Mag., v. 13 (1906): 427-428.

Abstract by authors: Geol. Centralblatt, v. 8 (1906): 487-492.

Describes geology, physiography, distribution and petrography of peridotites of the corundum belt, their modes of alteration and decomposition. Gives mineralogical character and structure, with chemical analyses. Detailed account of corundum is given, its distribution and mode of occurrence, physical properties, alterations and associated minerals, the mines, methods of mining and production. Appendix is a bibliography of American peridotites, corundum and associated minerals.

1470. Pratt, Joseph Hyde.

Gems and gem mining in the South.

The Southland, v. 1 (1901): 1-5; 67-71; 118-122.

Describes occurrerce of diamonds, corundum gems, several varieties of garnet, and beryl in North Carolina.

1471. — Gold and silver mining in North Carolina.

Mineral Industry, v. 10 (1902): 299-300; v. 11 (1903): 263.

Describes mining industry, naming the Gold Hill mine In Rowan county, and the Russell, Fentress and McMackin mines, as well as other mines in Cabarrus, Mecklenburg, Stanly. Montgomery and Burke counties.

1472. — Gold mining in the southern Appalachians.

Eng. & Min. Jour., v. 74 (1902): 241-242.

Abstract by H. Ries: Geol. Centralblatt, v. 5 (1904): 187.

Describes the gold belt as reaching its greatest width in North Carolina, and the mining operations at the principal mines located in Cabarrus, Mecklenburg, Stanly, Montgomery, Burke and Rowan counties.

1473. — Mica in North Carolina in 1902].

(In U. S. 12th Census, Spec. Rept., Mines & Quarries, Wash., 1905. pp. 1029-1033.)

Notes on mica localities and mining in 1902, with statistics of production.

1474. — Mica mining in North Carolina.

(In Mineral Industry, v. 16 (1908): 713.)

Notes on mica production in 1907.

1475. — A mica vein.

Popular Science, v. 33 (1899): 202-203.

Notes on occurrence of mica and its associated minerals at the Ray mine, Yancey county; Wiseman and Hawk mines, Mitchell county.

1476. — Mineralogical notes on anthophyllite, enstatite and beryl (emerald) from North Carolina.

Am. Jour. Sci., Ser. IV, v. 5 (1898): 429-432.


—— (In Notes on North Carolina minerals. Elis. Mit. Sci. Soc., Jour., v. 14 (1897): 73-80.)


Abstract: Am. Geol., v. 22 (1898): 377.

Notice by W. O. Crosby: Am. Chem. Research, Rev., v. 4 (1898): 125.

Abstract by L_[eonard] J. S_[pencer]: Chem. Soc. (London) Jour., v. 74, pt. 2 (1898): 606-607.

Abstract by A. S. Eakle: Zts. f. Kryst. u. Min., v. 32 (1900): 594-596.





1487. — Notes on North Carolina minerals.	
Elis. Mit. Sci. Soc., Jour., v. 14 (1897): 61-83.	
—— (In Mineralogical notes Am. Jour. Sci., S	er. IV, v. 5
(1898): 126-128; 429-432; v. 3 (1897): 443-	
Reviews by W. O. Crosby: Am. Geol., v. 23 (1899)	: 325-326.
Reviews: Am. Chem. Research, Rev., v. 5 (1899):	35-36.
Reviews by Max Bauer: Neues Jahr. f. Min., 1 Min. pp. 229-231.	899, Bd. 1.
Abstract by L _[eonard] J. S _[pencer] : Chem. Soc. Jour., v. 78, pt. 2 (1900): 24.	. (London)
Abstract by A. S. Eakle: Zts. f. Kryst. u. Min., v.	39 (1900).
603-604,	
Description, analyses and crystallographic of the following minerals: wellsite and checked to the following minerals: wellsite and checked to the following minerals by H. W. Foote and Clay county, analyses by the following tille; another following the following wille; anthophyllite, enstatite and emerals of the following minerals of the following minerals following minerals: and checked following minerals: wellsite and checked following minerals: w	measurements nabazite from narles Basker- s by Basker- d beryl from d S. L. Pen- from Yancey
1488. — Occurrence and distribution of corundum in	the United
States.	
U. S. Geol. Survey, Bull. 180. Wash., 1901. 98	pp. 23 cm.
Notice: Frank. Inst., Jour., v. 153 (1902): 450.	
Extract: Eng. & Min. Jour., v. 73 (1902): 445.	
Abstract by A. Klautzsch: Zts. f. prakt. Geol., 19 165.	03, pp. 164-
Abstract by H. Ries: Geol. Centralblatt, v. 4 (190	3): 435.
— Corundum and its occurrence and distribution in	the United
States. (A revised and enlarged edition of Bul	1. 180.)
U. S. Geol. Survey, Bull. 269. Wash., 1906. 175 Abstract by author: Geol. Centralblatt, v. 8 (190	5 pp. 23 cm. 6): 487-492.
Describes occurrence of corundum in the counties of North Carolina, crystallography composition of the mineral, and commerc varieties. Describes mines, mining operation and values	southwesteru and chemical cial and gem
and values.	is, production
1489. — The occurrence, origin and chemical composition of	of chromite,
with especial reference to the North Carolina of	leposits.
Am. Inst. Min. Eng., Trans., v. 29 (1900): 17-	39.
Abstract by L _[eonard] J. S _[pencer] : Chem. Soc.	. (London)
Jour., v. 80, pt. 2 (1901): 64.	
Describes the deposits of chrome ores, whi series of peridotite outcrops from Ashe to promising localities being at Mine Hill. Ys and at Webster, Jackson county. Analyse C. W. Baskerville and H. W. Foote,	Clay county, ancey county, es of ores by
- On a new mode of occurrence of ruby in North	h Carolina.
With crystallographic notes by J. H. Pratt.	
See Judd and Hidden, No. 938.	
— On rhodolite, a new variety of garnet.	
See Hidden and Pratt, No. 791.	
— On the associated minerals of rhodolite.	
See Hidden and Pratt, No. 792.	
· ·	

On the chemical composition of staurolite and the regular arrangement of its carbonaceous inclusions.

See Penfield and Pratt, No. 1401.

1490. —— On the occurrence, origin and chemical composition of chromite.

Am. Jour. Sci., Ser. IV, v. 7 (1899): 281-286.

Review: Am. Geol., v. 24 (1899): 181.

Review by M. L. Fuller: Am. Chem. Research, Rev., v. 5 (1899): 74.

Abstract by L_[eonard] J. S_[pencer]: Chem. Soc. (London) Jour., v. 76, pt. 2 (1899): 494-495.

Abstract by A. S. Eakle: Zts. f. Kryst. u. Min., v. 34 (1900): 99-100.

Describes occurrence of chromite in Yancey, Jackson and Macon counties, and discusses its origin and chemical composition. Analyses by Charles Baskerville and H. W. Foote.

1491. — On the origin of the corundum associated with the peridotites in North Carolina.

Am. Jour. Sci., Ser. IV, v. 6 (1898): 49-65.

Abstract: Am. Geol., v. 22 (1898): 377-378.

Review by W. O. Crosby: Am. Chem. Research, Rev., v. 4 (1898): 126.

Abstract by L_[eonard] J. S_[pencer]: Chem. Soc. (London) Jour., v. 74, pt. 2 (1898): 608.

Abstract by A. S. Eakle: Zts. f. Kryst. u. Min., v. 32 (1900): 596-597.

Abstract by K. Busz: Neues Jahr. f. Min., 1900, Bd. 1. Min. pp. 8-9.

Describes peridotite and corundum deposits, localities and mines, in Buncombe, Clay, Jackson and Macon counties. Discusses in detail the mode of occurrence of corundum, its distribution and origin, and cites the different authorities who have studied the subject.

1492. — On the separation of alumina from molten magmas and the formation of corundum.

Am. Jour. Sci., Ser. IV, v. 8 (1899): 227-231.

Review: Am. Geol., v. 24 (1899): 319-321.

Review by M. L. Fuller: Am. Chem. Research, Rev., v. 5 (1899): 133.

Abstract by L_[eonard] J. S_[pencer]: Chem. Soc. (London) Jour., v. 76, pt. 2 (1899): 758-759.

Revew by A. Klautzsch: Zts. f. prakt. Geol., 1902, pp. 29-30.

Abstract by A. S. Eakle: Zts. f. Kryst u. Min., v. 34 (1900): 104-105.

Describes peridotite localities in North Carolina, and discusses in detail the separation of alumina from the peridotites and the formation of corundum.

1493. — On two new occurrences of corundum in North Carolina.

Am. Jour. Sci., Ser. IV, v. 10 (1900): 295-298.

Review: Am. Geol., v. 26 (1900): 393.

Abstract by C. H. Warren: Am. Chem. Research, Rev., v. 6 (1900): 170.

Abstract by A. S. Eakle: Zts. f. Kryst. u. Min., v. 36 (1902): 70.

Abstract: Soc. Min. de France, Bull., v. 23 (1900): 234-235.

Abstract by F. Rinne: Neues Jahr. f. Min., 1901, Bd. 2. Min. pp. 349-350.

Describes occurrence of corundum at the Sheffield mine in Cowee townshlp, Macon county, and in the crystalline rocks of the southwestern part of the state. Discusses mode of occurrence, geology of the localities, and mineralogical character.

1494. — On wellsite, a new mineral.

Am. Jour. Sci., Ser. IV, v. 3 (1897): 443-448.

____ Zts. f. Kryst. u. Min., v. 27 (1897): 581-587.

Review: Am. Nat., v. 30 (1897): 1046-1047.

Review by W. O. Crosby: Am. Chem. Research, Rev., v. 3 (1897): 116.

Abstract by L_[eonard] J. S_[pencer]: Chem. Soc. (London) Jour., v. 72, pt. 2 (1897); 565.

Abstract by F. Rinne: Neues Jahr. f. Min., 1898, Bd. 1. Min. pp. 204-207.

Description and analysis of this mineral from Clay county, collected in 1892 by S. L. Penfield and Joseph Hyde Pratt.

1495. — Peat and swamp lands.

Am. Peat Soc., Jour., v. 2 (1909): 13-17.
Contains notes on drainage of swamp lands in Beaufort county.

1496. — A peculiar iron of supposed meteoric origin from Davidson county, North Carolina.

Elis. Mit. Sci. Soc., Jour., v. 17, pt. 2 (1901): 21-26.

Abstract by W. F. Hillebrand: Am. Chem. Research, Rev., v. 8 (1902): 120.

Abstract by E. Cohen: Geol. Centralblatt, v. 3 (1903): 265.

Description of this meteoric iron, with analysis by Charles Baskerville.

1497. — Production of mica in North Carolina.

Eng. & Min. Jour., v. 86 (1908): 94.

Notes on mica production during 1907.

1498. — Production of monazite, zircon, gadolinite and columbite or tantalum minerals.

(In U. S. Geol. Survey, Min. Res., 1904. Wash., 1905. pp. 1209-1227.)

Contains notes on occurrence, production and value of these minerals in North Carolina in 1904. 1499. — Progress of the corundum industry in North Carolina during 1901_1 . (In Mineral Industry, v. 10 (1902): 16; v. 11 (1903): 16-Notes on operations at the Corundum Hill mine, Macon county, and at Buck creek, Clay county. 1500. — and Steel, A. A. Recent changes in gold mining in North Carolina that have favorably affected this industry. Elis. Mit. Sci. Soc., Jour., v. 23 (1907): 108-133. (In Pratt, J. H. The mining industry in North Carolina during 1906. N. C. Geol. Survey, Econ. Paper No. 14. Raleigh, E. M. Uzzell & Co., 1907. 24 cm. pp. 19-34.) Description of methods of gold mining in use, with account of changes recently introduced. 1501. Pratt, Joseph Hyde. Report on the property of the Person consolidated copper and gold mine company, situated in Person county, North n. p. 1904? 18 pp. 22 cm. Geological and mineralogical description of this property. 1502. — The South Mountain gold region of North Carolina. Mining & Metallurgy, v. 24 (1901): 108; 134-135. Describes geology and gold deposits of South Mountain gold region, located in Rutherford, McDowell and Burke counties, mining and development operations, with notes on the principal mining properties. 1503. —— The southern Appalachian forest reserve. Elis. Mit. Sci. Soc., Jour., v. 21 (1905): 156-164. Discusses forest conditions in western North Carolina in relation to the proposed southern Appalachian forest reserve 1504. — Tale and pyrophyllite deposits in North Carolina. N. C. Geol. Survey, Econ. Paper No. 3. Raleigh, E. M. Uzzell, 1900. 29 pp. 24 cm. Abstract by W. S. Bayley: Neues Jahr. f. Min., 1902, Bd. 1. Min. pp. 12-18. Abstract by L_[eonard] J. S_[pencer]: Chem. Soc. (London) Jour., v. 82, pt. 2 (1902): 407-408. Discusses tale deposits of the state in general, outlining origin and character, and gives analyses of specimens from the Kinsey, Hewitt and Malby mines. 1505. — Tale and soapstone in North Carolina. (In U. S. Geol. Survey, Min. Res., 1900. Wash., 1901. pp. 779-782.) Notice by W. F. Hillebrand: Am. Chem. Research, Rev., v. 8 (1902): 129.- (In U. S. Geol. Survey, Min. Res., 1901. Wash., 1902. pp. 773-777.) Abstract: Stone, v. 24 (1902): 145-149. Abstract by H. Ries: Geol. Contralblatt, v. 5 (1904): 256.

- (In U. S. 12th Census, Spec. Rept., Mines & Quarries.

- Wash., 1905. pp. 1061-1065.) (In U. S. Geol. Survey, Min. Res., 1903. Wash., 1904. pp. 980-981.) - (In U. S. Geol. Survey, Min. Res., 1905. Wash., 1906. p. 1364.) Notes on talc and soapstone deposits and mining in Swain, Cherokee, Jackson and Madison counties. Table of analy-ses by Charles Baskerville. 1506. — and Sterrett, Douglas B. The tin deposits of the Carolinas. N. C. Geol. Survey, Bull. 19. Raleigh, E. M. Uzzell & Co., 1904, 64 pp. 24 cm. Maps. Review: Am. Jour. Sci., Ser. IV, v. 20 (1905): 75. Review by W. F. Hillebrand: Am. Chem. Research, Rev., v. 11 (1905): 455.Describes tin belt in Cleveland, Gaston and Lincoln counties, geological formations, occurrence, mineralogical and chemical character of the ore, mines and prospects, production and economic values. 1507. Pratt, Joseph Hyde. Tungsten, molybdenum, uranium and vanadium. (In U. S. Geol. Survey, 21st Ann. Rept., pt. 6 (Met. Prod.). Wash., 1901. pp. 303; 310; 311; 314; 315.) Describes scheelite found in Cabarrus county: uraninite, gummite and uranophane from Flat Rock, with analyses by W. F. Hillebrand, F. A. Genth and H. von Foullon. — Twinned crystals of zircon from North Carolina. See Hidden and Pratt, No. 796.
- 1508. PRATT, NIATHANIEL AILPHEUS.

Ashley river phosphates. History of the marks of South Carolina, and of the discovery and development of the native bone phosphates of the Charleston basin. Phila., Inquirer Book & Job Print., 1868.

Describes in detail the geology of these marl beds, with references to the marls of North Carolina.

1509. Presbrey, Frank S.

The land of the sky and beyond. [New York, 1904.] 32 pp. $24 \ cm$. Describes western North Carolina scencry.

1510. — The land of the sky. Asheville plateau. New York, S. R., 189-? 32 pp. 24 cm. Description of Asheville plateau.

1511. — The land of the sky. Western North Carolina. R. & D. R. R., 18941. 14 pp. (Not seen.)

Descriptive of western North Carolina scenery.

1512. The present status of the movement for the proposed forest reserve in the southern Appalachians.

> (Appendix E to Roosevelt, T. Message from the President transmitting a report of the Secretary of Agriculture in

relation to the forests, rivers and mountains of the southern Appalachian region. U. S. 57th Cong., 1st Sess. Sen. Ex. Doc. No. 84. Wash., 1902. pp. 155-192.)

Contains memorials and resolutions favoring the proposed Appalachian forest reserve.

1513. Pressey, H_[ENRY] A_[LBERT].

Hydrography of the southern Appalachian mountain region.

U. S. Geol. Survey, Water-supply & Irrig. Papers, Nos. 62 & 63. Wash., 1902. 190 pp. 23 cm. Illus. Maps.

Notice: Am. Geog. Soc., Bull., v. 34 (1902): 431-432.

Abstract: Forestry & Irrigation, v. 8 (1902): 335-340.

Region described includes the mountainous districts of North Carolina. Gives physiography of the country, geology, climate, and account of mineral and timber resources. Detailed descriptions of the rivers, their tributaries and drainage basins, comprising the Holston, Watauga, Nolichucky, French Broad, Catawba, Yadkin and New rivers.

1514. — and Myers, E. W.

Hydrography of the southern Appalachians.

(Appendix C to Roosevelt, T. Message from the President, transmitting a report of the Secretary of Agriculture in relation to the forests, rivers and mountains of the southern Appalachian region. U. S. 57th Cong., 1st Sess. Sen. Doc. No. 84. Wash., 1902. pp. 123-142.)

Describes physiographic features of the Appalachians in western North Carolina, the rivers, their tributaries and drainage basins.

1515. PRICE, JONATHAN and CLEMONS, WOODSON.

Reports of sundry surveys made between the Roanoke and Pamlico, and the Pamlico and Neuse.

(In Reports of sundry surveys made in obedience to certain resolutions of the General Assembly passed in 1817. Raleigh, T. Henderson, 1818. 22 cm. pp. 29-39.)

---- (In North Carolina. Board of Internal Improvement. Extracts from "Reports on public improvements" in the State of North Carolina. Raleigh, T. J. Lemay, 1837. pp. 3-8.)

Reports on surveys made between the Roanoke and Tar rivers from Washington on the Pamlico to the mouth of Smithwick's creek on the Roanoke; between the Roanoke at Plymouth to the boatable waters of Pungo river.

PRICE, JONATHAN.

Survey of the coast of North Carolina.

See Coles and Price, No. 337.

1516. Prindle, Louis M_[ARCUS].

Note on an apatite crystal from Alexander county, North Carolina.

Johns Hopkins Univ. Circ., v. 13, No. 112 (1894): 83.

Description and crystallographic measurements of a transparent, doubly terminated apatite crystal, from the hiddenite locality.

PROCTER, CHARLES A.

Copper district of Tennessee, Georgia, North Carolina and Virginia—its history—geography—geology and mining interests.

See Currey and Procter, No. 422.

1517. [Production of precious metals in North Carolina in 1906.]

(In U. S. Mint, Prod. of the precious metals in U. S. in 1906. Wash., 1908. p. 63.)

1518. Projected branch mint of North Carolina.

Am. Jour. Sci., Ser. I, v. 20 (1831): 401-404.

Discussion of advantages to be attained by establishing a branch mint, citing the importance of the gold mines and all that may be gained by ascertaining the value of the gold at home.

1519. Prospectus and by-laws of the Rhymer gold mining company.

New York, W. H. Arthur, 1854. 20 pp. 22 cm. Map.

Contains reports of Stephen P. Leeds and A. K. Eaton on the Rhymer gold mine, located in Rowan county.

1520. Prospectus of the Aberdeen company of Guilford county, North Carolina. New York, W. E. & J. Sibell, 1854. 15 pp. 22 cm.

Contains reports of James T. Hodge on the Aberdeen property in Guilford county, and of Amos K. Eaton on the Gold Hill sands.

1521. Prospectus of the Bessemer City mining and manufacturing company, Bessemer City, N. C. n. p., n. d. 12 pp. 23 cm.

Notes on mines and mining, with analyses of ores.

1522. Prospectus of the new Phænix gold mining company of North Carolina. New York, 1856., 11 pp. 22 cm.

Contains report of Charles T. Day on this property in Cabarrus county.

1523. Prospectus of the North Carolina copper mine. Report of the Geological Survey and condition of the Baltimore and North Carolina copper and gold mine, Mccklenburg county, N. C. Baltimore, 1860. 12 pp. (Not seen.)

1524. Prospectus. Long Creek gold mines, Gaston county, N. C. N. C. Geol. Survey. 3 pp. 33 cm.


Describes these mines, veins, workings, etc.

1525. Prospectus. The North Carolina Steel and Iron Company, Greensboro, N. C., 1890. Greensboro, Thomas Brothers, 1890. 30 pp. 24 cm. Map.

Contains extracts from various geological reports, and a report by Frederick H. Smith on the various mining properties of this company, with several analyses.


1526. Prospectus, reports of geologists . . . of the Rowan gold and copper mining company, Rowan county, North Carolina. Baltimore, J. F. Wiley, 1860. 15 pp. 21½ cm.

Contains extracts from reports of Stephen P. Leeds, F. A. Genth and E. B. Wilder on the Rowan gold mine property in Rowan county.



1534. —— Samarskit von Mitchell county, North Carolina.

Zts. d. deutsch. Geol. Gesell., v. 29 (1877): 817-818.



Abstract: Min. Mag. & Jour. Min. Soc., v. 6 (1885): 146-147.

Abstract by F. Rinne: Neues Jahr. f. Min., 1887, Bd. 2. Ref. pp. 242-245. Detailed crystallographic description of quartz crystals from Burke, Alexander, Catawba and Iredell counties, showing new crystal faces and rare forms of twinning. 1542. — Die Quarze aus Nord-Carolina. Naturh. Ver. d. preuss. Rhein. Westf. Verh., v. 42 (1885): 59-60; 235-245.) Brief note of amethystine quartz from Burke county, and crystallographic description of quartz crystals from White Plains, Alexander county. 1543. — Ueber Beryl, Monazite, Xenotime, Apatit, Spodumene, Turmalin und Rutil von Alexander county, North Carolina. Niederr. Ges. f. Natur. u. Heilk., Sitz., 1886. pp. 67-68; 149-158; 254-256. Abstract by C. Hintze: Zts. f. Kryst. u. Min. v. 13 (1887): 595-598. Abstract by Max Bauer: Neues Jahr. f. Min., 1888, Bd. 1. Ref. pp. 21-22. Am. Jour. Sci., Ser. III, v. 33 (1887): 159-161. Crystallographic descriptions of these minerals from the Hiddenite mine. 1544. RAYMOND. R_[OSSITER] W_[ORTHINGTON]. The Jenks corundum mine, Macon county, North Carolina. Am. Inst. Min. Eng., Trans., v. 7 (1878): 83-90. Review by G. H. Höfer: Neues Jahr. f. Min., 1880, Bd. 2. Min. p. 302. Abstract by Hienry Wiatts: Chem. Soc. (London) Jour., v. 40 Quotes and discusses views of Kerr, C. D. Smith and denth on the formations and conditions found at this locality. Discusses origin of corundum and associated minerals, and includes analyses of specimens from Webster and Culsagee by Genth and Chatard. 1545. Read, Thomas T. Gold mining in the southern Appalachians. Mining Reporter, v. 52 (1905): 390-391. Notes on the gold mines and mining in North Carolina, naming the Iola mine where cyanidation is being practiced with success. 1546. REDFIELD, WILLIAM C. Fossil shells from tertiary marl beds at Washington, Beaufort county, North Carolina. Am. Jour. Sci., Ser. I, v. 41 (1841): 161. - Assoc. Am. Geol., Repts. of 1st, 2d & 3d meet. (1843): 14. Describes these specimens.

1547. — On the relations of the fossil fishes of the sandstone of Con-

sic periods.

necticut and other Atlantic states to the Liassic and Juras-

Am. Assoc. Adv. Sci., Proc., 10th meet. (1856): 180-188.

Am. Jour. Sci., Ser. II, v. 22 (1856): 357-363.
 States that fossil forms of Emmons from North Carolina seem identical with those from Connecticut and New Jersey.

1548. REED, FRANKLIN W.

Report on an examination of a forest tract in western North Carolina.

U. S. Dept. Agric., Bureau of Forestry, Bull. No. 60. Wash., 1905. 29 pp. Map.

Contains notes on geological formations, topography and soils.

1549. REED, W. H.

Mica: its modes of occurrence and uses. North Carolina.

Mining Reporter, v. 43 (1901): 59-61.

Brief account of mica mining in Mitchell and Yancey counties.

1550. Reese, Charles L.

Analysis of pinite from Madison county, North Carolina.

Chem. News, v. 50 (1884): 209.

Abstract by D. A. L_[ouis]: Chem. Soc. (London) Jour., v. 48 (1885): 130.

1551. Region de l'or dans la nouvelle Caroline.

Niles' Register, 1829. pp. 84; 136.

Abstract: Bull. des Sci. Nat. et de Géol., v. 20 (1830): 88-89.

Notes on discovery and working of gold mines in Cabarrus, Mecklenburg. Rutherford, Burke, Lincoln, Rowan, Anson, Davidson, Montgomery, Randolph, Caswell and Gullford counties. Notes occurrence of barite in two gold mines.

1552. REID, CHARLES SLOAN.

An ascent of Mt. Mitchell.

Appalachia, v. 8 (1897): 232-235.

Description of this ascent with notes on the life and death of Elisha Mitchell.

REID, CHRISTIAN.

The mountain region of North Carolina.

See Tiernan, F. C. F., No. 1777.

1553. Reinhardt. D.

Gold mines of North Carolina.

Am. Jour. Sci., Ser. I, v. 16 (1829): 360-363.

A letter to Denison Olmsted describing the gold reglon.

1554. Report of the North Carolina Gold Mining Company. New York,

Kneeland, 1853. 12 pp. $22\frac{1}{2}$ cm.

Contains report of James Renwick on the Charlotte mine In Mecklenburg county, and letter from Charles Wilkes describing the property, with analyses of the ore by James R. Chilton.

1555. Reports of sundry surveys made in obedience to certain resolutions of the General Assembly passed in the year 1817, and submitted to the General Assembly at their session in 1818.

Raleigh, T. Henderson, 1818. 40 pp. $22\frac{1}{2}$ cm.

Contains: Report of A. D. Murphey for the Committee on Surveys; report of Joseph Caldwell and Elisha Mitchell on levels and surveys taken at points on the Yadkin river; report of William Terry on the same; report of H. Jennings and John Hixson on same; report of Jonathan Price and Woodson Clemons on sundry surveys made by them between the Roanoke and Pamilco, and the Pamilco and Neuse. (Sce Price and Clemons, 1515); report of W. Terry on the Cape Fear river.

1556. RICHARDS, T. ADDISON.

The landscape of the South.

Harper's Mag., v. 6 (1853): 721-733.

Popular account of scenery in the Blue Ridge and Smoky mountains.

1557. RICHARDSON, J. E.

Garnets.

Mineral Collector, v. 2 (1895): 1-4.

Mentions occurrence of garnets at Bakersville.

1558. RICHTER, C. LUDWIG.

Remarks on the gold in the Vanderburg mine, North Carolina

Min. Mag., Ser. I, v. 2 (1854): 309-310.
Dicusses the ores of this mine.

1559. RICKETTS, PIERREL DEPIERSTERL.

Certain ores from North Carolina.

N. Y. Acad. Sci., Trans., v. 2 (1883): 149-150.

Notes on occurrence of gold ores in Montgomery county, and copper ores in Person and Granville counties.

1560. RIES, HEINRICH.

Clay deposits and clay industry in North Carolina.

N. C. Geol. Survey, Bull. 13. Raleigh, Guy V. Barnes, 1897. 157 pp. 24 cm. Plates.

Reviews: Jour. of Geol., v. 6 (1898): 545-547.

Reviews: Am. Geol., v. 22 (1898): 382.

Reviews by W. O. Crosby: Am. Chem. Research, Rev., v. 4 (1898): 133.

Reviews: Eng. & Min. Jour., v. 66 (1898): 33.

Discusses origin, chemical and physical properties of the clay deposits, their geographical and geological occurrence and describes the clay industry of the state.

1561. — Clay in North Carolina in 1892.

Mineral Industry, v. 2 (1893): 201.

1562. — The clays of the United States east of the Mississippi river.

U. S. Geol. Survey, Prof. Paper No. 11. Wash., 1903. 289 pp. 30 cm.

Contains many references to the clay and kaolin deposits of North Carolina, with detailed account, p. 198. Includes tables of chemical analyses.

1563. — Clay-working industry in North Carolina in 1897.

(In U. S. Geol. Survey, 19th Ann. Rept., pt. 6. (Non-metallic Products.) Wash., 1898. pp. 478-485.)

1564. — North Carolina [clays].

(In his Clays, their occurrence, properties and uses. New York, John Wiley & Sons, 1906. 24 cm. pp. 382-388.)

Brief description of the clay deposits with tables of analyses.

1565. Riggs, R. B.

Residual deposits from subaerial decay of chlorite schist from eight miles west of Cary, North Carolina.

(In U. S. Geol. Survey, Bull. 52. Wash., 1889. p. 13.)

1566. — [Tourmaline from Alexander county, North Carolina.]

(In U. S. Geol. Survey, Bull. 55. Wash., 1889. pp. 28; 29; 30.)

Description and analysis of black tourmaline crystals from the Hiddenite mine, Stony Point.

1567. Roanoke inlet at Nag's Head, North Carolina.

U. S. 29th Cong., 1st Sess., 1846. Repts. of Committees, v. 2. Rept. No. 251. 34 pp.

Contains report of Campbell Graham on survey of Nag's Head, and report of Walter Guynn on same made in 1840. See Guynn, W., No. 689.

1568. Roanoke inlet, North Carolina. Report of survey.

U. S. 20th Cong., 2d Sess., 1829. House Ex. Doc. No. 128. 24 pp.

U. S. 22d Cong., 1st Sess., 1832. Repts. of Committees, v. 3. Rept. No. 417. 34 pp.

Contains report by Hartman Bache on practicability of opening communication from Albemarle sound to the Atlantic by way of Roanoke inlet, and report of Hamilton Fulton made in 1820. See Fulton, H., 610.

1569. Roberts, J. C.

Examination of iron ores from Chapel Hill mine.

Elis. Mit. Sci. Soc., Jour., v. 1 (1884): 26-27.

Analyses of eight specimens of iron ore from this mine.

1570. Robinson, H_fenry₁ H_follister₁.

On octahedrite and brookite from Brindletown, North Carolina

Am. Jour. Sci., Ser. IV, v. 12 (1901): 180-184.

Zts. f. Kryst. u. Min., v. 35 (1902): 425-429.

Abstract by F. Rinne: Neues Jahr. f. Min., 1903, Bd. 1. Min. p. 21.

Crystallographic description and measurements of octahedrite and brookite from the north slope of Pilot mountain near Brindletown, Burke county.

1571. Robinson, Samuel.

[A list of North Carolina mineral localities.]

(In his Catalogue of American minerals with their localities. Boston, Cummings, Hilliard & Co., 1825. 23 cm. pp. 210-220.)

1572. ROCKWELL, E. F.

[Notice of] an ancient map of the central part of Iredell county, North Carolina.

The Historical Magazine, Ser. II, v. 2 (1867): 84-90.

An account of this map drawn with a pen, date unknown. Center of map is about 2 miles northwest of Statesville and it contains Rocky creek, Catawba river, Snow creek, South Yadkin and other creeks and tributaries.

1573. ROCKWOOD, CHARLES GREENE, JR. Notices of recent earthquakes. No. 5.

Am. Jour. Sci., Ser. III, v. 9 (1875): 331-334.

Notice of earthquake disturbances commencing on Feb. 10, 1874, at Bald and Stone mountains in McDowell county.

1574. Rodgers, C. R. P.

Re-survey of Beaufort, North Carolina.

(In U. S. Coast Survey, Rept. 1857. Appendix 16. Wash., 1858. pp. 152-153.)

1575. ROGERS, HENRY DIARWIN.

Fossils of the mesozoic belts of Virginia and North Carolina.

(In his Geology of Penn. v. 2, pt. 2. Phila., Lippincott, 1858. 32 cm. pp. 695-697; 761; 764; 768-769; 772; 774.)

Describes mesozoic fossil plants found by E. Emmons In the rocks of the Deep and Dan River districts; the Jurassic coal-formation extending from the Tar river irregularly to the Wateree river with its characteristic fossils; the eocene outcrops in vicinity of Cape Fear river; the pliocene and pleistocene beds of the Coastal district and the recent tertiary beds on the Neuse river with their creamic remains. organic remains.

1576. — Geology of North Carolina.

(In Report on the geology of North America. Pt. 1. Brit. Assoc. Adv. Sci., Rept. 1834. pp. 1-66.)

Notes on tertiary formation, pp. 40; 43. Describes the deposits and fossils and mentions the ferruginous sand occurring at Ashwood on the Cape Fear river.

1577. — On the geology and physical geography of North America. Min. Mag., Ser. I, v. 8 (1857): 417-424; v. 9 (1857): 45-51; 514-522.

> Abstract: Roy. Inst. Great Britain, Proc., v. 2 (1858): 167-187. Treats in a general way of the physical features of the Appalachians in North Carolina, the Blue Ridge and Smoky mountains. Geologic notes on the Coastal Plain.

1578. ROGERS, WILLIAM, BIARTON,

Age of Deep River coal.

Am. Acad. Arts & Sci., Proc., v. 3 (1852): 69.

Considers age of coal is the same as that of eastern Virginia, as the lithological and topographical characters are the same, with similar fossils.

1579. —— Description of new red sandstone strata of North Carolina.

Am. Jour. Sci., Ser. I, v. 43 (1842): 171-172. Assoc. Amer. Geol., Repts. of 1st, 2d, & 3d meet. (1843): 64-

66. Remarks corroborating views of H. D. Rogers in regard to new red sandstone strata.

1580. —— Meteoric stone from Ashe county, North Carolina.

Assoc. Am. Geol., Repts. of 1st, 2d, & 3d meet. (1843): 63. - Am. Jour. Sci., Ser. I, v. 43 (1842): 169.

Notes on a fragment of a meteoric stone.

1581. — Note on age of coal-bearing rocks near Richmond, Va., and red sandstone of North Carolina.

Bost. Soc. Nat. Hist., Proc., v. 5 (1856): 186.

1582. — _tPosidonomya in the mesozoic of . . . Virginia and North Carolina.₁

Bost. Soc. Nat. Hist., Proc., v. 5 (1856): 201-202.

1583. — The relations of the "New Red Sandstone" of the Connecticut valley and the coal-bearing rocks of eastern Virginia and North Carolina.

Bost. Soc. Nat. Hist., Proc., v. 5 (1854): 14-18.

——— Min. Mag., Ser. I, v. 5 (1855): 128-132.

Review: Am. Jour. Sci., Ser. II, v. 19 (1855): 123-125.

Discusses fossils from the coal-bearing rocks of North Carolina.

1584. Rolker, Charles M.

The production of tin in North Carolina.

(In U. S. Geol. Survey, 16th Ann. Rept., pt. 3. (Met. Products.) Wash., 1895. pp. 525-527.)

Describes discovery of tin deposits at King's Mountain, Cleveland county, in 1886 by John H. Furman. Gives geological mode of occurrence and quotes from Furman and Nitze on the deposits.

1585. ROOSEVELT, THEODORE.

Message from the President of the United States, transmitting report of the Secretary of Agriculture in relation to the forests, rivers and mountains of the southern Appalachian region.

U. S. 57th Cong., 1st Sess. Sen. Ex. Doc. No. 84. Wash., 1902, 210 pp. 30 cm. Plates. Maps.

Appendices: (a) Forests and forest conditions in the southern Appalachians, by H. B. Ayres and W. W. Ashe. (b) Topography and geology of the southern Appalachians, by Arthur Keith. (c) Hydrography of the southern Appalachians, by H. A. Pressey and E. W. Myers. (d) Climate of the southern Appalachians, by Alfred J. Henry. (e) The present status of the movement for the proposed forest reserve in the southern Appalachians.

Review by Albert Perry Brigham: Am. Geog. Soc., Bull., v. 35 (1903): 64-66.

Extract: Forestry & Irrigation, v. 8 (1902): 12-14.

Transmits report of Secretary of Agriculture describing the forests, rivers and mountains in western North Carolina, and recommending creation of a national forest reserve in the southern Appalachian region. Appendices will be found summarized under authors.

1586. ROOT, ALBERT S. and HURST, LEWIS A.

Soil survey of Duplin county, North Carolina.

(In U. S. Dept. Agric., Field operations, Bureau of soils, 7th Rept., 1905. Wash., 1907. pp. 289-307. Map.)

Describes topography and geology of Duplin county, with notes on climate and drainage. Describes the solls in detail and gives mechanical analyses.

1587. Ropes, Leverett S.

Corundum mining in North Carolina.

Mineral Industry, v. 7 (1899): 18-20; v. 8 (1900): 12-15.

Notes on production of corundum in Macon and Clay counties.

1588. Rose, Gustav.

Beschreibung und Eintheilung der Meteoriten. . . Berlin, 1864. 161 pp. 30 cm.

Contains notes on following North Carolina meteorites: Black Mountain; Buncombe county; Asheville; Guilford county; Madison county; Cabarrus county.

Ross, W. H.

The relation between the radio-activity and the composition of thorium compounds.

See McCoy and Ross, No. 1138.

1589. ROTHE, CHARLES EDWARD.

Geognostische und mineralogische Bemerkungen über den Nord-Amerikanischen Freistaat Nord-Karolina, nach briefen des Herrn Karl Edward Rothe, dargestellt von Herrn Professor Breithaupt.

Leonhard's Zts. f. Min., 1827, Bd. 2, pp. 349-362.

Abstract by A. Boué: Bull. des Sci. Nat. et de Géol., v. 16 (1829): 385.

Describes occurrence of gold in three formations, A translation of a report made to the General Assembly of North Carolina in 1826.

1590. — Remarks on the gold mines of North Carolina.

Am. Jour. Sci., Ser. I, v. 13 (1828): 201-217.

——— (In Rept. on the geology of North Carolina, conducted under the Board of Agriculture, pt. 3, 1827. 23 cm. pp. 29-43.)

Abstract by G. D_[elafosse_]: Bull. des Sci. et de Géol., v. 16 (1829): 409.

Describes geological structure of the gold region, veir formations, gold ores and methods of mining.

1591. RUFFIN, EDMUND.

Agricultural features of Virginia and North Carolina.

DeBow's Review, v. 22 (1857): 462-479; v. 23 (1857): 1-20.

Discusses topographic, geologic and agricultural features and advantages of eastern North Carolina, which includes the Dismal Swamp district, the coast lands and basins of the Roanoke and Chowan rivers. Describes the soils and methods of drainage and cultivation.

1592. — Agricultural, geological and descriptive sketches of lower North Carolina and the similar adjacent lands. Raleigh, 1861. 296 pp. 24 cm.

Describes geological features of the swamps and lowlands of eastern North Carolina, the sand reefs and inlets, the Albemarle and Chesapeake canal. 1593. — Supplementary report of the agricultural survey for 1843. Secondary and miocene marls. . .

South. Agric. & Register of Rural Affairs, Ser. II, v. 4 (1844): 122-127.

Contains brief notice of exposure of rich marl occurring at Mar's Bluff on the Cape Fear (northeast) river, containing perfect specimens of Scutella Ipelli, and two exposures of secondary marl near South Washington.

1594. RUFFNER, E_[RNEST] H.

Improvement of Waccamaw river, North Carolina and South Carolina.

(In Chief of Eng. Rept., 1898, pt. 2. Appendix N 1, pp. 1265-1267.)

1595. Russell, I_[SRAEL] C_[OOK].

Correlation papers—the Newark system.

U. S. Geol. Survey, Bull. 85. Wash., 1892. 344 pp. 23 cm. Plates.

Discusses geological occurrence and structure of Newark areas in North Carolina. Reviews evidence of geological age as shown by fossils discovered by Emmons and others. Includes list of literature on the Newark system.

1596. — The Newark system.

Am. Geol., v. 3 (1889): 178-182.

Reviews names and correlation and gives reasons for adopting Redfield's term Newark to designate the rocks now so known. Includes the formation in North Carolina.

1597. — On the physical history of the triassic formation in New Jersey and the Connecticut valley.

N. Y. Acad. Sci., Annals, v. 1 (1879): 220-254.

Reviews by J. D. Dana: Am. Jour. Sci., Ser. III, v. 17 (1879): 328-330; by P. Frazer: Am. Nat., v. 13 (1879): 284-292.

Contains general notes on the triassic coal fields of Deep and Dan rivers, with general discussion of the triassic areas of the Atlantic border.

1598. —— Subaerial decay of rocks.

U. S. Geol. Survey, Bull. 52. Wash., 1889. 61 pp. 23 cm. Contains many observations on rock decay as occurring in North Carolina near Jonesboro, and west of Raleigh. Analyses by R. B. Riggs of a residual clay from near Cary, and by T. M. Chatard of decomposed trap from near Wadesboro.

1599. Rutherford, E_[rnest] and Boltwood, B_[ertram] B.


The relative proportion of radium and uranium in radioactive minerals.

Am. Jour. Sci., Ser. IV, v. 20 (1905): 55-56; v. 22 (1906): 1-3.

Abstract: Chem. News, v. 92 (1905): 38-39.

Abstract by F. Rinne: Neues Jahr. f. Min., 1907, Bd. 1. Min. p. 8.

Describes experiments on a sample of uraninite from Spruce Pine.



1604. SCHÖPF, JOHANN DAVID.

Beiträge zur mineralogischen Kenntniss des östlichen Theils von Nordamerika und seinen Gebürge. Erlangen, Jacob Palm, 1787. 194 pp. 21 cm.

Analysis of this rock.

122.)

General description of the eastern section of North America, describing the topographical features in more or less detail; the flats, alluvial soil and mountains. Peculiarities in soil, rivers and occurrence of minerals briefly outlined. Throughout are scattered references to North Carolina.

1605. SCHOONMAKER, H.

Statement of the condition and prospects of the Zinc and Silver Hill mine in Davidson county, North Carolina. . . New York, Baker, Goodwin & Co., 1854. 24 pp. 22½ cm.

Describes this property located at Silver Hill, Davidson county, its veins and workings at different levels.

1606. SCHOTT, CHARLES ANTHONY.

Distribution of the magnetic declination in North Carolina. reduced to the epoch, Jan. 1, 1885.

(In U. S. Coast & Geod. Survey, Rept. 1882. Wash., 1883. p. 309.)

1607. — New discussion of the distribution of the magnetic declination on the coast of Virginia, North Carolina, South Carolina and Georgia, with a chart of the isogonic curves for 1860.

(In U. S. Coast Survey, Rept. 1861. Wash., 1862. Appendix No. 24, pp. 256-259.)

Contains tables of magnetic declinations and geographical positions at Bodie's island, Raleigh and Wilmington.

1608. — Table of observed magnetic declinations and values in North Carolina, reduced to the year 1890.

(In U. S. Coast & Geod. Survey, Rept. 1889. Wash., 1890. pp. 328-329.)

Table of observed magnetic dips and horizontal and total magnetic intensities tin North Carolina up to epoch, Jan. 1, 1885.

(In U. S. Coast & Geod. Survey, Rept. 1885. Wash., 1886. pp. 202-203.)

1610. SCHWEINITZ, EMILE A_[LEXANDER] DE.

Meteorite from Forsyth county, North Carolina.

Am. Jour. Sci., Ser. IV, v. 1 (1896): 208.

Abstract by L_[eonard] J. S_[pencer]: Chem. Soc. (London) Jour., v. 70, pt. 2 (1896): 375.

Abstract by A. Osann: Zts. f. Kryst. u. Min., v. 30 (1898): 391.

Abstract by G. Linck: Neues Jahr. f. Min., 1899, Bd. 1. Min. p. 233.

Description and analysis of this metcorite.

1611. Scott, A. E.

A visit to Mitchell and Roan mountains.

Appalachia, v. 3 (1884): 12-20.

Popular account of the ascent of these mountains.

1612. SCOTUS AMERICANUS.

Information concerning the province of North Carolina, addressed to emigrants from the Highlands and western isles

of Scotland by an impartial hand. . . Glasgow. Printed for James Knox, 1773. 32 pp. 21 cm.

Contains short sketch of the climate, physiographic features, soil and produce of the province.

1613. SEAMAN, W. H.

Analysis of a columbate from the Wiseman mica mine, Mitchell county, North Carolina.

Chem. News, v. 46 (1882): 205-206.

--- Am. Nat., v. 17 (1883): 313.

Description and analysis of this mineral.

1614. — Analysis of mineral allied to orthite, from the Wiseman mica mine, Mitchell county North Carolina.

Chem. News, v. 46 (1882): 215.

—— Am. Nat., v. 17 (1883): 314.

Abstract by E. W. P_[revost]: Chem. Soc. (London) Jour., v. 44 (1883): 164.

Description and analysis of this mineral.

1615. — Fergusonite from Brindletown, Burke county, North Carolina.

Chem. News, v. 46 (1882): 205.

—— Am. Nat., v. 17 (1883): 313.

Abstract by E. W. P_[revost]: Chem. Soc. (London) Jour., v. 44 (1883): 32.

Description of this mineral.

1616. SEMMONS, WILLIAM.

Notes on some of the metalliferous deposits of the United States.

Liverpool Geol. Assoc., Trans., v. 5 (1885): 58-73.

Contains notes on occurrence of emerald and hiddenite in North Carollna.

1617. SERGEANT, J. D.

The titaniferous iron mines of North Carolina.

Eng. & Min. Jour., v. 11 (1871): 130.

Describes iron deposits in Rockingham, Guilford, Forsyth and Davidson counties, and gives ore analyses by Genth and Fesquit.

1618. SHALER, N[ATHANIEL] S[OUTHGATE].

Geology of the Dismal Swamp district of Virginia and North Carolina.

(In General account of the fresh water morasses. U. S. Geol. Survey, 10th Ann. Rept. Wash., 1890. pp. 313-339.)

Abstracts: U. S. Geol. Survey, 10th Ann. Rept., 1890. pp. 14-15; Am. Geol., v. 9 (1892): 206-207.

Abstract by George C. Hurlburt: Am. Geog. Soc., Bull., v. 25 (1893): 441-444.

Abstract: Goldthwaite's Geog. Mag., v. 2 (1891): 795-797.

Describes the Dismal Swamp district, its topography, character of vegetation, animal life, general economic value, and discusses methods of drainage and cultivation.

1619. — Notes on the submarine coast shelf of hundred fathom detrital fringe.

Bost. Soc. Nat. Hist., Proc., v. 20 (1879): 278-282.

Notes this coast shelf existing off Cape Hatteras and discusses its origin and uses.

1620. — On the causes which have led to the production of Cape Hatteras.

Bost. Soc. Nat. Hist., Proc., v. 14 (1871): 110-123.

Abstract: Am. Nat., v. 5 (1871): 178-181.

Discusses formation of Cape Hatteras.

1621. — The swamps of the United States.

Science, v. 7 (1886): 232-233.

Discusses area extending from James river to the south of Albemarle sound.

SHATTUCK, G_[EORGE] B_[URBANK].

The miocene deposits of Maryland.

See Clark, Shattuck and Dall, No. 280.

1622. SHAW, CHARLES B.

Report of Charles B. Shaw, Engineer to the Literary Board, on the drainage of the swamp lands of North Carolina. Raleigh, 1838. 28 pp. 18½ cm.

Contains account of surveys and examinations on the line of the Ysocking canal, lake Mattamuskeet, between Pungo river and Pungo lake, from the head of Alligator river to Alligator lake, and other portions of the swamp lands, with reference to their advantages in regard to drainage.

1623. — Second report of C. B. Shaw, Engineer to the Literary Board. _LRaleigh, 1838?₁ 10 pp. 23 cm.

Describes progress made in draining the swamp lands.

1624. SHEPARD, C[HARLES] U[PHAM].

Account of several new mineral species.

Am. Assoc. Adv. Sci., Proc., 4th meet. (1850): 311-319.

Abstract: Jahresber. d. Chem., 1851, pp. 802; 811.

Abstract: Am. Jour. Sci., Ser. II, v. 12 (1851): 209; 211-212.

Abstract: Kenngott, G. A. Uebersicht der Resultate mineralogischer Forschungen in den Jahren 1850 und 1851. Wien, 1853. pp. 74; 123.

Describes rutherfordite occurring in Rutherford county and corundophillite found near Asheville, Buncombe county.

1625. — Catalogue of the meteoric collection of Charles Upham Shepard, deposited in the cabinet of Amherst College, Mass.

Am. Jour. Sci., Ser. II, v. 31 (1861): 456-459.
Names one stone from Cabarrus county and five irons from Guilford, Buncombe, Haywood and Madison counties.

1626. — Diamond in North Carolina.

(In Am. Jour. Sci., Ser. II, v. 2 (1846): 253-254.)

Abstract: Ann. d. Phy. u. Chem., v. 146 (1847): 544.

Abstract: Jahresber. d. Chem., 1848, p. 1152.

Describes a diamond found in the gold washings of Mr. Twitty's mine in Rutherford county.

1627. —— Examination of a supposed meteoric iron found near Rutherfordton, North Carolina. Am. Jour. Sci., Ser. II, v. 28 (1859): 259-270. Abstract: Jahresber. d. Chem., 1859, p. 857. Abstract: K. preuss. Akad. d. Wiss., Monatsber., 1861, p. 900. Jour. f. prakt. Chem., v. 85 (1862): 88. Abstract: Description and analysis of this meteorite. 1628. — Five new mineral species. Am. Jour. Sci., Ser. II, v. 22 (1856): 96-99. Abstract: Jahresber. d. Chem., 1856, pp. 868-869. Describes xanthitane found at Green river, Henderson county, and pyromelane from McDowell county. 1629. — Gold from North Carolina. Am. Jour. Sci., Ser. I, v. 47 (1844): 98. Notice of specimens of native gold from mine near Lincolnton, Lincoln county. 1630. — Measurements of crystals of zircon from Buncombe county, North Carolina. Am. Jour. Sci., Ser. I, v. 13 (1828): 392-393. Abstract: Bull. des Sci. Nat. et de Géol., v. 18 (1829): 45. Describes zircon crystals. (See Porter, T. D., No. 1456.) 1631. — Meteoric iron from Guilford county, North Carolina. (In Am. Jour. Sci., Ser. I. v. 40 (1841): 369-370.) Abstract: Neues Jahr. f. Min., 1841, p. 699. Abstract: (In Partsch, Paul. Die Meteoriten . . . in K. K. Hof-Mineralien-Kabinette zu Wein, 1843. pp. 114-115.) Notice by G. von Bioguslawskii: Ann. d. Phy. u. Chem. Ergänzungsbd. IV (1854): 403. Abstract: L'Institut, v. 9 (1841): 452. Description and analysis of a meteoric iron collected by Denison Olmsted from Guilford county. (See No. 1639.) 1632. — Meteoric iron from Haywood county, North Carolina. (In Am. Jour. Sci., Ser. II, v. 17 (1854): 327-330.) (In Jour. f. prakt. Chem., v. 62 (1854): 346.) Abstract: Jahresber. d. Chem., 1854, p. 915. Description of a small specimen of meteoric iron from Haywood county.

1633. — [Meteoric stone of Cabarrus county, North Carolina.]

(In Account of three new American meteorites. Am. Assoc.

Adv. Sci., Proc., 3d meet. (1850): 149-152.)

Abstract: Am. Jour. Sci., Ser. II, v. 10 (1850): 127-128.

Abstract: Annual Scient. Discovery, 1851, p. 287.

Abstract by G. von B_[oguslawski]: Ann. d. Phy. u. Chem., Ergänzungsbd. IV (1854): 381-382.

Abstract: Gött. gelehrte Anzeigen, v. 1 (1852): 321-324.

Description and analysis of this meteorite. (See Gibbon, No. 656.)

1634. — Mineralogical notices.

Am. Jour. Sci., Ser. III, v. 20 (1880): 54-57.

Abstract by C. A. Tenne: Neues Jahr. f. Min., 1882, Bd. 2. Ref. pp. 358-360.

Describes fergusonite from Mitchell county occurring with samarskite.

1635. — Native platinum in North Carolina.

(In Am. Jour. Sci., Ser. II, v. 4 (1847): 280-281.)

Notice: Neues Jahr. f. Min., 1849, pp. 95; 304.

Describes a small reniform grain of native platinum found in Rutherford county.

1636. — New classification of meteorites, with an enumeration of meteoric species.

Am. Jour. Sci., Ser. II, v. 43 (1867): 22-28.

Abstract: Neues Jahr. f. Min., 1867, pp. 719-724.

Names five varieties from Cabarrus, Buncombe, Guilford, Rutherford and Haywood counties.

1637. — North Carolina copper mines.

Min. Mag., Ser. I, v. 1 (1853): 74.

Notes on indications of copper ore in Mecklenburg, Union, Cabarrus and Rowan counties. Notes discovery of a diamond at Pioneer Mills.

1638. — Notices of American Minerals.

Am. Jour. Sci., Ser. II, v. 8 (1849): 274-275.

Notice: Edin. Phil. Jour., v. 48 (1849): 184.

Abstract: Jahresber. d. Chem., 1849, p. 729.

Describes following minerals from North Carolina: pyrophillite and lazulite from Crowder's mountain; brookite and monazite from the gold washings of Rutherford county.

1639. — On crystallized native terrestrial iron from North Carolina.

Am. Jour. Sci., Ser. I, v. 17 (1830): 140-142.

Abstract: Bull. des Sci. Nat. et de Géol., v. 24 (1831): 295.

Description of two specimens of native iron from Randolph and Guilford counties, collected by Denison Olmsted The larger specimen is described by Olmsted. (See No. 1387)

1640. — On itacolumite in North Carolina.

Assoc. Am. Geol., Proc., 6th meet. (1845): 41.

Describes italcolumite from Linnville mountain, Burke county.

1641. — On meteoric iron from Asheville, Buncombe county, North Carolina.

Am. Jour. Sci., Ser. I, v. 36 (1839): 81-84.

Abstract: (In Partsch, Paul, Die Meteoriten . . . in K. K. Hof-Mineralien-Kabinette zu Wien, 1843. p. 116.)

Notice by G. von B_loguslawski_l: Ann. d. Phy. u. Chem., Ergänzungsbd. IV (1854): 403-404.

Description and analysis of a specimen of supposed native iron from this locality.

1642. — On mineral resources of North Carolina.

(In Lanman, Charles. Letters from the Alleghany Mountains. New York, Putnam, 1849. 20 cm. pp. 190-192.)

Letter to Thomas L. Clingman on mineral resources of western North Carolina.

1643. — On the corundum region of North Carolina and Georgia, with description of two gigantic crystals of that species.

Am. Jour. Sci., Ser. III, v. 4 (1872): 109-114; 175-180.

Review: Sci. Amer., v. 27 (1872): 120.

Abstract: Revue de Géol., v. 11 (1875): 211.

Abstract: Jahresber. d. Chem., 1872, pp. 1098-1099; 1161.

Describes corundum localities in Jackson, Macon and Clay counties, geological formations, mode of occurrence, associated minerals and rocks. Gives analysis of chrysolitic rock which carries the corundum, and crystallographic description of a specimen of corundum from the Culsagee mine in Macon county.

1644. — Report on gold and copper mines at Gold Hill, Rowan county, North Carolina. Charleston, S. C., 1853. 18 pp. 21½ cm.

Description and history of this mining property consisting of Holmes, Martin & Peters, Barnhardt and Honeycutt

1645. — Report on meteorites.

Am. Jour. Sci., Ser. II, v. 2 (1846): 377-392; v. 4 (1847): 74-87.

—— New Haven, B. L. Hamlen, 1848. 55 pp. 23 cm.

Abstract: L'Institut, v. 15 (1847): 379-383.

Abstract: Jahresber. d. Chem., 1848, pp. 1309-1311.

Abstract by G. von B_[0]guslawski]: Ann. d. Phy. u. Chem., Ergänzungsbd. IV (1854): 405-406; 407-408.

Review & Abstract: Gött. gelehrte Anzeigen, v. 1 (1852): 313-320.

Contains descriptions and analyses of meteorites from Baird's plantation, Hominy creek, and Black mountain, Buncombe county.

1646. — Report on the Sumner, Hipp, Fulwood and Lemons mines of North Carolina.

Min. Mag., Ser. I, v. 1 (1853): 591-597.

Description of these mines located in Mecklenburg county.

1647. — Samarskite (Uranotantalite) in Rutherford county, North Carolina.

(In On new localities of American minerals. Am. Assoc. Adv. Sci., Proc., 4th meet. (1850): 321.)

Abstract: Am. Jour. Sci., Ser. II, v. 12 (1851): 220.

Describes samarskite from the gold washings of one or more mines in Rutherford county.

1648. — Valuable southern minerals.

Rural Carolinian, v. 3 (1872): 360-362.

Brief notes on discovery of corundum in Macon county.

1649. — [Xenotime in the gold region of North Carolina.]

Am. Jour. Sci., Ser. II, v. 13 (1852): 143.

Notes on xenotime crystals from McDowell county.

1650. Shinn, J[AMES] F[RANKLIN].

Discovery of gold in North Carolina.

Trinity Archive, v. 6 (1893): 335-337.

Description of discovery of gold on the Reed property in Cabarrus county in 1799.

1651. SILLIMAN, BENJAMIN.

Plumbago from North Carolina.

Am. Jour. Sci., Ser. I, v. 4 (1822): 53.

— Edin. Phil. Jour., v. 7 (1822): 394.

Notes on plumbago (graphite) said to occur a few miles north of Raleigh.

1652. SILLIMAN, BENJAMIN, JR.

Clingmanite from North Carolina.

(In Descriptions and analyses of several American minerals.

Am. Jour. Sci., Ser. II, v. 8 (1849): 377-394.)

— (In Phil. Mag., Ser. III, v. 35 (1849): 455-456.)

Abstract: Jour. f. prakt. Chem., v. 49 (1850): 200-201.

Abstract: Annuaire de Chimie, 1851, p. 181.

Abstract: Am. Jour. Sci., Ser. II, v. 10 (1850): 117.

Abstract: Uebersicht der Resultate mineralogischer Forschun-

gen in den Jahren 1844 bis 1849. Wien, 1852. p. 100.)

Describes and gives analysis of a mineral similar to euphyllite investing the blue corundum of North Carolina for which the author proposes name "clingmanite."

1653. The Silver Hill mine, North Carolina.

Min. Mag., Ser. II, v. 1 (1860): 368-371.

Description of this property at Silver Hill, Davidson county.

1654. Silver mine in North Carolina.

Min. Mag., Ser. I, v. 2 (1854): 83.

Reports discovery of silver mine in Stanly county.

1655. SIMONDS, FIREDERICK, WILLIAM.

Commercial mica in North Carolina.

Science, n. s., v. 4 (1896): 359-361.

Account of mica mining in North Carolina, history of the discovery of mica in the locality, with a letter from Thomas L. Clingman relative to his investigations.

1656. — The discovery of iron implements in an ancient mine in North Carolina.

Am. Nat., v. 15 (1881): 7-11.

Abstract: Pop. Sci. Month., v. 18 (1881): 568.

Notes indications of pre-historic mining in western North Carolina, and implements found in a mine in Macon county.

1657. — On the discovery and occurrence of mica in North Carolina: read before the Texas Academy of Science, April 2, 1892. Not published.

Abstract: Texas Acad. Sci., Proc., v. 1, No. 5 (1897): 114.

1658. SIMPSON, J_AMES_1 H_ERVEY_1.

Examination of Nag's Head, North Carolina, with a view to the re-opening of Roanoke inlet.

(In Chief of Eng. Rept., 1871. Appendix Q 14, pp. 655-662.)

Résumé of examinations and surveys previously made at this locality, from the first made by Hamilton Fulton in 1820, including that of Hartman Bache in 1829, of Walter Guynn in 1840, of Lieutenant Woodbury in 1853, of Col. Trumbull in 1857.

1659. — Examination of the mouth of the Cape Fear river in North Carolina.

(In Chief of Eng. Rept., 1870. Appendix R, pp. 421-422.)

1660. Sketch of Denison Olmsted.

Pop. Sci. Month., v. 46 (1895): 401-408.

1661. Sketch of Ebenezer Emmons.

Pop. Sci. Month., v. 48 (1896): 406-411.

Brief account of Emmons' life and work, and of his connection with the North Carolina geological survey.

1662. Sketch of Elisha Mitchell.

Pop. Sci. Month., v. 38 (1891): 398-406.

Brief account of Elisha Mitchell's life and work at Chapel

1663. Sketches of Charlotte. The queen city of the Old North State and Mecklenburg, the banner county. Charlotte, Hirst-Printing Co., 1888. 46 pp. 22 cm.

Contains notes on the topography, climate and gold mines.

1664. Sketches of Rockingham county, North Carolina. Topography, geography, climate, soil, resources, agricultural and mineral. Leaksville, "Gazette" Job Print, 1884. 31 pp. 21 cm.

1665. SMALL, JOHN H.

North Carolina. Resources, progress and possibilities.

Congressional Record, 57th Cong., 1st Sess., 1902. 8 pp. $29 \ cm$.

Speech in the House of Representatives, June 28, 1902, describing the resources of North Carolina.

1666. SMITH, CIORNARO, DIRAYTON,

Ancient mica mines in North Carolina.

Smithsonian Inst., Board of Regents, Ann. Rept., 1876, pp. 441-443.

Account of ancient mica mining in Mitchell and Macon counties, supposed to have been carried on by the Indians. Author describes the aucient works discovered on his own farm in Franklin, Macon county.

1667. —— Corundum and its associated rocks.

(Appendix D to Kerr, W. C. Rept. Geol. Survey of North Carolina. Raleigh, Josiah Turner, 1875. 24 cm. pp. 91-97.)

Notice: Revue de Géol., v. 13 (1877): 54.

Detailed account of corundum of western North Carolina, its occurrence in the granitic gnelsses of the Blue Ridge, its veins and associated minerals.

1668. — Essay on the geology of western North Carolina.

(Appendix D to Kerr, W. C. Rept. Geol. Survey of North Carolina. Raleigh, 1875. 24 cm. pp. 98-120.)

Detailed descriptions of the rock formations and mineral resources. Describes outcrops of corundum, the Jenks corundum mine in Macon county and the mica mines in Mitchell county, with notes on gold and iron deposits.

1669. — Report on the Jarrett property in Swain and Macon counties.

North Carolina. Atlanta, Ga., 1887? Spp. 23 cm.

Detailed account of the geology of this region, mineral deposits and water-powers.

1670. SMITH, EDWARD D.

An account of the warm springs in Buncombe county, State of North Carolina.

Am. Jour. Sci., Ser. 1, v. 3 (1821): 117-125.

Description of these springs and analysis of the water.

1671. SMITH, FRANKLIN L.

Notices of some facts connected with the gold of a portion of North Carolina.

Am. Jour. Sci., Ser. I, v. 32 (1837): 130-133.

Describes the different modes of occurrence of gold in the region around Charlotte.

1672. SMITH, J[OHN] L[AWRENCE].

Description of columbic acid minerals from new localities in the United States, embracing a reclamation for the restoration of the name columbian to the element now called niobium. Description and analyses of columbite, samarskite, euxenite and fergusonite, and the new species hatchettolite and rogersite.

Am. Jour. Sci., Ser. III, v. 13 (1877): 359-369.

- Annal de Chimie, Ser. V, v. 12 (1877): 253-264.

Abstract by J. H. Collins: Min. Mag. & Jour. Min. Soc., v. 1 (1877): 189-191.

Abstract by C. W. W[atts]: Chem. Soc. (London) Jour., v. 32 (1877): 714-715.

Abstract: Chem. News, v. 36 (1877): 152.

Abstract: Jahresber. d. Chem., 1877, pp. 288; 1342-1346.

Abstract by E. S. Dana: Zts. f. Kryst. u. Min., v. 1 (1877): 499-502.

Description and analyses of columbite, samarskite, euxenite, fergusonite, hatchettolite and rogersite from Mitchell county. Includes analyses of samarskite by E. II. Swallow and O. D. Allen.

1673. — Description of the Nash county meteorite which fell in May, 1874.

Am. Jour. Sci., Ser. III, v. 10 (1875): 147-148.

Acad. des Sci., Comp. Rend., v. 80 (1875): 1453-1454.

Abstract by R. R_[outledge]: Chem. Soc. (London) Jour., v. 28 (1875): 1167. By G. T. A_[tkinson]: v. 29 (1876): 692.


Abstract: Jahresber. d. Chem., 1875, p. 1314.

Description and analysis of this meteorite which fell near Castalia.

1674. — The earths of the cerium groups as found in the North Carolina samarskite.

Am. Jour. Sci., Ser. III, v. 14 (1877): 509.

1675.	— Hiddenite, an emerald-green variety of spodumene.
	Am. Jour. Sci., Ser. III, v. 21 (1881): 128-130.
	—— (In his Original researches in mineralogy and chemistry.
	Louisville, Ky., John P. Morton & Co., 1884. 23 cm.
	pp. 342-344.)
	Abstract by C. A. Tenne: Neues Jahr. f. Min., 1882, Bd. 2.
	Ref. pp. 345-346.
	Abstract by B. H. B _[rough] : Chem. Soc. (London) Jour., v. 44 (1883): 440.
	Abstract: Jahresber. d. Chem., 1881, p. 1392.
	Extract: Soc. Min. de France, Bull., v. 4 (1881): 184-186.
	Detailed description and analysis of a new variety of spodumene called hiddenite from Alexander county.
1080	spodumene called hiddenite from Alexander county.
1676.	— and Brush, G _[EORGE] J _[ARVIS] .
	[Lazulite and kyanite from North Carolina.]
	(In their Re-examination of American minerals, pt. 3.
	Am. Jour. Sci., Ser. II, v. 16 (1853): 370-371.)
	(In Jour. f. prakt. Chem., v. 61 (1854): 177.)
	——— (In Smith, J. L. Mineralogy and chemistry, Original re-
	searches. Louisville, Ky., John P. Morton & Co., 1873. pp. 137-138.)
	——————————————————————————————————————
	chemistry. Louisville, Ky., John P. Morton & Co., 1884.
	pp. 164-165.)
	Abstract: Neues Jahr. f. Min., 1855, pp. 348-349.
	Abstract: Jahresber. d. Chem., 1853, p. 840.
	Analyses of lazulite and kyanite from North Carolina.
1677.	
	Madison county (N. C.) meteorite.
	Am. Jour. Sci., Ser. II, v. 30 (1860): 240.
	——— (In his Mineralogy and chemistry. Original researches.
	Louisville, Ky., John P. Morton & Co., 1873. 23 cm.
	p. 315.)
	Louisville, Ky., John P. Morton & Co., 1884. 23 cm.
	pp. 409-410.)
	(In Jour. f. prakt. Chem., v. 84 (1861): 60.)
	Abstract: Neues Jahr. f. Min., 1862, p. 197.
	Abstract: Jahresber. d. Chem., 1860, p. 853.
	Notice & analysis by Tschermak: K. Akad. d. Wiss. Denks.
	MathNaturwiss. Klasse, Bd. 31, 1872. p. 195.
	Description and analysis of meteorite from Duel Hill, Madison county.
1678.	— Methods of analyzing samarskite.
	Am. Chem. Jour., v. 5 (1883): 44-51; 73-81.
	—— Chem. News, v. 48 (1883): 13-15; 29-31; v. 51 (1885): 289-
	291; 304-307.
	——— (In his Original researches in mineralogy and chemistry.
	Louisville, Ky., John P. Morton & Co., 1884. 23 cm.



—— (In Revista Minera, v. 25 (1873): 25-32.) Abstract: Eng. & Min. Jour., v. 16 (1873): 211.

Abstract: Chem. News, v. 28 (1873): 107; 124.

(1873): 1204-1205.

1684. — On the earthy oxides of samarskite.

Abstract by B. J. G_[rosjean]: Chem. Soc. (London) Jour., v. 26

Description of the corundum locality of North Carolina from Mitchell to Macon counties, the geological occurrence of the mineral, with the different varieties.

Abstract: Jahresber. d. Chem., 1873, pp. 1160; 1174; 1179.

Acad. Nat. Sci. Phila., Proc., [v. 29] (1877): 194.

Calls attention to the anomalous properties of the earthy oxides of samarskite. 1685. — Rockingham county meteoric iron. Am. Jour. Sci., Ser. III, v. 13 (1877): 211-214. (In his Original researches in mineralogy and chemistry. Louisville, Ky., John P. Morton & Co., 1884. pp. 526-527.) Jahresber. d. Chem., 1877, p. 1396. Description and analysis of meteoric iron found at Smith's mountain, Rockingham county. 1686. — Samarskite of North Carolina. Am. Jour. Sci., Ser. III, v. 14 (1877): 71. Author states that he "has succeeded in detecting and separating thoria from the North Carolina samarskite." 1687. —— A short account of the nature of the oxide of the new element mosandrum. Am. Assoc. Adv. Sci., Proc., 27th meet. (1878): 143-147. Account of the discovery of the new earth mosandrum in the samarskite of North Carolina. 1688. —— Sur deux nouveaux niobates. Acad. des Sci., Comp. Rend., v. 84 (1877): 1036-1038. Abstract by J. Millar, Thomson: Chem. Soc. (London) Jour., v. 32 (1877): 576-577. Abstract: Neues Jahr. f. Min., 1877, p. 728. Describes two new columbic minerals found in association with the samarskite and euxenite of North Carolina, to which the author has given the names hatchettolite and rogersite. 1689. — Two new minerals. Acad. Nat. Sci. Phila., Proc., [v. 28] (1876): 87. Describes specimens of a mammillary coating found on the columbic acid minerals from North Carolina, 1690. SMITH, WILLIAM G. Soil survey from Raleigh to Newbern, North Carolina. (In U. S. Dept. Agric., Field Operations, Bureau of soils, 2d Rept. Wash. 1901. pp. 187-205.) Describes topography, climate, and sixteen varieties of soils, and gives mechanical analyses of these. 1691. — and Coffey, George N. Soil survey of the Craven area, North Carolina. (In U. S. Dept. Agric., Field Operations, Bureau of Soils, 5th Rept. Wash., 1903. pp. 253-278. Map.) Describes physiography, geology and climate of the region, and eight types of soils. Analyses of soils.

1692. SMOCK, JOHN CIONOVER1.

Geologico-geographical distribution of the iron ores of the eastern United States.

Am. Inst. Min. Eng., Trans., v. 12 (1884): 130-144.

Eng. & Min. Jour., v. 37 (1884): 217-218; 230-232.
 Locates and describes the iron ores of North Carolina.

1693. — Greensand and calcareous marls in North Carolina,

(In Mineral Industry, v. 3 (1894): 254; 256.)
Brief account of the marl and greensand deposits.

1694. — Ores, minerals and mineral substances of industrial importance, which are at present mined in North Carolina.

(In U. S. Geol. Survey, Min. Res., 1882. pp. 713-718.)

Contains tables of minerals which are at present mined; and of those of industrial importance and known occur rence which are not at present mined.

1695. Smyth, J. F. D.

A tour in the United States of America containing an account of the present situation of that country. . . Dublin, G. Perrin, 1784. 2 vols. 17 cm.

Contains descriptive notes of North Carolina sounds, rivers, soils and climate,

1696. A southern gold mine: King's Mountain, North Carolina.

Eng. & Min. Jour., v. 54 (1892): 34.

Description of the Catawba gold mine, situated two miles from King's Mountain.

1697. The southern mines.

Am. Jour. Mining, v. 4 (1867): 8.

Historical notes on gold mining at the Gold Hill and Rudisil mines.

SPERRY, E. S.

Monazite and oligoclase from North Carolina.

See Penfield and Sperry, No. 1400.

1698. Spilsbury, E. Gybbon.

Notes on the general treatment of southern gold ores and experiments in matting iron sulphides.

Am. Inst. Min. Eng., Trans., v. 15 (1887): 767-775.

Describes mode of occurrence of gold ores in the south, including North Carolina, development methods and operations

1699. [STAGG, JOHN.]

Phœnix Gold Company.

Min. Mag., Ser. I, v. 2 (1854): 660-661.


Account of the development and present condition of the mines belonging to this company, comprising the Sulphur, Orchard and Elwood mines, situated in Cabarrus county.

1700. STANTON, TIMOTHY W.

Cretaceous and tertiary strata near Wilmington, North Carolina.


Am. Geol., v. 8 (1891): 333-334.
Discusses strata and fossils.


1701.	STANTON, WILLIAM S.
	Improvement of Black river, North Carolina.
	(In Chief of Eng. Rept., 1892, pt. 2. Appendix L 17, pp.
	1154-1158.)
	(In Chief of Eng. Rept., 1893, pt. 2. Appendix L 17, pp.
	1407-1411.)
	(In Chief of Eng. Rept., 1894, pt. 2. Appendix L 16, pp.
	1042-1044.)
	(In Chief of Eng. Rept., 1895, pt. 2. Appendix K 13, pp.
	1331-1333.) Reports of progress.
1700	— Improvement of Cape Fear river above Wilmington, North
(102.	Carolina.
	(In Chief of Eng. Rept., 1892, pt. 2. Appendix L 18, pp.
	1158-1164.)
	(In Chief of Eng. Rept., 1893, pt. 2. Appendix L 18, pp.
	1411-1418.)
	(In Chief of Eng. Rept., 1894, pt. 2. Appendix L 17, pp.
	1044-1046.)
	(In Chief of Eng. Rept., 1895, pt. 2. Appendix K 14, pp.
	1333-1335.)
	Reports of progress.
1703.	- Improvement of Cape Fear river, at and below Wilmington,
	North Carolina.
	(In Chief of Eng. Rept., 1892, pt. 2. Appendix L 19, pp.
	1164-1177.)
	(In Chief of Eng. Rept., 1893, pt. 2. Appendix L 19, pp.
	1419-1432.)
	(In Chief of Eng. Rept., 1894, pt. 2. Appendix L 18, pp.
	1047-1056.) ————————————————————————————————————
	1335-1344.)
	Reports of progress.
1704.	— Improvement of Contentnea creek, North Carolina.
	(In Chief of Eng. Rept., 1893, pt. 2. Appendix L 8, pp.
	1385-1387.)
	(In Chief of Eng. Rept., 1894, pt. 2. Appendix L 7, pp.
	1022-1024.)
	(In Chief of Eng. Rept., 1895, pt. 2. Appendix K 4, pp.
	1314-1316.)
	Reports of progress.
1705.	— Improvement of Fishing creek, North Carolina.
	(In Chief of Eng. Rept., 1893, pt. 2. Appendix L 6, pp.
	1377-1380.)
1706.	—— Improvement of harbor at Beaufort, North Carolina.
	(In Chief of Eng. Rept., 1892, pt. 2. Appendix L 12, pp.
	1137-1141.)



—— (In Chief of Eng. Rept, 1894, pt. 2. Appendix L 14, pp.

	1037-1040.)
	 —— (In Chief of Eng. Rept., 1895, pt. 2. Appendix K 11, pp.
	1328-1330.)
	Reports of progress.
1713.	 Improvement of Northeast (Cape Fear) river, North Caro-
	lina.
	 ——— (In Chief of Eng. Rept., 1892, pt. 2. Appendix L 16, pp.
	1152-1154.)
	 ——— (In Chief of Eng. Rept., 1893, pt. 2. Appendix L 16, pp.
	1403-1407.)
	 —— (In Chief of Eng. Rept., 1894, pt. 2. Appendix L 15, pp.
	1040-1042.)
4 m 4 4	Reports of progress.
1714.	 Improvement of Ocracoke inlet, North Carolina.
	(In Chief of Eng. Rept., 1892, pt. 2. Appendix L 5, pp.
	1115-1117.)
	 —— (In Chief of Eng. Rept., 1893, pt. 2. Appendix L 5, pp.
	1359-1376.) —— (In Chief of Eng. Rept., 1894, pt. 2. Appendix L 4, pp.
	996-1018.)
	—— (In Chief of Eng. Rept., 1895, pt. 2. Appendix K 1, pp.
	1306-1311.)
	Reports of progress.
1715.	 Improvement of Pamlico and Tar rivers, including Tar
	river from Tarboro to Little Falls, North Carolina.
	(In Chief of Eng. Rept., 1892, pt. 2. Appendix L 7, pp.
	1118-1123.)
	 - (In Chief of Eng. Rept., 1893, pt. 2. Appendix L 7, pp.
	1380-1385.)
	 —— (In Chief of Eng. Rept., 1894, pt. 2. Appendix L 6, pp
	1019-1022.)
	 —— (In Chief of Eng. Rept., 1895, pt. 2. Appendix K 3, pp.
	1312-1314.)
1716	Reports of progress. Improvement of Pasquotank river, North Carolina.
1110.	(In Chief of Eng. Rept., 1893, pt. 2. Appendix L 3, pp.
	1354-1357.)
1717	Improvement of Roanoke river, North Carolina.
1111.	(In Chief of Eng. Rept., 1892, pt. 2. Appendix L 2, pp.
	1103-1111.)
	 —— (In Chief of Eng. Rept., 1893, pt. 2. Appendix L 2, pp.
	1351-1354.)
	 —— (In Chief of Eng. Rept., 1894, pt. 2. Appendix L 1, pp.
	989-994.)
	Reports of progress.
1718.	 Improvement of Trent river, North Carolina.
	(In Chief of Eng. Rept., 1892, pt. 2. Appendix L 9, pp.
	1125-1128.)





1734. Stephenson, J. Adlai D.

Notes on the phenomena accompanying the tornado and hail storm which passed across Catawba and Iredell counties, North Carolina, March 25, 1884.

Elis. Mit. Sci. Soc., Jour., v. 1 (1884): 40-43.

1735. STEPHENSON, LLOYD WILLIAM.

The mesozoic (cretaceous) deposits of the costal plain of North Carolina.

Dissertation submitted to the Board of University Studies, Johns Hopkins University, in conformity with the requirements for the degree of Doctor of Philosophy. 1907. Maps.

Description of areal extent, lithologic and paleontologic characters and stratigraphic relations of the cretaceous formations of the state.

1736. — Some facts relating to the mesozoic deposits of the coastal plain of North Carolina.

Johns Hopkins Univ. Circ., n. s., No. 7 (1907): 93-99.

Describes mesozoic deposits of the state and the fossils found therein.

1737. Sterrett, Douglas B.

Grinding scrap mica in North Carolina.

(In U. S. Geol. Survey, Min. Res., 1906. Wash., 1907. pp. 1153-1154.)

Extract: Mining World, v. 28 (1908): 56.

General notes on progress of mica grinding in the state.

1738. — Mica deposits of western North Carolina.

 (In Pratt, J. H. Mining industry in North Carolina during 1906. N. C. Geol. Survey, Econ. Paper No. 14. Raleigh, E. M. Uzzell & Co., 1907. 24 cm. pp. 82-107.)

—— (In U. S. Geol. Survey, Bull. 315. Wash., 1907. pp. 400-425.)

Review: Eng. & Min. Jour., v. 83 (1907): 967.

Gives distribution and general character of the mlca deposits of western North Carolina, general geology of district, and the mode of occurrence of mica and its associated minerals.

1739. — [Mica in North Carolina in 1907.]

(In U. S. Geol. Survey, Min. Res., 1907, pt. 2. Wash., 1908. pp. 743; 747.)

Extract: Mining World, v. 29 (1908): 244.

Describes occurrence of mica in the state and mining operations.

— Monazite and monazite mining in the Carolinas.

See Pratt and Sterrett, No. 1483.

1740. — Monazite and zircon in North Carolina.

(In U. S. Geol. Survey, Min. Res., 1906. Wash., 1907.

pp. 1195-1204; 1207-1209.)

Extracts: Mining World, v. 27 (1907): 469; 848; 1017; 1130; v. 28 (1908): 64. Abstract: Frank. Inst., Jour., v. 164 (1907): 374. - (In U. S. Geol. Survey, Min. Res., 1907. Wash., 1908. pp. 787-790; 792-794.) Describes geological occurrence of monazite and zircon, mines and mining methods and production for the year. 1741. — Monazite deposits of the Carolinas. (In U. S. Geol. Survey, Bull. 340. Wash., 1908. pp. 272-Describes deposits of monazite of commercial value occurring in the Piedmont plateau. 1742. — Precious stones in North Carolina. (In U. S. Geol. Survey, Min. Res., 1906. Wash., 1907. pp. 1214; 1228; 1230.) . (In U. S. Geol. Survey, Min. Res., 1907, pt. 2. Wash., 1908. pp. 795-842.) Extract: Mining World, v. 29 (1908): 559. Reports of production. —— The tin deposits of the Carolinas. See Pratt and Sterrett, No. 1506. 1743. STEVENS, HORACE J. Copper industry in North Carolina. (In his Copper Hand-book, v. 3 (1903): 114; v. 4 (1904): 114; v. 5 (1905): 114; v. 6 (1906): 114; v. 7 (1907): 198-199.) 1744. STEVENS, R. P. Gold in North Carolina. Am. Jour. Mining, v. 1 (1866): 313-314. (Not seen.) 1745. — On the method and occurrence of gold in North Carolina. Am. Jour. Mining, v. 2 (1866): 250. (Not seen.) 1746. — Southern mines. Am. Jour. Mining, v. 2 (1866): 11. (Not seen.) 1747. STOKES, H. N. Analyses of rocks from North Carolina. (In U. S. Geol. Survey, Bull. 168. Wash., 1900. pp. 52; 53.) — (In U. S. Geol. Survey, Bull. 228. Wash., 1904. pp. 62; Analyses of porphyritic rhyolite and metamorphosed amygdaloid from Watauga county. 1748. STONE, A. M. Corundum mining in North Carolina. Eng. & Min. Jour., v. 65 (1898): 490. Reviews methods of mining and milling corundum.

1749. Strode, Thomas.

Notices of a silicious petrifaction in North Carolina.

Am. Jour. Sci., Ser. I, v. 7 (1824): 249-250.

Description of petrified wood.

1750. STROTHER, DAVID HUNTER (Porte Crayon, pseud.).

North Carolina illustrated: The fisheries; the piny woods; the gold region.

Harper's Mag., v. 14 (1857): 433-450; 741-755; v. 15 (1857): 289-300.

Popular account of visits by the author to the coast, forests and gold mines of the state.

1751. STRUTHERS, JOSEPH and FISHER, HENRY.

Barite in North Carolina.

(In Mineral Industry, v. 11 (1903): 65.)

Notes on barite mining in Madison and Gaston counties in 1901.

1752. — NEWLAND, D. H. and FISHER, HENRY.

Copper in North Carolina.

Mineral Industry, v. 11 (1903): 171.

Notes on copper production in North Carolina for 1902.

1753. STRUTHERS, JOSEPH.

Graphite in North Carolina in 1902₁.

Mineral Industry, v. 11 (1903): 347.

Notes on production of graphite mines near Graphiteville, McDowell county.

1754. SWAIN, GEORGE FILLMORE, and others.

Papers on the water-power of North Carolina.

N. C. Geol. Survey, Bull. 8. Raleigh, Guy V. Barnes, 1899. 362 pp. 24 cm. Plates. Maps.

Reprint in part: Elis. Mit. Sci. Soc., Jour., v. 15 (1898): 92-112.

Contains: Pt. 1. Water-power in North Carolina as influenced by physiographic conditions, by J. A. Holmes, C. F. Von Herrman and George F. Swain. Pt. 2. Water-power in North Carolina east of the Blue Ridge, by George F. Swain and J. A. Holmes. Pt. 3. Water-power of North Carolina west of the Blue Ridge, by E. W. Myers and J. V. Lewis. Pt. 4. Discharge measurements on the North Carolina rivers, by E. W. Myers.

1755. Swain, George F_[ILLMORE].

Report on the water-power of the southern Atlantic watershed.

(In U. S. 10th Census Rept., v. 16. Wash., 1885. pp. 661-831.)

Describes the following rivers with their drainage basins, tributaries and water-power resources: Chowan, Neuse, Roanoke, Tar, Cape Fear, Great Pedee (and Yadkin) and Catawba.

1756. SWALLOW, ELLEN H_[ENRIETTA].

Analysis of samarskite from a new locality.

Bost. Soc. Nat. Hist., Proc., v. 17 (1875): 424-428.

Corrected analysis given: Am. Jour. Sci., Ser. III, v. 14 (1877): 71.

Description and analysis of samarskite from Mitchell county.

1757. SWANK, JAMES M₁OORE₁.

Iron fin North Carolina.

(In U. S. Geol. Survey, Min. Res., 1883-1884. Wash., 1885.

Description of iron ore deposits in Mitchell county, with table of analyses of ores.

—— (In U. S. Geol. Survey, Min. Res., 1886. Wash., 1887. pp. 36; 82-83.)

Notes on deposits of iron ore at Cranberry; the limonite ores of southwestern part of the state, with tables of analyses by Britton and McCreath. Analyses of magnetic ores from Guilford and Rockingham counties by J. P. Lesley.

1758. — The manufacture of iron in North Carolina.

(In his History of the manufacture of iron in all ages. Phila., Am. Iron & Steel Assoc., 1892. 25 cm. pp. 272-275.)

A historical account of iron works and manufactures in the state from early times.

1759. Table of depths for channels and harbors in North Carolina.

(In U. S. Coast & Geod. Survey, Bull. 36. Wash., 1907. pp. 57-60.)

1760. TALCOTT, T. M. R.

The Gaston Mineral Company. Richmond, Va., 1893. 5 pp. 34 cm. Maps.

Description of mineral belt in Gaston county.

1761. TASSIN, WIRT.

Descriptive catalogue of the meteorite collection in the United States museum to Jan. 1, 1902.

U. S. Nat. Mus., Rept. 1900. pp. 671-698.

Enumerates nine meteorites from North Carolina: from Alexander, Buncombe, Rutherford, Madison, Davidson, Rockingham, Wilson, Nash and Cabarrus counties.

On the meteorite from Rich mountain, Jackson county, North Carolina, with chemical analysis by Wirt Tassin.

See Merrill, G. P., No. 1217.

1762. — The Persimmon Creek meteorite.

U. S. Nat. Mus., Proc., v. 27 (1904): 955-959.

Abstract by E. Cohen: Geol. Centralblatt, v. 5 (1904): 543-544. Abstract by G. Linck: Neues Jahr. f. Min., 1905, Bd. 1. Min. pp. 215-216.

Abstract: Mining World, v. 21 (1904): 30-31.

Description and analysis of this meteorite found on Persimmon creck, Cherokee county.

1763. TATHAM, WILLIAM.

Separate report on the survey of the coast of North Carolina from Cape Hatteras to Cape Fear, 1806.

MSS. in possession of the U. S. Coast & Geod. Survey, Washington, D. C. 60 pp. $33\frac{1}{2}$ cm.

1764. TAYLOR, RICHARD COWLING.

Reports on the Washington silver mine in Davidson county, North Carolina, with an appendix containing assays of the ores, returns of silver and gold produced and statements of the affairs of the Washington Mining Company. Phila., E. G. Dorsey, 1845. 40 pp. 22½ cm.

Review: Quart. Jour. Agric. & Sci., v. 2 (1845): 130.

Description of this mine.

1765. TAYLOR, W. J.

Minerals from North Carolina.

(In Mineralogical notes. Acad. Nat. Sci. Phila., Proc., [v. 10] (1858): 176.)

Description of minerals resembling staurolite and hydrophite (?) found near Webster, Jackson county.

1766. TERRY, WILLIAM.

Peach Bottom copper mine. 9 pp. (Not seen.)

1767. Test, C. D.

Occurrence, production and commercial value of monazite. Col. School of Mines, Bull., v. 4 (1908): 125-130.

Describes occurrence of commercial monazite in the gold-bearing sauds of North Carolina, its associated minerals, and the methods used in mining.

1768. Thies, Adolph and Phillips, William, Biattle.

The Thies process of treating the low-grade auriferous sulphides at the Haile gold mine, Lancaster county, South Carolina.

Am. Inst. Min. Eng., Trans., v. 19 (1890): 601-614.

Describes in detail the Thies process as in use at the Haile mine, South Carolina, and at the Phœnix mines, North Carolina. Contains letter from Adolph Thies to C. N. Aaron of California, explaining the process in detail. This letter is also published in the 8th Rept, of the State Mineralogist of California, 1888. pp. 844-846.

1769. THIES, E. A.

Chlorination of auriferous sulphides.

Elis. Mit. Sci. Soc., Jour., v. 5 (1888): 68-71.

Account of experimental work in chlorinating the auriferous sulphides from the Phænix mine, Cabarrus county.

1770. Thompson, William Beverhout.

Report upon the Cape Fear and Deep rivers.

N. C. Gen. Assem. House of Commons, Doc. No. 17. Raleigh, Seaton Gales, 1848. 15 pp. 21 cm.

Report of an examination of these rivers, with a view to opening navigation to Hancock's Mill in Moore county.

1771. — Report upon the survey of the Neuse river, together with plans and estimates for the improvement of the same.

(In N. C. Gen. Assem., 1852. Ex. Doc. No. 4. Raleigh, Seaton Gales, 1852. 21 cm. pp. 53-67.) 1772. THORN, FIRANK, MIANLY, Coast survey operations in North Carolina. (In U. S. Coast & Geod. Survey, Rept. 1886. Wash., 1887. pp. 50-53.) - (In U. S. Coast & Geod. Survey, Rept. 1887. Wash., 1889. pp. 50-52.) ____ (In U. S. Coast & Geod. Survey, Rept. 1888. Wash., 1889. pp. 45-47.) Reports of progress. 1773. — Re-establishment of that part of the boundary line between the States of Virginia and North Carolina, extending from the Atlantic coast westward to the Nottoway river. (In U. S. Coast & Geod. Survey, Rept. 1887. Wash., 1889. Account of resurvey of this boundary line, and its estab-1774. THORNTON, WILLIAM. Letter to the members of the North Carolina Gold Mine Company. Phil. Mag., v. 27 (1807): 261-264. Account of a visit to the land belonging to this company. Describes the gold deposits and prospects. 1775. — North Carolina Gold Mine Company. Washington, 1806. 20 pp. $20\frac{1}{2}$ cm. Account of the early gold discoveries and mines in North Carolina, and the formation of the North Carolina Gold Mine Company. 1776. THORPE, ALBERT. Monazite, a mineral containing helium.

Chem. News, v. 72 (1895): 32.

Chem. Soc. (London) Jour., v. 70, pt. 2 (1896): 34. Analysis of monazite from North Carolina.

1777. TIERNAN, FRANCES C. FISHER (Christian Reid, pseud.).

The mountain region of North Carolina.

Appleton's Jour., n. s., v. 2 (1877): 193-204.

Account of ascents of mountains in this region, with notes on topography, altitudes and scenery.

1778. TILDEN, H. B.

Report on Stafford and Griffin mines, Randolph county, North Carolina. Printed at Weldon, N. C., 1893. 1 p. 35 cm. Map.

Descriptions of these mines.

1779. Tin ore in North Carolina.

Mining World, v. 21 (1904): 174-175.

Describes deposits of tin ore on the property of the Carolina Tin Co. near Bessemer City.

1780. TITTMAN, OfTTO HILGARD.

Hydrographic work in North Carolina in 1906.

(In U. S. Coast & Geod. Survey, Rept. 1906. Wash., 1907.
Appendix 1, p. 37.)

1781. — Triangulation in North Carolina.

(In U. S. Coast & Geod. Survey, Rept. 1903. Wash., 1904. Appendix 1, p. 63.)

1782. Tompkins, Daniel A_fugustus₁.

Mining and the mint before 1860.

(In his History of Mecklenburg county... Charlotte, N. C., Observer Printing House, 1903. 24 cm. pp. 129-132.)

Notes on discovery of gold in North Carolina, the early mines and mining operations.

1783. TOPLEY, W.

Note on the recent earthquake in the United States.

Brit. Assoc. Adv. Sci., Rept. 56th meet., 1886. pp. 656-657.

Contains extract from a telegram from Major Powell on the Charleston earthquake, with notes on shocks felt in North Carolina.

1784. Topographical work in North Carolina.

Science, v. 3 (1884): 391-393.

Topographic description of the area lying between the Blue Ridge and the Tennessee line, describing the timber lands and mineral resources.

1785. Torrey, John.

Zircon from North Carolina.

Am. Jour. Sci., Ser. I, v. 5 (1822): 401.

Finds the goniometrical measurement of this mineral to agree very nearly with those given by Haüy.

1786. Tower, Z_fealous₁ B_fates₁.

Report of Board of Engineers.

(In Chief of Eng. Rept., 1873. Appendix T 21, pp. 797-803.)

_____ (In U. S. 42d Cong., 3d Sess. House Ex. Doc. No. 108, pp. 1-4; 20-25.)

Report of a board of engineers convened especially to discuss the improvement of the Cape Fear river.

1787. TRAUTWINE, JOHN C.

A new locality for diaspore.

Frank. Inst., Jour., v. 94 (1872): 7-8.

Transparent crystals of diaspore reported found on the corundum of Franklin, Macon county.

1788. TRUCHOT, P.

On the occurrence and extraction of thorite, monazite and zircon.

Chem. News v. 77 (1898): 134-135; 145-147.

—— Revue Générale des Sciences, v. 9 (1898): 145-149.

Abstract by L_[eonard] J. S_[pencer]: Chem. Soc. Jour. (London)

v. 74, pt. 2 (1898): 437-438.

Describes monazite area in Burke, McDowell, Rutherford. Cleveland and Polk counties, methods of working monazite, and gives analyses of varieties from different

1789. TUOMEY, MICHAEL.

Description of some fossil shells from the tertiary of the Southern States.

Acad. Nat. Sci. Phila., Proc., [v. 6] (1852): 192-194.

Describes ten species of fossil shells from "a well-known locality at Wilmington."

1790. — Fossils from Wilmington, North Carolina.

localities.

Am. Assoc. Adv. Sci., Proc., 1st meet. (1848): 32-33.

Mentions specimens of Ammonites placenta and Trigonia thoracica from Wilmington.

1791. TUTTLE, EDGAR G.

The Deep River coal field of North Carolina and the Egypt Coal Company's plant.

Eng. & Min. Jour., v. 58 (1894): 441.

Describes mining developments and operations at the Deep River coal field in Moore and Chatham counties.

1792. Tyson, Philip T_[HOMAS].

Report on the gold deposits and works of the Manteo Mining Company in North Carolina. Baltimore, John D. Toy, 1853. 27 pp. 22 cm. Maps.

Describes the Jones and Loflin mines in Randolph county.

1793. — Report on the gold deposits and works of the Perseverance Mining Company in North Carolina. (The Russell mine.)

Baltimore, John D. Toy, 1853. 12 pp. 23½ cm. Map.

Description of this property located in Montgomery county, with a map of the mine.

1794. Ulke, Titus.

The occurrence of tin ore at King's Mountain.

(In U. S. Geol. Survey, Min. Res., 1893. pp. 178-182.)

Describes deposits of cassiterite at King's Mountain in Cleveland county.

1795. Union Copper Mining Co.

Eng. & Min. Jour., v. 68 (1899): 631.

Description of a promising copper deposit near Salisbury, Rowan county.

1796. U. S. Coast & Geod. Survey.

Atlantic Coast Pilot, Vol. 7. From Chesapeake bay entrance to Key West. Wash., 1895. 150 pp. 30 cm.

Contains descriptions of North Carolina rivers and sounds.

1797. — Atlantic local coast pilot. Sub-division 19. Cape Henry to Winyaw bay and inside passages. Wash., 1885. 80 pp. 30 cm.

Description of the North Carolina coast.

1798. VANCE, ZEBULON BIAIRDI.

Sketches of North Carolina. Norfolk, Va., 1875. 106 pp. 23 cm.

Contains account of physical aspect of the state, particularly of Catawba valley and Roan mountain.

1799. VAN HISE, C[HARLES] R[ICHARD].

Pre-Cambrian rocks of North Carolina.

(In his Correlation papers. Archaean and Algonkian. U. S. Geol. Survey, Bull. 86. Wash., 1892. pp. 418-422; 427-439.)

Summarizes the geological work done in North Carolina by Olmsted, Mitchell, Emmons and Kerr. Includes a list of literature on the subject.

1800. VAN NESS, W. W. J.

Tin in North Carolina.

Eng. & Min. Jour., v. 44 (1887): 344.

Description of tin deposits at King's Mountain.

1801. VANUXEM, LARDNER.

Description and analysis of the zirconite of Buncombe county, North Carolina.

Acad. Nat. Sci. Phila., Jour., v. 3, pt. 1 (1823): 59-64. Abstract: Bull. des Sci. Nat. et de Géol., v. 1 (1824): 30-31. Notice: Leonhard's Zts. f. Min., 1826, Bd. 1, p. 264.

Mineral came from Saluda mountain. Locality discovered prior to 1822 by T. D. Porter of South Carolina College.

1802. VAUGHAN, F. E.

Albemarle section of North Carolina, traversed by the Norfolk and Southern Railroad. New York, John C. Rankin, Jr., 1884. 81 pp. 23 cm.

General description of locality, with notes on the swamp lands and climate.

1803. VAUGHAN, FRANK.

The Albemarle district of North Carolina. A brief sketch of its history and people: its topography and physical features; its fertile lands; its rivers and great inland seas; its forests and fields; its products of land and water; its climate and healthfulness. . . Elizabeth City, N. C., 1895. 32 pp. 23½ cm.

1804. VENABLE, F_[RANCIS] P_[RESTON].

Analysis of water from the artesian well at Durham, North Carolina.

Elis. Mit. Sci. Soc., Jour., v. 4, pt. 1 (1887): 57-58.

1805. — A list and description of the meteorites of North Carolina. Elis. Mit. Sci. Soc., Jour., v. 7 (1890): 33-51.

Notice: Am. Geol., v. 6 (1890): 325.

Descriptions of twenty-three meteorites reported as found in North Carolina. A few of these are doubtful.

No. 1. Meteoric iron from Cedar creek, Alexander county. No analysis. See No. 60.

Meteoric stone from Ashe county. See No. 1580. No. Meteoric iron from Asheville, Buncombe county. No. See No. 1641. Meteoric iron from Black mountain, Buncombe county. Sec No. 1644. No. Meteorite from Hominy creek, Buncombe county. No. See No. 1645. Meteoric iron from Linnville mountain, Burke county. See Nos. 1035; 1864.

Meteoric iron from Bridgewater, Burke county. No. No. See No. 1036. No. Meteorite from Post farm, Cabarrus county. See Nos. 656; 1633. Meteorite from Caldwell county. No analys Magnetic meteorite from Caswell county. No analysis. No. No. 10. See No. 270. Meteorite from Lick creek, Davidson county. See No. 11. No. 783. Meteoric iron from Guilford county. See No. 1631. Meteorite from Haywood county. See No. 1632. No. 12. Meteorite from Haywood county. See No. 1632.

Meteoric stone from Ferguson, Haywood county.

No analysis. See No. 1036. No. 13. No. 14. and 16. Meteoric masses from Duel Hill, Madison county. No analyses. Nos. 15 Meteorite from Duel Hill, Madison county. See No. 17. No. 167 No. 18. Meteoric mass from Duel Hill, Madison county. See No. 225. Meteorite from Castalia, Nash county. No. 19. No. 1673. No. 20. Meteoric iron from Randolph county. See No. 1367.
No. 21. Meteoric iron from Smith's mountain, Rockingham county. See No. 1885.
No. 22. Meteoric mass from Deep Springs farm, Rockingham county. See No. 1810. No. 23. Pseudo-meteorite from Rutherfordton, Rutherford county. See No. 1627. Meteoric iron from Ellenboro, Rutherford county. No. 24. See No. 519 1806. — Meteorological record at Chapel Hill for the year 1885. Elis. Mit. Sci. Soc., Jour., v. 3 (1886): 34-36. General account of the temperature, humidity, rainfall and winds for this year, with table of monthly records. 1807. — The occurrence of platinum in North Carolina. Elis. Mit. Sci. Soc., Jour., v. 8 (1891): 123-129. Note: Am. Jour. Sci., Ser. III, v. 43 (1892): 540 Reviews the literature regarding the occurrence of plati-num in the state, quoting from Clingman, C. U. Shepard, and others. 1808. — Occurrence of zirconium. Elis. Mit. Sci. Soc., Jour., v. 8 (1891): 74-78. Discusses the general distribution of zirconium bearing minerals, giving the distribution of zircon in Burke, Mc-Dowell, Polk, Rutherford, Caldwell, Mecklenburg, Nash, Warren and other counties.

1809. — Treatment of zircons in preparing pure zirconium oxychloride.

> Elis. Mit. Sci. Soc., Jour., v. 8 (1891): 20-24. North Carolina zircons used.

1810. — Two new meteoric irons.

Am. Jour. Sci., Ser. III, v. 40 (1890): 161-163.

- Elis. Mit. Sci. Soc., Jour., v. 7 (1890): 31-32.

Abstract: Nature, v. 42 (1890): 432.

Description and analysis of meteoric mass from Rocking ham county, reported to have fallen about 1846.

Vom Rath, Gerhard.

See Rath, Gerhard vom.

1811. WADDELL, C_[HARLES] E_[DWARD].

The preservation of the southern Appalachian streams. A forest problem.

Am. Inst. Elec. Eng., Proc., v. 24 (1905): 839-842.

Physiographic description of the southern Appalachian plateau and discussion of the water-powers of the region.

1812. — Southern Appalachian streams.

Frank. Inst., Jour., v. 164 (1907): 161-175.

Discussion of the streams of the southern Appalachian region, including the prominent rivers of North Carolina, and description of general physiographic features of the country.

WADSWORTH, MIARSHMANI EIDWARDI.

The Azoic system in North Carolina.

See Whitney and Wadsworth, No. 1866.

1813. — Dunite from North Carolina.

(In Lithological studies. Mus. Comp. Zool. Harvard, Memoirs, v. 11 (1884): 118-120.)

Discussion of dunite from Franklin and Webster.

1814. — North Carolina meteorites.

(In Lithological studies. Mus. Comp. Zool. Harvard, Memoirs, v. 11 (1884): 71; 103-104.)

Describes meteoric pallasite from Hominy creek, Buncombe county, and a meteoric peridotite from Charlottetown, Cabarrus county.

1815. — Olivine rocks of North Carolina.

Science, v. 3 (1884): 486-487.

Discusses occurrence and origin of the olivine rocks of the state.

1816. WAGNER, WILLIAM.

Description of five new fossils of the older pliocene formation of Maryland and North Carolina.

Acad. Nat. Sci. Phila., Jour., v. 8, pt. 1 (1839): 51-53.

Describes and figures Pecten marylandicus, Panopea gold-fussi and Mysia nucleiformis from the Mehering river.

1817. WAHL, WILLIAM H., KELLER. HARRY F. and WOLF, T. R.

Memoir of Frederick August Genth.

Frank. Inst., Jour., v. 135 (1893): 448-452.

Refers especially to Genth's "Minerals of North Carolina," and to his monograph on "Corundum, its alterations and associated minerals."

1818. Wainwright, J. Arthur.

Monazite.

Eng. & Min. Jour., v. 80 (1905): 118.

Describes occurrence of monazite in the South Mountain section of North Carolina.

1819. Wainwright, Richard.

Changes in Hatteras inlet, North Carolina.

(In U. S. Coast Survey, Rept. 1850. Wash., 1851. Appendix 16, pp. 94-95.)

1820. Wake county, North Carolina. Its resources, its products and its people. Prepared under direction of its Exposition Committee. Raleigh, Edwards, Broughton & Co., 1884. 16 pp. 23 cm. Map. Prepared by the Southern Interstates Exposition Committee. Raleigh, Edwards & Broughton, 1891. 15 pp. 22½ cm. Map.

1821. WALCOTT, CHARLES D_[OOLITTLE].

[Cambrian in North Carolina.]

(In his Correlation papers. Cambrian. U. S. Geol. Survey, Bull. 81. Wash., 1891. pp. 138-139; 299; 383.)

Contains discussion of geological formations on extreme western boundary of the state.

1822. WALKER, P. H.

Analysis of "genthite" from North Carolina.

Am. Chem. Jour., v. 10 (1888): 44.

Review by W. S. B_lagley₁: Neues Jahr. f. Min., 1888, p. 386. Abstract by H. B_laker₁: Chem. Soc. (London) Jour., v. 54 (1888): 660.

Abstract by E. S. Dana: Zts. f. Kryst. u. Min., v. 17 (1889): 399.

Analysis of this mineral from Webster, Jackson county.

1823. WALTON, GEORGE E.

[Mineral springs in North Carolina.]

(In his Mineral springs of the United States and Canada . . . New York, Appleton & Co., 1873. 20 cm. pp. 213; 307-309.)

Brief descriptions of Shocco Springs and Warren White Sulphur Springs in Warren county, and Warm Springs (Hot Springs), Madison county, with analysis of the water.

1824. WARD, HENRY L.

Notice of a new meteorite from Murphy, Cherokee county, North Carolina.

Am. Jour. Sci., Ser. IV, v. 8 (1899): 225-226.

Abstract by G. L_linck_l: Neues Jahr. f. Min., 1901, Bd. 2. Min. p. 38.

Description of this meteorite.

1825. Ward, Lester F_1 rank₁.

North Carolina area [of mesozoic flora].

(In U. S. Geol. Survey, 20th Ann. Rept., pt. 2. Wash., 1900. pp. 266-272.)

General résumé of data concerning the Deep and Dan River coal fields.

1826. WARD, $L_{[ESTER]}$ $F_{[RANK]}$.

The plant-bearing deposits of the American trias, Geol. Soc. Amer., Bull., v. 3 (1891): 23-31.

Discusses North Carolina deposits or areas. Contains tables showing distribution of fossil species.

1827. WARD, WILLARD P.

The gold deposits of the southern states.

Eng. & Min. Jour., v. 9 (1870): 392.

Notes on gold deposits and production in North Carolina.

1828. WARING, ROBERT P.

Production of precious metals in North Carolina.

(In U. S. Mint, Prod. of precious metals in U. S. in 1885. Wash., 1886. pp. 185-188.)

———— (In U. S. Mint, Prod. of precious metals in U. S. in 1886. Wash., 1887. pp. 233-238.)

--- (In U. S. Mint, Prod. of precious metals in U. S. in 1887. Wash., 1888. pp. 246-250.)

--- (In U. S. Mint, Prod. of precious metals in U. S. in 1888.

Wash., 1889. p. 161.)

Yearly reports of production.

WASHINGTON, HENRY SHERMAN.

Contributions to mineralogy.

See Hidden and Washington, No. 770.

1829. Watson, Thomas L_[EONARD] and Laney, Francis B_[AKER], (with collaboration of George P. Merrill).

Building and ornamental stones of North Carolina.

N. C. Geol. Survey, Bull. 2. Raleigh, E. M. Uzzell, 1906. 283 pp. 26 cm. Plates. Illus. Maps.

Review by J. H. Pratt: Elis. Mit. Sci. Soc., Jour., v. 22 (1906): 63-79. Am. Jour. Sci., Ser. IV, v. 23 (1907): 70-71.

Review: Eng. & Min. Jour. v. 82 (1906): 1083.

Deals with resources of the state in the way of building and ornamental stones, their location, economic and commercial possibilities. Describes the deposits of granite. limestones, marbles, serpentines, sandstones and quartzite, their structure and distribution, quarrying methods, and gives account of microscopical examinations of the rocks.

1830. Watson, Thomas L_[EONARD].

Copper-bearing rocks of Virgilina copper district, Virginia and North Carolina.

Geol. Soc. Amer., Bull., v. 13 (1902): 353-376.

— Den. Univ. Sci. Lab., Bull., v. 12 (1903): 97-127.

Abstract: Am. Chem. Research, Rev., v. 9 (1903): 114.

Abstract by W. S. Bayley: Neues Jahr. f. Min., 1904, Bd. 2. Min. p. 73.

Contains results of a field examination of this district located in Halifax county, Virginia, and Granville and Person counties, North Carolina, Describes geological formations, petrography of the rocks, ore deposits, weathering, age and general relations. Includes tables of chemical analyses.

1831. — Granites of North Carolina.

Tour. of Geol., v. 12 (1904): 373-407.

Notice by W: Geol Centralblatt, v. 9 (1907): 674.

Describes geographical and geological distribution of the granite deposits, the three types found in the state, their structural features, megascopic and microscopic, their lithological characters general and age relations to the other rocks.

1832. — The leopardite (quartz-porphyry) of North Carolina.

Jour. of Geol., v. 12 (1904): 215-224.

—— Den. Univ. Sci. Lab., Bull., v. 12 (1904): 224-230.

Notice by W: Geol. Centralblatt, v. 9 (1907): 674.

Describes outcrops of leopardite in Mecklenburg county, and describes the rock megascopically and microscopically in detail. Chemical composition by F. A. Genth is given. (See No.~631.)

1833. — Occurrence of unakite in a new locality in Virginia.

Am. Jour. Sci., Ser. IV, v. 22 (1906): 248.

Contains notes on occurrence of unakite in Madison county, North Carolina.

1834. — Orbicular gabbro-diorite from Davie county, North Carolina.

Jour. of Geol., v. 12 (1904): 294-303.

Description of geological occurrence and microscopical character of this rock found in the eastern part of Davie county.

1835. — Structural relations of the granite of North Carolina.

Science, n. s., v. 19 (1904): 526.

Abstract of a paper read before the Geological Society of America. Describes occurrence, distribution and petrography of the North Carolina granites, with special reference to their structural and age relations.

1836. — The Virgilina copper district.

(In his Mineral resources of Virginia. Lynchburg, Va.,

J. B. Bell Co., 1907. 26 cm. pp. 494-500.)

Brief description of the Virgilina copper district which extends for about 30 miles into North Carolina in Granville and Person counties.

—— The Virginia copper deposits.

See Weed and Watson, No. 1847.

1837. Weaver, Charles Clinton.

Rivers [and] canals.

(In his Internal improvements in North Carolina previous to 1860. Johns Hopkins Univ. Studies in historical and political science, Ser. XXI, No. 4. Baltimore, Johns Hopkins Press 1903. 24 cm. pp. 49-75.)


Outlines history of improvement of navigation of the Cape Fear. Tar, Roanoke and Neuse rivers, and describes building the Dismal Swamp canal.


1838. Weaver, W. J.

River adjustments in North Carolina.

Elis. Mit. Sci. Soc., Jour., v. 13 (1896): 13-24.

Topographic description of the state with a few geological notes. Describes four great river systems, the Deep River syncline, the Dan River syncline, the King's Mountain and the Asheville synclines, and their drainage basins. Mentions numerous instances of stream capture.





1854. WETHERBY, A. G.

Geological structure and metalliferous deposits of Roan mountain, North Carolina.

Ohio Mechanic's Inst., Sci. Proc., v. 1 (1882): 49-50. Notice of a lecture delivered on the above subject.

1855. — Natural history notes from North Carolina.

Cin. Soc. Nat. Hist., Jour., v. 16 (1893): 87-93; 209-216; v. 17 (1894): 69-77.

Contains (pp. 87-89) geological description of region in vicinity of "Roandale Farm" in Mitchell county.

1856. WETHERILL, CHARLES M.

Experiments on itacolumite (articulite) with the explanation of its flexibility and its relation to the formation of the diamond.

Am. Jour. Sci., Ser. II, v. 44 (1867): 61-68.

Describes and analyzes itacolumite from Saraw mountain, Stokes county, and discusses its relation to the diamond

1857. WHEELER, JOHN HILL.

Gold mines of North Carolina.

Amer. Almanac, 1841, pp. 211-217.

Abstract & review: Merchant's Mag., v. 11 (1844): 62-65.

Historical account of discovery of gold at Reed's mine in Cabarrus county, Parker's mine in Montgomery county, Dunn's mine in Mecklenburg county, and the Burke county mines. Describes the deposits and gives statistics of production.

1858. — North Carolina: her past, present and future. . . Raleigh, "Standard" steam book and job print, 1870. 32 pp. 23 cm.

Discusses history, education and productions of the state. Contains notes on soil, climate, gold and silver, iron and coal mines.

1859. WHITE, CHARLES A BIATHAR 1.

Cretaceous [in North Carolina].

(In his Correlation papers. Cretaceous. U. S. Geol. Survey, Bull. 82. Wash., 1891. pp. 91-92.)

Refers cretaceous of the state to the Potomac formation and cites Kerr on the subject.

1860. WHITE, CHARLES HIENRY.

An examination into the nature of Palæotrochis.

Elis. Mit. Sci. Soc., Jour., v. 11 (1894): 50-66.

Discusses origin of *Palwo(rochis* and gives summary of literature on the subject.

1861. WHITE, L. N.

The Virgilina copper district.

Mining & Metallurgy, v. 24 (1901): 635-639.

Describes geology of the Virgilina copper district, situated in Halifax county, Virginia, and Person county, North Carolina; veins, character and value of the ores, mines and mining operations.

1862. WHITFIELD, J. EDWARD.

Coal from Walnut Cove, Stokes county, North Carolina.

(In U. S. Geol. Survey, Bull. 42. Wash., 1887. p. 146.) Analysis of this coal. 1863. — Iron ore from Mitchell county, North Carolina. (In U. S. Geol. Survey, Bull. 60. Wash., 1890. p. 168.) Analysis of this ore. 1864. — Linnville Mountain meteorite. (In U. S. Geol. Survey, Bull. 60. Wash., 1890, p. 107.) — (In U. S. Geol. Survey, Bull. 148. Wash., 1897. p. 244.) - (In U. S. Geol. Survey, Bull. 168. Wash., 1900, p. 241.) Analysis of this meteorite from Burke county. 1865. WHITING, HENRY L. Survey of Beaufort, North Carolina. (In U. S. Coast Survey, Rept. 1851. Appendix 28. pp. 482-Describes natural character of Beaufort. 1866. WHITNEY, JoSIAH, DIWIGHT, and WADSWORTH, MIARSHMAN, E₁DWARD₁. The Azoic system in North Carolina. (In The Azoic system and its proposed sub-division. Harvard College, Mus. Comp. Zool., Bull., v. 7 (1884): 476-

1867. WHITNEY, JOSIAH, DIWIGHT,

479.)

Metallic wealth of North Carolina.

(In his Metallic wealth of the United States. Phila., Lippincott, 1854. 25 cm. pp. 129-133; 320-322; 474.)

Review: Gött. Gel. Anz., 1856, p. 1323.

Abstract: Neues Jahr. f. Min., 1858, pp. 327-330.

Contains historical and statistical notes on gold, copper and iron ores of the state, and describes the principal mines and mining operations.

Quotes from W. C. Kerr and F. H. Bradley in regard to the rock formations in North Carolina.

1868. — Remarks on the changes which take place in the structure and composition of mineral veins near the surface, with particular reference to the East Tennessee copper mines.

Min. Mag., Ser. I, v. 5 (1855): 24-28.

Discusses the change from oxidized ores to sulphides as depth increases, and cites North Carolina mines as examples.

1869. WHITNEY, MILTON.

Alamance county, North Carolina.

(In U. S. Dept. Agric., Field operations, Bureau of soils, 3d rept., 1901. Wash., 1902. pp. 57-58.)

Account of work done in this county for year 1901.

1870. — Cary and Craven areas, North Carolina.

(In U. S. Dept. Agric., Field operations, Bureau of soils, 3d Rept., 1901. Wash., 1902. pp. 58-59.)

Résumé of work done in these areas during 1901.

1871. — Hickory area, North Carolina.

(In U. S. Dept. Agric., Field operations, Bureau of soils, 4th Rept., 1902. Wash., 1903. pp. 46-49.)

Review of work done in this district for 1902.

1872. — Mount Mitchell area, North Carolina.

(In U. S. Dept. Agric., Field operations, Bureau of soils, 4th Rept., 1902. Wash., 1903. pp. 49-51.)

Review of work done in this area in 1902.

1873. — North Carolina area.

(In General review of work. U. S. Dept. Agric., Field Operations, Bureau of soils, 2d Rept. Wash., 1901. pp. 35-39.)

1874. — Statesville area, North Carolina.

(In U. S. Dept. Agric., Field operations, Bureau of soils, 3d Rept., 1901. Wash., 1902. pp. 55-57.) Review of work done in this area during 1901.

1875. WIECHMANN, F. G.

Fusion-structures in meteorites.

N. Y. Acad. Sci., Annals, v. 2 (1882): 289-312.
Study of fusion structures in meteorites, which includes the Cabarrus county meteorite.

1876. WIELAND, GEORGE RIEBERI.

Currituck sound, Virginia and North Carolina.

Am. Jour. Sci., Ser. IV, v. 4 (1897): 76-77.
Describes the closing of Currituck inlet, by drifting sands, in 1828.

1877. — The depth of peat in the Dismal Swamp.

Am. Jour. Sci., Ser. IV, v. 4 (1897): 76.

1878. WILDER, D. B.

Report of the superintendent of the North Carolina copper mine.

Min. Mag., Ser. I, v. 2 (1854): 77-78.

1879. WILDER, EDWARD B.

Report on the North Carolina copper mine. N. C., 1853. 6 pp. 22 cm.

Report on condition of this mine located in Gullford county.

1880. WILEY, C[ALVIN] H[ENDERSON].

The North Carolina reader, containing a history and description of North Carolina. Phila., Lippincott, Grambo & Co., 1851. 359 pp. 19 cm.

Contains general description of the physical features of the state, with notes on the mineral interests.

WILKENS, HENRY A. J.

Gold mining in North Carolina and adjacent south Appalachian regions.

See Nitze and Wilkens, No. 1292.

— The present condition of gold mining in the southern Appalachian States.

See Nitze and Wilkens, No. 1305.

1881. WILKES, CHARLES.

Examination of the Deep River country.

U. S. 35th Cong., 2d Sess., 1859. Sen. Ex. Doc. 26. 29 pp Maps.

—— N. C. Gen. Assem., Sess. 1858-1859. Doc. No. 60. 40 pp. Maps.

Report of an examination of the coal and iron resources of this district in Moore and Chatham counties. Describes geological formations, coal and iron outcrops, quality and value of the ores, and includes many chemical analyses of both coal and iron.

1882. WILKES, J. FRANK.

Gold mining in the south.

Eng. Assoc. South., Proc., v. 19, No. 1 (1908): 1-15.

General discussion of gold mining in the South, with historical notes on gold discovery in North Carolina. Outlines occurrence of gold, and general mining methods.

1883. WILLCOX, JOSEPH.

Corundum in North Carolina.

Acad. Nat. Sci. Phila., Proc., [v. 30] (1878): 223.

Abstract by E. S. Dana: Zts. f. Kryst. u. Min., v. 3 (1879): 597.

States that corundum has been discovered near Statesville in Iredell county.

1884. — Mountain drainage of eastern Tennessee and western North Carolina.

Acad. Nat. Sci. Phila., Proc., [v. 26] (1874): 164-165.

Notes on physiography and drainage of western North Carolina.

1885. — On mineral localities in North Carolina.

Acad. Nat. Sci. Phila., Proc., [v. 27] (1875): 467-468. Enumerates many mineral species and localities.

1886. — On samarskite.

Acad. Nat. Sci. Phila., Proc., [v. 27] (1875): 263.

Describes specimen of samarskite found among the mountains in Mitchell county, associated with decomposed feldspar.

1887. — [Remarks on corundum alteration.]

Acad. Nat. Sci. Phila., Proc., [v. 24] (1872): 266.

Describes alteration in corundum specimens found in Clay and Macon counties.

1888. WILLIAMS, ALBERT JR.

Useful minerals of North Carolina.

(In U. S. Geol. Survey, Min. Res., 1887. Wash., 1888.

Tables of minerals mined in North Carolina, and of those known to occur but not mined, with their localities.

1889. WILLIAMS, GEORGE HIUNTINGTON.

The distribution of ancient volcanic rocks along the eastern border of North America.

Jour. of Geol., v. 2 (1894): 1-31.

Abstract: Am. Geol., v. 13 (1894): 212-213.

Describes volcanic rocks in Chatham and Orange counties

1890. — The non-feldspathic intrusive rocks of Maryland, and the course of their alteration.

Am. Geol., v. 6 (1890): 35-49.

Contains (pp. 43-44) description of pyroxenites, bronzitediopside aggregates, found near Webster, Jackson county. Analysis by E. A. Schneider. (See Schneider, No. 1602.)

1891. WILLIAMSON, HUGH.

History of North Carolina. Phila., Thomas Dobson, 1812.

2 vols. 22 cm. Map.

Extract: Eclect. Repertory, v. 3 (1812): 1-13.

Chapter 13, v. 2, gives account of climate with notes on rivers, swamps and soil.

1892. WILLIS, BAILEY.

The Appalachian revolution.

Science, n. s., v. 25 (1907): 867.

Abstract of discussion before the Geol. Soc. of Wash. on Appalachian structure

1893. — Mechanics of Appalachian structure.

(In U. S. Geol. Survey, 13th Ann. Rept., 1891-1892, pt. 2. Wash., 1893. pp. 211-282. Maps.)

Abstract by von Koenen: Neues Jahr. f. Min., 1895, Bd. 2. Min. pp. 48-52.)

Describes four structural districts of the Appalachian province, one of which includes the Smoky mountains.

1894. — Notes on samples of iron ore collected in North Carolina.

(In U. S. 10th Census Rept., v. 15, Mining Industries, Wash., 1886. pp. 301-329.)

Describes and gives analyses of iron ores from Halifax, Chatham, Moore, Harnett, Johnston, Orange, Guilford, Rockingham, Stokes, Surry, Lincoln, Gaston, Burke, Ashe, Mitchell, Madison and Cherokee counties, the mines and mining operations.

1895. — Round about Asheville.

Nat. Geog. Mag., v. 1 (1889): 291-300.

Popular account of topographic forms near Asheville, between the Blue Ridge on the east, and the Unaka Mountain chain on the west, with general descriptions of the rocks, rivers and plains.

1896. WILLIS, EDWARD.

Phosphate rock in North Carolina.

(In U. S. 11th Census, Rept. Min. Ind., 1890. Wash., 1892. p. 690.)

Describes quality and value of phosphate deposits in Sampson, Duplin, Pender, Onslow, Columbus and New Hanover counties. Table of statistics of production. 1897. Wilmington, North Carolina. Chamber of Commerce.

Wilmington, North Carolina. Past, present and future. History of its harbor, with detailed reports of the work for improving and restoring the same now being conducted by the U. S. Government. . . Wilmington, N. C., J. A. Englehard, 1872. 84 pp. 21½ cm.

1898. WILSON, A. E.

Analysis of red hematite from Forsyth county.

Elis, Mit. Sci. Soc., Jour., v. 2 (1885): 95.

1899. WILSON, E. B.

Gold washing in the South.

Eng. & Min. Jour., v. 82 (1906): 933.

Brief notes on methods of gold washing in North Carolina.

1900. Wilson, Furman R.

The "Wilson" steam stamp mill.

Am. Jour. Mining, v. 6 (1868): 324.

Describes use and success of this mill at the Russell mine, Montgomery county.

1901. WILSON, H. M.

Results of primary triangulation and primary traverse for year 1900-1901 in North Carolina.

(In U. S. Geol. Survey, Bull. 181. Wash., 1901. pp. 143-146.)

— Results of primary triangulation and primary traverse for year 1901-1902.

(In U. S. Geol. Survey, Bull. 201. Wash., 1902. pp. 38-42.)
Contain tables of geographic positions along railways.

1902. — Triangulation and spirit leveling in North Carolina.

(In U. S. Geol. Survey, 18th Ann. Rept., pt. 1. Wash., 1897. pp. 295-310.)

—— (In U. S. Geol. Survey, 19th Ann. Rept., pt. 1. Wash., 1898. pp. 242-247.)

Tables of elevations taken in Buncombe, Haywood, Henderson, Transylvania and Jackson counties.

1903. Wilson, John M.

[River and harbor improvements in North Carolina.]


(In Chief of Eng. Rept., 1897, pt. 1. Wash., 1897. pp. 195-213.)

---- (In Chief of Eng. Rept., 1898, pt. 1. Wash., 1898. pp. 198-212.)

---- (In Chief of Eng. Rept., 1899, pt. 1. Wash., 1899. pp. 228-245.)

—— (In Chief of Eng. Rept., 1900, pt. 1. Wash., 1900. pp 261-277.)

Reports of progress.



¥.

1914.	—— Improvement of Pamlico and Tar rivers, North Carolina. (In Chief of Eng. Rept., 1903, pt. 2. Appendix N 4, pp.
1915.	1094-1096.) —— Improvement of Perquimans river. North Carolina. (In Chief of Eng. Rept., 1906, pt. 1. Appendix L 10, pp.
1916.	1137-1138.) — Improvement of Roanoke river, North Carolina.
	(In Chief of Eng. Rept., 1903, pt. 2. Appendix M 11, pp. 1086-1088.)
	—— (<i>In</i> Chief of Eng. Rept., 1905, pt. 1. Appendix L 12, pp. 1199-1200.)
	———— (In Chief of Eng. Rept., 1906, pt. 1. Appendix L 12, pp. 1139-1140.) Reports of progress.
1917.	—— Improvement of Scuppernong river, North Carolina. (In Chief of Eng. Rept., 1903, pt. 2. Appendix N 1, pp. 1091-1092.)
1918.	- Improvement of waterway from Norfolk, Virginia, to the
	sounds of North Carolina. (In Chief of Eng. Rept., 1903, pt. 2. Appendix M 8, pp. 1083-1084.)
	—— (In Chief of Eng. Rept., 1904, pt. 2. Appendix L 8, pp.
	1374-1376.) ————————————————————————————————————
	Preliminary examination of Carrot Island slough and Lewis
	Thoroughfare, North Carolina. See Lucas and Winslow, No. 1123.
1919.	—— Preliminary examination of Perquimans river, North Carolina, at and near Hertford.
	(In Chief of Eng. Rept., 1904, pt. 2. Appendix L 13, pp. 1380-1386.)
	—— U. S. 58th Cong., 2d Sess., 1903. House Doc. No. 302. 7 pp. Map.
1920.	— Report of a Board of Engineers on preliminary examination
	and survey for waterway from Norfolk, Virginia, to Beaufort, North Carolina.
	(In Chief of Eng. Rept., 1904, pt. 2. Appendix L 14, pp. 1387-1469.)
	—— U. S. 58th Cong., 2d Sess., 1903. House Doc. No. 563. 84 pp. Map.
1921.	WINSLOW, FRANCIS.
	Sounds and estuaries of North Carolina with reference to oyster culture.
	N. C. Gen. Assem., Sess. 1887. Doc. No. 7. 151 pp. 23 cm.

—— U. S. Coast & Geod. Survey, 1889, Bull. 10. 136 pp. 30 cm.

Map.

Descriptions of the sounds and inlets, and account of examinations and hydrographic surveys made of them in reference to oyster culture, with character of the beds of the sounds and rivers.

1922. WINTER, F.

Report on the Guilford county iron mines in North Carolina. Phila., 1868. 7 pp. 23 cm.

Describes the property, mining operations and ores, and gives ore analysis by F. A. Genth.

1923. — Report on the High Shoals property in Gaston county, North Carolina. n. p. [1873?] 15 pp. 23 cm.

Geological description of this property located in Gaston county, the veins, ores and mining operations.

1924. WINTERBOTHAM, W.

State of North Carolina, situation, extent and boundaries.

(In his Historical, geographical, commercial and philosophical view of the American United States . . . v. 3. London, 1795. 21 cm. pp. 192-224.)

Contains notes on climate, soil and productions.

WOLF, T. R.

Memoir of Frederick Augustus Genth.

Sce Wahl, Keller and Wolf, No. 1817.

1925. Wood, E. P.

Cabarrus mine, North Carolina.

Min. Mag., Ser. I, v. 3 (1854): 82-83.

Brief notes on development and operation of the mine.

1926. Woodbridge, W. C.

Description des monts Apalaches.

Soc. de Géog., Bull., Ser. II, v. 16 (1841): 25-39.

Describes the Appalachian mountains with general allusions to the Bald, Unaka and Smoky mountains, and notes on the rock formations.

1927. Woodhouse, James.

Additional observations on the subterranean minerals near the Yadkin in North Carolina.

Med. Repos., v. 7 (1804): 26-27.

1928. — Remarks on a letter of Rev. Zechariah Lewis relating to a subterranean wall discovered in North Carolina.

Med. Repos., v. 5 (1802): 21-24.

1929. Woodworth, $J_{[AY]}$ B[ACKUS].

The Atlantic coast triassic coal field in North Carolina.

(*In* U. S. Geol. Survey, 22d Ann. Rept., pt. 3. Wash., 1902. pp. 31; 43-53.)

Describes the two coal-bearing triassic areas, the Deep and Dan River areas, gives a table of analyses of the coal from the Deep River area with statistics of production, and analyses of the coal of the Dan River area by Genth and J. E. Whitfield.

1930. WOOLMAN, LEWIS.

Fossil mollusks and diatoms from the Dismal Swamp, Virginia and North Carolina: indication of the geological age of the deposit. With notes on the diatoms by Charles Boyer.

Acad. Nat. Sci. Phila., Proc., [v. 50] (1898): 414-428.

Contains lists and tables of the fossils together with descriptions.

1931. WORTH, JONATHAN.

Resources of North Carolina. Raleigh, 1866. 7 pp. 19½ cm.

Notes on resources of state including soil, climate, minerals and agricultural productions.

1932. WRIGHT, H. G.

[River and harbor improvement in North Carolina.]
(In Chief of Eng. Rept., 1879, pt. 1. Wash., 1879. pp. 87-88; 90-95.)

— (In Chief of Eng. Rept., 1880, pt. 1. Wash., 1880. pp. 109-110; 116-117; 120-124.)

—— (In Chief of Eng. Rept., 1881, pt. 1. Wash., 1881. pp. 148-149; 157-158; 160-166.)

—— (In Chief of Eng. Rept., 1882, pt. 1. Wash., 1882. pp. 152-

—— (In Chief of Eng. Rept., 1883, pt. 1. Wash., 1883. pp. 163-169.)

Yearly reports of improvement.

1933. Wurtz, Henry.

On the occurrence of cobalt and nickel in Gaston county, North Carolina.

Describes occurrence of cobalt and nickel in Gaston and Lincoln counties.

1934. Zeigler, Wilber G. and Grosscup, Ben S.

The heart of the Alleghanies or western North Carolina; comprising its topography, history, resources, people, narratives, incidents and pictures, travel, adventures in hunting and fishing, and legends of its wilderness. Raleigh, Alfred Williams & Co., 1883. 374 pp. 21 cm. Illus. Map.

1935. Zircon from North Carolina.

Am. Jour. Sci., Ser. III, v. 36 (1888): 73.

Notes on production of zircon from the Green River mines,
Henderson county.

PERIODICALS CONSULTED IN PREPARING BIBLIOGRAPHY.

There is given below a list of the periodicals that have been consulted in the preparation of this Bibliography, and also the abbreviations that are used in referring to them. Those periodicals complete files of which have not been available are preceded by an asterisk (*).

- Acad. des Sci., Comp. Rend. Comptes Rendus de l'Academie des Sciences. (Paris.)
- Acad. Nat. Sci. Phila., Jour. Journal of the Academy of Natural Sciences, Philadelphia.
- Proc. Proceedings of the Academy of Natural Sciences, Philadelphia.
- *K. Akad. d. Wiss. Denks. Math.-Naturwiss. Klasse. Denkschriften der K. Akademie der Wissenschaften. Mathematische-Naturwisschaftliche Klasse. (Vienna.)
- Monatsberichte. Monatsberichte der K. Akademie der Wissenschaften. (Vienna.)
- Sitz. Sitzungsberichte der K. Akademie der Wissenschaften. (Vienna.)
- Am. Acad. Arts & Sci., Proc. Proceedings of the American Academy of Arts and Sciences. (Boston.)
- Am. Assoc. Adv. Sci., Proc. Proceedings of the American Association for the Advancement of Science.
- Am. Chem. Jour. American Chemical Journal. (Baltimore.)
- *Am. Chem. Research, Rev. Review of American Chemical Research. (New York.)
- Am. Chem. Soc., Jour. Journal of the American Chemical Society. (New York.)
- *Am. Climat. Assoc., Trans. Transactions of the American Climatological Association. (Philadelphia.)
- Am. Geog. & Stat. Soc., Jour. Journal of the American Geographical and Statistical Society. (New York.)
- Am. Geog. Soc., Bull. Bulletin of the American Geographical Society. (New York.)
- Am. Geol. American Geologist. (Minneapolis.)
- *Am. Inst., Trans. Transactions of the American Institute. (New York.)
- *Am. Inst. Elec. Eng., Proc. Proceedings of the American Institute of Electrical Engineers. (New York.)
- Am. Inst. Min. Eng., Bi-month. Bull. Bi-monthly Bulletin of the American Institute of Mining Engineers. (New York.)
- Trans. Transactions of the American Institute of Mining Engineers. (New York.)
- Am. Jour. Conch. American Journal of Conchology. (Philadelphia.)
- *Am. Jour. Mining. American Journal of Mining. (Eng. & Min. Jour.)
 - Am. Jour. Sci. American Journal of Science. (New Haven.)
- *Am. Mag. American Magazine. (Boston.)
- Am. Meteor. Jour. American Meteorological Journal. (Boston.)

Am. Mineral. Jour. American Mineralogical Journal. (New York.)

Am. Nat. American Naturalist. (Boston.)

Am. Peat Soc., Jour. Journal of the American Peat Society. (Washington.)

Am. Phil. Soc., Proc. Proceedings of the American Philosophical Society. (Philadelphia.)

— Trans. Transactions of the American Philosophical Society. (Philadelphia.)

Annal. de Chimie. Annales de Chimie et de Physique. (Paris.)

Ann. d. K. K. Naturhist. Hofmus. Annalen des K. K. Naturhistorischen Hofmuseums. (Vienna.)

Ann. d. Phy. u. Chem. Annalen der Physik und Chemie. (Leipzig.)

Annales des Sci. Géol. Annales des Sciences Géologiques. (Paris.)

Ann. des Sci. Nat. Annales des Science Naturelles. (Paris.)

Annuaire de Chimie. (Paris.)

Ann. Sci. Discovery. Annual of Scientific Discovery. (Boston.)

Ann. Record Sci. & Indust. Annual Record of Science and Industry. (New York.)

Appalachia. (Boston.)

Appleton's Jour. Appleton's Journal. (New York.)

Archives des Sci. Phy. et Nat. Archives des Sciences Physiques et Naturelles. (Geneva.)

Assoc. Am. Geol., Rept. Report of the Association of American Geologists and Naturalists.

Bost. Jour. Nat. Hist. Boston Journal of Natural History.

*Bost. Jour. Phil. & Arts. Boston Journal of Philosophy and Arts.

Bost. Soc. Nat. Hist., Proc. Proceedings of the Boston Society of Natural History.

Brit. Assoc. Adv. Sci., Rept. Report of the British Association for the Advancement of Science.

Bull. des Sci. Nat. et de Géol. Bulletin des Sciences Naturelles et de Géologie. (Paris.)

Can. Min. Inst., Jour. Journal of the Canadian Mining Institute. (Ottawa.)

Can. Nat. Canadian Naturalist. (Montreal.)

Chem. News. Chemical News. (London.)

Chem. Soc. (London) Jour. Journal of the Chemical Society of London.

Chief of Eng. Rept. (U. S. War Dept. Report of the Chief of Engineers.)

Cin. Soc. Nat. Hist., Jour. Journal of the Cincinnati Society of Natural History.

Col. School of Mines, Bull. Bulletin of the Colorado School of Mines. (Golden, Col.)

Col. Sci. Soc., Proc. Proceedings of the Colorado Scientific Society. (Denver.)

*Congrès géologique internat., Comp. Rend. des Sessions.

De Bow's Review. (New Orleans.)

Den. Univ., Sci. Lab., Bull. Bulletin of the Scientific Laboratory of Denison University. (Granville, Ohio.)

Dublin Phil. Jour. Dublin Philosophical Journal.

*Eclect. Repertory. Eclectic Repertory. (Philadelphia.)

Econ. Geol. Economic Geology. (New Haven.)

Edin. Jour. Sci. Edinburgh Journal of Science.

Edin. Phil. Jour. Journal of the Edinburgh Philosophical Society.

Elis. Mit. Sci. Soc., Jour. Journal of the Elisha Mitchell Scientific Society. (Chapel Hill, N. C.)

Engineering. (New York.)

Eng. & Min. Jour. Engineering and Mining Journal. (New York.)

*Eng. Assoc. South, Proc. Proceedings of the Engineering Association of the South. (Nashville, Tenn.)

*--- Trans. Transactions of the Engineering Association of the South. (Nashville, Tenn.)

Eng. Mag. Engineering Magazine. (New York.)

Essex Inst., Bull. Bulletin of the Essex Institute. (Salem, Mass.)

Field Columbian Museum, Publications, Geological Series. (Chicago.)

*Forestry and Irrigation.

Frank. Inst., Jour. Journal of the Franklin Institute. (Philadelphia.)

Geog. Soc. Phila., Bull. Bulletin of the Geographical Society of Philadelphia.

Geographisches Jahrbuch. (Gotha.)

Geol. Mag. Geological Magazine. (London.)

Geol. Record. Geological Record. (London.)

Geol. Soc. Amer., Bull. Bulletin of the Geological Society of America. (Rochester, N. Y.)

Geol. Soc. London, Proc. Proceedings and Journal of the Geological Society of London.

Geol. Soc. Penn., Trans. Transactions of the Geological Society of Pennsylvania. (Philadelphia.)

K. K. Geol. Reichsanstalt., Jahr. Jahrbuch des K. K. Geologischen Reichsanstalt. (Vienna.)

Verh. Verhandlungen des K. K. Geologischen Reischsanstalt. (Vienna.)

Geol. Centralblatt. Geologisches Centralblatt. (Leipzig.)

*Gött. Gel. Anz. Göttingische gelehrte Anzeigen. (Göttingen.)

Goldthwaite's Geog. Mag. Goldthwaite's Geographical Magazine. (New York.)

Harper's Mag. Harper's Magazine. (New York.)

L'Institut. Journal des Academies et Sociétiés Scientifiques de la France. (Paris.)

Jahresber. d. Chem. Jahresbericht über die Fortschritte der Chemie. (Giessen.)

Johns Hopkins Univ. Circ. Johns Hopkins University Circulars. (Baltimore.)

Jour. de Physique. Journal de Physique. (Paris.)

Jour. f. prakt. Chemie. Journal für praktische Chemie. (Leipzig.)

Jour. of Geol. Journal of Geology. (Chicago.)

Jour. of School Geography. (Lancaster, Pa.)

Land we love. (Charlotte, N. C.)

Leonhard's Zts. f. Min. Leonhard's Zeitschrift für Mineralogie. (Frankfort.) Liverpool Geol. Assoc., Trans. Transactions of the Liverpool Geological Association.

London Mag. London Magazine.

*Medical Record. (New York.)

Med. Repos. Medical Repository. (New York.)

*Merchant's Mag. Merchant's Magazine. (New York.)

Mineral Collector. (New York.)

Mineral Industry. (New York.)

Min. Mag. & Jour. Min. Soc. London. Mineralogical Magazine and Journal of the Mineralogical Society of London.

Mining & Metallurgy. (New York.)

Min. & Stat. Mag. Mining and Statistic Magazine. (New York.)

Min. Mag. Mining Magazine. (New York.)

Mining Reporter. (Denver.)

Mining World. (Chicago.)

Mus. Comp. Zoöl. Harv'd, Mem. Memoirs of the Museum of Comparative Zoölogy, Harvard College. (Cambridge, Mass.)

Nat. Geog. Mag. National Geographic Magazine. (Washington.)

Nat. Geog. Monograph. National Geographic Monographs. (Washington.)

Nat. Inst. Prom. Sci., Bull. Bulletin of the National Institute for the Promotion of Science. (Washington.)

Nat. Acad. Sci., Biog. Mem. Biographical Memoirs of the National Academy of Science. (Washington.)

Nature. (London.)

Naturh. Ver. d. preuss. Rhein. Westf., Verh. Verhandlungen des Naturhistorischen Vereins der preussischen Rheinlande und Westfalens. (Bonn.)

Naturwiss Ver. f. Neuvorpommern u. Rügen in Greifswald, Mitth. Mitthellungen aus dem Naturwissenschaftlichen Vereine für Neuvorpommern und Rügen in Greifswald. (Greifswald.)

Nautilus, The. (Philadelphia.)

Neues Jahr. f. Min. Neues Jahrbuch für Mineralogie, Geologie und Palæontologie. (Stuttgart.)

N. Y. Acad. Sci., Annals. Annals of the New York Academy of Science.

Trans. Transactions of the New York Academy of Science.

N. Y. Lit. & Phil. Soc., Trans. Transactions of the New York Literary and Philosophical Society.

N. Y. Lyc. Nat. Hist., Annals. Annals of the New York Lyceum of Natural History.

Niederr. Ges. f. Natur-u. Heilk., Sitz. Sitzungsberichte der Niederrheinischen Gesellschaft für Natur-und Heilkunde. (Bonn.)

Niles' Register. (Baltimore.)

North Amer. Review. North American Review. (New York.)

- N. C. Agric. Exp. Station, Rept. Report of the North Carolina Agricultural Experiment Station. (Raleigh.)
- Bull. Bulletin of the North Carolina Agricultural Experiment Station. (Raleigh.)
- *N. C. Board of Health, Bull. Bulletin of the North Carolina Board of Health. (Raleigh.)
- N. C. Board of Internal Improvement. Reports. (Raleigh.)

North Carolina Booklet. (Raleigh.)

- *N. C. Bureau of Labor & Printing, Rept. (Raleigh.)
- *N. C. Bureau of Labor Statistics, Rept. (Raleigh.)
 - N. C. Department of Agriculture, Monthly Bulletins. (Raleigh.)
 - N. C. Geol. Survey, Biennial Reports. (Raleigh.)
 - Volumes. (Raleigh.)
 - Bulletins. (Raleigh.)
 - ____ Economic Papers. (Raleigh.)
 - N. C. University Magazine. (Chapel Hill, N. C.)
- *Ohio Mechanics' Inst., Sci. Proc. Scientific Proceedings of the Ohio Mechanics' Institute.

Our living and our dead.

Overland Monthly. (San Francisco.)

- Petermann's Mitt. Petermann's Mittheilungen aus Justus Perthes' geographischer Anstalt. (Gotha.)
- Phila. Geog. Soc., Bull. Bulletin of the Philadelphia Geographical Society.

*Phila. Numismatic & Antiquarian Soc., Proc.

- Phil. Mag. London, Edinburg and Dublin Philosophical Magazine. (London.)
- Phil. Soc. Wash., Bull. Bulletin of the Philosophical Society of Washington.
- *Popular Science. (New York.)
- Pop. Sci. Month. Popular Science Monthly. (New York.)
- K. preuss. Akad. d. Wiss., Monatsber. Monatsberichte der K. preussichen Akademie der Wissenschaften, zu Berlin.
- —— Sitz. Sitzungsberichte der K. preussichen Akademie der Wissenschaften, zu Berlin.
- Quart. Jour. Agric. & Sci. Quarterly Journal of Agriculture and Science. (Albany, N. Y.)
- Quart. Jour. Sci. Quarterly Journal of Science. (London.)

Répertoire de Chimie. (Paris.)

Revue de Géol. Revue de Géologie. (Paris.)

Roy. Inst. Great Britain, Proc. Proceedings of the Royal Institution of Great Britain. (London.)

Roy. Soc. Can., Trans. Transactions of the Royal Society of Canada. (Montreal.)

Rural Carolinian.

St. Louis Acad. Sci., Trans. Transactions of the St. Louis Academy of Science.

Sanatarian. (New York.)

Sch. of Mines Quart. School of Mines Quarterly. (New York.)

Science. (New York.)

Science News. (Salem, Mass.)

Science Observer. (Boston.)

Sci. Amer. Suppl. Scientific American Supplement. (New York.)

Scribner's Monthly. (New York.)

Smithsonian Inst., Bd. of Reg. Rept. Report of the Board of Regents of the Smithsonian Institution. (Washington.)

— Misc. Coll. Miscellaneous Collections of the Smithsonian Institution. (Washington.)

Société de Chimique, Bull. Bulletin de la Société de Chimique.

Société de Géographie, Bull. Bulletin de la Société de Géographie. (Paris.)

Soc. Géol. de France, Bull. Bulletin de la Société géologique de France.

(Paris.)

Soc. Min. de France, Bull. Bulletin de la Société française de Minéralogie. (Paris.)

*South. Agric. & Register of Rural Affairs. Southern Agriculturist and Register of Rural Affairs.

Southern Guide.

Southern Hist. Assoc., Pub. Publications of the Southern History Association. (Washington.)

Southern Jour. Med. & Pharm. Southern Journal of Medicine and Pharmacy. (Nashville & Knoxville, Tenn.)

Southern Pictures and Pencilings.

*Southern States.

The Southland. (Asheville, N. C.)

Stone. (New York.)

Taschenbuch f. d. Min. Taschenbuch für die gesammte Mineralogie. (Leonhard.) (Frankfort.)

Tech. Quart. Technology Quarterly. (Boston.)

Texas Acad. Sci., Proc. Proceedings of the Texas Academy of Science. (Austin, Tex.)

Torrey Botan. Club, Bull. Bulletin of the Torrey Botanical Club. (Lancaster, Pa.)

Torreya. (Lancaster, Pa.)

*Trinity Archives. (Durham, N. C.)

- U. S. Census, 10th, 11th, 12th Reports.
- U. S. Coast & Geod. Survey Reports.
- *U. S. Congressional Documents.
 - U. S. Dept. of Agric. Rept. of Commissioner.
 - Bureau of Forestry, Bull.
 - Field Operations, Bureau of Soils, Repts.

U.	S.	Geol.	Survey,	Ann. Repts.
_				Bulletins.
_	_			Geol. Atlas, Folios.
				Min. Res.
				Monographs.
_				Prof. Papers.
_				Water-supply & Irrig. Papers.
U.	S.	Mint,	Prod. of	the precious metals, Repts.
U.	S. 1	Nation	al Museu	ım, Bull.
				Proc.
_				Repts.

Virginias, The. (Staunton, Va.)

Wagner Free Inst. Sci., Trans. Transactions of the Wagner Free Institute of Science. (Philadelphia.)

Wash. Acad. Sci., Proc. Proceedings of the Washington Academy of Sciences.

Wis. Acad. Sci., Arts and Letters. Transactions of the Wisconsin Academy of Science, Arts and Letters. (Madison.)

- Zts. d. deutsch Geol. Gesell. Zeitschrift der deutschen Geologischen Gesellschaft. (Berlin.)
- Zts. f. d. Gesam. Naturwiss. Zeitschrift für die gesammten Naturwissenschaften. (Halle.)
- Zts f. Kryst. u. Min. Zeitschrift für Krystallographie und Mineralogie.
 (Leipzig.)
- Zts. f. prakt. Geol. Zeitschrift für praktische Geologie. (Berlin.)



PART II LIST OF MAPS OF NORTH CAROLINA

FRANCIS BAKER LANEY AND KATHARINE HILL WOOD

INTRODUCTION.

The maps are arranged chronologically. All published maps are placed under date of publication. Maps published more than once are placed under date of first publication, with the exception of the U.S. Geol. Survey Topographic maps which are placed under latest date of publication. Manuscript maps are placed under date of preparation. A number of maps are without known date and are placed at the end of the list. Under each year the maps have been grouped as follows: General maps; North Carolina Geological Survey maps; United States Coast and Geodetic Survey maps; United States Department of Agriculture maps; United States Geological Survey maps; United States War Department maps (office of Chief of Engineers).

Maps in general atlases and geographies have, with a few exceptions, been excluded. It is believed that a few maps may have originally appeared in atlases, but it has been impossible to definitely ascertain their origin and in such cases they have been included.

In all cases when there has been any question as to whether a map properly belongs in this list, it has been included.

The place where a map may be found is given in many cases, and following is a list of abbreviations for these places:

U. S. C. & G. S. U. S. Coast & Geodetic Survey.

L. C.....Library of Congress.

N. C. G. S......North Carolina Geological and Economic Survey.

S. B. W.....Library of Stephen B. Weeks, of Trinity and Greensboro, North Carolina.

Off. of Sec. of State, N. C. Office of Secretary of State, North Carolina.

N. C. S. L......North Carolina State Library.

No township or city maps are given in this list but all county maps, as far as it has been possible to obtain records of same, are included.

While every endeavor has been made to make this list of maps as complete as possible, yet, it is probable that some maps have been omitted that should be included. The list includes state and county, geological, topographical, coast and geodetic survey, war department, postal, road, railroad, and agricultural maps.

JOSEPH HYDE PRATT, State Geologist.

PART II

LIST OF MAPS OF NORTH CAROLINA

RY

FRANCIS BAKER LANEY AND KATHARINE HILL WOOD

1. 1590. Americae pars, Nunc Virginia dicta, primum ab Anglis in-

uenta sumtibus Dn. Walteri Raleigh, equestris ordinis viri
Anno Dñi. MDLXXXV. Autore Joanne With, Sculptore
Theodore de Bry, qui et excud. 11½ x 15¾ in. Scalle of 25
leages.
(In Harriott, Thomas. Admiranda narratio fida tamen, de
commodis et incolarum ritibus Virginiae Francoforti
ad Moenum, 1590. Fold.)
(Fac-simile in Hawks, F. L. History of North Carolina.
Fayetteville, N. C. 1857. Vol. 1. Fold. facing p. 141.)
(Fac-simile in Connor, R. D. W. Beginnings of English
America Raleigh, N. C. 1907. Fold. Front.)
- (Fac-simile in Hamilton, P. J. History of North America.
Vol. 3. The colonization of the South. Phila., 1904.
Facing p. 49.)
(Reproduction in Burrage, H. S. Early English and French
voyages New York, 1906. Fold. facing p. 248.)
(Reproduction in Winsor, Justin. Narrative and Critical
History of America. Vol. 3. Facing p. 124.)
(Reproduction in Ashe, Samuel A. History of North Caro-
lina. Greensboro, 1908. Vol. 1. Bet. pp. 2 and 3.)
Note: This is the first map known of what is now North Carolina. The original drawing by John White is in the British Museum.
2. 1590. Anglorum in Virginiam aduentuo. (Arrival of the English-
men in Virginia.) 6 x 9 in.
(In Harriott, Thomas. Admiranda narratio fida tamen, de
commodis et incolarum ritibus Virginiae Francoforti
ad Moenum, 1590.)
(Fac-simile in Wheeler, J. H. Historical sketches of North
Carolina Phila., Lippincott, 1851. Front.)
(Fac-simile in Connor, R. D. W. Beginnings of English
America Raleigh, N. C., 1907. Facing p. 10.)

(Fac-simile in Hamilton, P. J. History of North America. Vol. 3. The colonization of the South. Phila., 1904. Facing p. 81.)

Note: This author states that the original of this map is in the Lenox Library, New York.

— (Fac-simile in Peele, W. J. The first English settlement in America. North Carolina Booklet, v. 4 (1904): 16-17.)

3. 1612. Ould Virginia. Graven and extracted out of ye generall history of Virginia, New England and Somer Isles by Robert Vaughan. 4\frac{3}{4} \times 6 in. A scale of 10 leagues.

(In Smith, John. General History of Virginia, New England and the Summer Isles. The second book, 1624. Fold.)

Note: Shows North Carolina Coast between Cape Henry and Cape Fear.

4. 1650. "Ould Virginia, 1584. New Virginia, 1606. Now Carolina, 1650." 7 x 10\frac{1}{2} in.

(U. S. G. S.)

Note: Pen and ink sketch showing Atlantic coast from Cape Cod southward to about Cape Fear, perhaps copied from one of Smith's maps.

5. 1651. "Ould Virginia." A mapp of Virginia discouered to ye falls and in its Latt: From 35 deg.: & ½ neer Florida to 41 deg.: Bounds of New England. Domina Virginia Farrer, Collegit. John Goddard, Sculp. 10 x 13 in. Scale: 3 in. = 100 miles. (Photographic reproduction.)

(U. S. G. S.)

(Fac-simile in Winsor, Justin. Narrative and Crit. Hist. of America. Vol. 3. Facing p. 465.)

Note: This map appeared in ed. 3 of Edward Williams' "Virginia in America richly valued." London, 1651, and is very rare. The map seen is a photographic reproduction. There are two plates (impressions), one containing portrait of Sir Francis Drake, with inscription, Domina Virginia Farrer, Collegit; the other without the portrait and inscribed, John Farrer, Collegit. At left hand corner of the map is printed. "The sea of China and the Indies." Shows Carolina coast from Cape Henry to Cape Fear.


- 6. 1657. The south part of Virginia, now the north part of Carolina.

 Nicholas Comberford, 1657. 12½ x 16½ in. Scale: 4 in. =
 20 English leagues. (Photographic reproduction.)

 (U. S. G. S.)
- 7. 1662. Discouery made by William Hilton of Charlestowne In New England Marriner from Cape Hatterask Lat: 35: 30' to ye west of Cape Roman in Lat: 32° 30', In ye yeare 1662 And layd Down in the forme as you see by Nicholas Shapley of the towne aforesaid November 1662. 6\frac{1}{4} \times 7\frac{1}{2} \times in.

(In Mass. Hist. Soc., Proc., v. 22 (1883). Facing p. 402.)

Note: This map is reproduced from the original in the British Museum and is reduced to about one-half the original size. The map is referred to in Winsor, Justin. Narrative & Crit. Hist. of America, v. 5, p. 337; and in Mag. Amer. Hist. v. 1 (1887): 55.



8. 1666. Carolina described. A map of the Carolina coast accompany-

London, 1666. 6 x 8 in.

ing "A Brief Description of the province of Carolina."

13. 1672. A new description of Carolina, by order of the lords proprietors, 1672. $19\frac{1}{2} \times 20\frac{1}{2}$ in. Scale: $2\frac{1}{2}$ in. = 60 Eng. miles.

Note: "A Fac-simile of the earliest map of Carolina after the settlement of Charlestown, showing its first location on the west bank of the Ashley...copied...from an original map in the collection of Thos. Addis Emmet, M. D., for Mayor Courtenay, Charleston, 1887."
This map is evidently taken from Ogilby's "America."
Has inset of Ashley and Cooper rivers.

14. 1676. A new description of Carolina: sold by Thos. Bassett in Fleetstreet, and Ric. Chiswell in St. Paul's churchyard. 14\frac{1}{4} \times 19\frac{3}{4} \times in. Scale: 2\frac{1}{2} \times in.=60 \text{ Eng. miles.}

(In Speed, John. The theatre of the Empire of Gr. Britain, new ed., London, T. Bassett, 1676, pp. 49-50.)
(L. C.)

15. 1680. A new map of Carolina. By John Thornton and by Will: Fisher, London, [1680]. 16 x 20 in. Scale of English leagues: 3½ in.=20 miles. Inset: Ashley and Cooper rivers.
(L. C.)

16. 1682. A new description of Carolina. By order of the lords proprietors. James Moxon, Sculp. 18½ x 22¾ in. Scale: 2¾

in. = 20 English leagues.

Inset: "A perticular map of the going into Ashley and Cooper river."

(In Wilson, Stamuel. An account of the province of Carolina. London. Printed by G. Larkin for Francis Smith, 1682. Fold. Front.)

Note: This is the same map as in Ogilby's "America," 1671, and was originally made for that work.

17. 1685. Carte general de la Carolina Dresse Sur les Memoires le plus Nouveaux par le Sieue S...a Amsterdam chez Pierre Mortier. (Avec privilege de nos Seigneurs les Etats.) 173 x 213 in.

Inset: Ashley and Cooper rivers.

(L. C.)

Note: This map also appeared in 1690 and 1700, and is apparently the same as the Willdey map, 1685.

18. [1685?] A new map of Carolina. By John Thornton, Robert Morden and Philip Lea. 17\frac{3}{4} x 21\frac{3}{4} in. Scale: 3 in.=60 miles. [London, 1685?]

Inset: "A perticular map for the going into Ashley and Cooper river."

(L. C.)

19. 1685. A new map of Carolina. Sold by George Willdey at the Great Toy . . . London, 1685. 17\frac{3}{4} \times 21\frac{3}{4} \times 10. Scale: 3 in = 60 English miles.

Inset: "A perticular map for the going into Ashley and Cooper river."

(L. C.)

Note: This map is same as Wilson, 1682.

- **20.** 1687. A new map of Carolina. $4 \times 4\frac{3}{4}$ in.
 - (In Blome, Richard. The present state of his Majestie's isles and territories in America. . . London, 1687. Fold. facing p. 150.)
 - —— (Reproduced in Winsor, Justin. Narrative and Critical History of America. Vol. 5, p. 341.)
 - —— (Fac-simile in Hamilton, P. J. History of North America. Vol. 3. The colonization of the south. Phila., 1904. Facing p. 336.)

Hamilton states that the original of this map is in the Lenox Library, New York.

Note: Shows coast from Delaware bay to Bay St. Matheo.

- 21. 1695. A new map of Carolina, by Philip Lea at the Atlas and Hercules, in Cheapside, London. 14\frac{1}{4} x 17 in. Scale: 2\frac{1}{2} in.=60 Eng. miles.
 - —— (Fac-simile in Charleston Year-book, 1883. Fold. facing p. 377.)
 - (Reproduced in Ashe, Samuel A. History of North Carolina. Greensboro, N. C., 1908. Vol. 1. Facing p. 145.)
 Note: This map is copied from an original map in the library of Mr. Courtenay, Charleston, S. C.
- 22. 1708. Carolina, by Herman Moll, geographer. "Note that ye plantations are marked thus . . . " $5\frac{3}{4} \times 6\frac{1}{2}$ in. Scale: $2\frac{3}{4}$ in.=120 English miles.

(In Oldmixon, John. British Empire in America. . . London, 1708. Vol. 1. Fold. facing p. 325.)

Note: Also appeared in a Dutch translation of this work; Het Britannische ryk in Amerika . . . Amsterdam, R. & G. Wetstein 1721. Vol. 2. Fold. facing p. 248.

- 23. 1709. Fac-simile of a map of the inhabited parts of North Carolina, prepared by Ion Lawson, Surveyor-General of North Carolina, 1709. Drawn by George Schroeter. 5 x 6\frac{3}{4} in. Scale: 2\frac{3}{1} in.=60 British miles.
 - (In Hawks, F. L. History of North Carolina. Fayetteville, 1858. Vol. 2. Fold. facing p. 104.)
 - —— (In Ashe, Samuel A. History of North Carolina. Greensboro, 1908. Vol. 1. Facing p. 169.)
- 24. 1709. To his Excellency, William, Lord Craven . . . lords proprietors of Carolina in America this map is humbly dedicated by Ion Lawson, 1709. 10\frac{1}{2} \times 12\frac{3}{4} \times in.
 - —— (In Lawson, John. A new voyage to Carolina. . . London, 1709. Fold. Front.)

- —— (In Lawson, John. History of North Carolina. London, 1714. Fold. Front.)
- 25. 1710. Anlage der Stadt Neu-Bern 1710. Nach einem Plane der Bibliothek von Mülinen. 13½ x 17 in.

(In Neujahrsblatt herausgegeben vom Historischen Verein des Kantons Bern für 1897. Bern, K. J. Wyss, 1896.)
(S. B. W.)

- 26. 1722. A new map of the most considerable plantations of the English in America dedicated to his Highness, William, Duke of Gloucester. London, 1722. 13 x 18 in.

 Inset: "Carolina." 4¾ x 4¾ in.

 (L. C.)
- 27. 1725. Virginia, Marylandia et Carolina in America Septentrionali Britannorum industria excultae repraesentatae a Ioh. Bapt. Homann, S. C. M. Geog. Norimbergae. 18½ x 22¼ in. Scale: 2¾ in.=20 German miles.

 (S. B. W.)
- 28. 1728. [Boundary line between North Carolina and Virginia.]

 Tracing in possession of U. S. Coast and Geod. Survey,

 Washington, D. C. 6½ x 30¾ in.

Note: "This is a plan of a line between Va. & Nth. Carolina, which was run in the year 1728 in the spring and fall, from the sea to Peter's creek, by the Hon. W. Byrd, W. Daudridge and Rich, Fitzwilliams & Mr. W. Mayo, surveyors, and from Peter's creek was continued in the fall of the year 1749 by Joshua Fry and Peter Jefferson."

29. 1731. A map of Carolina, Florida and the Bahama islands with the adjacent parts. $16\frac{1}{2} \times 23\frac{1}{4}$ in. Scale: 1 degree = 60 miles.

(In Catesby, M. Natural History of Carolina. . . London, 1831. Fold. end of Vol. 2.)

30. 1733. A new and correct map of the province of North Carolina, by Edward Moseley late Surveyor-General of the said province, 1733. $47\frac{1}{2} \times 54\frac{1}{4}$ in. Scale $4\frac{3}{4}$ in. =25 miles.

Insets: Ocracock Inlet; Fort Beaufort or Topsail Inlet; Port Brunswick or Cape Fear Harbour.

(U. S. W. D.)

31. 1736. Carolina, by H. Moll, geographer. [London, 1736?] 7½ x 10¼ in. Scale: 1¼ in.=120 English miles.

(L. C.)
Note: Perhaps from Moll's Atlas.

32. 1737. A map of North Carolina. $7 \times 8\frac{1}{2}$ in.

(In Brickell, John. Natural history of North Carolina. Dublin, 1737. Fold. Front.)

33. 1738. To his grace Thomas Hollis Pelham . . . this chart of his Majesties province of North Carolina with a full and exact description of the . . . capes, remarkable inlets, bars, chan-

nels, rivers, creeks, shoals, depths of water, ebbing and flowing of the tides . . . with directions for all the navigable inlets: are carefully laid down and humbly dedicated by your Grace's most humble servant, James Wimble, 1738. $11 \times 37\frac{3}{4}$ in. Scale: $5\frac{1}{4}$ in. = 15 leagues. (L. C.)

34. 1747. Atlantic coast from Boston to Cape Hatteras. 12 x 15\frac{1}{2} in. Engraved and printed by James Turner near the Town House, Boston.

> (In A bill in the chancery of New Jersey. . . New York. Printed by James Parker, 1747. Fold. facing p. 124.)

- 35. 1749. A new and exact plan of Cape Fear river from the bar to Brunswick by Edward Hyrne, 1749. 121 x 151 in. Scale: $4\frac{3}{4}$ in. = 8 miles. London, R. Sayer and T. Jeffreys, 1749.
 - (In Jeffreys, T. Topography of North America and the West Indies. No. 63.)
- 36. 1751. A map of the most inhabited part of Virginia, containing the whole province of Maryland with part of Pennsylvania, New Jersey and North Carolina. Drawn by Joshua Fry and Peter Jefferson in 1751. London, 1751. 33½ x 48 in. Scale: 3 in. = 30 miles.
 - (In Jeffreys, T. Topography of North America and the West Indies. London, 1768. Nos. 56 and 57.)

Note: This map was revised in 1755 by John Dalrymple and reissued in 1775. Cf Phillips, P. L., List of maps of America, p. 612.

37. 1752. Map of the Virginia and North Carolina dividing line (from a draught at the head of a letter of Peter Fontaine, Jr.). 2 x 6 in.

> (In [Fontaine], J. Memoirs of a Hugenot family . . . reprinted from original edition of 1852. New York, [1907]. Facing p. 357.)

(Fac-simile in Hawks, F. L. History of North Carolina. Fayetteville, 1858. Vol. 2. Facing p. 102.)

38. 1754. A map of the British-American plantations, extending from Boston in New England to Georgia, including all the back settlements in the respective provinces as far as the Mississippi, by Eman. Bowen. $8\frac{1}{4} \times 10\frac{1}{7}$ in. Scale: $\frac{3}{4}$ in. = 150 British statute miles.

(Va. State Lib.)

39. 1755. A map of Virginia, North and South Carolina, Georgia, Maryland, with part of New Jersey. Printed for R. Baldwin, 1755. S_x x 10 in. Scale: English miles, 69 to a degree. (In London Magazine, v. 24 (1755). Fold. facing p. 312.)

40. 1755. Partie de l'Amerique Septentrionale qui comprend le cours de l'Ohio . . . la Virginie, la Caroline. Par le Sr. Robert de Vaugondy, Géographe ordinaire du Roi. Avec privilege, 1755. 18¼ x 23¾ in. Scale: 69 English miles to a degree.

(U. S. G. S.)

41. 1756. A survey of the coast about Cape Lookout in North Carolina, taken the 29th of June, 1756. By Arthur Mackay. 10\(^3_4\) x 14 in. Scale: 2\(^1_2\) in.=1 mile.

(In Jeffreys, T. Topography of North America and the

West Indies, London, 1768. No. 58.)

42. 1757. Carte de la Caroline et Georgie. Pour servir à l'histoira Générale des Voyages. Tiree des auteur's Anglois par M. B_[ellin] Ing. de la Marine, 1757. 6\frac{3}{4} x 10\frac{3}{4} in. Scale: 1\frac{1}{2} in.=30 lieues de France.

(U. S. G. S.)

Note: A German map with title, Karte von Carolina und Georgien, zur allgemeinen Geschichte der Reisen, 6½ x 9½ in. is apparently a German edition of this map.

- 43. 1762. La Caroline dans l'Amerique Septentrionale suivant les Cartes Angloises. 8\frac{2}{4} \times 14 in. Scale: 2 in.=20 lieues. [Par le sieur Bellin, Paris, 1762.]
- 44. 1762. A draught of the Cherokee country on the west side of the twenty-four mountains . . . taken by Henry Timberlake . . . in March, 1762. 9 x 15 in. Scale: 3 in.=3 miles.

(In Memoirs of Lieut. Henry Timberlake... London, for the author, 1765. Fold. Front.)

- —— (In Jeffreys, T. Topography of North America and the West Indies, London, 1768. No. 64.)
- 45. 1762. A new and correct map of the provinces of North and South Carolina, Georgia and Florida. 10½ x 13½ in. Scale: 2 in. = 150 statute miles.

(In The American Gazetteer . . . Vol. 1. London, 1762.)

46. 1765. A new map of North and South Carolina and Georgia.

Drawn from the best authorities by T. Kitchin, Geogr.

6\frac{1}{4} \times 8\frac{1}{8} \text{ in.} Scale: British statute miles, 69 to a degree.

(In London Magazine, v. 34 (1765): Fold. facing p. 168.)

47. 1770. A compleat map of North Carolina from an actual survey, by Capt. Collet, Governor of Fort Johnston. Engraved by I. Bayley. (To his most excellent Majesty George the III . . . this map is dedicated by . . . John Collet.) London, T. Hooper, 1770. 27½ x 38½ in. A scale of British miles, 69½ to a degree.

(L. C.)

48. 1771. Plan of the entrance into Cape Fear harbour, North Carolina. 10 x 14 in. Scale: 2 in.=2 Eng. miles.

(In Speer, Joseph Smith. The West India Pilot. London, W. Griffen, 1771, No. 13. Fold. facing p. 53.)

49. 1775. An accurate map of North and South Carolina with their Indian frontiers, showing in a distinct manner all the mountains, rivers, swamps, marshes, bays, creeks, harbors, sandbanks, and soundings on the coast. With the roads and Indian paths: as well as the boundaries or provincial lines, the several townships and other divisions of the land in both the provinces; the whole from actual surveys by Henry Mouzon and others. London, for R. Sayer and J. Bennett, 1775. 39½ x 55¾ in. Scale: English miles, 69½ to a degree. Insets: Harbor of Port Royal; Harbor and bar of Charlestown.

Note: This map was also published in Jefferys, T., American Atlas, Nos. 23 and 24; Faden, North American Atlas, Nos. 29 and 30; Le Rouge, Atlas American Septentrionale, Nos. 19 and 20; Library of Congress, American maps, v. 1, No. 23; v. 5, Nos. 25 and 26.

- 50. 1775. A map of the most inhabited part of Virginia, containing the whole province of Maryland with part of Pennsylvania, New Jersey and North Carolina. Drawn by Joshua Fry and Peter Jefferson in 1775. (By William Churton and Daniel Weldon of North Carolina, Joshua Fry and Peter Jefferson of Virginia.) 15 x 46³/₄ in. Scale: 3 in.=30 miles.

 (L. C.)
- 51. 1776. A general map of the southern British colonies in America, comprehending North and South Carolina, Georgia . . . from the modern surveys of Engineer de Brahm, Capt. Collet, Mouzon and others . . . by B. Romans, 1776. London, printed for R. Sayer and J. Bennett, 1776. 19 x 24½ in. Scale: British statute miles, 69½ to a degree.
 (S. B. W.)
- **52.** 1776. A new map of North and South Carolina and Georgia. Aitkin, Sculp. $6 \times S_2^1$ in. Scale: British statute miles, 69 to a degree.

(In The Pennsylvania Magazine. Vol. 2, 1776. Fold. facing p. 268.)

53. 1777. Nouvelle carte des côtes des Carolines Septentrionales et Meridionales du Cap Fear a Sud Edisto. Levées et Soudées par N. Pocock en 1770. Traduite de l'Anglois. A Paris, 1777. 15½ x 20¼ in. Scale: 2¾ in.=5 lieues.

(S. B. W.)

54, 1778. A new map of the western parts of Virginia, Pennsylvania, Maryland and North Carolina; comprehending the river Ohio and all the rivers which fall into it; part of the river Mississippi, the whole of the Illinois river, Lake Erie, part of the Lakes Huron. Michigan, etc., and all the country bordering on these lakes and rivers. By Thos. Hutchins. Engraved by T. Cheevers. London, T. Hutchins, 1778. 344 x 41¾ in.

> (In Hutchins, Thomas. Topographical description of Virginia, Pennsylvania, Maryland and North Carolina. . . London, 1778. Fold. Front.)

Note: This map was also published by Le Rouge, Paris,

55. 1778. Plan de la riviere du Cap Fear depuis la Barre jusques à Brunswick . . . par ordre de M. de Sartine, 1778. 13 x 22 in. Scale: 60 miles to a degree. (Depot de la Marine.) (L, C.)

56. 1779. A new and accurate map of North Carolina in America. $10\frac{1}{4} \times 13\frac{1}{2}$ in. Scale: 2 in. = 30 miles.

(In The Universal Magazine. Vol. 65. London, 1779. Fold. facing p. 169.)

57. 1781. Map of Cape Fear river with the counties adjacent and the towns of Brunswick and Wilmington, against which Lord Cornwallis detached a part of his army . . . London, published by J. Bew, 1781. 7 x 9½ in. Scale: 2½ in. = 15 miles. (U. S. G. S.)

58. 1782. Carte des Carolines et de la Georgia. 8½ x 12½ in. Lieues d'une heure, de 20 au degré.

(In Hilliard d'Auberteuil, [M. R.] Essais historiques et politiques sur les Angla-Americans. Gravures et carte. Bruxelles, 1781. Vol. 1. Fold. facing p. 387.)

59. 1787. A map of the country between Albemarle sound and Lake Erie, comprehending the whole of Virginia . . . Engraved for the Notes on Virginia . . . 221 x 221 in. Scale: American miles, 691 to a degree. (S. B. W.)

60. 1788. The Carolinas with part of Georgia. 13½ x 14 in. 3 in.=80 British statute miles.

(In Gordon, William. The history . . . of the independence of the U.S. Vol. 3. London, 1788. Fold. at end.)

61. 1788. A map of the States of Virginia, North Carolina, South Carolina and Georgia, comprehending the Spanish provinces of East and West Florida exhibiting the boundaries between the United States and Spanish Dominions as fixed by the

Treaty of Peace in 1783. Compiled from late surveys and observations by Joseph Purcell. 12½ x 14 in. Published by Thomas & Andrews, Boston. Engraved for Morse's geography by Amos Doolittle at New Haven. Scale of miles, 693 to a degree.

(In Morse, Jedidiah. The American Geography. Elizabethtown, Shepard Kollock, 1789. Fold. Front.)

(In Morse, Jedidiah. American Universal Geography. Boston, 1793. Fold. facing p. 632.)

62. 1789. Chart of the coast of America from Cape Fear to Cape Lookout, from the latest surveys. Published and sold by M_{l} atthew₁ Clark, Boston. $15\frac{3}{4} \times 23\frac{3}{4}$ in.

Inset: A plan of the harbour and entrance of Cape Fear and the shoals. 7 x 14 in.

(In Chart of the Coast of America. Boston, 1789. No. 13.)

63. 1789. Chart of the coast of America from Cape Henry to Cape Lookout. Published and sold by Matthew Clark, Boston. 16 x 35 in.

> (In Chart of Coast of America. Boston, Matthew Clark, 1789. No. 11.)

64. 1793. New map of the States of Georgia, South and North Carolina, Virginia and Maryland, including the Spanish provinces of west and east Florida from the latest surveys. Cornelius Tiebout, Sculp., New York. 113 x 14 in. Scale of miles, 69½ to a degree.

> (In Imlay, G. A topographical description of the Western territory of North America. . . New York, 1793. Fold. Front.)

65. 1794. An accurate map of North and South Carolina with their Indian frontiers, showing in a distinct manner all the mountains, rivers, swamps, marshes, bays, creeks, harbours, sandbanks and soundings on the coast; with the roads and Indian paths, as well as the boundary or provincial lines, the several townships and other divisions of the land in both the provinces; the whole from actual surveys by Henry Mouzon and others. Published by Laurie & Whittle, 1794. 384 x 533 in. Scale: English miles, 69\frac{1}{2} to a degree.

> Insets: Harbour of Port Royal; Bar and harbour of Charleston. (U. S. W. D.)

66. 1794. Chart of the coast of America from Cape Hatteras to Cape Roman, from the actual surveys of Dl. Dunbibin, Esq. 20 $\times 30^{3}$ in. A scale of 20 English leagues.

> (In The American Pilot, W. Norman, 1794. Boston, 1798. No. 4.)

67. 1794. A new chart of the coast of North America from Currituck inlet to Savannah river, comprehending the coasts of North and South Carolina, by Captain N. Holland. 27¼ x 40 in. London, Laurie & Whittle, 1794.

(U. S. G. S.)

68. 1794. Sketch of the Catawba river at McCowan's Ford. 63 x 7 in. (In Stedman, Charles. History of origin, progress and termination of the American war. London, 1794. Facing

69. 1795. A map of the States of Virginia, North Carolina, South Carolina and Georgia, comprehending the Spanish provinces east and west of Florida, exhibiting the boundaries as fixed by the late Treaty of Peace between the United States and the Spanish Dominions. Compiled from late surveys and observations by Joseph Purcell. 11¼ x 14 in. Scale of miles, 69½ to a degree.

(U. S. G. S.)

p. 329.)

- 1795. North Carolina. 7 x S₄ in. Scale: 1 in.=60 miles.
 (In Scott, Joseph. The United States Gazetteer. Phila.,
 - 1795. Fold.)
 —— (In Scott, Joseph. New and Universal Gazetteer. . . Vol. 4.
 Phila., 1800.)
- 71. 1796. Map of North and South Carolina by J. Denison. 7 x 8³/₄ in. Scale: 2 in.=100 miles.

(In Morse, Jedidiah. American Universal Geography, Ed. 3. Boston, 1796. Fold. facing p. 640.)

72. [1797?] Partie de la province de la Caroline du Nord. 9¼ x 10¼ in. Scale: 3⅓ in.=65 American miles.

73. 1797. Sketch of Cape Fear river bar and entrance as surveyed 1795 by Joshua Potts. Sketch made in 1852. 15\frac{3}{4} x 22\frac{1}{2} in. Scale, 1:100,000.

(U. S. W. D.)

74. 1798? A map of Cape Fear river and its vicinity, from the Frying Pan shoals to Wilmington. Engraved for Joshua Potts. Scoles, Sculp., New York. $5\frac{1}{2} \times 7\frac{3}{4}$ in. Scale of miles, $69\frac{1}{2}$ to a degree.

(U. S. W. D.)

75. 1798. To navigators this chart, being an actual survey of the seacoast and island navigation, from Cape Henry to Cape Roman is most respectfully inscribed by Price and Strother.

Published agreeable to act of Congress. Engraved by W. Johnston. New-Bern, North Carolina, 1798. 14 x 371 in. A scale of leagues, 20 to a degree.

(L. C.)

76. 1800. An exact map of North and South Carolina and Georgia with east and west Florida from the latest discoveries. J. Lodge, Sculp. 8 x 10 in.

> (In Russell, William. History of America. . . Vol. 2. London, 1800. Fold. facing p. 296.)

- 77. 1800. North Carolina from the best authorities. 7 x 123 in. Engraved for the New Encyclopædia. Published by I. Low, New York. Scale: 2\frac{1}{2} in. = 65 miles. (S. B. W.)
- **78.** 1801. Map of North Carolina. 5½ x 7 in. Scale: 2 in. = 60 miles. (In Carey's American pocket atlas. . . Phila., 1801. Fold. facing p. 92.) Note: This map is accompanied by a description of the state, pp. 92-95.

79. 1804. A map of the country betwixt Chowan and Nansemond rivers, shewing the track of a canal proposed to be cut from Bennett's creek, North Carolina, to Suffolk (Virginia). Vide Acts of the Virginia and North Carolina assemblies passed at the session of 1804-5. 12 x 13\frac{1}{2} in.

(In Am. State Papers, Misc., v. 1. Fold. facing p. 764.)

80. 1806-08? A map of Cape Fear river and its vicinity from the Frying Pan shoals to Wilmington by actual survey. Addressed to the commissioners of navigation of Port Wilmington by Price & Strother. 13 x 19 in. Scale of miles, 69\frac{1}{3} to a degree.

(U. S. W. D.)

81. 1806. Carte des deux Carolines et de la Géorgie. 8\frac{1}{4} x 12\frac{3}{4} in. Scale: 23 in. = 30 lieues. (S. B. W.)

82. 1806. A chart of the coast of North Carolina between Cape Hatteras and Cape Fear from a survey taken in the year 1806 by Thomas Coles and Jonathan Price. Pursuant to Act of Congress. 23\frac{1}{2} x 33\frac{1}{2} in.

Insets: Cape Lookout and Beaufort harbor; Ocracock bar including Shell Castle.

(U. S. C. & G. S.)

83. 1808. To David Stone and Peter Brown, Esq., this first actual survey of the State of North Carolina taken by the subscribers is respectfully dedicated by their humble servants, Jonathan Price, John Strother, 1808. Phila., 1808. $28\frac{3}{4} \times 59\frac{1}{4}$ in. Scale of miles, $69\frac{1}{2}$ to a degree.

(L. C.)

- 84. 1808. A plan of the harbour of Ocracock and the entrance into Pamlico sound, 1808. $9\frac{1}{2} \times 12\frac{1}{4}$ in. Scale: 2 in. = 2 miles. (U. S. W. D.)
- 85. 1812. Map of North Carolina. 6 x 9½ in.

(In Williamson, Hugh. History of North Carolina, Phila., 1812. Vol. 1. Fold. Front.)

86. 1816. "This sketch... describes the country lying between the Chesapeake bay and Albemarle sound," by James Kearney, U. S. Top'l Eng. 12 x 19½ in. Scale: 3 in.=15 miles. MSS.

(In Kearney, James. Report relative to the connection of waters of Elizabeth river and the waters of North Carolina.)
(U. S. W. D.)

87. 1819. Longitudinal section of the Neuse river from Stone's Mill to Major Turner's ferry below Smithfield, by Rob't H. B. Brazier, 1819. 9½ x 128¾ in. MSS.

(Off. Sec. of State, N. C.)

88. 1819. Plan of the Neuse river from Stone's Mill to Major Turner's ferry shewing the proposed situation of the locks and dams. Surveyed under the direction of Hamilton Fulton by Rob't H. B. Brazier, 1819. 36¼ x 82 in. Scale: 160 chains=2 miles. MSS.

(Off. Sec. of State, N. C.)

89. 182-? Caroline septentrionale. 14 x 17½ in. Scale: 3½ in. = 90 miles.

(S. B. W.)

90. 1820. Plan and sections of a line of canal from the Tar river to the Toisnot creek, and a survey of that creek to its junction with the Contentnea. Surveyed under direction of Hamilton Fulton, by Robt. H. B. Brazier, 1820. 34 x 124\frac{3}{4} in. Scale: 160 chains=2 miles. MSS.

(Off. Sec. of State, N. C.)

91. 1820. Plan and sections of part of Crab Tree and Walnut creeks. Surveyed under the direction of Hamilton Fulton, C. E., by Robt. H. B. Brazier, 1820. 27½ x 43¼ in. Scale: 80 chains = 1 mile. MSS.

(Off. Sec. of State, N. C.)

92. 1820. A diagram of the entrance to Cape Fear river and the Frying Pan shoals. Pursuant to an Act of Congress passed in 1820.
20³/₄ x 146³/₄ in. Scale: 5¹/₂ in.=3000 yards.
(U. S. W. D.)

93. 1820. Plan of Croatan and Roanoke sounds showing the proposed situations of the embankments and inlet. By Hamilton Fulton, C. E., to the State of North Carolina, 1820. $9\frac{3}{4}$ x $15\frac{1}{4}$ in. Scale: 4 in.=3 miles.

(U. S. W. D.)

Note: Original drawing of this map may be found in the office of the Secretary of State, Raleigh, N. C.

- 94. 1820. A trigonometrical diagram of the Cape Lookout shoals . . .

 Pursuant to an Act of Congress passed in 1820. 20½ x 74

 in. A scale of 4000 yds. [6½ in.=2 mi.]

 (U. S. W. D.)
- 95. 1821. A new chart of the coast of North and South Carolina, Georgia and east Florida. Drawn from the latest authorities by Samuel Lambert, Salem, [Mass.]. 15\frac{3}{4} x 30 in. A scale of leagues, 20 to a degree. Cushing & Appleton, and S. Lambert, Salem, [Mass.], 1821.

 (L. C.)
- 96. 1821. Plan of the Tar river from Louisburg to the Little Falls showing the proposed situation of the locks and dams. Surveyed under the direction of Hamilton Fulton, by Rob't H. B. Brazier. '56 x 122 in. Scale of chains: 160 chains=2 miles. MSS.

(Off. Sec. of State, N. C.)

97. 1821. Transverse sections of the Cape Fear river between Buckhorn Falls and Campelton by Rob't H. B. Brazier, 1821. 50½ x 122½ in. MSS.

(Off. Sec. of State, N. C.)

98. 1821. Military reconnaissance of the country near Wilmington in the State of North Carolina, 1821. _[By1] James Kearney, Maj. Top. Eng. 42½ x 48½ in. Scale of four inches to a mile.

(U. S. W. D.)

99. 1821. Plan of Ocracock inlet, N. C. Surveyed by Maj. Abert, assisted by Lieuts. McNeill, Vinton & Whistler. Drawn by Lieut. Strong, March, 1821. 56 x 86 in. Scale: 12 inches = 1 mile.

(U. S. W. D.)

100. 1821. Reconnaissance of the sounds from Bogue inlet to Cape Fear river in the state of North Carolina, 1821. _[By] James Kearney . . . drawn by Lieut. Turnbull. 27½ x 145 in. Scale: 2 inches=1 mile.

(U. S. W. D.)

101. 1822. Plan of the stage road from Fayetteville by Raleigh, Louisburg, Warrenton and Robinson's ferry, to the Virginia line. Surveyed by Hamilton Fulton, 1822. 27 x 223 in. Scale: 240 chains=3 miles. MSS.

(Off. Sec. of State, N. C.)

102. 1823. Plan of the road from Salem to Fayetteville, by Randolph and Moore court houses. Surveyed by Hamilton Fulton, State Eng., 1823. Drawn by Rob't H. B. Brazier. 25 x 207 in. Scale: 240 chains=3 miles. MSS.

(Off. Sec. of State, N. C.)

103. 1823. Survey of the Cape Fear river from the upper to the lower flats. 1823 [by Hamilton Fulton]. 21 x 72 in. Scale: 4 in. = 880 vards.

(U. S. W. D.)

104. 1824. Plan of the Catawba river from the Devil's shoals to near Sherill's Ford. Surveyed under direction of Hamilton Fulton by Rob't H. B. Brazier, 1824. Scale: 80 chains=1 mile. 41\frac{3}{4} \text{ x } 121\frac{3}{4} \text{ in. MSS.}

(Off. Sec. of State, N. C.)

105. 1825. Geological map of North Carolina, prepared by Prof. Denison Olmsted in connection with his geological survey of the state made during 1824 and 1825 under the direction of the State Board of Agriculture. 10 x 154 in.

(N. C. S. L.)

Note: The following inscription (imperfect in places) is on this map: "This first attempt to sketch the geological features of North Carolina is respectfully inscribed to the Board of Agriculture. It claims to be merely an outline to be covered and filled up by succeeding observations. As such, it is believed that the Board of Agriculture can make it of special service in prosecuting the Geological Survey, and that this when published . . shows both Currituck inlets, Roanoke inlet, one in Oregon inlet, Ocracoke inlet, Drum inlet. Granite-gneiss, micaslate, argyllite, etc., sandstone or coal formation, greatslate formation, iron beds, limestone beds, plumbago of Wake, transition formations."

106. 1826 [Map of coast from Cape Hatteras to Cape Fear.] New York. 1826. Published by E. & G. W. Blunt. 25 x 37½ in.

Insets: Cape Fear river from its entrance to Smithville; Beaufort harbor; Cape Fear; Cape Lookout; Cape Hatteras; the bar and roads of Ocracock.

(U. S. C. & G. S.)

107. 1826. North and South Carolina and Georgia. 6½ x 9 in.
(In Armroyd, George. A connected view of the whole internal navigation of the United States. Phila., 1826.
Fold. at end.)

- 108. 1826. Plan of the Buncombe Turnpike road from Asheville to the Painted Rock at the Tennessee line. Surveyed by order of the Board for Internal Improvement by Rob't H. B. Brazier, 1826. 33 x 249 in. Scale: 80 chains=1 mile. MSS.

 (Off. Sec. of State, N. C.)
- 109. 1826. A chart of the coast of North Carolina, comprising the 3 capes, Hatteras, Lookout and Fear, with the harbours Occracock, Beaufort and Smithville, made agreeably to Act of Congress of the United States . . . by S. Bernard, J. G. Totten, J. D. Elliott. 47 x 56 in. Scale: 9 in.=30 miles. Insets: Bar and roads of Occracock; Beaufort harbour; Cape Fear river from the bar to Smithville.

 (U. S. W. D.)

110. 1826. Map of reconnaissance exhibiting the country between Washington and New Orleans with the routes examined in reference to a contemplated National road between these two cities. 17 x 21 in. Scale: 2 in. = 80 miles.

(U. S. W. D.)

111. 1826. Plan of the Dismal Swamp canal drawn by J. Farley, U. S. A. [1826.] 25 x 31 in.
(U. S. W. D.)

112. 1827. Plan of that part of Uhara Swamp lying between the road leading from Jackson to Bryan's Cross Roads and Pottocasy creek in the county of Northampton. Surveyed by order of the Board for Internal Improvement, 1827. Drawn by R. H. Brazier, 1828. 12½ x 28½ in. Scale: 160 chains=2 miles. MSS.

(Off. Sec. of State, N. C.)

113. 1827. Plan of the great Dismal Swamp or Lebanon Desert lying in the counties of Gates, Perquimans, Pasquotank, Camden and Currituck in the State of North Carolina. Surveyed by order of the Board of Internal Improvement, 1827. Drawn by R. H. B. Brazier, 1828. 27½ x 30 in. Scale: 240 chains = 3 miles. MSS.

(Off. Sec. of State, N. C.)

114. 1827. Cape Fear river, N. C., below the town of Wilmington. Surveyed in 1827 by Hartman Bache . . . W. M. Boyce . . . Samuel Wragg . . . 29 x 117 in. Scale: 4 in. to 1 mi. (U. S. W. D.)

- 115. 1827. Survey of the country between Beaufort harbor and Neuse river, North Carolina, shewing the different routes for a ship canal to connect those waters. Surveyed in 1827-28 by Hartman Bache. Drawn by Hartman Bache, W. M. Boyce, J. R. Irwin. 46½ x 83 in. Scale: 4 inches=1 mile.

 (U. S. W. D.)
- 116. 1827. Survey shewing obstructions to navigation at Ocracoke inlet, N. C. Surveyed by Hartman Bache. Drawn by J. D. Graham and W. M. Boyce. $59\frac{3}{4} \times 83\frac{3}{4}$ in. Scale: 12 inches=

(U. S. W. D.)

117. 1827. Survey shewing the obstructions to the navigation of Cape Fear river below the town of Wilmington, N. C., in 1827.

1827. By Capt. Bache, Lieuts. Boyce & Wragg. 2. . . 28 x 1944

in. Scale: 12 in. to 1 mi.

(U. S. W. D.)

118. 1828. Plan of the swamp lands between Albemarle and Pamlico sounds. Drawn by order of the Board for Internal Improvements by R. H. B. Brazier, 1828. 28 x 42½ in. Scale: 4 in. = 4 miles.

(Off. Sec. of State, N. C.)

119. 1829. Map illustrating the geology of the gold region of North Carolina. 7 x 10½ in. Scale: 2 inches=10 miles. Copied from Price & Strother's large map of the state.

(In Mitchell, Elisha. On the geology of the gold region of North Carolina. Am. Jour. Sci., Ser. I, v. 16, 1829. Fold. facing p. I.)

120. 1829. North Carolina. Pasquotank river and sand bar and shoal.

1829. 25 x 38½ in.

(U. S. W. D.)

121. 1829? Survey of Roanoke inlet and sound by Lieuts. Boyce and Wragg, under the direction of Hartman Bache. Drawn by Lieut. V. D. Graham. Reduced from original map and drawn by J. M. McClellan. 13½ x 16 in. Scale: 4 in.=4 miles.

(U. S. W. D.)

122. 1830. Map of Ocracock inlet. 27¼ x 46½ in. Scale: 4 in. to 1 mi. MSS.

(U. S. W. D.)

Note: Has on MSS.: "Chiefly from compilation. The position of islands, headlands, lighthouses, lighthoats and other principal points being determined by actual triangulation..."

123. 1832. Map of North and South Carolina and Georgia, constructed from the latest authorities. Phila., S. Augustus Mitchell, 1832. 15½ x 21 in. Scale: 3 in. = 80 miles.

(L. C.)

124. 1832. Map shewing the routes of the Central and Cape Fear and Yadkin Railroads explored 1832. Drawn by W. Schlatten. Surveyed by E. McIlvaine and H. Hogé. 29\frac{3}{4} \times 96\frac{3}{4} \times in. MSS.

(Off. Sec. of State, N. C.)

125. 1833. Geological map of the mining districts in the state of Georgia, western parts of Carolina and in East Tennessee by Jacob Peek. 11\frac{3}{4} \text{x} 14 in. Scale: 2\frac{1}{2} in.=40 miles.

(In Peck, J. Geological and mineralogical account of the mining districts in the state of Georgia. . Am. Jour. Sci., Ser. I, v. 23, 1833. Fold. facing p. I.)

- 126. 1833. A new map of the state of North Carolina, constructed from actual surveys; authentic public documents and private contributions by Rob't H. D. Brazier, Phila. Published under patronage of the legislature by John MacRae, 1833. 34\frac{3}{4} x 83 in. Scale: 5 in. = 30 miles.

 (L. C.)
- 127. 1833. North America. Sheet XI. Parts of North and South Carolina. Published under the superintendence of the society for the diffusion of useful knowledge. 12\frac{3}{4} \times 14\frac{1}{4} \times 1. London, Baldwin & Cradock, 1833.

 (U. N. C. L.)
- 128. 1834. Map of parts of Brunswick, Bladen and Columbus counties, North Carolina. Shewing the experimental lines, traced to ascertain the practicability of uniting the navigable waters of Cape Fear and Waccamaw rivers . . . Surveyed under direction of James Kearney, by E. B. White, R. T. P. Allen and R. S. Smith, 1834. $28\frac{3}{4} \times 48\frac{3}{4}$ in. Scale: 1 inch to a mile.

(U. S. W. D.)

129. 1835. A map of North Carolina and South Carolina, exhibiting the postoffices and postroads, by David H. Burr. MSS. copied from his map of these states for the use of the Committee on Postoffices and Postroads of the House of Representatives, 1835. 48¼ x 56¾ in.

(L. C.)

130. 1835. A map of Ocracoke inlet. As compiled by Lieut. Dutton with alterations as determined in 1835 by Alex. I. Swift. 18\frac{3}{4} x 22 in. Scale: 4 inches to the mile.

(U. S. W. D.)

Note: This map is reproduced 8¼ x 11¼ in., in Chief of Eng. Rept., 1893, pt. 2. Facing p. 1376.

131. 1836. A map of North and South Carolina, accurately copied from the old maps of James Cook, published in 1771, and of Henry Mouzon in 1775. $16\frac{1}{4} \times 20\frac{3}{4}$ in. Scale: English miles, $69\frac{1}{2}$ to a degree.

Insets: Plan of Beaufort; Plan of Camden; Plan of Charlestown: Plan of Georgetown.

(In Carroll, B. R. Historical collections of South Carolina. N. Y., 1836. Fold. Front.)

132. 1836. Sketch of the country embracing several routes from Portsmouth, Ohio, to Linville, N. C., and exhibiting the relative positions of the contemplated road and various important points situated between the Atlantic Ocean and the Northern Lakes. Drawn by F. L. Dancy, under direction of Lieut.-Col. S. H. Long. 11\(^3_4\) x 39\(^3_4\) in. Scale: 2\(^3_4\) in.=50 miles.

(In U. S. 24th Cong., 1st Sess., 1836. House Doc. No. 169.
Fold. facing p. 16.)

- —— (In A collection of maps published by order of Congress. Wash., 1843. No. 87.)
 (L. C.)
- 133. 1837. Map of parts of Brunswick, Bladen & Columbus counties, North Carolina, and Harry district, South Carolina. Shewing the experimental lines traced to ascertain the practicability of uniting the navigable waters of the Cape Fear and Waccamaw rivers . . . Surveyed . . . 1834 and . . . 1837. 37½ x 49½ in. Scale: 1 mi. to 1 in. (U. S. W. D.)

134. 1837. _LMap₁ reduced from a "Map of the State Road from Franklin, N. C., to Georgia line . . . 1837." By J. L. Smith, commissioner. 14½ x 26 in. Scale: 2 miles to 1 inch. MSS.

(Off. Sec. of State, N. C.)

135. 1837. Core sound, North Carolina, surveyed under the direction of J. Kearney, by T. J. Lee, L. Sitgreaves and A. M. Mitchell, 1837. Drawn by T. J. Lee and L. Sitgreaves. In 4 sheets, each 13 x 20¼ in.

No. 1. Harbor Island bar entrance into Core sound.

No. 2. Drum shoal in Core sound.

No. 3. Piney Point shoal in Core sound. No. 4. Bells Point shoal in Core sound.

(In U. S. 25th Cong., 2d Sess., 1838. House Doc. No. 445.)

- 136. 1837. A map of a survey of the mouth of New river, N. C., made under the direction of Lieut. A. I. Swift, Aug't, 1837. By H. Bliss. 26 x 48¼ in. Scale: 1 ft. to 1 mi. MSS. (U. S. W. D.)
- 137. 1837. Map of part of the Cherokee territory situated among the mountains of North Carolina, Georgia and Tennessee, from surveys under the direction of W. G. Williams in 1837 and 1838, by Philip Harry, C. E. . . . 47\frac{3}{4} \times 53\frac{3}{4} \times in. Scale: 10\frac{1}{2} \times in.=13 \text{ miles.}
- 138. 1837. A map of the Cherokee country in North Carolina, surveyed in the year 1837. Drawn from the returns of Deputy Surveyors by R. Deaver. 52 x 74 in. Scale: 200 poles to 1 inch. (U. S. W. D.)
- 139. 1837. Map of the country between Roanoke river and Nansemond river and the Dismal Swamp, shewing among others, the routes of the Roanoke and Suffolk canals and their connection with the Dismal Swamp canal. James Kearney. 21³/₄ x 39¹/₂ in. Scale: 17¹/₂ in.= 20 miles.
- 140. 1837. Survey between the Neuse and Cape Fear rivers, N. C., to ascertain the route of a steamboat canal . . . by Emory, Cutts & Tilghman. $27\frac{1}{4} \times 97\frac{3}{4}$ in. Scale: 1 inch=1 mile. (U. S. W. D.)
- 141. 1837. Survey of Bogue sound, North Carolina, made under direction of J. Kearney by F. H. Smith, A. Mitchell, T. Kennedy, 1837. 29½ x 125¼ in.
 (U. S. W. D.)
- 142. 1837. Survey of Croatan sound, North Carolina, made under the direction of Lieut.-Col. J. Kearney . . . by J. McClellan, F. H. Smith, 1837. 49 x 53³/₄ in. (U. S. W. D.)
- 143. 1837. Survey of the Pasquotank river, North Carolina. Made under the direction of Lieut.-Col. J. Kearney . . . By J. McClellan and F. H. Smith. . . 1837. 27¹/₄ x 97³/₄ in. Scale: 4 in. to 1 mi. (U. S. W. D.)

- 144. 1838. Map of the State lands in Hyde. Surveyed by R. L. Myers and W. P. Munford under the direction of Walter Guynn, 1838. $29\frac{1}{2} \times 50\frac{3}{4}$ in. Scale of 16,000 ft. MSS. (Off. Sec. of State, N. C.)
- 145. 1839. Map of North and South Carolina. Exhibiting the postoffices, postroads, canals, railroads, etc. By David H. Burr. Washington, 1839. 48\frac{1}{4} \times 56\frac{3}{4} \times 10. Scale: 6 in. = 60 miles. (L, C_{\cdot})
- 146. 1839. Beaufort harbor, North Carolina, surveyed by order of Honorable J. K. Paulding. Executed by Lieut. James Glynn. Drawn by H. C. Flagg. 23 x 29 in. Scale, 1:9600. (U. S. W. D.)
- 147. 1839. Cape Fear river, North Carolina, surveyed in conformity to an act of Congress and executed by Lieut. James Glynn, July, 1839. $20\frac{1}{4} \times 90\frac{1}{2}$ in. Scale, 1:10,000. (U. S. W. D.)
- 148. 1839. A chart of the entrance to Cape Fear river, surveyed by order of Hon. J. K. Paulding, Sec. of Navy. Executed by Lieut. James Glynn . . . 1839. 464 x 74 in. Scale, 1: 10,000.

(U. S. W. D.)

- 149. 1839. Continuation of the survey of Cape Fear river executed in 1839 by Lieut. James Glynn. Washington, 1839. 203 x 60 in. Scale, 1:5000. (U. S. W. D.)
- 150. 1839. [Map of Brunswick county, North Carolina, compiled and . . . from the best authorities . . . exhibiting . . . several parcels . . . land in the county . . . respectfully dedicated by A. Foster. [1839.] 16 x 21½ in.

(U. S. W. D.) Note: This map is imperfect and part of the lettering is obliterated.

151. 1840. Map of Franklin county, township lines divided by a survey of the county made by Jos. Bridgers in 1840. 26\frac{1}{2} x 27 in. Scale: 1 mile to 1 inch. MSS.

(Off. Sec. of State, N. C.)

152. 1840-55 (?) Maps 9-13 of the Piedmont division, Swanannoa route, N. C. & Western R. R. Survey. Made under the direction of Walter Guynn, by James C. Turner. Five sheets, each 253 x 463 in. Scale: 800 ft. to 1 inch.

(Off. Sec. of State, N. C.)

153. 1841. Esquisse des principales chaines des Monts Apalaches. $10\frac{1}{2}$ x $10\frac{1}{2}$ in.

(In Woodbridge, W. C. Description des Monts Apalaches. Soc. de Géographie, Bull., Ser. II, v. 16 (1841): Fold. at end.)

- 154. 1842. Geological map of North Carolina. 8×11 in. Scale: $2\frac{1}{2}$ in. = 100 miles.
 - (In Mitchell, Elisha. Elements of Geology... 1842. Fold. Front.)
- 155. 1842. Map of the States of North and South Carolina. 9 x 15 in. Scale: Geographic miles, 60 to a degree.

 Inset: Plan of Charleston.

(In Hinton, J. H. History and topography of the United States, Ed. 3. London, 1842. Vol. 1. Fold. facing p. 194.)

- 156. 1843. Map of the states of North Carolina, South Carolina and Georgia. 16 x 21 in. Scale: $3\frac{1}{2}$ in. = 100 miles. Phila., S. Augustus Mitchell, 1843. Inset: Vicinity of Charleston.

 (U. S. G. S.)
- 157. 1843. North Carolina. 11½ x 15 in. Scale: 1½ in. = 50 miles. (Entered according to act of Congess in the year 1843 by Sidney E. Morse and Samuel Breese. . .)
 (S. B. W.)
- 158. 1844. A map of the Albemarle Swamp Land Company's Lands and that part of the lands claimed by the State lying near Lake Pungo and Pungo river, by Washington W. Hyman, May, 1844. 30¼ x 42½. Scale: 200 poles to an inch. MSS. (Off. Sec. of State, N. C.)
- 159. 1845. Haywood county. "This map is a fair representation of that part of the gold region which has been surveyed in the county of Haywood and made by order of court, March, 1845." 14 x 29\frac{3}{4} in. Scale: 100 poles=1 inch. MSS.

 (Off. Sec. of State, N. C.)
- 160. 1846. Sketch D showing the progress of Section No. 4 (coast of North Carolina), U. S. Coast Survey in 1845-46. 5½ x 7¼ in. Scale, 1:600,000.

(In U. S. Coast Survey, Rept. 1846. Sketch D.)

161. 1847. Maps of the Philadelphia and North Carolina Mining Company's estate, Rutherford county, North Carolina, by F. Gipperich. 18½ x 25¼ in. Scale of 300 fathoms.

(In Gipperich, F. Report on the gold mines of the Phila. and N. C. Mining and Smelting Co., Phila., 1847. Fold. at end.)

162. 1847. Sketch D showing the progress of Section 4 (coast and sounds of N. C.), U. S. Coast Survey, 1846-47. 17½ x 18 in. Scale, 1:600,000.

(In U. S. Coast Survey, Rept. 1847. Wash., 1847. Sketch D.)

163. 1848. Map of a proposed R. R. from Raleigh by Fayetteville to Cheraw, S. C. Made in 1848, by T. L. O'Sullivan, reduced in 1874 by W. C. $17\frac{1}{2} \times 58\frac{1}{2}$ in. Scale: 2 miles=1 inch. MSS.

(Off. Sec. of State, N. C.)

164. 1848. Sketch D showing the progress of Section 4 (coast and sounds of N. C.), U. S. Coast Survey, in 1846-47 & 48. 7 x 7 in. Scale, 1:600,000.

(In U. S. Coast Survey, Rept. 1848. Wash., 1848. Sketch

- 165. 1849. Map of the surveys for the Western turnpike from Salisbury to the Blue Ridge made under direction of S. Moylan Fox, C. E., 1849. 24½ x 49¼ in. Scale: 3½ in.=9 miles. MSS. (Off. Sec. of State, N. C.)
- 166. 1849. Sketch D showing the progress of Section 4 (coast and sounds of N. C.), U. S. Coast Survey, in 1846-7, 8 & 9. 6³/₄ x 7 in. Scale, 1:600,000.

(In U. S. Coast Survey, Rept. 1849. Wash., 1849. Sketch D.)

167. 1849. Hatteras inlet. (Harbor of Refuge.) Coast of North Carolina. 16¼ x 16¼ in. Scale, 1:20,000.

(In U. S. Coast Survey, Rept. 1849. Wash., 1849. Sketch D. No. 4.)

168. 1849. Sketch of Cape Hatteras and cove for anchorage. $7 \times 7\frac{3}{4}$ in. Scale, 1:20,000.

(In U. S. Coast Survey, Rept. 1849. Wash., 1849. Sketch D. No. 3.)

Note: Also published in Rept. for 1850.

169. 1849. Edenton bay, North Carolina. Surveyed in 1849. 10½ x 17½ in. Scale, 1:20,000.

(U. S. W. D.)

170. 1849. Entrance to Mackay's creek, North Carolina. Surveyed in 1849. 9\frac{3}{4} \times 17\frac{1}{2} \text{ in. Scale, 1:20,000.} (U. S. W. D.)

171. 1850. A map of Maryland and Virginia in 1682. (George Fox's Travels.)

(In Bowden, James. History of the Society of Friends in America. London, 1850. Fold. facing p. 339.)

Note: Shows northern part of North Carolina.

172. 1850. A map of the English colonies in North America in 1656. 4 x 74 in.

> (In Bowden, James. History of the Society of Friends in America. London, 1850. Front.)

Note: Includes what is now North Carolina.

- 173. 1850. Map of the western turnpike from the Blue Ridge to the Georgia line, made under the direction of S. Moylan Fox, C. E., 1850. $25\frac{1}{4} \times 50\frac{3}{4}$ in. MSS. (Off. Sec. of State, N. C.)
- 174. 1850. A new map of North Carolina, with its canals, roads and distances from place to place along the stage and steamboat routes, published by Thomas, Cowperthwaite & Co., Phila., 1850. 11 x 13 in. Scale: 2 in. = 80 miles. Insets: Parts of Craven and Jones' counties. Gold region. (U. S. G. S.)
- 175. 1850. Sketch D showing the progress of Section 4 (coast and sounds of N. C.), U. S. Coast Survey, 1845-1850. Published in 1850. $9\frac{1}{2} \times 9\frac{1}{2}$ in. Scale, 1:600,000.

(In U. S. Coast Survey, Rept. 1850. Wash., 1850. Sketch D.)

- 176. 1850. Hatteras inlet, North Carolina. 11 x 13\frac{1}{2} in. Scale, 1:20,-000. Chart No. 417.
 - (In U. S. Coast Survey, Rept. 1850. Wash., 1850. Sketch D. No. 3.)
 - (In U. S. Coast Survey, Rept. 1851. Wash., 1851. Sketch D. No. 3.) Note: Later issues.
- 177. 1850. Hatteras shoals, North Carolina. 103 x 11 in. Scale, 1: 80,000. Chart No. 416.
 - ____ (In U. S. Coast Survey, Rept. 1850. Wash., 1850. Sketch D. No. 4.) Note: Later issues.
- 178. 1850. Pasquotank river, North Carolina. 13½ x 16¼ in. Scale, 1:60,000. Chart No. 407.

(U. S. C. & G. S.) Note: Later issues.

- 179. 1850. Sketch of Beaufort harbor, North Carolina, 1850. 161 x 17 in. Scale, 1:30,000.
 - (In U. S. Coast Survey, Rept. 1850. Wash., 1850. Sketch D. No. 2.)
- 180. 1850. Sketch showing progress of the survey at Beaufort harbor, North Carolina, in 1850. 73 x 8 in. Scale, 1:60,000.

(In U. S. Coast Survey, Rept. 1850. Wash., 1850. Sketch D. No. 5.)

181. 1851. Deep River Mining and Transportation Co.'s coal mines. 8 x 10\frac{1}{3} in. Scale: 1000 rods=1 ft.

(In Johnson, W. R. Rept. on the coal lands of the Deep River Mining and Transportation Co. Albany, 1851. Fold. at end.)

182. 1851. Map of a part of North Carolina showing the slack water navigation of Cape Fear and Deep rivers. $9\frac{1}{4} \times 13\frac{3}{4}$ in. Scale: $2\frac{3}{4}$ in. = 50 miles.

(In Johnson, W. R. Rept. on the coal lands of the Deep River Mining and Transportation Co. Albany, 1851. Fold. at end.)

183. 1851. Map of Chatham county, N. C., showing the position of the coal mines on Deep river. 10\frac{1}{4} \times 14\frac{1}{2} \times in.

(In Johnson, W. R. Rept. on the coal lands of the Deep River Mining and Transportation Co. Albany, 1851. Fold. at end.)

184. 1851. Sketch D showing the progress of Section 4 (coast and sounds of N. C.), U. S. Coast Survey, 1845 to 1851. Published in 1851. 17\frac{3}{4} x 20\frac{1}{4} in. Scale, 1:600,000.

(In U. S. Coast Survey, Rept. 1851. Wash., 1851. Sketch D.)

185. 1851. Preliminary sketch of Beaufort harbor, North Carolina. $13\frac{1}{4} \times 16\frac{1}{2}$ in. Scale, 1:20,000.

(In U. S. Coast Survey, Rept. 1851. Wash., 1851. Sketch D. No. 5.)

186. 1851. Sketch D, No. 6, showing the progress of the survey at Cape Fear river and Frying Pan shoals, North Carolina, 1851. 7 x 9 in. Scale, 1:200,000.

(In U. S. Coast Survey, Rept. 1851. Wash., 1851. Sketch D. No. 6.)

187. 1851. Sketch of Frying Pan shoals and Cape Fear river, 1851. $12\frac{1}{4} \times 14\frac{3}{4}$ in. Scale, 1:120,000.

(In U. S. Coast Survey, Rept. 1851. Wash., 1851. Sketch D. No. 7.)

188. 1852. Map of the Cape Fear and Deep rivers from Fayetteville to Hancock's Mill showing position of the several locks, dams and canals . . . 1852. Executed under . . . William Beverhout Thompson. Drawn by Thomas F. O'Brien. 51 x 108\frac{3}{4} in. Scale: 2 inches=1 mile. MSS.

(Off. Sec. of State, N. C.)

189. 1852. Outline map of North Carolina by William D. Cooke. 9\frac{3}{4} x
18 in. Printed at the office of the "Southern Weekly Post,"

Raleigh, N. C., 1852.

(L. C.)

190. 1852. Sketch D showing progress of Section 4 (Albemarle and Pamlico sounds, N. C.), U. S. Coast Survey, 1845 to 1852. 11 x 20\frac{1}{4} in. Scale, 1: 600,000.

(In U. S. Coast Survey, Rept. 1852. Wash., 1853. Sketch D.)

191. 1852. Reconnaissance of New river and bar, North Carolina. 13½ x 16 in. Scale, 1:15,000.

(In U. S. Coast Survey, Rept. 1852. Wash., 1853. Sketch D. No. 4.)

Note: Also published in 1877.

192. 1852. Sketch D, No. 2 showing progress of survey of Cape Fear and vicinity in Sections Nos. 4 and 5. (Coast of N. C.), 1852. 10¼ x 11 in. Scale, 1:400,000.

(In U. S. Coast Survey, Rept. 1852. Wash., 1853. Sketch D. No. 2.)

- 193. 1852. Sketch of Ocracoke inlet, North Carolina . . . 1852. 13½ x 14 in. Scale, 1:40,000. Chart No. 418.
 - —— (In U. S. Coast Survey, Rept. 1852. Wash., 1853. Sketch D. No. 3.)
- 194. 1852. Map of Roanoke and Croatan sounds, compiled from maps of H. Bache, and from actual survey by W. B. Franklin, 1852. 27 x 42¼ in. Scale, 1:30,000.

 (U. S. W. D.)
- 195. 1852. Reduction of a survey of Cape Fear river, bar and entrance by Maj. Kearney in 1820. 1852. 6½ x 7¼ in. Scale, 1: 100,000.

(U. S. W. D.)

196. 1852. Sketch of Cape Fear river bar and entrance as surveyed in 1733 by Edward Moseley. 1852. 17 x 23½ in. Scale, 1: 100,000.

(U. S. W. D.)

197. 1853. Chart of the mines of the McCullock Copper and Gold Mining Company, Wm. R. Singleton, Esq., of Virginia. S₄ x 18₄ in.

(In Jackson, C. T. Report of the McCullock Copper and Gold Mining Co. New York, 1853. Fold. at end.)

198. [1853.] Map of the Jones' mining property. 4 x 74 in. Scale: 23 in. = 300 yds.

(In Tyson, P. T. Rept. on the gold deposits and works of the Manteo Mining Company. Baltimore, 1853. Front.)

199. 1853. Map of the Loflin mining property. $4\frac{1}{2} \times 7\frac{1}{4}$ in. Scale: $2\frac{3}{4}$ in. = 300 yds.

(In Tyson, P. T. Rept. on the gold deposits and works of the Manteo Mining Company. Baltimore, 1853. Front.) 200. 1853. Map of the property of the Vanderburg Mining Co., of North Carolina, containing in all 626 acres. 18½ x 23½ in. Scale: 20 rods to the inch.

(In Prospectus of the Vanderburg Mining Co. New York, 1853. Fold. at end.)

201. 1853. Map of the Russel gold mines. $6\frac{1}{4} \times 7\frac{1}{4}$ in. Scale: $2\frac{1}{2}$ in. = 500 yds.

(In Tyson, P. T. Rept. on the gold deposits and works of the Perseverance Mining Co. in North Carolina. Baltimore, 1853. Front. Fold.)

202. 1853. Property of the Aberdeen Company, from a survey by James T. Hodge assisted by John A. Bagley, Sept., 1853. 14½ x 18 in. Scale: 30 rods=1 inch.

(In Prospectus of the Aberdeen Company. New York, 1854. Fold. at end.)

203. 1853. Sketch D showing progress of Section 4 (Albemarle and Pamlico sounds, N. C.), U. S. Coast Survey, 1845 to 1853. 13 x 19 in. Scale, 1:600,000.

(In U. S. Coast Survey, Rept. 1853. Wash., 1854. Sketch D.)

204. 1853. Preliminary chart of the entrances to Cape Fear river and New inlet, North Carolina. Published in 1853. 13½ x 16¼ in. Scale, 1:40,000.

(In U. S. Coast Survey, Rept. 1853. Wash., 1854. Sketch D. No. 3.)

205. 1853. Reconnaissance of Hatteras inlet, North Carolina. 1853. 12½ x 14 in. Scale, 1:20,000.

(In U. S. Coast Survey, Rept. 1852. Wash., 1853. Sketch D. No. 5.)

206. 1853. Sketch D, No. 2 showing the progress of the survey of Cape Fear and vicinity in Sections Nos. 4 and 5, 1853. 10\frac{3}{4} x 12\frac{1}{4} in. Scale, 1:400,000.

(1n U. S. Coast Survey, Rept. 1853. Wash., 1854. Sketch D. No. 2.)

207. 1854. Map of the Rhymer property, Rowan county, North Carolina, containing 100 acres. 7 x 10 in.

(In Prospectus and By-laws of the Rhymer Gold Mining Company. New York, 1854. Fold. Front.)

208. 1854. Outline map of North Carolina. Compiled and drawn by G. Schroeter. New York, 1854. 104 x 15 in.

(In [Hawks, F. L., supposed author]. Hints on the internal improvement of North Carolina. . N. Y., 1854. Fold. at end.)

209. 1854. Sketch of Beaufort harbor, North Carolina. From the U. S. Coast Survey of Supt. Bache together with an addition by actual survey from the mouth of Newport river and continued up that river to include Shepherd's Point and Gallant's Point, by W. Beverhout Thompson and T. Abert. 12 x 15 in. Scale: 3 in. = 1 stat. mile.

(In [Hawks, F. L., supposed author]. Hints on the internal improvement of North Carolina. N. Y., 1854. Fold. at end.)

210. 1854. Sketch D showing progress of Section 4 (Albemarle and Pamlico sounds, North Carolina), U. S. Coast Survey, 1845 to 1854. Published in 1854. 17½ x 20¼ in. Scale, 1:600,000.

(In U. S. Coast Survey, Rept. 1854. Wash., 1855. Sketch D.)

211. 1854. Beaufort harbor, North Carolina. 21½ x 28¾ in. Scale, 1:20,000. Chart No. 420.

Inset: Sketch of Lookout bight.

(In U. S. Coast Survey, Rept. 1854. Wash., 1855. Sketch
 D. No. 4.)
 Note: Later issues.

212. 1854. Sketch D, No. 2 showing progress of the survey of Cape Fear and vicinity in Sections Nos. 4 and 5, 1854. 10 x 12 in. Scale, 1:400,000.

(In U. S. Coast Survey, Rept. 1854. Wash., 1855. Sketch D. No. 2.)

213. 1854. Wimble shoals, coast of North Carolina, 1854. 7½ x 8 in. Scale, 1:80,000. Chart No. 415.

(In U. S. Coast Survey, Rept. 1854. Wash., 1855. Sketch
 D. No. 3.)

Note: Also published in 1870.

214. 1855. Colton's North Carolina. Published by G. W. and C. B. Colton, New York, 1855. 11 x 13\frac{3}{4} in. Scale: 2 in.=60 miles.

Inset: Beaufort harbor.

(In North Carolina Land Co. Statistical and descriptive account of the several counties of North Carolina. Raleigh, 1869. Fold. Front.)

Nate: Other editions, with variations as to size and scale, published in 1861, 1869, 1871, 1873, 1874, 1880. Perhaps others.

215. 1855. Geological map of North Carolina. A new map of the state of North Carolina constructed from actual surveys, authentic public documents and private contributions published

under the patronage of the legislature. 33½ x S2 in. Scale: 5 in. = 30 miles.

Note: Prof. Collier Cobb of the University of North Carolina states that the base of this map is Brazier's map of 1833, and that the geological formations were colored by Emmons in 1855.

216. 1855. Map of Albemarle and Chesapeake canal, connecting Chesapeake bay with Currituck, Albemarle and Pamlico sounds and their tributary streams. By Marshall Parks, 1855.

13th Ed. Revised and corrected, 1880. Compiled and drawn by A. Lindenkohl, Washington, D. C. 18½ x 27¼ in. Scale: 6 in.=40 statute miles.

(U. S. W. D.)

Note: Other editions.

217. 1855. Sketch D showing progress in Section No. 4 (Albemarle and Pamlico sounds. North Carolina), U. S. Coast Survey, from 1845 to 1855. 24½ x 34 in. Scale, 1:400,000.

(In U. S. Coast Survey, Rept. 1855. Wash., 1856. Sketch D.)

D. No. 2.)

Note: Later issues.

219. 1855. Preliminary chart of lower part of Cape Fear river, North Carolina, 1855. 24½ x 29½ in. Scale, 1:30,000.

Inset: Sketch of Frying Pan shoals. 8½ x 12½ in. Scale, 1:80,000.

(In U. S. Coast Survey, Rept. 1855. Wash., 1856. Sketch D. No. 3.)

- 220. 1855. Topographical survey of Zeek's and a part of Smith's Isl^d.

 Made under the direction of Capt. D. P. Woodbury, by L.

 C. Turner, April, 1855. 15 x 31¹/₄ in. Scale: 1 inch=200 ft.

 (U. S. W. D.)
- 221. 1856. Map of Gold Hill and vicinity, showing the shafts of the mine and giving the ground plan of the Honeycutt workings. 7 x 20¼ in.

(In Emmons, Ebenezer. Geological report of the Midland counties of North Carolina. Raleigh and New York, Putnam, 1856. Fold. facing p. 160.)

222. 1856. Map of Deep River coalfield, North Carolina. 11 x 25 in. (In Emmons, Ebenezer. Geological report of the Midland counties of North Carolina. Raleigh and New York, Putnam, 1856. Fold. at end.)

223. 1856. Sketch D showing progress in Section No. 4 (coast and sounds of North Carolina), U. S. Coast Survey, from 1845 to 1856. 24½ x 34¼ in. Scale, 1:400,000.

(In U. S. Coast Survey, Rept. 1856. Wash., 1856. Sketch D.)

- 224. 1856. Cape Fear river from Reeve's Point to Wilmington, North Carolina. 23½ x 29¼ in. Scale, 1:40,000. Chart No. 425.

 (U. S. C. & G. S.)

 Note: Later issues.
- 225. 1856. Preliminary chart of lower part of Cape Fear river, North Carolina, from near Federal Point to Wilmington . . . 1856. 24½ x 29½ in. Scale, 1:30,000.

Inset: Cape Fear river in the vicinity of Wilmington, 1856. 10½ x 17½ in. Scale, 1: 20,000.

(In U. S. Coast Survey, Rept. 1856. Wash., 1856.)

226. 1856. Preliminary chart of the seacoast of North Carolina from Cape Hatteras to Ocracoke inlet, 1856. 13\frac{1}{4} x 16 in. Scale, 1:200,000.

(In U. S. Coast Survey, Rept. 1856. Wash., 1856.)

- 227. 1857. Albemarle and Chesapeake canal connecting Chesapeake bay with Currituck, Albemarle and Pamlico sounds and their tributary streams, by John Lathrop, C. E., 1857. Hosford & Co., New York. 22¼ x 29¼ in.

 (Off. Sec. of State, N. C.)
- 228. 1857. Cooke's new map of the state of North Carolina, constructed from actual surveys, private contributions and authentic public documents, procured for the purpose under a special resolution of the General Assembly of the State, by William D. Cooke, A. M. Raleigh, 1857. Engraved, printed and mounted by J. H. Colton & Co., New York. 38½ x 60½ in. Scale: 8 miles to an inch.

(U. S. C. & G. S.)

- 229. 1857. Map of Indian localities in North Carolina, 1584. Drawn by G. Schroeter. 4×6 in. Scale: $1\frac{3}{4}$ in.=30 miles. (In Hawks, F. L. History of North Carolina. Vol. 1. Fayetteville, 1857. Facing p. 231.)
- 230. 1857. Map of the Deep River coalfield.

 (In Emmons, E. Special report . . . concerning the advantages of the valley of the Deep river as a site for the establishment of a national foundry. Raleigh, Holden & Wilson, 1857.)

231. 1857. Sketch D showing progress in Section No. 4 (coast and sounds of North Carolina), U. S. Coast Survey, from 1845 to 1857. 24½ x 33¼ in. Scale, 1:400,000.

(In U. S. Coast Survey, Rept. 1857. Wash., 1858. Sketch D. Map No. 25.)

- 232. 1857. Comparative chart showing changes in the entrance to Beaufort harbor, North Carolina. 14½ x 20¼ in. Scale, 1:10,000.
 - (In U. S. Coast Survey, Rept. 1857. Wash., 1858. Map No. 30.)
- 233. 1857. Preliminary chart of the seacoast of the United States from Cape Hatteras to Ocracoke inlet, and from Cape Lookout to Bogue inlet, North Carolina. Published in 1857. 14¼ x 35½ in. Scale, 1:200,000.

(In U. S. Coast Survey, Rept. 1857. Wash., 1858. Maps Nos. 26 and 27 on one plate.)

- 234. 1857. Preliminary survey of Hatteras inlet, North Carolina . . . 13\frac{3}{4} \times 16\frac{3}{4} \times 16\frac{3}{4} \times 1. 20,000.
 - (In U. S. Coast Survey, Rept. 1857. Wash., 1858. Map No. 28.)
- 235. 1857. Preliminary survey of Ocracoke inlet, North Carolina . . . 1857. 13\frac{3}{4} \times 16\frac{3}{4} \times 16. Scale, 1:30,000.

(In U. S. Coast Survey, Rept. 1857. Wash., 1858. Map No. 28.)

- 236. 1858. Map of a part of North Carolina, showing the routes connecting with Deep River district, constructing and proposed. 7½ x 9 in. Scale: 2½ in.=40 miles.
 - (In Wilkes, Charles. Examination of the Deep River country. U. S. 35th Cong., 2d Sess., 1858. Sen. Doc. No. 26. Fold. facing p. 20.)
 - —— (In N. C. Gen. Assem. Sess. 1859. Doc. No. 60.)
- 237. 1858. Map of North Carolina precincts, 1663-1729. $6\frac{3}{4} \times 6\frac{3}{4}$ in. Scale: $1\frac{3}{4}$ in.=50 miles.
 - (In Fiske, John. Old Virginia and her neighbors. Boston and New York, 1897. Double page. Vol. 2. p. 276.)
 - —— (In Hawks, F. L. History of North Carolina. Vol. 2. Fayetteville, 1858. Fold. p. 570.)
- 238. 1858. Map of the Deep River district, North Carolina, by Capt. C. Wilkes, U. S. N., 1858. 12½ x 18½ in. Scale: 3½ in.=5 miles.
 - (In Wilkes, Charles. Examination of the Deep River country. U. S. 35th Cong., 1858. Sen. Ex. Doc. No. 26. Fold. at end.)
 - —— (In N. C. Gen. Assem. Sess. 1859. Doc. No. 60.)

- 239. 1858. Map showing the lands and mines of the Cabarrus Gold Mining Company, Cabarrus Co., North Carolina. 13\frac{3}{4} \times 17\frac{1}{2} \text{ in.} \((In \text{ Brown, James T. Report on property of the Cabarrus Gold Mining Co., 1865. Fold. Front.)}\)
- 240. 1858. Sketch D showing progress in Section No. 4 (coast and sounds of North Carolina), U. S. Coast Survey, from 1845 to 1858. 24½ x 34¼ in. Scale, 1:400,000.

(In U. S. Coast Survey, Rept. 1858. Wash., 1859. Map No. 10.)

241. 1858. Comparative chart of Cape Fear River bars, North Carolina. 18\frac{3}{4} \times 24\frac{1}{4} \times in. Scale, 1:10,000.

(In U. S. Coast Survey, Rept. 1858. Wash., 1859. Map No. 13.)

242. 1858. Comparative chart of New Inlet bar, northern entrance of Cape Fear river, North Carolina. $16\frac{1}{2} \times 21\frac{1}{2}$ in. Scale, 1:10,000.

(In U. S. Coast Survey, Rept. 1858. Wash., 1859. Map No. 12.)

243. 1858. Preliminary chart of the seacoast of the United States from Cape Hatteras, N. C., to Cape Lookout, N. C. Published in 1858. 21½ x 28 in. Scale, 1:200,000.

(In U. S. Coast Survey, Rept. 1858. Wash., 1859. Map No. 11.)

- 244. 1859. A geological map of the copper region in the counties of Floyd, Carroll and Grayson, Va., and Ashe and Alleghany counties, N. C. 1859. By Richard O. Currey. 8\frac{3}{4} x 13\frac{1}{2} in. Scale: 6\frac{1}{4} miles=1 inch.
 - (In Currey, Richard O. Geological visit to the Virginia copper region. Knoxville, Tenn., 1859. Front. Fold.)
 - (In On the Blue Ridge copper region. The Virginias, v. 1 (1880): facing p. 60.)
- 245. 1859. [Map of western North Carolina.] 20 x 26 in.
 Inset: [Height of Black Mountain peaks].

 (In Colton, Henry E. Mountain scenery. The scenery of

(In Colton, Henry E. Mountain scenery. The scenery of the mountains of western North Carolina... Raleigh, 1859. Fold. at end.)

246. 1859. Sketch D showing progress in Section No. 4 (coast and sounds of North Carolina), U. S. Coast Survey, from 1845 to 1859. 25 x 34 in. Scale, 1:400,000.

(In U. S. Coast Survey, Rept. 1859. Wash., 1860. Map No. 15.) 247. 1860. Map of the route of the aqueduct of the Valley River Goldmining Co., and sketch map—approximate—of the Parker property gold placers. 9½ x 18 in.

(In Blake, W. P. Report upon the property of the Valley River Gold Co. Min. Mag. Ser. II., v. 1, 1860. Fold. facing p. 466.)

- 248. 1860. A new map of the State of North Carolina, by J. L. Hazzard. 11½ x 14½ in. Scale: 2 in. = 70 miles.

 (U. N. C. L.)
- 249. 1860? A new map of the state of North Carolina. Constructed from actual surveys, authentic public documents and private contributions. Published under patronage of the legislature.

 53 x 83 in. Scale: 5 in.=30 miles.

 (U. S. C. & G. S.)
- 250. 1860. Physikalische Karte des Alleghany-Systems. Nach allen vorhandenen Messungen und Untersuchungen gezeichnet von Ernest Sandoz. 6\frac{3}{4} x 15\frac{3}{4} in. Scale, 1:6,000,000.

Inset: Original Karte der Black Mountains zur Ubersicht der Hohenmessungen von Prof. Arnold Guyot.

(In Petermann's Mittheilungen, 1860. Tafel 12. Fold. facing p. 284.)

—— (In Am. Jour. Sci., Ser. II, v. 31 (1861): Fold. at end.)

Note: Notice of this map may be found, Am. Jour. Sci.
Ser. II, v. 30 (1860): 392-393.

251. 1860. Rowan gold and copper mine, Rowan county, North Carolina. $7 \times 7\frac{1}{2}$ in.

(In Prospectus. Repts. of geologists... of the Rowan Gold and Copper Mining Co., Rowan county, North Carolina. Baltimore, Wiley, 1860. Fold.)

252. 1860. Sketch D showing progress in Section No. 4 (coast and sounds of North Carolina), U. S. Coast Survey, from 1845 to 1860. 24 x 34 in. Scale, 1:400,000.

(In U. S. Coast Survey, Rept. 1860. Wash., 1861. Map No. 10.)

- 253. 1860. Albemarle sound, North Carolina. Eastern part from the Atlantic Ocean to the Pasquotank river. $27\frac{1}{2} \times 30\frac{1}{2}$ in. Scale: 1:80,000. Chart No. 140. Inset: Continuation of Alligator river.
- 254. 1860. Albemarle sound, North Carolina. Western part, from the Pasquotank river to the Roanoke and Chowan rivers. 27½ x 30½ in. Scale, 1:80,000. Chart No. 141.

 Note: Later issues.

255. 1861. Albemarle sound to Cape Fear, North Carolina, from the U. S. Coast Survey, 1854-7, Admiralty chart No. 267. 24 x 37½ in.

Note: Another issue of this map of same date has insets: Hatteras inlet; Ocracoke inlet.

256. 1861. Birdseye view of North and South Carolina and part of Georgia. (Panorama of the seat of war.) John Bachmann, publisher. 18 x 27½ in.

(S. B. W.)

257. 1861. Colton's new topographical map of the eastern portion of the state of North Carolina with part of Virginia and South Carolina. From the latest and best authorities, published by J. H. Colton, New York, 1861. 25½ x 32½ in. Scale: 8 miles to an inch.

Inset: Plan of the seacoast from Virginia to Florida. 4% x 25%.

(L. C.)

Note: Also published in 1863.

- 258. 1861. J. H. Colton's topographical map of North and South Carolina, a large portion of Georgia and part of adjoining states. Published by J. H. Colton, New York, 1861. 17½ x 24½ in. Insets: Beaufort and vicinity; Wilmington and vicinity; Savannah and vicinity; Charleston harbor and its approaches. (L. C.)
- 259. 1861. Sketch D showing the progress in Section No. 4 (coast and sounds of North Carolina), U. S. Coast Survey, from 1841 to 1861. 24½ x 34 in. Scale, 1:400,000.

(In U. S. Coast Survey, Rept. 1861. Map No. 11.)

260. 1861. Middle Virginia and North Carolina. Drawn by H. Lindenkohl. 19 x 22 in.

(U. S. C. & G. S.)

261. 1861. North Landing river (head of Currituck sound), Virginia and North Carolina. 16 x 20 in. Scale, 1:40,000. Chart No. 406.

(U. S. C. & G. S.)

Note: Later issues.

262. 1861. Preliminary sketch of a map of the mountains of western Nth. Carolina from the observations of Prof. A. Guyot, drawn under his direction by E. Sandoz, June, 1861. 19½ x 27 in. Scale: 8 miles=1 inch. Chart No. 3013.

263. 1861. Sketch of the coast of North Carolina from Oregon inlet to Ocracoke inlet. 14½ x 20 in. Scale, 1:200,000.

(In Bache, A. D. Notes on coast of North Carolina. U. S. Coast Survey, 1861.)

- 264. 1861. Beaufort harbor, Core sound and Ocracoke inlet, N. C. Compiled in 1861... from surveys by James Kearney and Hartman Bache. 28½ x 50 in. Scale: 1 inch=1 mile.

 (U. S. W. D.)
- 265. 1861. Extract from "A new map of the State of North Carolina constructed from actual surveys, authentic public documents, and private contributions. Published under the patronage of the legislature, 1854..." 20 x 36 in. Scale: 54 in. = 30 miles.

(Signed, Denis Callahan, November 2, 1861.)

(U. S. W. D.)

Note: West of 5th mer. from Washington.

266. 1862. Sketch D showing progress in Section No. 4 (coast and sounds of North Carolina), U. S. Coast Survey, from 1845 to 1862. 24½ x 34 in. Scale: 1:400,000.

(In U. S. Coast Survey, Rept. 1862. Wash., 1864. Map No. 21.)

267. 1862. Coast of North Carolina and Virginia. Compiled at the Coast Survey office, Feb., 1862. Drawn by A. Lindenkohl. Washington, 1862. 33½ x 47¼ in.

(U. S. C. & G. S.)

268. 1862. Oregon inlet, North Carolina. 14\frac{3}{4} x 16\frac{1}{2} in. Scale, 1:20,-000. Chart No. 414.

—— (In U. S. Coast Survey, Rept. 1862. Wash., 1863. Map No. 22.)

Note: Later issues.

269. 1862. Eastern part of North Carolina, from northern boundary of North Carolina to Cape Fear east of Wilmington and Weldon to the Atlantic . . . In 6 sheets. MSS. compiled from various sources.

(U. S. W. D.)

270. 1862. Eastern portion of the military department of North Carolina. Compiled from the best and latest authorities in the Bureau of Topl. Engrs. War Department by A. Schott. May, 1862. 31 x 49½ in. Scale: 5 miles to 1 inch.

(U. S. W. D.)

Note: Another issue of same map, same date, has inset: Entrance to Cape Fear river, North Carolina

- 271. 1862. Map of the battlefield of Roanoke island, Feb. 8, 1862. Drawn by Lieut. Andrews. Scale: 5 in.=600 ft. (Shows Roanoke island, Croatan sound, and Bodies island.)

 (U. S. W. D.)
- 272. 1863. [A map of] the States of North and South Carolina. 64 x 11 in.

(In Moore, M. B. The Geographical Reader for the Dixie Children. Raleigh, 1863. Between pp. 12 and 13.)

- 273. 1863. Atlantic coast of the United States, Cape Hatteras to Mosquito inlet, 1863. $22\frac{1}{2} \times 26\frac{1}{2}$ in. Scale, 1:1,200,000. Chart No. 3.
 - —— (In U. S. Coast Survey, Rept. 1863. Wash., 1864. Map No. 20.)
 Note: Later issues.
- 274. 1863. Atlantic coast of the United States, Nantucket to Cape Hatteras, 1863. 22½ x 26½ in. Scale, 1:1,200,000. Chart No. 2.
 - —— (In U. S. Coast Survey, Rept. 1862. Wash., 1863. Map No. 24.)
 - —— (In U. S. Coast Survey, Rept. 1863. Wash., 1864. Map No. 19.)

Note: Later issues.

- 275. 1863. Mountain region of North Carolina and Tennessee. Compiled by W. L. Nicholson, 1863. Drawn by A. Lindenkohl. (Unfinished proof.) 20 x 36½ in. Scale: 1 inch=10 miles. (U. S. C. & G. S.)
- 276. 1863. Tracing of western North Carolina. Copied by Aug. McCafferty, June 23-29, 1863. 19 x 27 in.

(U. S. W. D.)

Note: No clue as to original map.

- 277. 1864. Copy of a map of Cape Fear river and adjoining coast of North Carolina. Made from material furnished by the Coast Survey, and additional information by Lieut.-Col. Shearman. 35 x 87 in. Scale: 4 in.=2 statute miles.

 (U. S. C. & G. S.)
- 278. 1864. Core sound and straits, North Carolina, 1864. 19 x 33 in. Scale, 1:40,000. Chart No. 421.
 - ____ (In U. S. Coast Survey, Rept. 1864. Wash., 1866. Map No. 24.)

Note: Later issues.

279. 1864. Mouths of Roanoke river, North Carolina. $17\frac{1}{2} \times 25\frac{3}{4}$ in. Scale, 1:30,000. Chart No. 409.

(U. S. C. & G. S.)

Note: Later issues.

280. 1864. Part of North Carolina, showing approaches to Wilmington.

Compiled at the Coast Survey office, March, 1864. 27½

x 27¼ in. Scale: 5 in.=20 miles.

(U. S. C. & G. S.)

281. 1864. Reconnaissance of Cape Lookout shoals. 1864. 16¼ x 19½ in. Scale, 1:80,000.

(In U. S. Coast Survey, Rept. 1864. Wash., 1866. Map No. 25.)

282. 1864. Chart. Cape Fear to Wilmington, reduced from Coast Survey charts . . . by Charles K. Graham. 17½ x 27 in. Scale, 1:90,000.

(U. S. W. D.)

- 283. 1864. Portions of Virginia and North Carolina embracing Richmond and Lynchburg, Va., and Goldsboro and Salisbury, N. C. Compiled in the Engineer Bureau, War Department, for military purposes, 1864. 26½ x39½ in. Scale, 1:300,000. (U. S. W. D.)
- 284. 1864. Topographical map of the country in vicinity of Newberne, N. C. Compiled from various authorities under the direction of Lieut. W. R. King . . . made by Solon Mallis . . . May, 1864. 9½ x 12¼ in. Scale: 1¼ in.=4 miles.
- 285. 1865. Bacon's new topographical map of the state of North Carolina with part of Virginia and South Carolina. [London], 1865. Scale: 8 miles to an inch.

 Note: From British Museum Catalogue. Not seen.
- 286. 1865. Bacon's topographical map of North and South Carolina and parts of adjoining States, including Washington, Richmond,
 Chattanooga and Savannah. London, 1865.

 Note: From British Museum Catalogue. Not seen.
- 287. 1865. Johnson's North Carolina and South Carolina. Published by Johnson and Ward. 15½ x 21½ in. Scale: 2½ in.=60 miles.

 Inset: Map of Charleston harbor.
- 288. 1865. Map of part of the states of N. C., S. C., and Tenn. 22 x 32\frac{3}{4} in. Scale: 1 inch=10 miles.

 (U. S. C. & G. S.)

(L. C.)

289. 1865. Military map of southwestern Virginia and North Carolina. 29 x 29\frac{3}{4} in. Scale: 1 inch=10 miles.

(U. S. C. & G. S.)

290. 1865. North Carolina and South Carolina. Drawn by A. Lindenkohl, 1865. Washington, 1865. 24½ x 34½ in. Scale: 1 inch=10 miles.

(U. S. C. & G. S.)

291. 1866. Map intended to illustrate five topographical types of earth surface between Cincinnati and the sea, by J. P. Lesley, 1866. 15½ x 17½ in.

(In Amer. Phil. Soc., Trans. v. 13 (1869): Fold. facing p. 312.)

Note: Shows Appalachians of North Carolina.

- 292. 1866. Map of the State of North Carolina, with portions of adjoining states. Published by G. W. & C. B. Colton, New York, 1866. 29\frac{1}{4} \times 56\frac{3}{4} \times in. Scale: 8 miles=1 inch.
- 293. 1866. Schönberg's map of the Carolinas. New York, Schönberg & Co., 1866. 11 x 17 in. Scale: 30 English statute miles to 1 inch.
- 294. 1866. The United States, southern part. From the latest surveys by A. Lindenkohl. 16\frac{3}{4} x 21 in. Scale, 1: 3,000,000.

 (U. S. W. D.)
- 295. 1866. Sketch D showing progress in Section No. 4 (coast and sounds of North Carolina), U. S. Coast Survey, from 1850 to 1866. 20 x 26 in. Scale, 1:400,000.

(In U. S. Coast Survey, Rept. 1866. Wash., 1869. Map No. 13.)

- **296.** 1866. Cape Lookout shoals. 1866. 16½ x 21½ in. Scale, 1: 80,000. Chart No. 419.
 - ——— (In U. S. Coast Survey, Rept. 1865. Wash., 1867. Map No. 13.)
 Note: Later issues.
- 297. 1866. Entrance to Cape Fear river, North Carolina, 1866. 8 x 13\frac{3}{4} in. Scale, 1: 30,000.

 Inset: Frying Pan shoals. 8 x 12 in. Scale, 1: 80,000.

(In U. S. Coast Survey Rept. 1865. Wash., 1867. Map No. 13.)

298. 1867. A map of Cheraws precinct and parts adjacent. Taken from map in Carroll's Historical Collections of South Carolina. 43 x 71 in.

(In Gregg, Alexander. History of the old Cheraws. . . New York, 1867. Front.)

299. 1867. Map of Dismal Swamp canal, connecting Chesapeake bay with Currituck, Albemarle and Pamlico sounds and their tributary streams, by D. S. Walton, 1867. 16 x 20\frac{3}{4} in.

(In U. S. 50th Cong., 2d Sess., 1889. Sen. Misc. Doc. No. 89. Fold. facing p. 12.)

300. 1867. Sketch D showing progress in Section No. 4 (coast and sounds of North Carolina), U. S. Coast Survey, from 1845 to 1867. 20 x 25 in. Scale, 1:400,000.

(In U. S. Coast Survey, Rept. 1867. Wash., 1869. Map No. 8.)

301. 1867. Atlantic coast from Cape Hatteras to Cape Romain. [North Carolina and South Carolina.] 28½ x 37 in. Scale, 1:400,-000. Chart No. 11.

(U. S. C. & G. S.)

Note: Later issues.

- 302. 1867. General chart of the coast from Cape Henry to Cape Lookout. Published in 1867. 26¼ x 37¼ in. Scale, 1:400,000. Chart No. 10.
 - —— (In U. S. Coast Survey, Rept. 1867. Wash., 1869. Map No. 14.)
 Note: Later issues.
- 303. 1867. Port of Newberne, North Carolina. 1867. 13½ x 16½ in. Scale, 1:40,000. Chart No. 410.
 - —— (In U. S. Coast Survey, Rept. 1867. Wash., 1869. Map No. 9.)

Note: Later issues.

- 304. 1868. Map of Gates county, by W. H. Weatherly and C. A. Nash, 1868. 26 x 38 in. Scale, 1:63,360. MSS.

 (Off. of Sec. of State, N. C.)
- 305. 1868. A map of Halifax county made in pursuance of an order of the Board of Commissioners of said county. 25½ x 33½ in. Scale: 1½ miles to 1 inch. MSS.

 (Off. of Sec. of State, N. C.)
- 306. 1868. Plan shewing the townships and their boundaries in Chowan county. (Not from actual survey.) Prepared and drawn by G. J. Cherry, 1868. 15 x 15½ in. Scale: 4 miles to 1 inch. MSS.

(Off. of Sec. of State, N. C.)

307. 1868. Sketch D showing progress of the survey in Section No. 4 (coast and sounds of North Carolina) from 1845 to 1868. 22½ x 24½ in. Scale, 1:400,000.

(In U. S. Coast Survey, Rept. 1868. Wash., 1871. Map No. 14.)

- 308. 1869. Map of Franklin county by W. N. Fuller, 1869. Eng. by T. C. Harris. 15³/₄ x 22³/₄ in. Scale: 2 miles=1 inch. (Off. of Sec. of State, N. C.)
- 309. 1869. Map of the northern portion of New Hanover, now known as Pender county, by James & Brown, C. E., 1869. 17½ x 25 in. Scale: 2 miles=1 inch.

 (Off. of Sec. of State, N. C.)
- 310. 1869. Sketch D showing progress of the survey in Section No. 4 (coast and sounds of North Carolina), from 1845 to 1869. 21\frac{3}{4} \times 24\frac{1}{2} \times 1. \text{ Scale}, 1:400,000.

(In U. S. Coast Survey, Rept. 1869. Wash., 1872. Map No. 7.)

311. 1870. Map of Chatham county, N. C., by Capt. N. A. Ramsey. 15\frac{3}{4} \times 18\frac{3}{4} \times in. Scale: 2 miles to 1 inch. New York, Snyder, Black & Sturn, 1870.

(Off. of Sec. of State, N. C.)

312. 1870. Sketch D showing progress of the survey in Section No. 4 (coast and sounds of North Carolina) from 1845 to 1870. 21³/₄ x 24³/₅ in. Scale, 1:400,000.

(In U. S. Coast Survey, Rept. 1870. Wash., 1873. Map No. 6.)

- 313. 1870. Albemarle, Croatan and Roanoke sounds . . . 14\frac{3}{4} x 20 in. Scale: 4\frac{3}{4} in. = 10 miles.

 (U. S. W. D.)
- 314. 1870. General view of Albemarle, Croatan, Roanoke and Pamlico sounds, incl. of Nag's Head and Cape Hatteras. $4\frac{3}{4} \times 7\frac{1}{2}$ in.
- 315. 1870. Map of New Inlet, Federal Point, exhibiting line of proposed work from Smith's to Zeek's island. Surveyed and drawn by order of . . . J. H. Simpson . . . 23½ x 27 in. Scale, 1:10,000.

(U. S. W. D.)

316. 1870-71. Comparative map of Shore Head of Smith's island. 22½ x 25¼ in. Scale: 50 ft. to 1 inch.

(U. S. W. D.)

317. 1870-71. Roanoke river, from Weldon to Plymouth, in 6 sheets. Surveyed . . . by Geo. H. Elliott, 1870-71. Scale: 4 inches to 1 mile.

(U. S. W. D.)

318. 1871. Geognostische Karte des Alleghany-Systems. Nach den vorhandenen Arbeiten sowie eignen Untersuchungen zusammengestellt von Herman Credner. Die Physikalische Grund-

lage von A. Petermann und E. Sandoz. $9\frac{1}{4} \times 15\frac{3}{4}$ in. Scale, 1:6,000,000.

(In Petermann's Mittheilungen, v. 17, 1871. Tafel III. Fold. facing p. 474.)

319. 1871. Map of the Southern States of North America, 1871. 15½ x 25¾ in. Scale: 2¼ in.=120 English miles.

(In Somers, Robert. The Southern States since the war. London and New York, 1871. Fold. at end.)

320. 1871. Pearce's new map of the State of North Carolina. Compiled from actual, public and private surveys. New York, H. H. Lloyd & Co., 1871. 41¹/₄ x 61¹/₄ in. Scale: 8 miles = 1 inch.

Insets: Maps of the United States, and of the world.
(L. C.)

Without insets. Raleigh, N. C., Pearce & Williams, 1872.
30 x 120 in. Scale: 8 miles to the inch.

321. 1871. Sketch D showing progress of the survey in Section No. 4 (Pamlico sound, N. C.) from 1845 to 1871. 164 x 25 in. Scale, 1:400,000.

(In U. S. Coast Survey, Rept. 1871. Wash., 1874. Map No. 6.)

- 322. 1871. General map of the Cape Fear and Deep rivers. 19 x 74 in. Scale: 2 miles to 1 inch.

 (U. S. W. D.)
- 323. 1871. Map of Deep river. In 3 sheets, each $20\frac{3}{4} \times 50$ in. Scale: 500 ft. to 1 inch. (U. S. W. D.)
- 324. 1871. Map of the Cape Fear river. In 18 sheets, each 20\frac{3}{4} \times 34\frac{1}{4} in. Scale: 2000 ft. to 1 inch.

 (U. S. W. D.)
- 325. 1871. Neuse river, North Carolina. In 7 sheets. Scale: 1"=500'. (U. S. W. D.)
- 326. 1872. Edenton bay, N. C. . . by Geo. H. Elliott, 1872. 17 x 23³/₄ in. Scale: 1 in. to 400 ft. (U. S. W. D.)
- 327. 1872. Mouth of Mackay's creek . . . by Geo. H. Elliott. 9½ x 10 in. Scale, 1:20,000.
 (U. S. W. D.)
- 328. 1872. Washington harbor, N. C., 1872. 15 x 15\frac{3}{4} in. Scale, 1:10,000.

(U.S. W.D.)

329. 1873. Map of the High-shoal, Gaston Co., N. C., property, 14,250 acres. $5\frac{1}{2} \times 10\frac{1}{2}$ in. Scale: $1\frac{1}{4}$ in. = 10,000 ft.

(In Winter, F. Report on the High Shoals property in Gaston county, North Carolina. Fold. Front.)

330. 1873. Williams' new map of the State of North Carolina. Compiled from actual public and private surveys. $35\frac{1}{2} \times 49\frac{1}{4}$ in. Scale: 8 miles to the inch. Raleigh, N. C., Alfred Williams, 1873.

(L. C.)

331. 1873. Sketch D showing progress of the survey in Section No. 4 (Albemarle and Pamlico sounds, N. C.) from 1845 to 1873. 25 x 34\frac{1}{4} in. Scale, 1:400,000.

(In U. S. Coast Survey, Rept. 1872. Wash., 1875. Map No. 7.)

—— (In U. S. Coast Survey, Rept. 1873. Wash., 1875. Map No. 7.)

332. 1874. Map of Catawba river from the Devil's shoals in Burke county to the State line, from a survey in 1824 by Brazier. 18 x 33 in. Scale: 2 miles=1 inch.

(Off. of Sec. of State, N. C.)

333. 1874. Map of Warren county, N. C. Surveyed by R. D. Paschall. 19 x 24¼ in. Scale: 6 cm.=2 miles.

(S. B. W.)

Note: A drawing, evidently the original of this map, is in the office of the Sec. of State at Raleigh, N. C.

334. 1874. Plan sketch of the N. C. Gold Amalgamating Company's gold mine, and gold extracting mills, at Gold Hill, Rowan Co., N. C. 8½ x 9¼ in. Scale: 4 in.=800 ft.

(In Cram, T. J. Report upon the mine and mills . . . of the "North Carolina Gold Amalgamating Co." Phila., 1874. Fold. facing p. 8.)

335. 1874. Map of the R. & G. R. R. from an actual survey. 16 x 43 in. Scale: 2 miles=1 inch. MSS.

(N. C. G. S.)

336. 1874. Neuse river, North Carolina. 22 x 31 in. Scale, 1: 80,000. Chart No. 144².

(In U. S. Coast Survey, Rept. 1871. Wash., 1874. Map No. 25.)

Note: Later issues.

337. 1874. Pamlico river, North Carolina. 7 x 21 in. Scale, 1:80,000. Chart No. 144¹.

(U. S. C. & G. S.)

Note: Later issues.

- 338. 1874. Old House Channel, Pamlico sound, N. C. Examination made under the direction of Major Wm. P. Craighill . . . by Geo. H. Elliott . . . 23\frac{3}{4} x 25 in. Scale, 1:20,000. (U. S. W. D.)
- 339. 1875. Geological map of North Carolina by W. C. Kerr. 13½ x 26 in. Scale: 2½ in.=50 miles. Base is the map of the U. S. Coast Survey.

(In Kerr, W. C. Geology of North Carolina. Raleigh, 1875. Vol. 1. Fold. Front.)

- (In North Carolina, Board of Immig., Stat. and Agric.
 N. C. and its Resources. . . Raleigh, 1876. Fold. Front.)
- 340. 1875. Sketch D showing progress of the survey in Section No. 4 (Albemarle and Pamlico sounds, N. C.) from 1845 to 1875. 25½ x 27½ in.
 - —— (In U. S. Coast Survey, Rept. 1874. Wash., 1877. Map No. 7.)
 - —— (In U. S. Coast Survey, Rept. 1875. Wash., 1878. Map No. 7.)
- 341. 1875. Primary triangulation between the Maryland and Georgia base-lines (southern part). 14 x 22½ in. Scale, 1:1,-000,000.

(In U. S. Coast Survey, Rept. 1874. Wash., 1877. Map No. 9.)

- —— (In U. S. Coast Survey, Rept. 1875. Wash., 1878. Map No. 9.)
- 342. 1875. Catawba river, N. C. From the map of Hamilton Fulton, C. E., made in 1824. To accompany report of Abert, 1875. In 3 sheets, each 2½ x 43½ in. Scale: 3¾ in.=1 mile.

 (U. S. W. D.)
- 343. 1876. Map of east Tennessee and western North Carolina showing mineral deposits in vicinity of Knoxville, Tenn., 1876. Drawn by Charles Waring & Co. 15\frac{3}{4} x 23\frac{1}{4} in. Scale: 4\frac{3}{4} in. = 50 miles.

(U. S. G. S.)

- 344. 1876. Canal between Neuse and Northeast (Cape Fear) rivers, N. C., in 3 sheets, each 10 x 16 in. Scale, 1:80,000.

 (In Chief of Eng. Rept., 1876, pt. 1. Fold. facing p. 410.)
- 345. 1876. Index map. "A line between the Neuse and Cape Fear rivers in North Carolina with a view to connect the waters of the same. And a like line with a view to connect the waters of Norfolk harbor, in Virginia, with the waters of Cape Fear river, at or near Wilmington, North Carolina."

10 x 16 in. Scale: 1 inch=20 miles. From U. S. Coast Survey chart of 1865.

(In Chief of Eng. Rept., 1876, pt. 1. Fold. facing 410.)
(In U. S. 44th Cong., 1st Sess., 1876. Sen. Ex. Doc. No. 35.)

346. 1877. Bertie county, not from actual survey, by Sol. Cherry, Jr., 1877. 13 x 23½ in. Scale: 2 miles to an inch.

(Off. of Sec. of State, N. C.)

347. 1877. Map of Rutherford county. Drawn by C. W. Watkins, county surveyor, 1877. 35 x 38 in. Scale: 1 mile to 1 inch. MSS.

(Off. of Sec. of State, N. C.)

348. 1877. [Western North Carolina.] Map No. 2. 9 x 9½ in. Scale: ½ in. = 1 mile.

(In Western North Carolina Land Company. Norristown, Pa., 1877. Fold. Front.)

- 349. 1877. Sketch showing progress of the survey in Section No. 4 (coast and sounds of North Carolina) from 1845 to 1877. 25 x 344 in. Scale, 1:400,000.
 - (In U. S. Coast Survey, Rept. 1876. Wash., 1879. Map
 - (In U. S. Coast Survey, Rept. 1877. Wash., 1880. Map No. 7.)
- 350. 1877. Primary triangulation between the Maryland and Georgia base-lines (southern part). $13\frac{1}{2} \times 26\frac{1}{2}$ in. Scale, 1:1,000,000.

(In U. S. Coast Survey, Rept. 1876. Wash., 1879. Map No. 11.)

- —— (In U. S. Coast Survey, Rept. 1877. Wash., 1880. Map No. 9.)
- 351. 1878. Anson county, by William A. James, C. E., 1878. 13 x 13½ in. Scale: 2 miles to 1 inch. MSS.

 (Off. of Sec. of State, N. C.)
- 352. 1878. Map of Caldwell county, by J. C. Harper, 1878. 17 x 21½ in. Scale: 3 in. = 6 miles.

 (Off. of Sec. of State, N. C.)
- **353.** 1878. Map of North and South Carolina. 8½ x 10¼ in. Scale: 1½ in. = 80 miles.

(In Geography of the South Atlantic and Gulf States, New York, 1878, facing p. 6.)

354. 1878. Pasquotank county. Copy of original map by H. T. Greenleaf, C. E. Elizabeth City, N. C., 1878. $14 \times 39\frac{3}{4}$ in. Scale: $2\frac{1}{2}$ in. $=2\frac{1}{2}$ miles. MSS.

(Off. of Sec. of State, N. C.)

355. 1878. Cape Henry to Currituck beach including the Albemarle and Chesapeake canal. 31 x 40½ in. Scale, 1:80,000. Chart No. 137.

(U. S. C. & G. S.)

Note: Later issues.

- 356. 1878. Currituck sound, N. C. 29 x 63½ in. Scale, 1:12,000. (U. S. W. D.)
- 357. 1878. French Broad river, N. C. From Wilson's Fish-Trap, near Brevard, to Smith's Bridge, near Asheville. To accompany report of S. T. Abert . . . Feb. 12, 1878. 25\frac{3}{4} x 44 in. Scale, 1:48,000.

 (U. S. W. D.)
- 358. 1878. Map of the upper portion of Scuppernong river, N. C. 14½ x 34 in. Scale: 5½ in.=1000 ft.
 (U. S. W. D.)
- 359. 1878. Neuse river from Goldsboro to Smithfield, N. C. In 2 sheets each 23 x 36 in. Scale: 5 inches = 1 mile.

 (U. S. W. D.)
- 360. 1878. Plan of Scuppernong river surveyed . . . by John N. Mc-Clintock. 30 x 48 in. Scale, 1:2400.
- 361. 1878. Sketch of the Pedee river from the Uwharrie to Cheraw. In 4 sheets each $24\frac{1}{2} \times 37\frac{1}{2}$ in. Scale: 5 inches=1 mile. (U. S. W. D.)
- 362. 1878. Survey of the upper and lower portions of Tar river made under direction of Capt. Chas. B. Phillips . . . By W. G. Williamson, 1878. 31 x 35 in. Scale, 1:12,000.
- 363. 1878. Trent river. Examination made under the direction of Captain Charles B. Phillips, 1878, by J. M. Wolbrect. 35 x 48 in. Scale: 5 in.=1 mi.
- 364. 1878. Yadkin river, N. C., from Wilkesboro to western North Carolina R. R. bridge near Salisbury. $23\frac{1}{2} \times 48\frac{3}{4}$ in. Scale: 1 inch=6000 ft.
- 365. 1878-79. Albemarle and Chesapeake, and Dismal Swamp canals with their connecting waters. 18\frac{3}{4} \times 27\frac{1}{4} \times 1. Scale, 1:120,000. (U. S. W. D.)
- 366. 1878-79. Albemarle and Chesapeake, and Dismal Swamp canals with their connecting waters . . . by Fred^k W. Frost, C. E. 9¹/₄ x 13³/₄ in. Scale, 1:240,000.

(In Chief of Eng. Rept., 1880, pt. 1. Fold. facing p. 896.)
— (In U. S. 46th Cong., 2d Sess., 1880. Sen. Doc. No. 73.)

367. 1878-79. Albemarle and Chesapeake canal. In 4 sheets each $34\frac{1}{2}$ x 67 in. Scale, 1:1200. MSS.

(U. S. W. D.)

368. 1878-79. Currituck sound, North Carolina. 25\frac{3}{4} x 47 in. Scale, 1: 24,000. MSS.
(U. S. W. D.)

369. 1878-79. Dismal Swamp canal. In 10 sheets each $32\frac{3}{4} \times 56$ in. Scale, 1:1200. MSS.

(U.S. W.D.)

370. 1878-79. General map illustrating the survey of water routes from Norfolk harbor, Va., to the Atlantic Ocean south of Hatteras and to the Cape Fear river, N. C. 14 x 21 in. Scale, 1: 720,000.

(In Chief of Eng. Rept., 1880, pt. 1. Fold. facing p. 896.)
—— (In U. S. 46th Cong., 2d Sess., 1880. Sen. Doc. No. 73.)

- 371. 1878-79. North Landing river, Virginia and North Carolina. Outlet of the Virginia cut of the Albemarle and Chesapeake canal. $24\frac{1}{2} \times 77\frac{1}{4}$ in. Scale, 1:24,000. MSS.
- **372.** 1878-79. North river, North Carolina. 20½ x 40 in. Scale, 1: 24,000. MSS.

(U. S. W. D.)

373. 1878-79. North river, N. C., from southern terminus of the Λ. & C. canal to Dixie island. 32½ x 62½ in. Scale: 1 inch=500 ft. MSS.

(U.S. W.D.)

- 374. 1878-79. Pasquotank river, North Carolina. Outlet of the Dismal Swamp canal. $46\frac{3}{4} \times 53\frac{3}{4}$ in. Scale, 1:24,000. MSS. (U, S, W, D_*)
- 375. 1879. Alamance county, by J. Stafford, 1879. 9 x 11\(\frac{3}{4}\) in. Scale: 2 miles=1 inch.

(Off. of Sec. of State, N. C.)

376. 1879. Preliminary post route map of the States of North Carolina and South Carolina with adjacent parts of Georgia, Tennessee, Kentucky, West Virginia and Virginia. Designed and constructed under the orders of Postmaster-General David M. Key by W. L. Nicholson . . . 1879. Four sheets, each $26\frac{1}{2} \times 30\frac{1}{2}$ in. Scale: 8 miles to 1 inch.

 (T_i, C_i)

Note: Many other editions have appeared. From 1893 the post route maps have been issued quarterly. They show postoffices with the intermediate distances and mail routes in operation at the various dates of issue.

377. 1879. Sketch showing progress of the survey in Section No. 4 (coast and sounds of North Carolina) from 1845 to 1879. 25 x 34½ in. Scale, 1:400,000.

(In U. S. Coast and Geod. Survey, Rept. 1879. Wash., 1881.
Map No. 9.)

—— (In U. S. Coast and Geod. Survey, Rept. 1878. Wash., 1881. Map No. 7.)

378. 1879. Currituck beach to Oregon inlet, North Carolina. 25¼ x 38¾ in. Scale, 1:80,000. Chart No. 138.

(U. S. C. & G. S.)

Note: Later issues.

379. 1879. Lookout cove, Cape Lookout, North Carolina. 17½ x 22¼ in. Scale, 1:6000. Chart No. 423.

(U. S. C. & G. S.)

380. 1879. Primary triangulation between the Maryland and Georgia base-lines (southern part). 14\frac{1}{4} \times 24\frac{1}{2} \text{ in. Scale, 1:1,-000,000.}

(In U. S. Coast and Geod. Survey, Rept. 1879. Wash., 1881.
Map No. 11.)

—— (In U. S. Coast and Geod. Survey, Rept. 1878. Wash., 1881.
Map No. 9.)

381. 1879. Catawba river, North Carolina. In four sheets. Scale: 5 in. = 1 mile. MSS.
(U. S. W. D.)

382. 1879. Lockwood's Folly river, North Carolina. Examined under the direction of Capt. Chas. B. Phillips . . . by C. W. Forster . . . 1879. 25 x 38\frac{1}{4} in. Scale: 5 in.=1 mile. MSS.

(U. S. W. D.)

383. 1879. Map of survey of the portion of Pasquotank river, N. C., in the vicinity of Dismal Swamp canal . . . 1879. 10 x 40½ in. Scale: 1 inch=500 ft. MSS.

(U. S. W. D.)

384. 1880. Agricultural map of North Carolina and part of Virginia compiled from personal notes and state and county surveys and correspondence, by W. C. Kerr, 1880. 9 x 14¼ in. Scale: 100 miles=3 in.

(In Kerr, W. C. Outline of physical geography of the state of North Carolina, U. S. 10th Census Rept., v. 6, pt. 2, Wash., 1884. Fold. Front.)

385. 1880. Carolina Central Railway. Reduced from a map made by J. W. Fry in 1875 to scale of 2 miles=1 inch. 17½ x 124¾ in. (Off. of Sec. of State, N. C.)

386. 1880. A school map of North Carolina by Collier Cobb. $40\frac{1}{2}$ x $127\frac{1}{4}$. Scale: 8 miles to the inch. Fayetteville and Wake Forest College, N. C. 1880.

Inset: Shows flat, hilly and mountainous portions of the state.

Contains notes on climate, botany, minerals and mountain altitudes.

- Second edition: Fayetteville, N. C., 1880.
- Third edition: Chapel Hill, N. C., 1881. Revised. Shows topography in detail.
- Fourth edition: Raleigh, Alfred Williams & Co., 1887. Contains geological map. (Not seen.)
- Fifth edition: Raleigh, 1888.
- 387. 1880? State map of North Carolina. 22\frac{3}{4} \times 25\frac{1}{4} \times 1. "This map is respectfully inscribed to Governor Thomas J. Jarvis . . ."

 (N. C. G. S.)
- 388. 1880. From Oregon inlet to Cape Hatteras, North Carolina. 25\frac{3}{4} x 41\frac{3}{4} in. Scale, 1:80,000. Chart No. 139.

 (U. S. C. & G. S.)

Note: Later issues.

389. 1880. Triangulation between the Maryland and Georgia base-lines (southern part). $_{\rm t}$ Shows triangulation in western North Carolina. $_{\rm t}$ $_{\rm$

(1n U. S. Coast and Geod. Survey, Rept. 1880. Wash., 1882. Map No. 11.)

- 391. 1880. Cape Fear river, N. C., from Fayetteville to Wilmington.
 11 sheets. To accompany report of examination made under
 the direction of Capt. Chas. B. Phillips . . . by Geo. H.
 Elliott. 1880. Scale: 500 ft.=1 in.
 (U. S. W. D.)
- **392.** 1880. Lillington river, N. C. 1880. In 2 sheets each $32\frac{3}{4} \times 51\frac{3}{4}$ in. Scale: 300 ft. = 1 inch. MSS. (U. S. W. D.)
- 393. 1880. Town creek, N. C. 35 x 54½ in. Scale: 500 ft.=1 inch. MSS.
- 394. 1881. Cherokee lands, by Robt. Love, 1820. 18 x 21 in. Scale: 2 miles=1 inch. MSS.
 (Off. Sec. of State, N. C.)

- 395. 1881. Gray's new map of North Carolina and South Carolina. By Frank A. Gray, Phila., O. W. Gray & Son [1881]. 15¾ x 26 in. Scale, 1:150,000.
 Inset: Charleston harbor and its approaches.
 (L. C.)
- 396. 1881. Map showing mineral resources and mines in southwest Virginia and Ashe and Alleghany counties. North Carolina. 19 x 28 in. Scale: 3 in.=18 miles.

(In Boyd, C. R. Resources of Southwest Virginia... New York, John Wiley & Sons, 1881. Fold. at end.)

- 397. 1881. Part of a "Map of the Cherokee country in North Carolina."

 Surveyed in 1837 and drawn from the returns of the deputy surveyor by R. Deaver. Reduced to scale: 2 miles=1 inch, by T. C. Harris, Dec., 1881. 16 x 21 in. MSS.

 (Off. Sec. of State, N. C.)
- 398. 1881. Sketch showing the progress of the survey in Section No. 4 (coast and sounds of North Carolina) from 1845 to 1881.

 June 30, 1881. 25 x 33\frac{1}{4} in. Scale, 1:400,000.
 - (In U. S. Coast and Geod. Survey, Rept. 1880. Wash., 1882. Map No. 9.)

(In U. S. Coast and Geod. Survey, Rept. 1881. Wash., 1883. Map No. 9.)

399. 1881. Triangulation between the Maryland and Georgia base-lines (southern part). [Shows triangulation in western North Carolina.] 14½ x 25½ in.

(In U. S. Coast and Geod. Survey, Rept. 1881. Wash., 1883. Map No. 10.)

- 400. 1881. Contentnea creek, N. C. Examined under the direction of Captain Chas. B. Phillips . . . by Reid Whitford . . . 1881. Scale: 400 ft.=1 in. [In 3 sheets.] MSS.
- 401. 1881. Meherrin river, N. C., from its mouth to Skinner's Bridge, 1881. In 3 sheets each $9\frac{1}{4} \times 46\frac{3}{4}$ in. Scale: 1 in.=300 ft. MSS.

(U. S. W. D.)

- 402. 1882. Map of Columbus county [North Carolina], by A. Kirkland, 1882. $20\frac{1}{2} \times 32\frac{1}{4}$ in. Scale: 1 inch= $2\frac{1}{2}$ miles.
- 403. 1882. Map of North Carolina by W. C. Kerr, State Geologist, assisted by Capt. Wm. Cain, C. E. Published by the State Board of Agriculture, 1882. Constructed from original surveys and triangulations of the U. S. Coast & Geod. Survey; of Prof. Guyot; of the State Geologist, and of the U. S.

Engineers, and embodying the surveys made by the State from 1820 to date . . . $23\frac{1}{2} \times 52\frac{1}{2}$ in. Scale: 10 miles = 1 inch.

- —— (In N. C. Dept. of Agric. Hand-book of the State of North Carolina. Raleigh, 1883. Reduced to 10¼ x 27 in. Fold. Front.)
- 404. 1882. Map of North Carolina showing the routes of railroad travel and transportation existing at the end of the year 1882. Printed for this book . . . from plates prepared for Maury's State geography. 8 x 17 in. Scale: 1\frac{3}{4} in.=50 miles. Insets: Plan of Raleigh; vicinity of Wilmington; vicinity of Beaufort.

(In Hale, P. M. In the coal and iron counties of North Carolina. Raleigh, 1883. Fold. at end.)

- ——— (In N. C. Dept. of Agric. Hand-book of North Carolina, with map of the State. Raleigh, 1886. Fold. at end.)
- **405.** 1882. Maryland, Virginia and Carolina in 1700. $7 \times 9\frac{1}{2}$ in. Scale: 2 in. = 200 miles.

(In Doyle, J. A. The English in America. . . London, 1882. Fold. Front.)

- 406. 1882. Physiographical map of North Carolina, by W. C. Kerr, State Geologist. The base is the map of the U. S. Coast Survey. $10\frac{1}{4} \times 26\frac{1}{2}$ in. Scale: 2 in. = 50 miles.
- 407. 1882. Sketch showing progress of the survey in Section No. 4 (coast and sounds of North Carolina) from 1845 to 1882. June 30, 1882. 24 x 34\frac{1}{4} in. Scale, 1:400,000.

(In U. S. Coast and Geod. Survey, Rept. 1882. Wash., 1883. Map No. 5.)

408. 1882. Triangulation between the Maryland and Georgia base-line (southern part.) [Shows triangulation in western North Carolina.] 14½ x 24 in.

(In U. S. Coast and Geod. Survey, Rept. 1882. Wash., 1883. Map No. 6.)

409. 1882. New river, N. C., from Onslow to the mouth₁ . . . by J. P. Darling, 1882. In 2 sheets each 31½ x 49½ in. Scale, 1:10,000. MSS.

(U. S. W. D.)

- **410.** 1882. Water line between Cape Fear and Waccamaw rivers, N. C. 1882. 25 x 53 in. Scale, 1: 20,000. MSS.
- **411.** 1883. Coast and sounds of North Carolina. $5 \times 6\frac{1}{4}$ in. Scale: $1\frac{1}{2}$ in. = 50 miles.

(In Ammen, Daniel. The Atlantic Coast. New York, 1883. Fold. facing p. 163.)

—— (In The Navy in the Civil War. The Atlantic Coast. London, 1898. Fold. facing p. 163.)

412. 1883. Colton's North Carolina and South Carolina. New York,
 G. W. & C. B. Colton & Co., 1883. 15³/₄ x 25 in. Scale,
 1:267,000.

(L. C.)

413. 1883. Map of southwest Virginia. Mineral resources and railway facilities, by C. R. Boyd, C. E. [Includes parts of Ashe and Alleghany counties, N. C.] 20 x 37³/₄ in. Scale: 3 in.=18 miles.

(U. S. G. S.)

414. 1883. Sketch showing progress of the survey in Section No. 4 (North Carolina coast and sounds) from 1845 to 1883. June 30, 1883. 25 x 34 in. Scale, 1:400,000.

(In U. S. Coast and Geod. Survey, Rept. 1883. Wash., 1884. Map No. 5.)

415. 1883. Pamlico sound, North Carolina. Eastern sheet. 28½ x 38¼ in. Scale, 1: 80,000. Chart No. 142.

(U. S. C. & G. S.)

Note: Later issues.

416. 1883. Pamlico sound, North Carolina. Middle sheet. 21½ x 37½ in. Scale, 1:80,000. Chart No. 143.

(U. S. C. & G. S.)

Note: Later issues.

417. 1883. Triangulation between the Maryland and Georgia base-lines (southern part) with extension westward, and triangulation in Tennessee. [Shows triangulation in western North Carolina.] 15 x 25½ in.

(In U. S. Coast and Geod. Survey, Rept. 1883. Wash., 1884. Map No. 6.)

418. 1883. Edenton bay, N. C. Surveyed . . . by George H. Elliott, May, 1883. 19½ x 32¼ in. Scale, 1:5000.

(In U. S. 48th Cong., 1st Sess., 1884. Sen. Doc. No. 63.)

- 419. 1883. Map of Newport, Clubfoot and Harlowe rivers, N. C., including Clubfoot and Harlowe canal. Surveyed under direction of James Mercur by John P. Darling. 1883. In two sheets, 41 x 47½ in. Scale, 1:7200. MSS.

 (U. S. W. D.)
- 420. 1883. Part of eastern North Carolina showing relative positions of Black and Cape Fear rivers. Jas. Mercur, Capt. of Engineers. 1883. 12 x 16\frac{3}{4} in. Scale: 1 in. = 6 mi. MSS.

 (U. S. W. D.)

421. 1884. Eastern North Carolina, traversed by the Norfolk Southern Railroad and its connecting steamboat lines. 11 x 13½ in.

(In Vaughan, F. E. The Albemarle Section of North Carolina. . . New York, 1884. Fold. at end.)

- 422. 1884. Map of Pasquotank county, North Carolina, with townships, by H. T. Greenleaf, C. E., August, 1884. Compiled from actual surveys. 37 x 46½ in. Scale: 1 mile=1 inch.

 Inset: Plan of Elizabeth City. Scale: 400 ft. = 1 inch.

 (U. S. G. S.)
- 423. 1884. Map of Randolph county, N. C. Copyrighted 1884 by L. Johnson. $27\frac{1}{4} \times 27\frac{1}{4}$ in. Scale: 1 mile=1 inch.
- 424. 1884. Map of Robeson county, N. C., 1884. Made from actual surveys by John McDuffie, C. E. 19 x 25½ in. Scale: 4 in. = 8 miles. MSS.

 (N. C. S. L.)
- 425. 1884. Map of Robeson county, made from actual surveys, by John McDuffie. 9 x 12½ in. = 10 miles.

(In McEachern, D. P. "All about Robeson county..." Lumberton, N. C., 1884. Fold. Front.)

426. 1884. Map of Rowan county, North Carolina. $4\frac{3}{4} \times 6\frac{3}{4}$ in.

(In Wyatt, J. T. Rowan county and its resources. Salis-

(In Wyatt, J. T. Rowan county and its resources. Salisbury, N. C., 1895. Fold. facing p. 4.)

427. 1884. Map of the Cape Fear and Yadkin Valley railway, its connections and proposed extensions. (Made and engraved at the State Agricultural Department, Raleigh, from actual and official surveys.) 12 x 12 in. Scale: 1\frac{3}{4} in.=80 miles.

(In Descriptive gazette of the Cape Fear and Yadkin Valley railway. . . Raleigh, 1884. Fold. at end.)

- 428. 1884. Map of the former territorial limits of the Cherokee "Nation of" Indians, exhibiting the boundaries of the various cessions of land made by them to the colonies and to the United States by treaty stipulations . . . by C. C. Royce, 1884. $27\frac{1}{4} \times 30\frac{1}{2}$ in. Scale: $4\frac{1}{4}$ in. = 80 miles.
- 429. 1884. Map of the Presbytery of Mecklenburg. Prepared by Prof. Collier Cobb expressly for "Historical sketch of Mecklenburg Presbytery," by Rev. W. E. McIlwain. 1½ x 17 in. Scale: 2 in. = 30 miles.

(In McIlwain, W. E. Historical sketch of the Presbytery of Mecklenburg. Charlotte, N. C., 1884. Fold. at end.)

430. 1884. Map showing location of phosphate beds now known within ten feet of the surface of ground, Duplin and Sampson

counties, North Carolina. October, 1884. T. C. Harris, del. 13\frac{1}{2} \times 15 in. Scale: 1 mile=1 inch.

(In N. C. Agric. Exper. Station. Ann. Rept., 1884. Raleigh, 1885. Fold. facing p. 74.)

- —— (In Penrose, R. A. F. Nature and origin of deposits of phosphate of lime. U. S. Geol. Survey, Bull. 46. Wash., 1888. Facing p. 70.)
- 431. 1884. Map showing tertiary geology of the eastern and southern United States. 11 x 15 in. Scale: 120 miles=1 inch.

(In Heilprin, Angelo. Contributions to the tertiary geology and paleontology of the United States. Phila., 1884. Fold. at end.)

— (In Acad. Nat. Sci., Phila., Ser. II, v. 9.)

432. 1884. Wake county, N. C. (From advance sheets of Shaffer's township, school and business map of North Carolina.)
Published by Alfred Williams & Co., Raleigh, N. C. 6 x 6½ in. Scale: 7 miles=1 inch.

(In Wake county, North Carolina... Raleigh, 1884. Fold. Front.)

- 433. 1884. The yellow tobacco belt of North Carolina. 4 x 11 in.

 (In Paul H. V. History of the town of Durham, N. C. . .

 Raleigh, 1884. Fold. facing p. 158.)
- 434. 1884. Sketch showing progress of the survey in Section No. 4 (coast and sounds of North Carolina), June 30, 1884. 25 x 34 in. Scale, 1:400,000.

(In U. S. Coast and Geod. Survey, Rept. 1884. Wash., 1885. Map No. 5.)

435. 1884. Mountain region of North Carolina and Tennessee. Compiled by direction of A. D. Bache, Supt., 1865. Corrected to June 1, 1884. 22\frac{3}{4} x 35 in. Scale: 1 inch=10 miles. Chart No. 3008.

(U. S. C. & G. S.)

436. 1884. Triangulation between the Maryland and Georgia base-lines (southern part) with extension westward, and triangulation in Tennessee. [Shows triangulation in western North Carolina.] 15½ x 25¾ in.

(In U. S. Coast and Geod. Survey, Rept. 1884. Wash., 1885. Map No. 6.)

437. 1884. Map of Cashie river from its mouth to the town of Windsor in Bertie Co., N. C. 1884. 19½ x 28½ in. Scale: 1 inch=500 ft. MSS.

(U. S. W. D.)

438. 1885. The area of the mesozoic formation of North Carolina. To illustrate report on the Deep River coalfield by H. M. Chance. 9½ x 12 in. Scale: 10 miles=1 inch.

(In Chance, H. M. Report on North Carolina coalfields. Raleigh, 1885. Fold. at end.)

439. 1885. The Deep River coalfield. Outlines taken from the maps of Capt. Wilkes and Prof. Emmons, to illustrate the report of H. M. Chance, 1885. 6 x 11½ in. Scale: 2½ in. = 5 miles.

(In Chance, H. M. Rept. on the coalfields of North Carolina. Raleigh, 1885. Fold. at end.)

440. 1885. Map of Bladen county, North Carolina, by John McDuffie and J. F. Gillespie. Published by order of the Board of County Commissioners. 16½ x 23¾ in. Scale: 5 in.=10 miles.

(L. C.)

441. 1885. Map of North and South Carolina. Prepared for Industries and Resources of the South. John Letham, publisher, Charleston, S. C. 12 x 18½ in. Scale: 2 in. =60 miles.

(In Letham, John. Historical and descriptive review of the State of North Carolina. Charleston, S. C., 1885. Vol. 1. Fold. at end.)

442. 1885. Map of the lands of High Shoals Mfg. Co., 11,229 acres.

To illustrate report of Arthur Winslow on pyrites in North
Carolina. 6½ x 13½ in. Scale: 1 mile=1 inch. Arthur
Winslow, del.

(In N. C. Agric. Exp. Station. Ann. Rept., 1885. Raleigh, 1886. Fold. at end.)

443. 1885. Map of the North Carolina and Virginia boundary from the Atlantic Ocean to the Nottaway river, from a re-survey for re-establishing the boundary line of 1728, made under the direction of Gov. Alfred M. Scales, N. C., and Gov. Fitzhugh Lee, Va., by the Boundary Commission . . . Drawn by H. T. Greenleaf, C. E. $12\frac{1}{2}$ x 284 in. Scale: 1 in. to 1200 ft. MSS.

(Off. Sec. of State, N. C.)

444. 1885. Map showing the location of the principal gold mines and deposits of pyrites in central North Carolina to illustrate report on pyrites by Arthur Winslow. 8\frac{1}{4} \times 9\frac{1}{2} \text{ in. Scale: 10} \text{miles=1 inch.}

(In N. C. Agric. Exp. Station. Ann. Rept., 1885. Raleigh, 1886. Fold. at end.)

445. 1885. Map showing the relation of the mesozoic formation to the Appalachian coalfield. To illustrate report of H. M. Chance. 1885. $9 \times 9\frac{1}{2}$ in.

(In Chance, H. M. Report on coalfields of North Carolina. Raleigh, 1885. Fold. at end.)

- 446. 1885. New railroad and county map of North and South Carolina.

 Prepared by Henry S. Stebbins, Chicago. 15½ x 21 in.

 Scale: 2½ in.=60 miles.
 - (In Letham, John. Historical and descriptive review of the State of North Carolina. Charleston, S. C., 1885. Vol. 2. Fold. at end.)
- 447. 1885. Shaffer's township map of North Carolina. 2 sheets. Scale:
 7 miles=1 inch. Raleigh, A. W. Shaffer, 1885.
 Inset: North Carolina elevation.
 (L. C.)
- 448. 1885. Atlantic coast from Cape Henry [Virginia], to Winyaw bay. [South Carolina.] 19 x 27\frac{1}{4} in. Scale: 1:400,000.

(In U. S. Coast and Geod. Survey. Atlantic Coast Pilot, Sub-division 19. Cape Henry to Winyaw Bay. Wash., 1885. Fold. Front.)

Note: Later issues.

449. 1885. Cape Hatteras to Ocracoke inlet, North Carolina. 30½ x 39 in. Scale, 1:80,000. Chart No. 145.

(U. S. C. & G. S.)

Note: Later issues.

- 450. 1885. Coast from Cape Lookout to Cape Romain. 19 x 27¹/₄ in. Scale, 1:400,000.
 - (In U. S. Coast and Geod. Survey. Atlantic Coast Pilot, Sub-division 19. Cape Henry to Winyaw Bay. Fold. facing p. 16.)
- 451. 1885. Triangulation between the Maryland and Georgia base-lines (southern part) with extension westward, and triangulation in Tennessee. [Shows triangulation in western North Carolina.] 15\frac{3}{4} \times 25\frac{1}{2} \times 10. Scale, 1:1,000,000.

(In U. S. Coast and Geod. Survey, Rept. 1885. Map No. 5.)

452. 1885. Beaufort harbor, N. C. 1885. 8 x 8 in. Scale: 3 in.=1 mile.

(U. S. W. D.)

453. 1885. Preliminary survey of Black river, N. C., from Point Caswell to Lisbon. Scale, 1:12,000.

(U. S. W. D.)

Note: Map based on compass directions and eye-estimated directions.

454. 1886. Kyzer's complete map of Cleveland county, N. C., 1886. By Paul B. Kyzer, T. E. $21\frac{1}{2} \times 23\frac{3}{4}$ in. Scale: $\frac{3}{4}$ of an inch per mile.

(L. C.)

- 455. 1886. Map of Catawba county, North Carolina. Surveyed and drawn by R. A. Yoder, 1886. Published by R. A. Yoder, Newton, N. C. 32 x 55½ in. Scale: 1½ in. to 1 mile.
- 456. 1886. Map of New Hanover county, North Carolina. 12 x 15\frac{3}{4} in. Scale: 1 mile=\frac{1}{2} inch.

(In Wood & McCarthy. Wilmington flora. . . Elis. Mit. Sci. Soc. Jour., v. 3 (1886): Fold. at end.)

457. 1886. Western North Carolina railroad, mountain division. From surveys made, 1881, under direction of Major J. W. Wilson, by H. Eaton Coleman. Drawn by H. Eaton Coleman. 9\frac{1}{4} x 13 in. Scale: 2\frac{3}{4} in.=1 mile.

(In H., A. H. Asheville, N. C. Asheville, 1886. Fold. Front.)

458. 1886. Triangulation between the Maryland and Georgia base-lines (southern part) with extension westward, and triangulation in Tennessee. [Shows triangulation in western North Carolina.] 17½ x 24½ in.

(In U. S. Coast and Geod. Survey, Rept. 1886. Wash., 1887. Map No. 5.)

459. 1886. Cape Fear river entrance. Surveyed by U. S. Coast Survey in 1866, and by H. Bacon in 1886. 7\frac{3}{4} x 10 in. Scale: 7 in.=3 miles.

(In Chief of Eng. Rept., 1886, pt. 2. Fold. facing p. 1016.)

460. 1886. Map of a portion of Edenton bay, N. C. 8½ x 18 in. Scale: 4 in. = 700 ft.

(In Chief of Eng. Rept., 1887, pt. 2. Fold. facing p. 964.)

461. 1886. Map of the upper portion of Scuppernong river, N. C. 7 x 18 in. Scale: 3 in. = 1000 ft.

(In Chief of Eng. Rept., 1886, pt. 2. Fold. facing p. 969.)

- **462.** 1886. New river, N. C. $4 \times 7\frac{1}{4}$ in. Scale: $1\frac{3}{4}$ in.=2000 yds. (*In* Chief of Eng. Rept., 1886, pt. 2. Facing p. 992.)
- 463. 1886. River basins of southern North Carolina and northern South Carolina. 7½ x 10¼ in. Scale: 2½ in.=100 miles.

 (In Chief of Eng. Rept. 1886, pt. 2. Fold. facing p. 973.)

464. 1887. Geological map of North Carolina. The base is Kerr's map of 1882, revised from the records of the survey by J. A. Holmes, 1887. 13 x 25\frac{9}{4} in. Scale: 2 in.=50 miles.

(In Kerr, W. C., and Hanna, G. B. Ores of North Carolina... Raleigh, 1893. Fold. Front.)

- 465. 1887. Map of Durham county, N. C. Copyrighted 1887 by L. Johnson. 14 x 25\frac{3}{4} in. Scale: 1 mile to the inch.
- 466. 1887. Map showing the lands of the Eastern Carolina Land, Lumber & Manufacturing Co., situated in Dare county, North Carolina. Prepared by G. W. and C. B. Colton & Co., New York. 9 x 15 in. Scale, 1:1,267,000.

 (L. C.)
- 467. 1887. Shaffer's map of Wake county, N. C. [A. W. Shaffer.]
 1887. 14 x 15\frac{3}{4} in. Scale: 3 miles=1 inch.
 (L. C.)
- 468. 1887. Map of the Roanoke Navigation & Waterpower Company's canal and other property. 23½ x 35 in. Scale: 800 ft. to 1 inch. _LBy₁ Harrison Waite, C. E.

 (N. C. G. S.)
- 469. 1887. Triangulation between the Maryland and Georgia base-lines (southern part) with extension westward, and triangulation in Tennessee. [Shows triangulation stations in western North Carolina.] 18½ x 24½ in.

(In U. S. Coast and Geod. Survey, Rept. 1887. Wash., 1889. Map No. 5.)

470. 1887. Dan river from Madison, N. C., to Danville, Va. S¹/₂ x 32 in. Scale, 1:6000.

(In Chief of Eng. Rept., 1887, pt. 1. Fold. facing p. 954.)

471. 1887. Map of Contentnea river, N. C., mouth to Stantonsburg. 6 x 8 in. Scale, 1:180,000.

(In Chief of Eng. Rept., 1887, pt. 2. Fold. facing p. 1014.)

- 472. 1887. Map of Lockwood's Folly river, N. C., in the vicinity of Mercer's cut. 5 x 7 in. Scale: 1 in. = 150 ft.
 - (In Chief of Eng. Rept., 1887, pt. 2. Fold. facing p. 1100.)
- 473. 1887. Map of Tar river, N. C. Tarboro to Washington, N. C. 6 x 8 in. Scale, 1:180,000.

 (In Chief of Eng. Rept., 1887, pt. 2. Fold. facing p. 1012.)
- 474. 1887. Map of the lower portion of Lockwood's Folly river, N. C. $7\frac{3}{4} \times 10$ in. Scale: 1 in.=1500 ft.

 (In Chief of Eng. Rept., 1887, pt. 2. Fold. facing p. 1100.)
- 475. 1887. Roanoke river, North Carolina, from Weldon to Albemarle sound. 11 x 32\frac{3}{4} in. Scale: 1 inch=2 miles.
 - (In Chief of Eng. Rept., 1887, pt. 1. Fold. facing p. 956.)
- 476. 1888. Map of western North Carolina and northeast Georgia, showing positions of geological and water divides and peculiar

topography of the western North Carolina mountain region. $8\frac{1}{2} \times 19\frac{1}{2}$ in. Scale: 1 inch=20 miles.

(In Colton, Henry E. Notes on topography and geology of western North Carolina. Am. Inst. Min. Eng. Trans., v. 16 (1888). Fold. facing p. 850.)

477. 1888. State of North Carolina. Board of Education. Ely Smallwood. Hyde county vacant lands. $33\frac{1}{2} \times 71\frac{3}{4}$ in. Scale: 40 chains=1 inch. Surveyed 1888.

478. 1888. Sketch showing progress of the survey in Sections 3 and 4.

[North Carolina coast.] June 30, 1888. 15 x 16½ in. Scale:
1:1,000,000.

Insets: Frying Pan shoals. Bogue sound.

(In U. S. Coast and Geod. Survey Rept., 1888. Wash., 1889.
Map No. 5.)

479. 1888. Cape Fear river from entrance to Reeves' Point, North Carolina. $23\frac{1}{2} \times 29\frac{1}{4}$ in. Scale, 1:40,000. Chart No. 424. (U. S. C. & G. S.)

Note: Later issues.

480. 1888. Core sound to Bogue inlet including Cape Fear, North Carolina. 31 x 39 in. Scale, 1: 80,000. Chart No. 147.

Note: Later issues.

481. 1888. Masonboro inlet to Shallotte inlet including Cape Fear, North Carolina. 31 x 40 in. Scale, 1:80,000. Chart No. 150.

(U. S. C. & G. S.)

Note: Later !ssues.

482. 1888. New River inlet, North Carolina. 25¼ x 29¾ in. Scale, 1:10,000. Chart No. 422.

(U. S. C. & G. S.)

Note: Later issues.

483. 1888. Neuse river, N. C. In 3 sheets, each 8 x 12 in. Scale: 2 in. = 2 miles.

(U. S. W. D.)

484. 1884. Roanoke river, North Carolina, from Indian Highland bar to Albemarle sound. 7\frac{2}{4} \times 17 in. Scale: 1 inch=2 miles.

(In Chief of Eng. Rept., 1888, pt. 2. Fold. facing p. 842.)

485. 1889. Map of North Carolina including all railroads in operation and construction. Printed by the N. C. Agric. Exp't Station, 1889. 8 x 10³/₄ in. Scale: 1 in. = 50 miles.

(In Western North Carolina. Historical and Biographical. Charlotte, N. C., 1890. Front.)

486. 1889. Map showing the line of the Cape Fear and Yadkin Valley Railway and its connections. Engraved and printed by G. W. and C. B. Colton & Co., New York. 15 x 18 in. Scale, 1:3,800,000.

(In The Cape Fear and Yadkin Valley Railway... Phila, 1889. Fold. at end.)

487. 1889. Bogue inlet to Old Topsail inlet, North Carolina. 30 x 39 in. Scale, 1:80,000. Chart No. 148.

(U. S. C. & G. S.)

Note: Later issues.

488. 1889. Chart to accompany report of Lieut. Francis Winslow on oyster culture of North Carolina, showing limits of sections, county lines, public and private grounds. 16\frac{3}{4} \times 16\frac{3}{4} \times 16\frac{3}{4} \times 1. Scale, 1:400,000.

(In U. S. Coast and Geod. Survey, Bull. 10, Wash., 1889. Fold. at end.)

- 489. 1889. Map to accompany report of Lieut. Francis Winslow on oyster culture of sounds and estuaries of North Carolina, showing limits of projections. 7½ x 9 in. Scale, 1:876,000.

 (In U. S. Coast and Geod. Survey, Bull. 10. Wash., 1889.
 At end.)
- 490. 1889. Old Topsail inlet to Cape Fear, North Carolina. 30½ x 39
 in. Scale, 1:80,000. Chart No. 149.

(U. S. C. & G. S.)

Note: Later issues.

491. 1889. Progress of the survey in Sections 4 and 5. [Showing progress on coast of North Carolina.] June 30, 1889. 9½ x 9¾ in. Scale, 1:400,000.

(In U. S. Coast and Geod. Survey, Rept. 1889. Wash., 1890. Map No. 5.)

- 492. 1889. Cape Fear river, N. C., from Wilmington to Fayetteville.

 In 3 sheets each 7\frac{3}{4} x 12 in. Scale: 4 in.=2 miles. MSS.

 (U. S. W. D.)
- 493. 1889. Map of the middle portion of Shallotte river, N. C. $8\frac{3}{4} \times 11\frac{3}{4}$ in. Scale: $3\frac{1}{2}$ in. =2000 ft.

(In U. S. 51st Cong., 1st Sess., 1889. House Doc. No. 78.)

494. 1889. Neuse river, N. C., from New Berne to Smithfield. In three sheets each $5\frac{1}{4} \times 7\frac{3}{4}$ in. Scale: 2 in. =2 miles.

(In Chief of Eng. Rept., 1889, pt. 2. Facing p. 1058.)

495. 1889. Northeast (Cape Fear) river, N. C. 6\frac{3}{4} x 22\frac{1}{4} in. Scale: 2\frac{1}{2} in.=5 miles.

(In U. S. 51st Cong., 1st Sess., 1889. House Doc. No. 35.)

- **496.** 1889. Roanoke river, Va. and N. C., from Clarksville, Va., to Weldon, N. C. 12 x 37½ in. Scale: 6½ in. = 10 miles. MSS. (U. S. W. D.)
- **497.** 1889. Trent river, N. C., from New Berne to Trenton. $5\frac{1}{4} \times 7\frac{3}{4}$ in. Scale: $2\frac{1}{4}$ in.=2 miles.

(In Chief of Eng. Rept., 1889, pt. 2. Facing p. 1054.)

- 498. 1890. Map of Davidson county, N. C. Copyrighted 1890 by L. Johnson. $25\frac{1}{4} \times 38\frac{1}{4}$ in. Scale: 1 mile to the inch.
- 499. 1890. Map of the south Appalachian region by J. A. Maher & Co., 1890. Compiled from the maps of the U. S. Geol. Survey and other authentic sources. 53 x 49½ in. Scale: 5 miles = 1 inch.

(U. S. G. S.)

- 500. 1890. Map of the state of North Carolina, with portions of adjoining states. New York, G. W. and C. B. Colton & Co., 1890. Scale: 6 in. = 50 miles.
- 501. 1890. Map showing location of Greensboro, N. C., site of the North Carolina Steel and Iron Company's . . . iron mines at Ore Hill, limestone at Germantown . . . 13\frac{3}{4} \times 13\frac{3}{4} \times in.

(In Prospectus. The North Carolina Steel and Iron Company, Greensboro, N. C., 1890. Fold. at end.)

502. 1890. Sketch map of the Dismal Swamp district of Virginia and North Carolina, by N. S. Shaler. $8\frac{1}{4} \times 9\frac{1}{2}$ in. Scale: $\frac{3}{4}$ in. = 5 miles. Contour interval, 5 feet.

(In Shaler, N. S. General account of the fresh-water morasses of the United States. . . U. S. Geol. Survey, 10th Ann. Rept. Wash., 1890. Fold. p. 314.)

503. 1890. Ocracoke inlet to Beaufort including Core sound, North Carolina. 31 x 39 in. Scale, 1:80,000. Chart No. 146.

(U. S. C. & G. S.)

Note: Later issues.

504. 1890. Progress of the surveys and re-surveys on the coast of North and South Carolina. June 30, 1890. $14\frac{3}{4} \times 18\frac{3}{4}$ in. Scale, 1:400,000.

(In U. S. Coast and Geod. Survey, Rept., 1890. Wash., 1891. Map No. 11.)

505. 1890. Contentnea river, N. C., from mouth of river to Stantonsburg. In two sheets, each $4\frac{1}{2} \times 8\frac{1}{2}$ in. Scale: $1\frac{3}{4}$ in. =2 miles.

(In Chief of Eng. Rept., 1890, pt. 2. Facing p. 1118.)

506. 1890. Inland waterway between Beaufort and New Berne, N. C. $7\frac{1}{2} \times 12\frac{1}{2}$ in. Scale: 3 in.=2 miles. MSS.

(U. S. W. D.)

507. 1890. Map of Lumber river, North and South Carolina. 7\frac{3}{4} \times 15\frac{3}{4} in. Scale: 3 in. = 5 miles.

(In Chief of Eng. Rept., 1890, pt. 2. Fold. facing p. 1198.)

508. 1890. Pamlico and Tar rivers, N. C., from Washington to Tarboro. In two sheets, each $4\frac{1}{2} \times 7\frac{1}{2}$ in. Scale: $1\frac{3}{4}$ in. =25 miles.

(In Chief of Eng. Rept., 1890, pt. 2. Facing p. 1114.)

509. 1890. Progress map for 1890. Roanoke river, N. C. Big Rocky bar and Little Rocky bar. $7\frac{1}{2} \times 12\frac{1}{4}$ in. Scale: $2\frac{1}{2}$ in. = 500 ft.

(In Chief of Eng. Rept., 1890, pt. 2. Fold. facing p. 1110.)

510. 1890. Roanoke river, N. C., from Albemarle sound to Weldon. In two sheets, each $4\frac{1}{2} \times 7\frac{1}{2}$ in. Scale: $1\frac{3}{4}$ in. = 5 miles.

(In Chief of Eng. Rept., 1890, pt. 2. Facing p. 1110.)

511. 1890. Roanoke river, N. C. Looking Glass bar. 7½ x 12¼ in. Scale: 1¾ in. = 800 ft.

(In Chief of Eng. Rept., 1890, pt. 2. Fold. facing p. 1110.)

512. 1890. Roanoke river, N. C. Shad Island Bend. 7½ x 12½ in. Scale: 1¾ in.=800 ft.

(In Chief of Eng. Rept., 1890, pt. 2. Fold. facing p. 1110.)

513. 1890. Yadkin river, N. C. In two sheets, each $7\frac{1}{2} \times 12\frac{1}{4}$ in. Scale: $1\frac{3}{4}$ in. = 5 miles.

(In Chief of Eng. Rept., 1890, pt. 2. Facing p. 1164.)

514. 1891. Areas occupied by the Newark system. $7\frac{1}{2} \times 8\frac{1}{4}$ in. Scale: $3\frac{1}{4}$ in. = 300 miles.

(In Russell, I. C. Correlation Papers. The Newark system, U. S. Geol. Survey, Bull. 85. Wash., 1892. Front. Fold.)

515. 1891. Map of North and South Carolina. Copyrighted 1891, by Mast, Crowell & Kirkpatrick. 9½ x 12¼ in. Scale: 1½ in. = 60 miles.

(L. C.)

516. 1891. Map of Orange county, N. C. Drawn by George W. Tate from actual surveys. Published by George W. Tate, Bingham School, N. C. 22½x 38¾ in. Scale: 1½ inches to the mile.

 (L, C_{\cdot})

517. 1891. Map of Wake county, N. C., showing townships, postoffices and principal public roads, 1891. $6\frac{3}{4} \times 6\frac{3}{4}$ in. Scale: $1\frac{1}{2}$ in. = 10 miles.

(L. C.)

518. 1891. The Norfolk and Southern Railroad and its commercial tributaries. 9 x 12½ in.

(In Haywood, Frank A. The Norfolk & Southern Railroad. . . 1891. Fold. at end.)

Note: Shows rivers of eastern North Carolina.

519. 1891. Entrance to Mackay's creek, N. C. 7½ x 13 in. Scale: 2½ in.=1000 ft.

(U. S. W. D.)

520. 1891. Inland waterway between Beaufort, Swansboro and New river, N. C. $7\frac{3}{4} \times 17\frac{1}{2}$ in. Scale: $3\frac{1}{2}$ in. = 5 miles.

(In Chief of Eng. Rept., 1891, pt. 2. Fold. facing p. 1378.)

521. 1891. Map 1 to accompany preliminary report on Northwest river, 1891. 7 x 8½ in. Scale, 1:316,800.

(In Chief of Eng. Rept., 1891, pt. 2. Fold. facing p. 1322.)

522. 1891. Map No. 2, Northwest river, Va., and N. C. Examination made Dec., 1890. 17\(\frac{3}{4}\) x 30\(\frac{3}{4}\) in. Scale, 1:52,000.

(In Chief of Eng. Rept., 1891, pt. 2. Fold. facing p. 1322.)

523. 1891. New river, N. C. Ocean to Jacksonville. $7\frac{3}{4} \times 13\frac{1}{2}$ in. Scale: $4\frac{3}{4}$ in.=10 miles. MSS.

(U. S. W. D.)

524. 1891. Ocracoke inlet, N. C. Wallace's channel. $8 \times 15\frac{3}{4}$ in. Scale: $3\frac{1}{4}$ in. = 10,000 ft.

(In Chief of Eng. Rept., 1891, pt. 2. Fold. facing p. 1344.)

525. 1891. Pamlico and Tar rivers, N. C. Tar river above Tarboro. $4\frac{3}{4} \times 7\frac{3}{4}$ in. Scale: $1\frac{3}{4}$ in. = 2 miles.

(In Chief of Eng. Rept., 1891, pt. 2. Facing p. 1348.)

526. 1891. Pamlico river at and below Washington, N. C. $7\frac{3}{4} \times 21\frac{1}{2}$ in. Scale: $2\frac{3}{4}$ in. = 3000 ft.

(In Chief of Eng. Rept., 1891, pt. 2. Fold. facing p. 1348.)

527. 1891. Pasquotank river, N. C. Upper portion of river between the ends of Turner's cut. $7\frac{3}{4} \times 13$ in. Scale: $3\frac{1}{2}$ in.=1 mile. MSS.

(U. S. W. D.)

528. 1892. Geological map of the southeastern states showing precambrian and crystalline rocks, after McGee and Hitchcock. 4 x 6³/₄ in. Scale, 1:7,600,000.

(In Van Hise, C. R. Correlation papers, Archaean and Algonkian, U. S. Geol. Survey, Bull. 86. Wash., 1892. Facing p. 416.)

529. 1892. Map of North Carolina, issued by the N. C. State Board of Agriculture with corrections to date. Rand, McNally & Co., Chicago, 1892. 8 x 19 in. Scale: 24 in. = 60 miles.

(In N. C. Dept. of Agric. Hand-book of North Carolina, with illustrations and map. Raleigh, 1893. Fold. at end.)
 (In N. C. Dept. of Agric. North Carolina and its resources.

Winston, 1896. Fold. at end.)

530. 1892. Map of North Carolina, showing the distribution of iron ores, published by the North Carolina Geological Survey,

1892. 12¼ x 28 in. Scale: 1 inch=20 miles. Base is Kerr's map of North Carolina, 1882.

(In Nitze, H. B. C. Iron ores of North Carolina. N. C. Geol. Survey, Bull. 1. Raleigh, 1893. Fold. at end.)

531. 1892. Lockwood's Folly river, N. C. 7\frac{1}{4} x 9 in. Scale: 2\frac{1}{4} in.=

(In Chief of Eng. Rept. 1892. Atlas, Map No. 37.)

- 532. 1892. Parts of inland waterway between Swansboro and New river, N. C. $7\frac{3}{4} \times 14\frac{3}{4}$ in. Scale: $3\frac{1}{2}$ in. = 5000 ft. (In Chief of Eng. Rept. 1892. Atlas, Map No. 31.)
- 533. 1892. Progress map for 1892. Beaufort harbor, N. C. 4³/₄ x 7³/₄ in. Scale: 1¹/₂ in.=1500 ft.

(In Chief of Eng. Rept., 1892. Atlas, Map No. 27.)

- 534. 1892. Progress map for 1892. Beaufort to New river, N. C. Broad Creek shoal. $4\frac{3}{4} \times 7\frac{3}{4}$ in. Scale: 2 in. = 2000 ft. (In Chief of Eng. Rept., 1892. Atlas, Map No. 29.)
- 535. 1892. Progress map for 1892. Beaufort to New river, N. C. Sally Bells shoal, 8 miles from Beaufort. $4\frac{3}{4} \times 7\frac{3}{4}$ in. Scale: 2 in.=1000 ft.

(In Chief of Eng. Rept., 1892. Atlas, Map No. 28.)

- 536. 1892. Progress map for 1892. Beaufort to New river, N. C. Sanders Creek shoal. 4³/₄ x 7³/₄ in. Scale: 2 in.=5000 ft.
 (In Chief of Eng. Rept., 1892. Atlas, Map No. 30.)
- 537. 1892. Progress map for 1892. Cape Fear river below Wilmington, N. C. Ocean bar 29 miles below Wilmington. $4\frac{3}{4} \times 7\frac{3}{4}$ in. Scale: $1\frac{3}{4}$ in. = 10,000 ft.

(In Chief of Eng. Rept., 1892. Atlas, Map. No. 35.)

538. 1892. Progress map for 1892. Mackay's creek, N. C. 4\frac{4}{4} \times 7\frac{3}{4} in. = 1000 ft.

(In Chief of Eng. Rept., Atlas, Map No. 20.)

539. 1892. Trent river, N. C., from Trenton to Upper Quaker Bridge.
Reduced and drawn by P. Brosig. 4³/₄ x 7³/₄ in. Scale: 1³/₄ in.
=2 miles.

(In Chief of Eng. Rept., 1892. Atlas, Map No. 25.)

540. 1893. Iron ore deposits of Gaston, Lincoln and Catawba counties. 4 x 6\frac{3}{4} in. Scale: 1 in.=8 miles.

(In Nitze, H. B. C. Iron ores of N. C. First biennial rept. of the State Geol. Raleigh, 1893. Facing p. 42.)

- —— (In Nitze, H. B. C. Iron ores of N. C. N. C. Geol. Survey, Bull. 1. Raleigh, 1893. Facing p. 85.)
- 541. 1893. Map of Alamance county, North Carolina. Published by Wm. L. Spoon . . . Burlington, N. C. $31\frac{1}{4} \times 50\frac{3}{4}$ in. Scale: 2 in. to the mile.

(L, C.)

- 542. 1893. Map of Ore Hill, showing the relations of the iron ore deposits, and the property boundaries of the North Carolina Steel and Iron Co. 5½ x 10 in. Scale: 665 ft.=1 in.
 - (In Nitze, H. B. C. Iron ores of N. C. First biennial rept. of State Geol. Raleigh, 1893. Facing p. 32.)
 - —— (In Nitze, H. B. C. Iron ores of North Carolina. N. C. Geol. Survey, Bull. 1. Raleigh, 1893. Facing p. 53.)
- 543. 1893. Map of the Cranberry iron mine. $6 \times 9\frac{3}{4}$ in. Scale: 100 ft. to 1 inch. Drawn by C. R. Engelbert.
 - (In Nitze, H. B. C. Iron ores of North Carolina. N. C. Geol. Survey, Bull. 1. Raleigh, 1893. Fold. facing p. 171.)
- 544. 1893. Map of the Gaston Mineral Co.'s property near Bessemer City, N. C. 10 x 124 in. Scale: 1 in. = 2000 ft.
 - (In Talcott, T. M. R. The Gaston Mineral Co. Richmond, Va., 1893. Fold. at end.)
- 545. 1893. Map of the Gaston Mineral Co.'s property in Gaston county, N. C. 12\frac{1}{4} x 21 in. Scale: 1 in.=2000 ft.
 - (In Talcott, T. M. R. The Gaston Mineral Co. Richmond, Va., 1893. Fold. at end.)
- **546.** 1893. Map of the principal ore deposits of Ashe county, N. C. $8 \times 8\frac{1}{4}$ in. Scale: $2\frac{3}{4}$ in.=5 miles.
 - (In Nitze, H. B. C. Iron ores of N. C. First biennial rept. of the State Geol. Raleigh, 1893, Facing p. 48.)
 - ——— (In Nitze, H. B. C. Iron ores of N. C. N. C. Geol. Survey, Bull. 1. Raleigh, 1893. Facing p. 131.)
- 547. 1893. Sketch showing location of iron ores near Danbury, N. C. $5 \times 8\frac{1}{2}$ in. Scale: $1\frac{3}{4}$ in. =2 miles.
 - (In Nitze, H. B. C. Iron ores of N. C. First biennial rept. of the State Geol. Raleigh, 1893. Facing p. 37.)
 - (In Nitze, H. B. C. Iron ores of N. C. N. C. Geol. Survey, Bull. 1. Raleigh, 1893. Facing p. 73.)
- Topographical map of Cranberry, N. C., showing mines, railroads and buildings owned and operated by the C. I. & C. Co. July, 1891. Dec., 1892. J. R. Engelbert, Eng. 9 x 14 in. Scale: 200 ft.=1 inch.
 - (In Nitze, H. B. C. Iron ores of N. C. First biennial rept. of State Geol. Raleigh, N. C., 1893. Facing p. 52.)
 - (In Nitze, H. B. C. Iron ores of N. C. N. C. Geol. Survey, Bull. 1. Raleigh, 1893. Facing p. 169.)
- **549.** 1893. Map of Shears' mines, Randolph county, N. C. $3\frac{1}{2} \times 21\frac{3}{4}$ in. Scale: 1 inch = 300 ft.
 - (With Tilden, H. B. Report on Stafford and Griffin mines, Randolph county, North Carolina, 1893.)

550. 1893. U. S. Geol. Survey. Topographic sheets. Virginia Beach quadrangle, Va.-N. C. 14½ x 17½ in. Scale, 1:125,000. Contour interval, 5 ft.

Note: This sheet was incorporated in the Norfolk sheet in 1894.

- 551. 1893. Cape Fear river, N. C., below Wilmington. Ocean bar, 29 miles below Wilmington. 7 x 13 in. Scale: 3 in. = 1500 ft. (In Chief of Eng. Rept., 1893, pt. 2. Fold. facing p. 1428.)
- Map of Ocracoke inlet. 11 x 18 in. Scale: 3\frac{1}{2} in. = 10,000 **552.** 1893. feet.

(In Chief of Eng. Rept., 1893, pt. 2. Fold. facing p. 1376.)

553. 1893. New river, N. C. Cedar Bush Marsh cut. 10 x 14 in. Scale: 3 in. = 800 ft.

(In Chief of Eng. Rept., 1893, pt. 2. Fold. facing p. 1402.)

554. 1893. New river, N. C. Vicinity of Wright's island. 11 x 111 in. Scale: 3 in. = 800 ft.

(In Chief of Eng. Rept., 1893, pt. 2. Fold. facing p. 1402.)

555. 1893. Ocracoke inlet, N. C. Sheet 3. 14½ x 18½ in. Scale: 4¼ in. =12,000 ft.

(In Chief of Eng. Rept., 1893, pt. 2. Fold. facing p. 1376.)

556. 1894. Map of the southern Appalachians showing the deformed cretaceous peneplain and the areas not reduced to baselevel, by C. Willard Haves and Marius R. Campbell. 7x 101 in. Scale: 1 inch=90 miles.

> (In Hayes, C. W., and Campbell, M. R. The Geomorphology of the Southern Appalachians. Nat. Geog. Mag., v. 6, 1894. Fold. facing p. 126.)

557. 1894. Map of the southern Appalachians, showing the deformed tertiary peneplain, and the areas not reduced to base-level, by C. Willard Hayes and Marius R. Campbell. 7 x 10\frac{1}{2} in. Scale: 1 inch=90 miles.

> (In Hayes, C. W., and Campbell, M. R. The Geomorphology of the Southern Appalachians. Nat. Geog. Mag., v. 6, 1894. Fold., p. 126.)

558. 1894. Triangulation in the Appalachian region to June 30, 1894. $18 \times 24\frac{1}{4}$ in. Scale: $5\frac{1}{3}$ in. = 150 miles.

(In Gannett, Henry. Results of primary triangulation. U. S. Geol. Survey, Bull. 122. Wash., 1894. Fold. facing p. 64.)

559. 1894. Cape Fear river, N. C., below Wilmington. Ocean bar, 29 miles below Wilmington. Surveyed . . . by R. C. Merritt and Frank D. Perry, 1893. 18 x 32\frac{1}{4} in. Scale: 4\frac{3}{4} in.= 500 ft.

(In Chief of Eng. Rept., 1894, pt. 2. Fold. facing p. 1052.)

560. 1894. Hydrography of Cape Fear river, N. C., at New Snow's Marsh channel. Surveyed and drawn . . . by R. C. Merritt and F. D. Perry Rodman, 1894. 14 x 24½ in. Scale: 5½ in. = 3000 ft.

(In Chief of Eng. Rept., 1894, pt. 2. Fold. facing p. 1052.)

561. 1894. Map of Tar river, N. C., from Sycamore Cross to below Red Bank shoal . . . by S. F. Burbank, 1894. 9½ x 22 in. Scale: 6¾ in.=1000 ft.

(In Chief of Eng. Rept., 1894, pt. 2. Fold. facing p. 1020.)

562. 1894. Ocracoke inlet, N. C. Map of a portion of Teach's Hole—Swash Route. 12 x 16\frac{1}{4} in. Scale: 2\frac{3}{4} in.=2000 ft.

(In Chief of Eng. Rept., 1894, pt. 2. Fold. facing p. 1016.)

563. 1894. Ocracoke inlet, N. C., showing current velocity stations, tide gauges and level lines, by E. W. Van C. Lucas, 1893. 13½ x 19 in. Scale: 3¾ in.=10,000 ft.

(In Chief of Eng. Rept., 1894, pt. 2. Fold. facing p. 1016.)

564. 1895. Geologic sketch map of western North Carolina showing corundum localities and the distribution of peridotites and related rocks, by J. Volney Lewis, 1895. 8 x 14½ in. Scale: 2½ in.=30 miles. Boundaries of the Ocoee formation have been supplied by Mr. Arthur Keith of the U. S. Geol. Survey.

(In Lewis, J. V. Corundum and the basic magnesian rocks of western North Carolina. N. C. Geol. Survey, Bull. 11. Winston, 1896. Fold. Front.)

565. 1895. Knoxville sheet. Geologic maps, topographic, areal and economic. $14\frac{1}{2} \times 17\frac{1}{2}$ in. Scale, 1:125,000. Contour interval, 100 ft.

(In Keith, Arthur. Knoxville folio. Tennessee-North Carolina. Geologic Atlas U. S. No. 16. Wash., 1895.)

566. 1895. Map of Corundum Hill, Macon county, N. C. By J. Volney Lewis, 1895... Contour interval, 10 ft. $4\frac{3}{4} \times 7$ in. Scale: $1\frac{1}{2}$ in.=400 ft.

(In Lewis, J. V. Corundum and the basic magnesian rocks of western North Carolina. N. C. Geological Survey, Bull. 11. Winston, 1896. Facing p. 38.)

567. 1895. Map of Guilford county, N. C. Surveyed by Prof. L. Johnson. Published by D. W. C. Benbow, 1895. 23 x 26½ in Scale: 1 inch to the mile.

568. 1895. Map of the Appalachian crystalline belt showing the distribution of peridotites and corundum. By J. V. Lewis, 1895. $4 \times 5\frac{1}{2}$ in.

 (In Lewis, J. V. Corundum and the basic magnesian rocks of western North Carolina. N. C. Geological Survey, Bull. 11. Winston, 1896. Facing p. 32.)

569. 1895. Map of the Buck Creek corundum mine, Clay county, N. C. By J. Volney Lewis, 1895... $4\frac{1}{2} \times 7$ in. Contour interval, 50 ft. Scale: $1\frac{3}{4}$ in. $=\frac{1}{7}$ mile.

(In Lewis, J. V. Corundum and the basic magnesian rocks of western North Carolina. N. C. Geological Survey, Bull. 11. Winston, 1896. Facing p. 34.)

570. 1895. Map of the South mountain region. 9 x 9 in. Scale: 1 inch = 2 miles. Contour interval, 100 ft.

(In Nitze, H. B. C., and Hanna, G. B. Gold deposits of North Carolina. N. C. Geol. Survey, Bull. No. 3. Winston, 1896. Facing p. 152.)

571. 1895. Map of the Webster peridotite area, Jackson county, N. C. By J. Volney Lewis, 1895...4½ x 7 in. Scale: 1½ in.=2 miles. Contour interval, 100 ft.

(In Lewis, J. V. Corundum and the basic magnesian rocks of western North Carolina. N. C. Geological Survey, Bull. 11. Winston, 1896. Facing p. 36.)

572. 1895? Plan of the Catawba and Broad rivers with their waters and the proposed boundary lines between North and South Carolina. With the latitude as observed in different stations laid down by a scale of 4 miles in an inch, 69½ in one degree of ye Great Circle Vulgo. Statute miles. 7¾ x 14 in.

(In Clark, Walter. State Records of North Carolina. Vol. 11. Winston, 1895. Fold. facing p. 80.)

573. 1895. Atlantic coast, Cape Henry to St. Catherine's sound. 204 x 26½ in. Scale, 1:1,200,000.

(In U. S. Coast and Geod. Survey. Atlantic Coast Pilot, Vol. 7. From Chesapeake Bay entrance to Key West. Wash., 1895. Fold. Front.)

574. 1895. Map of Cape Lookout Harbor of Refuge known as Lookout bight. 17½ x 18¼ in. Scale: 3 in. = 8000 ft.

(In U. S. 53d Cong., 3d Sess., 1895. House Doc. No. 319.)

575. 1895. Map of upper part of Alligator river, N. C. $11 \times 29\frac{1}{4}$ in. Scale: $3\frac{1}{2}$ in. = 2000 ft.

(In U. S. 53d Cong., 3d Sess., 1895. House Doc. No. 297.)

576. 1895. Map showing improvement of the Trent river, N. C. Surveyed by Wm. H. Chadbourn, Jr., 1895. $8 \times 39\frac{1}{4}$ in. Scale: 4 in. =500 ft.

(In Chief of Eng. Rept., 1895, pt. 2. Fold. facing p. 1318.)

577. 1895. Northeast (Cape Fear) river, N. C., from the Old County ferry to Juniper swamp or creek . . . 12\frac{1}{4} x 34\frac{1}{4} in. Scale: 4 in.=1000 ft.

(In U. S. 53d Cong., 3d Sess., 1895. House Doc. No. 322.)

578. 1895. Ocracoke inlet, N. C., showing inner shoals and location of cut 5450 ft. long. 13 x 19 in. Scale: $2\frac{1}{2}$ in.=13,000 ft.

(In Chief of Eng. Rept., 1895, pt. 2. Fold. facing p. 1310.)

- 579. 1896. Carolina drainage map. 5 x 8 in. Scale: 1\frac{3}{4} in. = 20 miles.

 (In U. S. Geol. Survey, 18th Ann. Rept., 1896, pt. 4. Wash.,

 1897. Facing p. 48.)
- **580.** 1896. Map of Burke county and upper Catawba valley. $9 \times 9\frac{1}{2}$ in. Scale: $\frac{3}{4}$ in. =4 miles.

(In Ervin, W. C. Catawba Valley and Highlands, Burke county, western North Carolina. Morganton, N. C., 1896. Fold. Front.)

- 581. 1896. Map of North Carolina, showing distribution of principal geological formations. $4\frac{1}{4} \times 4\frac{1}{4}$ in. Scale: 60 miles to 1 inch. (In N. C. Dept. of Agric. North Carolina and its resources. Winston, M. I. and J. C. Stewart, 1896. Facing p. 68.)
- 582. 1896. Map of the Gold Hill district, from a survey by E. Hausser, 1860. Revised, 1882. $4\frac{3}{4} \times 8$ in. Scale: 1 inch=1320 ft.

 (In Nitze and Hanna. Gold deposits of North Carolina.

 N. C. Geol. Survey, Bull. 3. Winston, 1896. Facing p. 86.)

 (In Nitze and Wilkins. Gold mining in North Carolina...

N. C. Geol. Survey, Bull. 10. Raleigh, 1897. Facing p. 58.)

583. 1896. Map tof Virginia, Maryland, North and South Carolina. to accompany Weeks' Southern Quakers and Slavery. 13 x 144 in. Scale: 40 miles to 1 inch.

(In Weeks, S. B. Southern Quakers and Slavery. . . Baltimore, 1896. Fold. at end.)

584. 1896. Preliminary map showing location of principal gold deposits in North Carolina, from the records of the State Geological Survey, 1896. 8 x 32 in. Scale: 25 miles=1 inch.

(In Nitze, H. B. C., and Hanna, G. B. Gold deposits of North Carolina. N. C. Geol. Survey, Bull. 3. Winston, 1896. Fold. Front.)

585. 1896. Triangulation between Atlanta and Mobile, with sub-sketch of eastern Tennessee and western North Carolina. 16½ x 21 in. Scale, 1:1,000,000.

(In U. S. Coast and Geod. Survey, Rept., 1896. Pt. 1. Wash., 1896. Map No. 14.)

586. 1896. Cape Fear river, N. C. Profile of approximate low water surface from ocean to confluence of Deep and Haw rivers . . . 16 x 38\frac{3}{4} in.

(In U. S. 54th Cong., 1st Sess., 1896. House Doc. No. 65.)

587. 1896. Cross rock shoal, Lockwood's Folly river, N. C. Surveyed . . . by Robt. C. Merritt, 1895. Drawn by Chas. Humphreys. 12 x 36½ in. Scale: 4 in. = 500 ft.

(In Chief of Eng. Rept., 1896, pt. 2. Fold. facing p. 1142.)

588. 1896. Lockwood's Folly river, N. C. Surveyed . . . by Robt. C. Merritt, 1895. Drawn by Chas. Humphreys. 11\frac{3}{4} x 27 in. Scale: 4\frac{1}{4} in.=500 ft.

(In Chief of Eng. Rept., 1896, pt. 2. Fold. facing p. 1142.)

589. 1896. Map showing the location of the Dismal Swamp canal, Virginia and North Carolina. 12½ x 36¼ in. Scale, 1: 96,000.

(In U. S. 54th Cong., 1st Sess., 1896. House Doc. No. 317.)

590. 1896. Ocracoke inlet, N. C. Drawn by W. H. Chadbourn, Jr. $7\frac{1}{2} \times 18\frac{3}{4}$ in. Scale: 4 in.=1500 ft.

(In Chief of Eng. Rept., 1896, pt. 2. Fold. facing p. 1098.)

591. 1896. Sea bar, Baldhead channel, Cape Fear river, N. C. Surveyed . . . by Chas. Humphreys and Robt. C. Merritt, 1896. 11½ x 22½ in. Scale: 6½ in. = 3500 ft.

(In Chief of Eng. Rept., 1896, pt. 2. Fold. facing p. 1138.)

592. 1896. Snow's Marsh channel, Cape Fear river, N. C. Surveyed . . . by Chas. Humphreys and Robt. C. Merritt, 1896. $13\frac{3}{4} \times 24\frac{3}{4}$ in. Scale: $4\frac{3}{4}$ in. = 3500 ft.

(In Chief of Eng. Rept., 1896, pt. 2. Fold. facing p. 1138.)

593. 1897. Map showing the location of the principal geological formations in North Carolina. 1897. $3\frac{1}{2} \times 8\frac{3}{4}$ in. Scale: $1\frac{3}{4}$ in. =75 miles.

(In Ries, Heinrich. Clay deposits and clay industry in North Carolina. N. C. Geological Survey, Bull. 13. Raleigh, 1897. Facing p. 44.)

Published also in Bulletins 17, 19 and Economic Papers 3 and 4.

- 594. 1897. Railroad Commissioners' map of North Carolina, 1897. Prepared by H. C. Brown. 21³/₄ x 42¹/₂ in.
- 595. 1897. Bogue inlet, N. C., and immediate vicinity inside. 17\frac{1}{4} x 22\frac{1}{2} in. Scale: 750 ft. to an inch.

(In U. S. 54th Cong., 2d Sess., 1897. House Doc. No. 316.)

596. 1897. Cape Fear river, N. C., above Wilmington. 21 x 27¹/₄ in. Scale: 2 in. = 2 miles.

(U. S. W. D.)

597. 1897. Chart of the coast from Cape Hatteras to New River inlet, showing proposed breakwater at Cape Lookout, N. C. 16 x 22½ in. Scale: 3 in.=70,000 ft.

(In Chief of Eng. Rept., 1897, pt. 2. Fold. facing p. 1432.)

598. 1897. Hydrography of Cape Fear river, N. C., at Ocean Bar channel. Surveyed . . . by Chas. Humphreys, S. F. Burbank and R. C. Merritt. 9 x 28½ in. Scale: 4¾ in.=3000 ft.

(In Chief of Eng. Rept., 1897, pt. 2. Fold. facing p. 1416.)

- 599. 1897. Hydrography of Cape Fear river, N. C., at Snow's Marsh channel. Surveyed . . . by Chas. Humphreys, S. F. Burbank and R. C. Merritt. 9 x 26½ in. Scale: 4¾ in.=3000 ft. (In Chief of Eng. Rept., 1897, pt. 2. Fold. facing p. 1416.)
- 600. 1897. Ocracoke inlet, N. C. 16 x 22 in. Scale: 4\frac{1}{4} in.=10,000 ft. Inset: Ocracoke bar.

(In U. S. 55th Cong., 1st Sess., 1897. House Doc. No. 7. Fold. at end.)

601. 1898. Map of Forsyth county, North Carolina, 1898. 6\frac{3}{4} \times 8\frac{1}{2} \text{ in.} Scale: 1 in.=3 miles.

(In Fries, Adelaide L. Forsyth county. Winston, Stewart's Printing House, 1898. Fold. Front.)
(S. B. W.)

- 602. 1898. Map of North Carolina. Scale: 3 in.=90 miles.

 (In Cobb, Collier. Geography of North Carolina. New York, 1898. pp. 2-3.)
- 603. 1898. Map showing the location of the canals and water-powers on the Roanoke river near Weldon, N. C. $8\frac{1}{2} \times 9\frac{3}{4}$ in. Scale: $1\frac{1}{2}$ in.=1 mile. Contour interval, 20 feet.

(In Swain, Holmes and Myers. Papers on the water-power in North Carolina. N. C. Geol. Survey, Bull. 8. Raleigh, 1899. Fold. facing p. 95.)

604. 1898. Map showing the supposed line between Virginia and the western territory of North Carolina from 1772 to 1779 and the two Tennessee settlements on either side of said line in 1772; and also the limits of the several private purchases—from the Indians, by the Watauga settlers, Jacob Brown, and Carter and Lucas in 1775. $4\frac{1}{4} \times 5\frac{3}{4}$ in. Scale: $3\frac{1}{2}$ in. = 50 miles.

(In The Watauga Association. Am. Hist. Mag., v. 3 (1898): 103.)

605. 1898. Topographic map of the Yadkin river between the mouth of Uharie river and Abbott's creek, by C. E. Cooke and W. L. Miller of the U. S. Geol. Survey for the N. C. Geol. Survey.

8 x 19 in. Scale: 2666\(\frac{2}{3} \) ft. to 1 inch. Interval between contour lines, 10 ft.

(In Swain, Holmes and Myers. Papers on the water-power in North Carolina. N. C. Geol. Survey. Raleigh, 1899. Facing p. 181.)

606. 1899. County and river map of western North Carolina and eastern Tennessee showing boundaries of proposed National Park and Forest Preserve as adopted by the Appalachian National Park Association, Dec. 19, 1899. Drawn by Dr. C. P. Ambler. $4\frac{3}{4} \times 7\frac{3}{4}$ in. Scale: 7 miles=1 inch.

(In Powell, G. S. Memorial to the Congress of the United States from the Appalachian National Park Association. Southern Pictures and Pencilings, v. 2, No. 3, 1900.)

607. 1899. Hydrographic map of North Carolina. 8 x 21½ in. Scale: 25 miles=1 inch.

(In Swain, Holmes and Myers. Papers on the water power in North Carolina. N. C. Geol. Survey, Bull. 8. Raleigh, 1899. Fold. Front.)

608. 1899. ₁Map of 1 North Carolina, 1861-65. (From official War Records Atlas.) 8½ x 20½ in.

(In Confederate Military History. Vol. 4. Atlanta, Ga., 1899. Fold. facing p. 286.)

609. 1899. North Carolina, prepared especially for the Mercantile Guide and Bureau Co. $8\frac{1}{4} \times 10\frac{3}{4}$ in. Scale: $2\frac{1}{2}$ in. = 80 miles. Inset: Western part.

610. 1899. Oyster chart of Newport and North rivers, North Carolina, reduced from the U. S. C. & G. S. Charts in 1899 . . . 20\frac{1}{4} \times 29\frac{3}{4} \times in. Scale: 4\frac{3}{4} \times in.=2 nautical miles.

(In U. S. Commission of Fish and Fisheries. Rept. for year ending 1903. Wash., 1905. Fold. facing p. 342.)

611. 1899. U. S. Geol. Survey. Topographic sheets. Yadkinville quadrangle, N. C. 14½ x 17 in. Scale, 1:125,000. Contour interval, 100 ft.

Note: First issue 1893.

612. 1899. Cape Fear river, N. C. Snow's Marsh shoal, 21 miles below Wilmington. Surveyed under the direction of Capt. W. E. Craighill, by R. C. & B. A. Merritt, July 27-Aug. 18, 1898. 11½ x 20¼ in. Scale: 2¾ in.=2500 ft.

(In Chief of Eng. Rept., 1899, pt. 2. Appendix M 14. Facing p. 1514.)

613. 1899. Chart of Lookout bight, N. C., showing proposed Harbor of Refuge. 22 x 34 in. Scale, 1:10,000.

(In U. S. 56th Cong., 1st Sess., 1899. House Doc. No. 80. Fold. facing p. 4.)

614. 1899. Chart of the coast from Cape Hatteras to New River inlet, showing proposed breakwater at Cape Lookout, N. C. 15\frac{3}{4} \times 23\frac{1}{4} \times 10. Scale: 3 in.=70,000 ft.

(In U. S. 56th Cong., 1st Sess., 1899. House Doc. No. 80. Fold. at end.)

615. 1899. Map of Beaufort entrance and harbor, North Carolina. From survey under the direction of Capt. E. W. Van C. Lucas, June, 1899. By S. F. Burbank. $8\frac{3}{4} \times 17\frac{3}{4}$ in. Scale: $2\frac{1}{2}$ in. = 7000 ft.

(In Chief of Eng. Rept., 1899, pt. 2. Appendix M 8. Facing p. 1498.)

616. 1899. Map of Sea bar, Cape Fear river, N. C. Surveyed under direction of Captain E. W. Van C. Lucas, by R. C. and B. A. Merritt, May 10 to June 24, 1899. 11¼ x 13½ in. Scale: 2¼ in. = 4010 feet.

(In Chief of Eng. Rept., 1899, pt. 2. Appendix M 14. Facing p. 1514.)

617. 1900. Approximate lines of equal magnetic declination, North Carolina, 1750, 1800, 1850 and 1900. $9\frac{1}{2} \times 3\frac{3}{4}$ in. Scale: 25 miles=1 inch.

(In Baylor, J. B., and Hazard, D. L. General report of magnetic survey of North Carolina. U. S. Coast and Geod. Survey, Rept., 1899. Appendix No. 9. Wash., 1900. Facing p. 920.)

618. 1900. Approximate lines of equal magnetic declination, North Carolina, 1900. 15\frac{1}{2} \times 15\frac{3}{4} \times 1. Scale: 25 miles=1 inch.

(In Baylor, J. B., and Hazard, D. L. General report of magnetic survey of North Carolina. U. S. Coast and Geod. Survey, Rept., 1899. Appendix No. 9. Wash., 1900. Fold., p. 887.)

619. 1900. Karte von Nord-Carolina. 6 x 9 in.

(In Nord-Carolina und was es dem Einwanderer auzubieten hat. Leipzig, 1900. p. 115.)

620. 1900. Map of North Carolina in 1783 showing counties, towns and principal roads. Drawn by E. W. Myers. 9 x 17½ in. Scale: 2 in. =50 miles.

Inset: Western North Carolina.

(In Clark, Walter. The State Records of North Carolina. . . Vol. 18. Goldsboro, N. C., 1900. Fold. facing p. 496.)

621. 1900. Map showing location of peridotite rocks and corundum localities in North Carolina and Georgia, by Joseph Hyde Pratt, 1900. 7\frac{3}{4} x 8 in. Scale: 1\frac{3}{4} in. = 30 miles.

(In Pratt, J. H. Occurrence and distribution of corundum in the United States. U. S. Geol. Survey, Bull. 180. Wash., 1901. Facing p. 54.)

- —— (In Pratt, J. H. Corundum and its occurrence and distribution in the United States. U. S. Geol. Survey, Bull. 269. Wash., 1906. Facing p. 126.)
- 622. 1900. Railroad map of North Carolina, 1900. Prepared by H. C. Brown. 21\frac{1}{4} x 54\frac{1}{4} in. Scale: 9.5 miles=1 inch.

Note: Also issued in 1902.

623. 1900. Tunison's new railroad, distance and township map of North Carolina and South Carolina from latest official reports. 28 x 48 in. Scale: 3\frac{3}{4} in.=32 miles. Atlanta and Cincinnati, H. C. Tunison, 1900.

(L. C.)

Note: Also Issued in 1902, 1905, 1906.

624. 1900. Atlantic coast, Cape Sable to Cape Hatteras. 32 x 40 in. Chart No. 1000.

(U. S. C. & G. S.)

Note: Later issues.

625. 1900. Cape Fear river, N. C. Snow's Marsh shoal, $2\frac{1}{2}$ miles below Wilmington. Surveyed under direction of Capt. E. W. Van C. Lucas, by Chas. Humphreys and B. A. Merritt. 9 x 29 in. Scale: $5\frac{1}{4}$ in. = 2500 feet.

(In Chief of Eng. Rept., 1900, pt. 3. Appendix N 14. Facing p. 1822.)

626. 1900. General map showing proposed 16 feet inland waterway between South Mills and Beaufort inlet, with outlets to Atlantic Ocean at Ocracoke and Beaufort inlets. Copied . . . from map submitted by Capt. C. B. Phillips . . . 14½ x 16¼ in. Scale, 1:720,000.

(In U. S. 56th Cong., 1900. House Doc. No. 202. Fold. facing p. 24.)

627. 1900. Harbor at Newbern, North Carolina, showing approved harbor lines. 11 x 26 in. Scale: 4½ in. = 2500 ft.

(In Chief of Eng. Rept., 1900, pt. 3. Fold. facing p. 1838.)

628. 1900. Map of Cape Fear river in vicinity of Wilmington shoal . . . 12 x 21 in. Scale: 4 in. = 500 ft.

(In Chief of Eng. Rept., 1900, pt. 3. Fold facing p. 1822.)

629. 1900. Map of Wilmington harbor, North Carolina, showing proposed anchorage basin. $18\frac{3}{4}$ x 47 in. Scale: $4\frac{1}{7}$ in. = 2000feet.

> (In U. S. 56th Cong., 2d Sess., 1900. House Doc. No. 180. Fold. at end.)

630. 1900. Sea bar, Baldhead entrance, Cape Fear river, North Carolina. Surveyed . . . by Chas. Humphreys and Robt. C. Merritt, 1900. 9 x 35 in. Scale: $5\frac{1}{3}$ in. =2500 ft.

(In Chief of Eng. Rept., 1900, pt. 3. Fold. facing p. 1822.)

- 631. 1901. Soil map. North Carolina. Clayton sheet. 22\frac{3}{4} x 27\frac{1}{4} in. Scale: 1 inch=1 mile. Soils surveyed by W. G. Smith, 1900. (With U. S. Dept. Agric. Field operations. Bureau of soils, 2d Rept. Wash., 1901.)
- 632. 1901. Soil map. North Carolina. Kinston sheet. 18\frac{3}{4} x 25 in. Scale: 1 inch=1 mile. Soils surveyed by W. G. Smith, 1900. (With U. S. Dept. Agric. Field operations. Bureau of soils, 2d Rept. Wash., 1901.)
- 633. 1901. Soil map. North Carolina. Newbern sheet. 18\frac{1}{3} x 25 in. Scale: 1 inch=1 mile. Soils surveyed by W. G. Smith, 1900. (With U. S. Dept. Agric. Field operations. Bureau of soils, 2d Rept. Wash., 1901.)
- 634. 1901. Soil map. North Carolina. Princeton sheet. 19 x 24\frac{3}{4} in. Scale: 1 inch=1 mile. Soils surveyed by W. G. Smith, 1900. (With U. S. Dept. Agric. Field operations. Bureau of soils, 2d Rept. Wash., 1901.)
- 635. 1901. U. S. Geol. Survey. Topographic sheets. Abingdon quadrangle, Tenn.-Va.-N. C. 141 x 171 in. Scale, 1:125,000. Contour interval, 100 ft.

Note: First issue 1885. Revised and redrawn in 1886. Printed in 1891. Reissued in 1894, 1896, 1899, 1901.

636. 1901. U. S. Geol. Survey. Topographic sheets. Hickory quadrangle, N. C. 141 x 171 in. Scale, 1:125,000. Contour interval, 50 ft.

Note: First issue 1895.

- 637. 1901. U. S. Geol. Survey. Topographic sheets. Knoxville quadrangle, Tenn.-N. C. $14\frac{1}{2} \times 17\frac{1}{2}$ in. Scale, 1:125,000. Contour interval, 100 ft.
 - (In Keith, Arthur. Knoxville folio. Tennessee-North Carolina. U. S. Geol. Survey. Geologic Atlas U. S. No. 16. Wash., 1895.) Note: First issue 1886. Reissued in 1892, 1894, 1895, 1901, 1904.

638. 1902. Drainage basins of southern Appalachian mountains, showing gauging stations maintained by U. S. Geol. Survey. 9½ x 12 in. Scale: 2 in. = 50 miles.

(In Pressey, H. A. Hydrography of the Southern Appalachian mountain region. U. S. Geol. Survey. Water-supply and Irrig. Paper No. 62. Wash., 1902. Fold. facing p. 14.)

- 639. 1902. Map of Catawba Falls and adjacent property, from preliminary survey. The D. A. Tompkins Co., Engs., Charlotte, N. C., Sept., 1902. 6½ x 26½ in.
 (L. C.)
- 640. 1902. Map of Mecklenburg county, 1789. Prepared for engraving by the D. A. Tompkins Co., engineers and contractors, Charlotte, N. C. 6 x 7½ in. Scale: 1 in.=10 miles.

(In Alexander, J. B. The history of Mecklenburg county.
From 1740 to 1900. Charlotte, 1902. Fold. Front.)

Note: "The original map from which this was compiled bore this inscription: A plan of Mclenburg and portion of joining counties is laid down by a scale of five miles to an inch January 16th, 1789, by Maj. Joseph Graham."

- 641. 1902. Map of North Carolina issued by the State Board of Agriculture, Raleigh, North Carolina. 14\frac{3}{4} x 34 in.

 Note: Also issued in 1906.
- 642. 1902. Map of southern Appalachian mountains. 9\frac{3}{4} x 12 in. Scale: 2 in. = 50 miles.

(In Pressey, H. A. Hydrography of the Southern Appalachian mountain region. U. S. Geol. Survey. Watersupply and Irrig. Paper No. 62. Wash., 1902. Fold. Front.)

643. 1902. Map of the southern Appalachian region, showing forest area under consideration and gauging stations of the division of hydrography, U. S. Geol. Survey. 17½ x 21¾ in. Scale, 1:874,360.

(In Roosevelt, T. Message from the President. U. S. 57th Cong., 1st Sess., Sen. Doc. No. 84. Wash., 1902. Fold. facing p. 24.)

644. 1902. The National Publishing Company's new railroad, postoffice and county map of North Carolina, with complete index of all postoffices and railroad stations, giving populations and locations. 14 x 35 in. Scale: $7\frac{1}{2}$ in.=100 miles. Boston, National Pub. Co., 1902.

(L. C.)

645. 1902. Norfolk quadrangle. Geologic maps. Topographic and areal. $13\frac{1}{2} \times 27\frac{1}{4}$ in. Scale, 1:125,000. Contour interval, 5 ft.

(In Darton, N. H. Norfolk folio. Virginia-North Carolina. U. S. Geol. Survey. Geologic Atlas No. 80. Wash., 1902.)

646. 1902. Relief map of the southern Appalachian region, showing the distribution of the mountains. $17\frac{1}{2} \times 21\frac{3}{4}$ in. Scale, 1: 874,360.

(In Roosevelt, T. Message from the President. U. S. 57th Cong., 1st Sess. Sen. Doc. No. 84. Wash., 1902. Fold. facing p. 17.)

647. 1902. Soil map. North Carolina. Alamance county sheet. $15\frac{1}{2}$ x 25 in. Scale: 1 inch=1 mile. Soils surveyed by George N. Coffey and Edward W. Hearn, 1901.

(With U. S. Dept. Agric. Field operations. Bureau of soils, 3d Rept. Wash., 1902.)

648. 1902. Soil map. North Carolina. Statesville sheet. 22½ x 34¼ in. Scale: 1 inch=1 mile. Soils surveyed by Clarence W. Dorsey and party, 1901. Contour interval. 50 ft.

(With U. S. Dept. Agric. Field operations. Bureau of soils, 3d Rept. Wash., 1902.)

649. 1902. U. S. Geol. Survey. Topographic sheets. Cranberry quadrangle, N. C.-Tenn. 14½ x 17½ in. Scale, 1:125,000. Contour interval, 100 ft.

—— (In Keith, Arthur. Cranberry folio. North Carolina-Tennessee. U. S. Geol Survey. Geologic Atlas No. 90. Wash., 1903.)

Note: First issue 1891. Revised and reprinted in 1892. Reissued 1893, 1895, 1899, 1902, 1907.

650. 1902. U. S. Geol Survey. Topographic sheets. Parmele quadrangle, N. C. $14\frac{1}{2} \times 17\frac{1}{2}$ in. Scale, 1:62,500. Contour interval, 10 ft.

Note: Reproduced in part in The interpretation of topographic maps. U. S. Geol, Survey. Prof. Paper No. 60, Wash., 1908. Pl. XXXIII.

651. 1902. U. S. Geol. Survey. Topographic sheets. Williamston quadrangle, N. C. $14\frac{1}{2} \times 17\frac{1}{2}$ in. Scale, 1:62,500. Contour interval, 10 ft.

Note: Reproduced in part in The interpretation of topographic maps. U. S. Geoi. Survey, Prof. Paper No. 60. Wash., 1908. Pi. LIV.

652. 1902. Map of a portion of Edenton bay, N. C. 32\frac{3}{4} x 47\frac{1}{2} in. Scale: 1 inch=100 ft.

(U. S. W. D.)

653. 1903. Cranberry quadrangle. Geologic maps. Topographic, areal and economic. 14½ x 17½ in. Scale, 1:125,000. Contour interval, 100 ft.

(In Keith, Arthur. Cranberry folio. North Carolina-Tennessee. U. S. Geol. Survey. Geologic Atlas U. S. No. 90. Wash., 1903.)

- 654. 1903. Map of Rowan county, N. C. Drawn by C. M. Miller, C. E. Salisbury, N. C. 39 x 53½ in. Scale: 5 in.=4 miles. Inset: Map of Salisbury, N. C.
- 655. 1903. Map showing distribution of clays in North Carolina, South Carolina, Georgia, Alabama, Tennessee . . . 9½ x 12 in. Scale: 4½ in.=200 miles.

(In Ries, Heinrich. Clays of the United States. . U. S. Geol. Survey. Prof. Paper, No. 11. Wash., 1903. Fold. facing p. 180.)

656. 1903. Outline map showing the area of Mecklenburg when it was created in 1762. Within the heavy black lines is the county as it has been since 1842. The counties which have been cut off from it are given with the dates of their creation. The part west of the Catawba was formed into Tryon in 1767, the name was changed to Lincoln in 1776 and Gaston was taken from it in 1846. 4\frac{1}{4} x 6 in. Scale: 14 miles to the inch.

(In Tompkins, D. A. History of Mecklenburg county... Vol. I. Charlotte, N. C., 1903. Facing p. 1.)

657. 1903. Road map of Buncombe county, North Carolina. Copyright 1903 by H. Taylor Rogers. 27½ x 35 in. Scale: 5¾ in.=6 miles.

(L. C.)

658. 1903. Soil map. North Carolina. Hickory sheet. 17½ x 25½ in. Scale: 1 inch=1 mile. Contour interval, 50 ft. Soils surveyed by Thos. W. Caine, 1902.

(With U. S. Dept. Agric. Field operations. Bureau of soils, 4th Rept. Wash., 1903.)

659. 1903. Soil map. North Carolina. Mt. Mitchell area. 17½ x 24¾ in. Scale: 1 inch=1 mile. Contour interval, 50 ft. Soils surveyed by Thos. A. Caine, 1902.

(With U. S. Dept. Agric. Field operations. Bureau of soils, 4th Rept. Wash., 1903.)

660. 1903. Soil map. North Carolina. Taylorsville sheet. 17¼ x 28½ in. Scale: 1 inch=1 mile. Contour interval, 50 ft. Soils surveyed by Thos. A. Caine, 1902. Base map enlarged and redrawn from U. S. Geol. Survey sheet.

(With U. S. Dept. Agric. Field operations. Bureau of soils, 4th Rept. Wash., 1903.)

661. 1903. U. S. Geol. Survey. Topographic sheets. Dahlonega quadrangle, Ga.-N. C. $14\frac{1}{2} \times 17\frac{1}{2}$ in. Scale, 1:125,000. Contour interval, 100 ft.

Note: First issue 1886. Reissued in 1892, 1896, 1901, 1903.

662. 1903. U. S. Geol. Survey. Topographic sheets. Ellijay quadrangle, Ga.-N. C.-Tenn. $14\frac{1}{2} \times 17\frac{1}{2}$ in. Scale, 1:125,000. Contour interval, 100 ft.

Note: First issue 1888. Reissued in 1892, 1898, 1903.

- U. S. Geol. Survey. Topographic sheets. Kenly quadrangle,
 N. C. 14½ x 17½ in. Scale, 1:62,500. Contour interval,
 20 feet.
- 664. 1903. U. S. Geol. Survey. Topographic sheets. Newbern quadrangle, N. C. $14\frac{1}{2} \times 17\frac{1}{2}$ in. Scale, 1:62,500. Contour interval, 10 feet.
- 665. 1903. U. S. Geol. Survey. Topographic sheets. Tarboro quadrangle, N. C. 14½ x 17½ in. Scale, 1:62,500. Contour interval, 10 ft.
- 666. 1903. U. S. Geol. Survey. Topographic sheets. Walhalla quadrangle, Ga.-S. C.-N. C. 14½ x 17½ in. Scale, 1:125,000. Contour interval, 100 ft.

Note: First issue 1886. Reissued in 1892, 1896, 1900, 1903.

667. 1903. U. S. Geol. Survey. Topographic sheets. Wilkesboro quadrangle, N. C. 14½ x 17½ in. Scale, 1:125,000. Contour interval, 100 ft.

Note: First issue 1891. Reissued 1896, 1901, 1906.

- 668. 1903. General map of inland waterway, Norfolk, Va., to Beaufort Inlet, N. C., 1903. 15\frac{1}{4} \times 27\frac{1}{4} \times 10. Scale: 4\frac{3}{4} \times 10. = 25 \text{ miles.}

 —— (In U. S. 58th Cong., 2d Sess., 1904. House Doc. No. 563.

 Fold. facing p. 34. 11\frac{1}{2} \times 44 \text{ in. Scale: } 3\frac{1}{2} \text{ in.} = 25 \text{ miles.})
- 669. 1903. Map of inland waterway. In 4 divisions: Pt. 1. From Norfolk, Va., to Albemarle sound, N. C. 50 x 61 in. Pt. 2.
 From Albemarle sound to Pamlico sound, N. C. 45 x 60 in. Pts. 3 and 4. From Pamlico sound to Beaufort inlet, N. C., 44\frac{3}{4} x 59\frac{1}{4} in. Scale: 4\frac{3}{4} in. = 5 miles.
 (U. S. W. D.)
- 670. 1903. Perquimans river, N. C., at and near Hertford. Surveyed under direction of Capt. E. Eveleth Winslow . . . by Shirley Carter, surveyor. 9 x 11 in. Scale, 1:6000.

 (In U. S. 58th Cong., 2d Sess., 1904. House Doc. No. 302.)

671. 1904. Asheville quadrangle. Geologic maps. Topographic, areal and economic. 14½ x 17½ in. Scale, 1:125,000. Contour interval, 100 ft.

(In Keith, Arthur. Asheville folio. North Carolina-Tennessee. U. S. Geol. Survey. Geologic Atlas U. S. No. 116. Wash., 1904.)

672. 1904. Geological sketch map showing the location of the Carolina tin deposits. 5 x 8 in. Scale: 25 miles=1 inch.

(In Pratt, J. H., and Sterrett, D. B. The tin deposits of the Carolinas. N. C. Geological Survey, Bull. 19. Raleigh, 1904. Facing p. 11.)

- 673. 1904. The Hudgins Company's new survey map of North Carolina. Alphabetical list of counties, cities, towns and villages with keys for locating same. Railroad systems in separate colors showing distances between stations, mail routes, rural free delivery with distances, service, etc. Atlanta, Ga. 20½ x 46¾ in. Scale: 6 in. = 50 miles.
- 674. 1904. Land classification map of part of the southern Appalachian region, by H. B. Ayres and W. W. Ashe, 1904. Field work done in 1900-1901. 26½ x 29¼ in. Scale, 1:375,000. Contour interval, 200 ft.

(In Ayres, H. B., and Ashe, W. W. The Southern Appalachian Forests. U. S. Geol. Survey, Prof. Paper 37. Wash., 1905. Fold. at end.)

675. 1904. Soil map. North Carolina. Asheville sheet. 25 x 27²/₄ in. Scale: 1 inch=1 mile. Soils surveyed by J. E. Lapham and F. N. Meeker.

(With U. S. Dept. Agric. Field operations. Bureau of soils, 5th Rept. Wash., 1904.)

676. 1904. Soil map. North Carolina. Craven sheet. 23½ x 34¾ in. Scale, 1:62,500. Contour interval, 10 ft. Soils surveyed by William G. Smith and George N. Coffey.

(With U. S. Dept. Agric. Field operations. Bureau of soils, 5th Rept. Wash., 1904.)

- 677. 1904. U. S. Geological Survey. Topographic sheets. Ayden quadrangle, N. C. $14\frac{1}{2} \times 17\frac{1}{2}$ in. Scale, 1:62,500. Contour interval, 10 ft.
- 678. 1904. U. S. Geol. Survey. Topographic sheets. Edenton quadrangle, N. C. 14½ x 17½ in. Scale, 1:62,500. Contour interval, 10 ft.
- 679. 1904. U. S. Geol. Survey. Topographic sheets. Falkland quadrangle, N. C. 14½ x 17½ in. Scale, 1:62,500. Contour interval, 10 ft.

680. 1904. U. S. Geol. Survey. Topographic sheets. Hillsville quadrangle, Va.-N. C. 14½ x 17½ in. Scale, 1:125,000. Contour interval, 100 ft.

Note: First issue 1889. Reissued in 1892, 1896, 1900,

681. 1904. U. S. Geol. Survey. Topographic sheets. Murphy quadrangle, Tenn.-N. C. 141 x 171 in. Scale, 1:125,000. Contour interval, 100 ft.

Note: First issue 1886. Revised and redrawn in 1892. Printed 1893. Reissued 1898, 1901, 1904.

- 682. 1904. U. S. Geol. Survey. Topographic sheets. Rocky Mount quadrangle, N. C. 141 x 171 in. Scale, 1:62,500. Contour interval, 10 ft.
- U. S. Geol. Survey. Topographic sheets. Springhope quad-**683.** 1904. rangle, N. C. 14\frac{1}{2} x 17\frac{1}{2} in. Scale, 1:62,000. Contour interval, 20 ft.
- 684. 1904. U. S. Geol. Survey. Topographic sheets. Trent river quadrangle, N. C. 14½ x 17½ in. Scale, 1:125,000. Contour interval, 10 ft.
- 685. 1904. U. S. Geol. Survey. Topographic sheets. Vanceboro quadrangle, N. C. 14½ x 17½ in. Scale, 1:62,500. Contour interval, 10 ft.
- **686.** 1904. U. S. Geol. Survey. Topographic sheets. Wilson quadrangle, N. C. 14\frac{1}{2} x 17\frac{1}{2} in. Scale, 1:62,500. Contour interval, 10 ft.
- 687. 1905. Geologic map of western North Carolina, showing the distribution and geologic relations of corundum and the basic magnesian rocks, by Joseph Hyde Pratt and Joseph Volney Lewis. 15 x 26½ in. Scale, 1:493,000.

(In Pratt, J. H., and Lewis, J. V. Corundum and the peridotites of western North Carolina. N. C. Geol. Survey. Vol. 1. Raleigh, 1905. Fold. facing p. 24.)

688. 1905. Greeneville quadrangle. Geologic maps. Topographic, areal and economic. 141 x 171 in. Scale, 1:125,000. Contour interval, 100 ft.

> (In Keith, Arthur. Greeneville folio. Tennessee-North Carolina. U. S. Geol. Survey. Geologic Atlas U. S. No. 118. Wash., 1905.)

689. 1905. Linville Park. Mitchell, Watauga and Caldwell counties, North Carolina, showing forest types. 6 x 71 in. Scale: 1 in. = 1 mile.

> (In Reed, F. W. Rept. on examination of a forest tract in western North Carolina. U. S. Dept. Agric., Bureau of Forestry, Bull. No. 60. Wash., 1905. Fold. facing p. 8.)

- 690. 1905. Lynch's complete map of Rutherford county, N. C. Lee W. Lynch, T. E. $28\frac{1}{2} \times 35$ in.

 (L. C.)
- 691. 1905. Map of Edgecombe county, North Carolina. Compiled from maps of the U. S. Geol. Survey and from private surveys by Albert Pike and W. H. Brown, topographers, U. S. Geol. Survey, 1905. 28½ x 35 in. Scale: 5 in.=4 miles. Inset: Vicinity of Tarboro. Scale: 4 inches = 1 mile.

 (L. C.)
- 692. 1905. Mount Mitchell quadrangle. Geologic maps. Topographic, areal and economic. $14\frac{1}{2} \times 17\frac{1}{2}$ in. Scale, 1:125,000. Contour interval, 100 ft.

(In Keith, Arthur. Mount Mitchell folio. North Carolina-Tennessee. U. S. Geol. Survey. Geologic Atlas U. S. No. 124. Wash., 1905.)

- 693. 1905. Relief map of the southern Appalachian region, showing the distribution of the mountains. 18 x 22 in. Scale: 3 in. = 50 miles.
 - (In Ayres, H. B., and Ashe, W. W. The Southern Appalachian forests. U. S. Geol. Survey. Prof. Paper 37. Wash., 1905. Fold. at end.)
- 694. 1905. U. S. Geol. Survey. Topographic sheets. Chocowinity quadrangle, N. C. $14\frac{1}{2} \times 17\frac{1}{2}$ in. Scale, 1:62,500. Contour interval, 10 ft.
- 695. 1905. U. S. Geol. Survey. Topographic sheets. Greeneville quadrangle, Tenn.-N. C. 14½ x 17½ in. Scale, 1:125,000. Contour interval, 100 ft.
 - —— (In Keith, Arthur. Greenville folio. Tennessee-North Carolina. U. S. Geol. Survey. Geologic Atlas U. S. No. 118. Wash., 1905.)

Note: First issue 1886. Revised and redrawn in 1890. Printed in 1892. Reissued in 1896, 1900, 1901, 1904, 1905.

696. 1905. U. S. Geol. Survey. Topographic sheets. Morganton quadrangle, N. C. $14\frac{1}{2} \times 17\frac{1}{2}$ in. Scale, 1:125,000. Contour interval, 100 ft.

Note: First issue 1888. Reissued 1892, 1896, 1900, 1901, 1902, 1905.

- 697. 1905. U. S. Geol. Survey. Topographic sheets. Norfolk quadrangle, Va.-N. C. 13\frac{1}{4} x 27\frac{1}{4} in. Scale, 1:125,000. Contour interval, 5 ft.
 - (In Darton, N. H. Norfolk folio. N. C.-Va. U. S. Geol. Survey. Geologic Atlas U. S. No. 80. Wash., 1902.)

Note: First issue 1893. Virginia Beach sheet incorporated in 1894. Reissued 1894, 1898, 1902, 1905. Reproduced in part in the Interpretation of topographic maps. U. S. Geol. Survey. Prof. Paper No. 60. Wash., 1908. Pi. XVI.

- 698. 1905. U. S. Geol. Survey. Topographic sheets. Winterville quadrangle, N. C. $14\frac{1}{2} \times 17\frac{1}{2}$ in. Scale, 1:62,500. Contour interval, 10 ft.
- 699. 1906. Map of central portion of North Carolina showing distribution of the triassic sandstone. $4\frac{1}{2} \times 6\frac{1}{4}$ in.

(In Watson, Laney and Merrill. Building and ornamental stones of North Carolina. N. C. Geol. Survey, Bull. 2. Raleigh, E. M. Uzzell, 1906. Facing p. 218.)

700. 1906. Map of North Carolina. $5\frac{1}{2} \times 8\frac{1}{2}$ in. Scale: $5\frac{3}{4}$ in.=100 miles.

(In Foust, J. I., and Allen, N. M. North Carolina. Suppl. vol. to Tarr & McMurry's Geographies. Fold. Front.)

701. 1906. Map of the nickel-bearing area in the vicinity of Webster, Jackson county, N. C., after J. Volney Lewis. $6\frac{3}{4} \times 7\frac{1}{2}$ in. Scale: 3 in.=3 miles.

(In Barlow, Alfred E. On the nickel deposits of Webster, western North Carolina. Can. Mining Inst. Jour., v. 9 (1906). Fold. facing p. 316.)

702. 1906. Map showing approximate location of seines and pound nets fished for shad in 1906. U. S. Bureau of Fisheries. Reduced from U. S. C. & G. S. Charts Nos. 140 and 141. $18\frac{1}{4} \times 30\frac{1}{2}$ in. Scale: $4\frac{1}{2}$ in. =10 miles.

(In Cobb, J. N. Investigations relative to the shad fisheries of North Carolina. N. C. Geol. Survey, Econ. Paper No. 12. Raleigh, 1906. Fold. at end.)

703. 1906. Map showing approximate location of seines and pound nets fished for shad in 1906. U. S. Bureau of Fisheries. Reduced from U. S. C. & G. S. Charts Nos. 144' and 144'. 17½ x 20¾ in. Scale: 4½ in.=10 miles.

(In Cobb, J. N. Investigations relative to the shad fisheries of North Carolina. N. C. Geol. Survey, Econ. Paper No. 12. Fold. at end.)

704. 1906. Map showing approximate location of seines and pound nets fished for shad in 1906. U. S. Bureau of Fisheries. Reduced from U. S. C. & G. S. Charts Nos. 142 and 143. $18\frac{3}{4} \times 25\frac{1}{4}$ in. Scale: $4\frac{1}{2}$ in. = 10 statute miles.

(In Cobb, J. N. Investigations relative to the shad fisheries of North Carolina. N. C. Geol. Survey, Econ. Paper No. 12. Fold. at end.)

705. 1906. Map showing geographic distribution in North Carolina of granite and gneiss. $4\frac{1}{2} \times 11\frac{3}{4}$ in.

(In Watson, Lauey and Merrill. Building and ornamental stones of North Carolina. N. C. Geol. Survey, Bull. 2. Raleigh, 1906. Fold. facing p. 30.)

Note: Shows location of principal granite quarries.

706. 1906. Physiographic map of North Carolina. $4\frac{1}{2} \times 11\frac{3}{4}$ in.

(In Watson, Laney and Merrill. Building and ornamental stones of North Carolina. N. C. Geol. Survey, Bull. 2. Raleigh, 1906. Fold. facing p. 12.)

Note: Shows approximately portions of the state included in the coastal plains, Piedmont plateau and the mountains, also the distribution of the major geological formations.

- 707. 1906. Scarborough's map of North Carolina and South Carolina, showing railroads, highways, counties, townships, cities, towns, postoffices, and stations, with distances between stations in English statute miles. 35 x 55 in. Scale: 9 miles to 1 inch. Indianapolis, Ind. The Scarborough Co., 1906.
- 708. 1906. Topographic map of the central portion of the Carolinas, showing by crossed hammers, locations of principal gold mines in the area described. 7 x 9 in. Scale: 3 in.=30 miles.

(In Graton, L. C. Reconnaissance of some gold and tin deposits of the Southern Appalachians. U. S. Geol. Survey, Bull. 293. Wash., 1906. Fold. facing p. 10.)

709. 1906. Soil map. North Carolina. Duplin county sheet. Soils surveyed by A. S. Root and Lewis A. Hurst. $25\frac{1}{2} \times 31\frac{1}{4}$ in. Scale: 1 mile=1 inch.

(With U. S. Dept. Agric. Field operations. Bureau of soils. 7th Rept. Wash., 1906.)

710. 1906. Soil map. North Carolina. Perquimans and Pasquotank sheet. Soils surveyed by J. E. Laphan and W. S. Lyman. 25\frac{3}{4} \times 29 in. Scale: 1 inch=1 mile.

(With U. S. Dept. Agric. Field operations. Bureau of soils. 7th Rept. Wash., 1906.)

711. 1906. Map of the Hazel Creek and Eagle Creek watersheds. By F. B. Laney, assistant geologist. Scale: 5 inches=1 mile. MSS.

(N. C. G. S.)

- 712. 1906. U. S. Geol. Survey. Topographic sheets. Hertford quadrangle, N. C. $14\frac{1}{2} \times 17\frac{1}{2}$ in. Scale, 1:62,500. Contour interval, 10 ft.
- 713. 1906. U. S. Geol. Survey. Topographic sheets. Mt. Guyot quadrangle, Tenn.-N. C. 14½ x 17½ in. Scale, 1:125,000. Contour interval, 100 ft.

Note: First issue 1886. Reissued 1893, 1897, 1900, 1906.

714. 1906. General map of inland waterway, Norfolk, Va., to Beaufort inlet, N. C., 1906. 17½ x 28 in. Scale, 1:40,000.

(U. S. W. D.)

715. 1906. General map of inland waterway, Norfolk, Va., to Beaufort inlet, N. C., 1906. 12 x 183 in. Scale, 1:60,000.

(In U. S. 59th Cong., 2d Sess., 1907. House Doc. No. 84. Fold. at end.)

- 716. 1907. Map of North Carolina: [showing major physiographic provinces]. $4 \times 8\frac{1}{2}$ in. Scale: $1\frac{3}{4}$ in.=100 miles.
 - (In Stephenson, Lloyd William. The mesozoic (cretaceous) deposits of the Coastal Plain of North Carolina. Dissertation. . . Johns Hopkins University. April, 1907.)
- 717. 1907. Map of Pamlico sound, North Carolina, reduced from U. S. C. & G. S. Charts Nos. 142 and 143 for the N. C. Geol. and Economic Survey, 1907. 9\frac{1}{4} \times 12\frac{1}{2} \text{ in.} Scale: 2 \text{ in.}=10 \text{ miles.}
 - (In Coker, R. E. Experiments in oyster culture in Pamlico Sound, North Carolina. N. C. Geol. and Econ. Survey, Bull. 15. Raleigh, 1907. Fold. facing p. 3.)
- 718. 1907. _IMap showing distribution of cretaceous deposits of North Carolina.₁ 8 x 12 in.
 - (In Stephenson, Lloyd William. The mesozoic (cretaceous) deposits of the Coastal Plain of North Carolina. Dissertation... Johns Hopkins University, April, 1907.)
- 719. 1907. Nantahala quadrangle. Geologic maps. Topographic, areal and economic. 14½ x 17½ in. Scale, 1:125,000. Contour interval, 100 ft.
 - (In Keith, Arthur. Nantahala folio. North Carolina-South Carolina. U. S. Geol. Survey. Geologic Atlas U. S. No. 143. Wash., 1907.)
- 720. 1907. Outcrop map of the Virgilina copper district of Person and Granville counties, North Carolina. Geology by F. B. Laney and J. E. Pogue, Jr. Surveyed by R. L. Harrison, topographic aid, U. S. G. S. $24\frac{1}{2} \times 34\frac{3}{4}$ in. Scale, 1:24,000. Published by N. C. Geological and Economic Survey.

 (U. S. G. S.)
- 721. 1907. Pisgah quadrangle. Geologic maps. Topographic, areal and economic. $14\frac{1}{2}$.x $17\frac{1}{2}$ in. Scale, 1:125,000. Contour interval, 100 ft.
 - (In Keith, Arthur. Pisgah folio. North Carolina-South Carolina. U. S. Geol. Survey. Geologic Atlas U. S. No. 147. Wash., 1907.)
- 722. 1907. Roan Mountain quadrangle. Geologic maps. Topographic, areal and economic. 14½ x 17½ in. Scale, 1:125,000. Contour interval, 100 ft.
 - (In Keith, Arthur. Roan Mountain folio. Tennessee-North Carolina. U. S. Geol. Survey. Geologic Atlas U. S. No. 151. Wash., 1907.)

- 723. 1907. Roanoke island and its surroundings. Authorities. Map in Hariot's narrative. U. S. Coast and Geod. Survey Chart No. 10. Modern maps. 9³/₄ x 13¹/₂ in. Scale: 1 inch=14 miles. (L. C.)
- 724. 1907. U. S. Geol. Survey. Topographic sheets. Asheville quadrangle, N. C.-Tenn. 14½ x 17½ in. Scale, 1:125,000. Contour interval, 100 ft.
 - —— (In Keith, Arthur. Asheville folio. North Carolina-Tennessee. U. S. Geol. Survey. Geologic Atlas U. S. No. 115. Wash., 1904.)

Note: First issue 1886. Reissued in 1889, 1894, 1897, 1898, 1901, 1904, 1907.

- 725. 1907. U. S. Geol. Survey. Topographic sheets. Beckford quadrangle, N. C. $14\frac{1}{2} \times 17\frac{1}{2}$ in. Scale, 1:62,500. Contour interval, 10 ft.
- 726. 1907. U. S. Geol. Survey. Topographic sheets. Charlotte quadrangle, N. C.-S. C. 14½ x 17½ in. Scale, 1:62,500. Contour interval, 20 ft.
- 727. 1907. U. S. Geol. Survey. Topographic sheets. Cowee quadrangle,
 N. C.-S. C. 14½ x 17½ in. Scale, 1:125,000. Contour interval, 100 ft.

Note: First issue 1886. Reissued 1891, 1897, 1902, 1904, 1905, 1907.

- 728. 1907. U. S. Geol. Survey. Topographic sheets. Nantahala quadrangle, N. C.-Tenn. 14½ x 17½ in. Scale, 1:125,000. Contour interval, 100 ft.
 - —— (In Keith, Arthur. Nantahala folio. N. C.-Tenn. U. S. Geol. Survey. Geologic Atlas U. S. No. 143. Wash., 1907.)

Note: First issue 1886. Reissued 1892. Revised 1895. Reissued 1896, 1900, 1902, 1906, 1907.

- 729. 1907. U. S. Geol. Survey. Topographic sheets. Pisgah quadrangle, N. C.-S. C. 14½ x 17½ in. Scale, 1:125,000. Contour interval, 100 ft.
 - —— (In Keith, Arthur. Pisgah folio. North Carolina-South Carolina. U. S. Geol. Survey. Geologic Atlas U. S. No. 147. Wash., 1907.)

Note: First issued 1890. Reissued 1892, 1896, 1899, 1902. Revised in 1904 and 1905 and reissued in 1906, 1907.

- 730. 1907. U. S. Geol. Survey. Topographic sheets. Roan Mountain quadrangle, Tenn.-N. C. $14\frac{1}{2} \times 17\frac{1}{2}$ in. Scale, 1:125,000. Contour interval, 100 ft.
 - —— (In Keith, Arthur. Roan Mountain folio. Tennessee-North Carolina. U. S. Geol. Survey. Geologic Atlas U. S. No. 151. Wash., 1907.)

Note: First issue 1891. Reissucd 1894, 1896, 1901, 1904.

731. 1907. U. S. Geol. Survey. Topographic sheets. Saluda quadrangle, N. C.-S. C. 14½ x 17½ in. Scale, 1:125,000. Contour interval, 100 ft.

Note: First issue 1889. Reissued in 1896, 1899, 1900, 1902, 1907.

732. 1907. U. S. Geol. Survey. Topographic sheets. Wytheville quadrangle, N. C.-Va. $14\frac{1}{2} \times 17\frac{1}{2}$ in. Scale, 1:125,000. Contour interval, 100 ft.

Note: First issue 1889. Reissued 1892, 1895, 1897, 1907.

733. 1907. Map of proposed route of inland waterway from Pamlico sound to Beaufort inlet, N. C. $26\frac{1}{2} \times 120\frac{1}{2}$ in. Scale, 1:10, 000. Contour interval, 2 ft. (U. S. W. D.)

734. 1908. Gold Hill mining district, Gold Hill, N. C. N. C. Geol. Survey. Geology by Francis B. Laney. Traverse by R. L. Harrison. 15\frac{1}{2} x 27 in. Scale, 1:48,000.

(With Laney, Francis Baker. The Gold Hill mining district of North Carolina. A thesis presented to Yale University for Degree of Doctor of Philosophy, June, 1908.)

- 735. 1908. Map of Guilford county, N. C. Drawn by C. M. Miller, Salisbury, N. C. 34\frac{1}{4} x 42 in. Scale: 3\frac{3}{4} in.=2\frac{1}{2} miles.
- 736. 1908. Map of North Carolina, showing evolution of settlements and location of races down to 1776. Drawn by Samuel A. Ashe and Stephen B. Weeks. 5 x 9 in.

(In Ashe, Samuel A. History of North Carolina. Vol. 1. Greensboro, N. C., 1908. Fold., p. 377.)

737. 1908. Map showing location of seines and pound nets fished for shad in 1908. Chart of Albemarle and Croatan sounds and a portion of Pamlico sound, North Carolina, compiled from U. S. C. & G. S. Charts Nos. 140, 141, 142. 9 x 9½ in. Scale: 1 in.=10 miles.

(In Pratt, Joseph Hyde. Report called by Governor R. B. Glenn. . N. C. Geol. and Econ. Survey. Econ. Paper No. 16. Raleigh, 1908. Fold., p. 18.)

738. 1908. North Carolina in 1783. $6\frac{1}{2} \times 9$ in. Scale: $1\frac{3}{4}$ in.=100 miles.

(In Ashe, Samuel A. History of North Carolina. Vol. 1. Greensboro, 1908. Fold. at end.)

Note: Original drawing of this map in possession of Dr. Stephen B. Weeks of North Carolina.

739. 1908. Soil map. North Carolina. Chowan county sheet. 13 x 21³ in. Scale: 1 inch=1 mile. Soils surveyed by W. Edward Hearn and G. M. MacNider, 1906.

(With U. S. Dept. Agric. Field operations. Bureau of soils, 8th Rept. Wash., 1908.)

740. 1908. Soil map. North Carolina. New Hanover county sheet. 16\frac{1}{4} \times 25\frac{3}{4} \text{ in. Scale: 1 inch=1 mile. Soils surveyed by J. A. Drake and H. L. Belden, 1906.

(With U. S. Dept. Agric. Field operations. Bureau of soils, 8th Rept. Wash., 1908.)

741. 1908. Soil map. North Carolina. Transylvania county sheet. 20\frac{3}{4} \times 22\frac{1}{2} \text{ in. Scale: 1 inch=1 mile. Contour interval, 100 feet. Soils surveyed by W. Edward Hearn and G. M. MacNider, 1906.

(With U. S. Dept. Agric. Field operations. Bureau of soils, 8th Rept. Wash., 1908.)

- 742. 1908. U. S. Geol. Survey. Topographic sheets. Four Oaks quadrangle. 14½ x 17½ in. Scale, 1:62,500. Contour interval, 10 ft.
- 743. 1908. U. S. Geol. Survey. Topographic sheets. King's Mountain quadrangle, N. C.-S. C. $14\frac{1}{2} \times 17\frac{1}{2}$ in. Scale, 1:62,500. Contour interval, 20 ft.
- 744. 1908. U. S. Geol. Survey. Topographic sheets. Statesville quadrangle, N. C. $14\frac{1}{2} \times 17\frac{1}{2}$ in. Scale, 1:125,000. Contour interval, 50 ft.

Note: First issue 1893. Reissued 1896, 1902, 1907, 1908.

- 745. 1908. U. S. Geol. Survey. Topographic sheets. Winton quadrangle, N. C. 14½ x 17½ in. Scale, 1:62,500. Contour interval, 10 ft.
- 746. 1908. Beaufort inlet and harbor, N. C. Surveyed by F. D. Perry, R. H. Jones and C. K. Howe under the direction of Capt. Earl I. Brown, May 12-July 12, 1908. 29½ x 32½ in. Scale, 1:10,000.

(In U. S. 60th Cong., 2d Sess., 1909. House Doc. No. 1454. Fold. at end.)

747. 1908. Hydrography of Shallowbag bay and vicinity. Surveyed by F. D. Perry, H. C. Jones and C. K. Howe under the direction of Capt. Earl I. Brown, March, 1908. 15 x 17½ in. Scale, 1: 20,000.

(In U. S. 60th Cong., 1st Sess., 1908. House Doc. No. 906. Fold. at end.)

748. 1908. Hydrography of South river (creek), N. C., in the vicinity of Aurora. Surveyed by F. D. Perry, H. D. Jones and C. K. Howe under the direction of Capt. Earl I. Brown, 1908. $10\frac{1}{2} \times 14$ in. Scale, 1:10,000.

(In U. S. 60th Cong., 1st Sess., 1908. House Doc. No. 954. Fold. facing p. 6.)

749. 1909. U. S. Geol. Survey. Topographic sheets. Mount Mitchell quadrangle, N. C.-Tenn. $14\frac{1}{2} \times 17\frac{1}{2}$ in. Scale, 1:125,000. Contour interval, 100 ft.

—— (In Keith, Arthur. Mount Mitchell folio. North Carolina-Tennessee. U. S. Geol. Survey. Geologic Atlas U. S. No. 124. Wash., 1905.)

Note: First issue 1890. Reissued 1891, 1896, 1898, 1902, 1905, 1909. Reproduced in part in the Interpretation of topographic maps. U. S. Geol. Survey. Prof. Paper No. 60. Wash., 1908. Pl. XXXIX.

750. Before 1775. Carte nouvelle de l'Amerique Angloise contenant tout ce que les Anglois possedent sur le continent de l'Amerique septentrionale . . . la Caroline septentrionale . . . par Matthieu Albert Lotter a Augsbourg. $18\frac{1}{2} \times 22\frac{3}{4}$ in. Scale: $\frac{13}{4}$ in. = 100 lieues.

(U. S. G. S.)

751. No date. Geographical, statistical and historical map of North Carolina. 10\frac{1}{4} x 18 in. Scale: 3\frac{1}{4} in. = 80 miles.

(U. N. C. L.)

Contains various descriptive notes on the state, physlographic and climatic.

752. No date. McDuffie's map of Moore county, North Carolina. By Jno. McDuffie, Fayetteville, N. C. 19½ x 24 in. Scale: 2 miles=1 inch.
(N. C. S. L.)

753. No date. Map of Cabarrus county. 12 x 15 in. Scale: 2 miles = 1 inch. By T. C. Harris. MSS.

(Off. Sec. of State, N. C.)

754. No date. Map of Craven county. H. T. Guion and Wm. F. Marshall, commissioners of Craven county. 15½ x 20½ in. Scale: 2 miles to 1 inch.

(Off. Sec. of State, N. C.)

755. No date. Map of Jones county by Jos. Kinsey, surveyor. Reduced

to 2 (?) miles=1 inch. T. C. Harris. 12 x 12 in. MSS. (Off. Sec. of State, N. C.)

756. No date. Map of Lenoir county by Wm. Arthur. 28 x 35 in. Scale: 1 inch=1 mile. MSS.

(Off. Sec. of State, N. C.)

757. No date. Map of Montgomery county. 13 x 16\frac{3}{4} in. Scale: 2
miles=1 inch. MSS.
(Off. Sec. of State, N. C.)

758. No date. Map of Neuse river from Goldsboro to its mouth. 23½ x 43 in. Scale: 2 miles=1 inch. MSS.

(Off. Sec. of State, N. C.)

- 759. No date. Map of New Hanover county, North Carolina. 9½ x 18 in. Scale: 1 mile to ½ inch.

 (U. N. C. L.)
- 760. No date. Map of North Carolina. $37\frac{3}{4} \times 72\frac{1}{2}$ in. (Off. Sec. of State, N. C.)
- 761. No date. Map of North Carolina. Published by Geo. F. Cram, Chicago, Ill. 13 x 19½ in.
 (N. C. S. L.)
- 762. No date. Map of Randolph county, N. C., by J. W. Bean. 13½ x 13¾ in. Scale: 2 miles to the inch. MSS.

 (Off. Sec. of State, N. C.)
- 763. No date. [Map of the Dismal Swamp and adjacent parts of Virginia and North Carolina.] 19½ x 26¼ in. MSS.

 (U. S. G. S.)

Note: Has track of the contemplated inland navigation from the falls of the Roanoke to Suffolk, Va.

- 764. No date. A map of the roads and country between Edenton and Norfolk, with the Dismal Swamp and Great Park canals, etc. Laid down by a scale of 320 poles to the inch. By Escum Newby. 41 x 53\frac{3}{4} in. MSS.

 (Off. Sec. of State, N. C.)
- 765. No date. Map of the States of North and South Carolina. 9½ x 15 in. Scale: English miles, 69 to a degree. London, Published June 1, by J. T. Hinton and Simpkin & Marshall. (S. B. W.)
- 766. No date. A map of the Tennessee government formerly part of North Carolina. Taken chiefly from surveys by Gen. D. Smith and others. Engraved for Carey's American edition of Guthrie's geopraphy, improved. J. T. Scott, Sculp. 9 x 19½ in. A scale of 22 miles to the inch.

 (U. N. C. L.)
- 767. No date. Map of Transylvania county. 20½ x 28½ in. MSS. (Off. Sec. of State, N. C.)
- 768. No date. Map of Wake county. Drawn from actual surveys by Fendol Bevers, county surveyor. Published by Nichols & Gorman, in connection with the surveyor. 18 x 25 in. Scale: 2 miles to 1 inch. Inset: City of Raleigh.
- 769. No date. Mineral lands in North Carolina belonging to the Mineral Company. Colored tracts owned by the Mineral Company. 16\frac{3}{4} \times 25\frac{1}{4} \times 10. Scale: 5\frac{1}{2} \times 100 perches.

770. No date. Mineral territory tributary to Norfolk and Western Railroad. $24\frac{1}{2} \times 32\frac{3}{4}$ in. Scale: 3 in. =25 miles.

(Greensboro, N. C., Lib.)

 $\it Note:$ Includes Ashe, Alleghany, Stokes, Rockingham, Caswell, Person, Granville and Vance counties, N. C.

- 771. No date. A new and accurate map of North Carolina in North America. 10 x 13½ in. Scale: 1¾ in. = 30 miles.

 (U. S. G. S.)
- 772. No date. New railroad and county map of North and South Carolina. 14½ x 21 in. Scale: 2½ in. = 60 miles.

 (N. C. S. L.)
- 773. North Carolina. Original drawings and tracings of the swamp lands belonging to the Board of Education: Josiah Collins grant; South river and Adams creek; Dover pocoson in Jones and Craven counties; Angola bay in Pender and Duplin counties; open lands in Carteret county; Hollyshells swamp in Pender and Onslow counties; J. A. Brant's lands in Craven, Carteret and Jones counties; White Oak Swamp; lands in Columbus county, and lands in Onslow county.

Note: These maps may be found at the office of the Supt. of Public Instruction, Raleigh, N. C., and are compiled from maps of various surveys, including some of the early surveys.

774. No date. Plan of 1st Division of D. M. & S. W. R. R. 21\frac{3}{4} x 109 in. Scale: 400 ft. to 1 in. MSS.

(Off. Sec. of State, N. C.)

- 775. No date. Plan of Rocky river from its mouth to Smith's Mill, together with a survey from the mouth of Mallard's creek to the Big Bend of the Catawba river . . . by John Conty. 12½ x 86½ in. Scale: 1 mile=1.13 inch. MSS.

 (Off. Sec. of State, N. C.)
- 776. No date. Railroad from Cheraw to Salisbury, by T. C. Harris. 10 x 40 in. Scale: 2 miles=1 inch. MSS.

 (Off. Sec. of State. N. C.)
- 777. No date. [Survey from head of Yadkin river to the Tennessee line.]

 MSS. in four sheets, each 25½ x 46¾ in.

 (Off. Sec. of State, N. C.)
- 778. No date. Geological profile map from Wilmington to Sanford, North Carolina. 21\frac{3}{4} x 79\frac{1}{4} in. D. W. Cronin, Del.

 (N. C. G. S.)
- 779. No date. Sketch of N. C. R. R. from a tracing of Mr. Cooke. 35 x 93½ in. Scale: 2 miles=1 inch. MSS.

 (N. C. G. S.)

- 780. No date. A chart of the coast from Cape Fear to Cape Henry. Surveyed by order of Navy Commissioners under the direction of J. B. Nicholson, U. S. Navy. 35 x 46½ in.
 (U. S. W. D.)
- 781. No date. Chattanooga mineral district. 23½ x 32 in. Scale: 6 miles to 1 inch.

(U. S. W. D.)

Shows a portion of western North Carolina.

782. No date. A diagram of Cape Hatteras shoals . . . surveyed . . . by Edward L. Young. 29½ x 35 in. Scale: 3½ in. = 2000 yards.

(U. S. W. D.)

783. No date. Map of the coast of North Carolina. 70 x 1354 in. (Unfinished.)

(U. S. W. D.)

784. No date. Part of North Carolina showing Pamlico and Albemarle sounds. $20\frac{1}{2} \times 27$ in.

(U. S. W. D.)

In preparing an index for the Bibliography the authors have tried to make it so complete that by its use it will be possible to find what has been published on any subject relating to the Geology, Paleontology, Meteorology, Petrology, Mineralogy and Geography of North Carolina. Instead of having the index refer to the pages of the volume, it refers to the number under which the article appears.

```
Aberdeen Company; Guilford county,
                                           Albermarle sound; Atlantic ocean;
  prospectus: 1520
                                               communication: 26; 1568
  property: map: Map 202
                                                 Fuiton, 606; 610
Abingdon quadrangle: Map 635
                                                 Guynn, 689
Abrasive materials; production,
                                               outlet; report: Graham, 674
                                  1901-
      1905: Pratt, 1460
                                             canal to connect with Currituck and
Aeschynite, Yancey county: Hidden, 776
                                                 Pamlico: 25
Agalmatolite: 1339
                                             chart: Map 218
Agate: 1339
                                             description: Phillips, 1418
Agriculture:
                                             eastern part, Atlantic ocean to Pasquo-
  Emmons, 549; 550; 567
                                                 tank river; map: Map 253
  western North Carolina:
                                             levels of water: de Pourtales, 1458
    Ayres and Ashe, 43
                                             Pamlico sound, swamp lands: plan:
Alamance county: 1480
                                                 Brazier, Map 118
  copper ore; analysis: Ledoux, 1061
                                             to Cape Fear; map: Map 255
  gold ore; analysis: Ledoux, 1061
                                             to Norfolk Harbor, inland route; im-
  map: Map 541
                                                 provement: Kuhn, 1023
  map: Stafford, Map 375
                                             western part, Pasquotank river to Roan-
  mineral water; analysis; Ledoux, 1060
                                                 oke and Chowan rivers; map: Map
  soil map: Map 647
  soil survey: Coffey and Hearn, 325
                                           Albemarle swamp land company's lands:
  soils: Whitney, 1869
                                                 Map 158
Albemarle and Chesapeake canal: 25
                                           Albite, Montgomery county, Steele mine;
  Ruffin, 1592
                                                 analysis: Genth, 633
  description: Phillips, 1418
                                           Alexander county: 1470: 1480
  map: Map 216; Map 227; Map 355;
                                             allanite; analysis: Hidden, 777
      Map 365; Map 366; Map 367
                                             apatite: Prindle, 1516
                                               vom Rath, 1543
Albemarle and Pamlico sounds;
  progress of survey,
                                             aquamarine: Kunz, 1029
    1845-52; map: Map 190
                                             beryl: Hidden, 775; 776
    1845-53; map: Map 203
                                               Kunz, 1030
    1845-54; map: Map 210
                                               vom Rath, 1543
    1845-55; map: Map 217
                                               analysis: Hldden, 777
    1845-73; map: Map 331
                                             emerald: Hidden, 772; 781
    1845-75; map: Map 340
                                               Kunz, 1029
Albemarle, Croatan and Roanoke sounds:
                                               discovery: Hidden, 766; 785
      Map 313; Map 314
                                               dlscovery, historical notes: Hidden,
Albemarle district; topography: Vaughan,
                                               occurrence, Stony Point: Kunz, 1031
      1803
                                             Emerald and Hiddenlte mine: Hidden,
Albemarle section; general description:
       Vaughan, 1802
Albemarle sound and Lake Erie; map of
                                               Hidden and Washington, 769
                                               Miers, 1226
      country between: Map 59
```

vom Rath, 1543	Alligator river,
description: 547	preliminary examination: Hinman, 81
graphite: Hidden, 775	Mercur, 1206
hiddenite: Baskerville and Lockhart, 70	survey of: Stanton, 1732
Hidden, 766; 775; 781; 784	upper part; map: Map 575
analysis: Genth, 629	Alston mine, Warren county: Croshy, 41
Smith, 1675	Altaite, King's Mountain mine; occur
crystallographic description: Dana,	rence: Genth, 647
	Altitudes,
450	Blue Ridge and Black Mountains: Mi
löllingite; analysis: Genth, 641	chell, 1236
magnetite: Hidden, 775	dictionary: Gannett, 618
meteorite: Venable, 1805	western North Carolina: 1279
analysis: Bailey, 60	Amber: Hidden, 774
mica: Harn, 711	Blackman's Bluff, Neuse river: Berry, 9
monazite: Dana, 449	Parker Landing, Tar river: Berry, 90
Hidden, 775; 776; 784	American Prospecting and Mining Com
vom Rath, 1543	pany: Hidden, 794
analysis: Penfield and Sperry, 1400	Amethyst; Lincoln county: Hunter, 874
radioactivity: Kunz and Baskerville,	Ammonites placenta; Wilmington: Tuc
1028	mey, 1790
muscovite; analysis: Clarke, 287	Ammons Branch mine: McCallie, 1135
orthoclase: Ilidden, 775	Amphibolites; western North Carolina
quartz: Bates, 74	Lewis, 1091
Hidden, 775; 781	Analysis;
description: vom Rath, 1538	albite, Montgomery county, Steele mine
quartz crystals: Hidden, 773; 776; 784	Genth, 633
vom Rath, 1539; 1541	allanite, Alexander county: Hidden, 77
rutile: Hidden, 781	Mitchell county: Hidden, 777
Kunz, 1029	Statesville: Genth, 628
vom Rath, 1543	anorthite, Clay county: 1477; 1487
sphene: Hidden, 775	anthophillite: Pratt, 1476; 1487
spodumene: vom Rath, 1543	Macon county: Penfield, 1399
tourmaline: Hidden, 775; 784	auerlite, Henderson county: Hidden an
vom Rath, 1543	Mackintosh, 768; 789
analysis: Riggs, 1566	auriferous sand, Burke county: Page
xenotime: Hidden, 779; 798	1381
vom Rath, 1543	barnhardite, Cabarrus county: Genth
Allanite:	632
Merrill, 1213	beryl: Pratt, 1476; 1487
Alexander county; analysis: Hidden,	Alexander county: Hidden, 777
777	Buncombe county: Benneville, 88
chemical investigations: Boltwood,	biotite, altered; Henderson county
157	Clarke and Schneider, 289
Mitchell county; analysis: Hidden, 777	bismutite, Jackson county: Chester, 26
Statesville; analysis: Genth, 628	cassiterite, King's Mountain: Dabney
	432
Alleghanies, popular description: Zeigler	Pratt, 1466
and Grosscup, 1934	Mecklenburg: Headden, 726
Alleghany county: 1480	chabazite, Clay county: Pratt, 1487
copper: Currey, 421; 423	chloritic schist, residual decay: Riggs
copper region; map: Map 244	1565; 1598
Iron: Currey, 421	chromite: Nitze, 1295
llmestone: Nason, 1277	Pratt, 1489; 1490
mineral resources: Boyd, 167; 168	Macon, Jackson and Yancey counties
Peach Bottom mine; economic minerals:	Pratt, 1489; 1490
Nason, 1277	Jackson and Yancey counties: Nitze
Alleghany mountains,	1295
map: Map 318	chrysolite, Jackson county: Genth, 63-
physical map: Map 250	clay : Ries. 1562 : 1563

clingmanite: Silliman, 1652 hatchettolite, Mitchell county: Allen, 27 coal, Dan river: Woodworth, 1929 Smlth, 1672 Deep river: Ashburner, 36 hematite, Forsyth county: Manning, Johnson, 904; 905 1159 Tuttle, 1791 Wilson, 1898 Woodworth, 1929 hiddenite, Alexander county: Genth, 629 Wilkes, 1881 Smith, 1675 Gulf: Clarke, 291 ilmenite, Carter's mine: Genth, 640' Moore county: Johnson, 907 iron ore, Mitchell county: Whitfield, Stokes county: Armstrong, 34 1863 Whitfield, 1862 Troy: Eakins, 518 coals: Battle, 75 Iron ores: Asbury, 35 Macfarlane, 1146 Nitze, 835; 1295 columbite, Mitchell county: Smith, 1672 Sergeant, 1617 copper ore, Alamance county: Ledoux, Wilkes, 1881 1061 Willis, 1894 Cabarrus county: Genth, 632 Chapel Hill mine: Roberts, 1569 McMakin's mine: Genth, 631; 646 Davidson county: Booth, 160 Davidson county: Booth, 160 Deep river: Emmons, 552 Ore Knob mlne: Egleston, 536 Guilford county: Lesley, 1080 Olcutt, 1364 Mltchell county: 1275 Virgilina district: Watson, 1830 Swank, 1757 corundophillite. Buncombe county: Rockingham county: Lesley, 1080 Dana, 452 itacolumite, Stokes county: Wetherill, corundum, alteration products: Genth, 637 kaolin: Crane, 412 Macon county: Jenks, 902 Mlddleton, 1225 cyanite: Smith and Brush, 1676 Ries, 1562; 1563 diabase, Mitchell county: Hillebrand, Jackson county: Manning, 1158 804 kerrite, Franklin: Clarke and Schneider, diorite, Gold Hill district: Laney, 1049 Mitchell county: Hillebrand, 804 lazulite: Smith and Brush, 1676 lead ores, Davidson county: Booth, 160 dog-tooth spar, New Hanover county: leopardite: Watson, 1832 Phillips, 1437 dunite, Corundum Hiil: Chatard, 263 Montgomery county: Genth. 634 edisonite, Polk county: Hidden, 790 limestone: 1342 Jones county: Hodge, 827 enstatite: Pratt, 1476; 1487 epidote-chlorite-schist, Mitchell county: Macon county: Ledoux, 1061 Hillebrand, 804 New Hanover county: Battle, 77 euxenite, Mltchell county: Smith, 1672 Pender county: Battle, 77 limonite, Cherokee county: Nitze, 1296 feldspar, Cumberland county: Ledoux, löllingite, Alexander county: Genth, 641 1061 lucasite, Corundum Hill: Chatard, 261 fergusonite, Burke county: Hidden, 777; magnetite, Ashe county: Nitze, 1298 Chapel Hill, Orange county: Borden, Mitchell county: Smith, 1672 gabbro, Gold Hill district: Laney, 1049 gahnite, Mitchell county: Genth, 637 Cranberry: Klmball, 1014 garnet, Henderson county: Genth, 650 Cranberry mine: Chatard, 262 Granville county: Nitze, 1297 genthlte. Jackson county: Dunnington, Guilford county: Bowron, 165 515 Walker, 1822 Mitchell county: Bowron, 165 gneiss, Corundum Hill: Chatard, 263 Chatard, 262 gold ore, Alamance county: Ledoux, Kimball, 1014 1061 Stokes county: Nitze, 1303 granite, Gold Hill district: Laney, 1049 manganese, Hot Springs: Ledoux, 1061 Mount Airy: Day, 472 marble, Cherokee county: Nitze, 1296 greenstone, Gold Hill district: Laney, marl: Dabney, 428 marls: 1167; 1340; 1341; 1342 1049 gummite: Pratt, 1507 Kerr. 995 eastern North Carolina: Kerr, 979 gummite lignite, Ralelgh: Ledoux, 1061

Greene county: Ledoux, 1060	minerals: Genth, 644
Jones county: Ledoux, 1060	Genth and Kerr, 642
New Hanover county: Battle, 77	Hidden, 766
Dabney, 435	monazlte: Nitze, 1299
Eckel, 533	Thorpe, 1776
Pender county: Battle, 77	Truchot, 1788
Dabney, 435	Alexander county: Penfield and
Wayne county: Ledoux, 1060	Sperry, 1400
metcorite, Alexander county: Bailey, 60	Bellewood: Glaser, 662
Asheville: Clark, 282	Burke county: Penfield, 1403
Buncombe county: Shepard, 1641	Shelby: Glaser, 661
Baird's Plantation: Shepard, 1645	muscovite, Alexander county: Clarke,
Black Mountain: Clark, 282	287
Shepard, 1645	nickel, Jackson county: Barlow, 65
Bridgewater, Burke county: Kunz,	oligoclase, Bakersville: Clarke, 288
1036	Kunz, 1037
Cabarrus county: Shepard, 1633	Penfield and Sperry, 1400
Cherokee county (Murphy): Cohen,	olivine, Corundum Hill: Chatard, 263
332	ores: 1343
Colfax (Rutherford county): Kunz,	Kerr and Hanna, 992
1034	orthite, Mitchell county: Seaman, 1614
Davldson county: Pratt, 1496	paloeotrochis, Sam Christian mine:
Deep Springs Farm: Cohen, 329	Diller, 503
Duel Hill: Burton, 225	paranthite, Clay county: Berkeley, 89
Smith, 1677	peat, Hyde swamp: Baskerville, 71
Forsyth county: Cohen, 330; 336	phosphates: 1340; 1342
de Schweinitz, 1610	Dabney, 428
Guilford county: Clark, 282	Memminger, 1184
Shepard, 1631	Phillips, 1442
Hendersonville: Merrill, 1216	Duplin county: Dabney, 430
Hominy Creek: Clark, 282	Phillips, 1446; 1447
Shepard, 1645	eastern counties: Dabney, 431; 436
Llck Creek: Hidden, 783	New Hanover county: Battle, 77
Llnnville Mountain: Cohen, 331; 336	
Kunz, 1035	Dabney, 435
Whitfield, 1864	Pender county: Battle, 77
Madison county: Flight, 585	Dabney, 435
Murphy, Cherokee county: Cohen, 332	Sampson county: Dabney, 430
Nash county (Castalia): Flight, 585	phosphuranylite, Mitchell county: Genth,
Kerr, 1007	639
Rammelsberg, 1533	picrolite, Buck Creek: Clarke and
Smith, 1673	Schnelder, 285
Persimmon Creek: Tassin, 1762	pimelite, mineral resembling: Dunning-
Randolph county: Clark, 282	ton, 514
Rich Mountain: Merrill, 1217	pinite, Madison county: Reese, 1550
Rockingham county: Genth, 645	polycrase, Henderson county: Hidden
Kerr, 1007	and Mackintosh, 793
Venable, 1810	potable waters: 1341
Rutherford county (Ellenboro): Eak-	pyrites: Winslow, 1906
ins, 519	pyrophyllite, Deep river: Clarke and
Rutherfordton: Shepard, 1627	Steiger, 286
Smith's Mountain, Rockingham	pyroxenite, Jackson county; Schneider,
county: Smith, 1685	1602
meteorites: Rammelsberg, 1533	Williams, 1890
mlneral water: Peale, 1393	quartz-porphyry, Watauga county : Hille-
Alamance county: Ledoux, 1060	brand, 804
Chapel Hlll: Ledoux, 1060	rhyolite, Mitchell county: Hillebrand,
1redell county: Ledoux, 1060	804
Madlson county: Walton, 1823	rocks, western North Carolina: Lewis,
Ralelgh: Emmons, 549	1089

rutherfordite, Rutherford county: Hunt, xanthitane, Henderson county: Eakins, 520 samarskite, Mitchell county: Allen, 27 xenotime, Burke county: Hidden, 779 Rammelsberg, 1534 zinc ores, Davidson county: Booth, 160 Smith, 1672 zircon: Morehead, 1256 Swallow, 1765 Buncombe county: Chandler, 253 Rutherford county: Hunt, 861 Vanuxem, 1801 alteration; Mitchell county: Seaman, Henderson county: Emmons, 572 1613 Madlson county: Genth, 650 sandstone, Moore county: Day, 472 zolsite, James mica mine: Eakins, 522 Sanford: Day, 472 Mitchell county: Hidden, 800 scheelite, Cabarrus county: Genth, 633 Andesite, Virgilina district: Watson, 1830 Mecklenburg county: Genth, 633 Angola Bay, swamp lands: 1318 schist, Mitchell county: Hillebrand, 804 Anorthite, Clay county; analysis: Pratt, serpentine, Corundum Hill: Clarke and 1477; 1487 Schneider, 285 Anson county: 1480; map: Map 351 silver ores, Davidson county: Booth, 160 Anson gold mine, Anson county: Olmsted, slate, Gold Hill district: Laney, 1049 1369 solls, Duplin county: Root and Hurst, Anthophyllite. 1586 Macon county: Penfield, 1399 Greeneville area: Mooney and Ayrs, Mitchell county; analysis: Pratt, 1476; 1250 1487 swamp lands: Emmons, 549 Apatite, Alexander county: vom Rath, tobacco region: Kerr, 1004 1543 sperrylite, Macon county: Hidden, 787 description: Prindle, 1516 spessartite, Yancey county: Koenig, Appalachian coal field, mesozoic formation, 1021 relation between; map: Map 445 staurolite: Rammelsberg, 1535 Appalachian crystalline belt; map: Map Burnsville: Penfield and Pratt, 1401 talc: Pratt, 1504; 1505 Appalachian forest reserve, memorials and Swain county": Adger, 24 resolutions: 1512 Webster: Bachman, 58 Appalachian mountains: tantalates, Yancey county: Comstock, map: Map 153 345 structure: Keith, 951; 954 Willis, 1892 tantalite. Yancey county: Koenig, 1022 Smoky Mountain district: Willis, 1893 tetradymite, Cabarrus county: Genth, 635 Appalachian region, triangulation; map: Davidson county: Genth, 631; 632 Map 558 Appointation : McGee, 1148: 1150 Phœnix mine: Genth. 635 titanic iron ore, Caldwell county: Pratt, Aquamarine, Alexander county: Kunz, 1029 1461 Burke county: Kunz, 1029 titanite, Statesville: Genth, 640 tourmaline, Alexander county: Riggs, Ararat Mountain, Stokes county: Cramer, 409 trap, decomposed: Chatard, 264; 1598 Arca: Heilprin, 753 tuff, Gold Hill district: Laney, 1049 Arringdale copper mine: White, 1861 Arrival of the Englishmen in Virginia; uraninite: Pratt, 1507 Mitchell county: Hidden, 777 map: Map 2 Hillebrand, 805 Artesian wells: Darton, 454 aiteration; Mitchell county: von Foul-Artificial wall: Hall, 699 Ion, 596 Asbestos: 1339; Lewis, 1088 uranophane: Pratt, 1507 deposits: Pratt and Lewis, 1469 uranotil, Mitchell county: Genth, 639 Franklin county: Merrill, 1214 Mitchell county: Merrill, 1214 water: McCarthy, 1136 Durham: Venable, 1804 Polk county: Pratt, 1462 Buncombe production 1901-3: Pratt, 1462 Hot Springs, county: Yancey county: Pratt, 1462 Smith, 1670 Asbury mine: Fleury, 584 websterite: Schneider, 1603 Ashboro mine: Eames, 523 wellsite, Clay county: Pratt, 1487; 1494

Ashe county: 1480	Astrea bella; Newbern: Conrad, 348
blomary forge, Helton creek : Harris, 715	Astrea subspatulata, South Washington:
copper: Currey, 421; 423	Forbes, 591
copper deposits: Weed, 1846 Ore Knob mine: Hunt, 866; 870; 871	Atlantic coast; Boston to Cape Hatteras; map: Map 34
copper ores: Boyd, 169	Cape Hatteras to Cape Romain; map:
Mitchell, 1239	Map 301
Wendt, 1851	Cape Hatteras to Mosquito Inlet; map:
occurrence: Eames, 523	Map 273
copper region; map: Map 244	Nantucket to Cape Hatteras; map:
Gap Creek mine: Cherry and Cherry, 265	Map 274
iron: Currey, 421	Atlantic coast pilot: 1796
iron ores: Mitchell, 1239	Atlantic ocean, Albemarle sound; com- munication: 1568
Willis, 1894	Auerlite, Henderson county: Hidden, 767
analyses: Porter, 1455	Hidden and Mackintosh, 780
magnetic iron ores: Nitze, 1298	analysis: Hidden and Mackintosh, 768;
analyses: Nitze, 1298 meteoric stone: Rogers, 1580	789
meteorite: Venable, 1805	radioactivity: Kunz and Baskerville,
mineral resources: Boyd, 167; 168	1028
ore deposits; map: Map 546	Auriferous sand, Burke county; analysis:
Ore Knob copper mine: 1376	Page, 1381
Boyd, 167; 168; 169	Auriferous slate deposits: Mell, 1182 Autunite, Mitchell county; radioactivity:
Currey, 421; 423 Eames, 523	Kunz and Baskerville, 1028
Egleston, 536; 537; 538	Ayden quadrangle; map: Map 677
Hunt, 866; 870; 871	Azoic system: Whitney and Wadsworth,
Olcutt, 1364	1866
Weed, 1841	Bacon's new topographical map of the
Hunt and Douglas process: Egleston, 537; 538	State of North Carolina; map:
Hunt, S69; S70; S72	Map 285
soapstone deposits: Pratt, 1505	Bacon's topographical map of North and South Carolina; map: Map 286
Ashe and Allegany counties, map showing	Baird's Plantation meteorite; analysis:
mineral resources; map: Map 396;	Shepard, 1645
Map 413	Bakersville,
Asheville area, soil survey: Lapham and	cyanite: Kunz, 1037
Meeker, 1054 Asheville, climate: 694; 1315	emerald: Kunz, 1040
Battle, 79	garnet: Richardson, 1557
Asheville folio: Keith, 952	mica industry: 1222
Asheville,	oligoclase : 1366 analysis : Clarke, 288
granite, compression tests: 675	Kunz, 1037
guide book: Gatchell, 625	Penfield and Sperry, 1400
meteor: Clingman, 295 meteorite: Buchner, 215	Bald Mountains,
Harris, 712	description: Woodbridge, 1926
Kenngott, 969	earthquake: 527
analysis: Clarke, 282	Rutherford county; earthquake: Brad
Farrington, 577	ley, 174
Buncombe county; meteorite; analysis: Shepard, 1641	volcano: Kerr, 1012 Baltimore and North Carolina copper and
Venable, 1805	gold mine, Mecklenburg county
plateau, description: Presbrey, 1509;	1523
1510	Barite: 1233; 1339; 1551
quadrangle; geologic maps: Map 671	discovery: 1316
map: Map 724	Gaston county: 1463
soil map: Map 675	Pratt, 1482
syncline, description: Weaver, 1838 topography: Willis, 1895	Struthers and Fisher, 1751 Lawton mine: Burchard, 219
cohographi . Hillis, 1999	Lawton nine: Burchard, 219

INDEX. . 369

	•
Madison county: 1463	progress U. S. Coast survey, 1850;
Pratt, 1482	map: Map 180
Struthers and Fisher, 1751	1892; map: Map 533
mining, Bessemer city: 1317	sketch of: Map 209
production 1901-3; Pratt, 1463	survey: Maffitt, 1156
Stackhouse: Judd, 935	and Neuse river, country between, sur-
Barnhardite:	vey, map: Map 232
Genth, 633	Inlet, improvement: Brown, 189
	Johnston, 911
Cabarrns county; analysis: Genth, 632	
Barringer mine: Eames, 525; 526	and harbor, map: Map 746
Bauxite: 1232	Bechlor, Christopher, private mint: Feath-
Beaufort.	erstonehaugh, 578
breakwater, preliminary examination:	Bechlor gold coins: Pratt, 1502
Stanton, 1721	Beckford quadrangle, map: Map 725
county, swamp lands; drainage: Pratt,	Belemnites micronatus: Lyell, 1125
1495	Bellewood, monazite, analysis: Glaser, 662
entrance, hydrographic changes : Cordell,	Bellin, la Carolina dans l'Amerique Sep-
381	tentrionale; map: Map 43
entrance and harbor; map: Map 615	Belodon: Cope, 372
	Bertie county; map: Map 346
New river, progress map 1892; map:	Beryl: 1339; 1480
Map 534; Map 535; Map 536	Pratt, 1470
resurvey: Rodgers, 1574	Alexander county: Hidden, 775; 776
survey: Whiting, 1865	Kunz, 1030
Swansboro and New river, inland water-	vom Rath, 1543
way; map: Map 520	analysis: Hidden, 777
tertiary fossils: Redfield, 1546	Bnncombe county; analysis: Benneville,
and Newburn, inland waterway; map:	88
Map 506	Mitchell county; analysis: Pratt, 1476;
and New river, inland waterway; im-	1487
provement: Stanton, 1707	Bessemer City; barite mining: 1317
sound between; preliminary examina-	
tion: Mercur, 1211	Bessemer City mlning and manufacturing
·	company, prospectus: 1521
and vicinity; map: Map 258	Bibliography,
Harbor, changes, comparative chart:	corundum and associated minerals:
Map 232	Pratt and Lewis, 1469
chart: Map 109	Gold Hill gold and copper deposits:
improvement: 1329	Laney, 1049
Bixby, 98; 104; 114	monazite: Nitze, 1300
Brown, 193	peridotites: Pratt and Lewis, 1469
Craighill, 391	Big Pigeon river, drainage: Gannett, 621
Heap, 731	Biotite:
Hinman, 807	Leidy, 1071
Johnston, 910; 915	altered, Henderson county: Clarke and
Lucas, 1116	Schneider, 289
Mercur, 1193	Bismuthinite, Gold Hill: Genth, 632
Stanton, 1706	Blsmutite,
Winslow, 1910	Charlotte: Genth, 630
map: Map 106; Map 179; Map 185;	Jackson county; analysis: Chester, 266
Map 211; Map 214; Map 264;	Black and Cape Fear rivers; map: Map
Map 390; Map 452	420
map: Coles and Price, Map 82	Black band ore; see Iron ores.
Glynn, Map 146	Blackman's Bluff, Neuse river; amber:
New river, inland waterway, improve-	Berry, 90
ment: Bixby, 105	Black Mountains,
Craighill, 392	altitudes and soils: Mitchell, 1236;
Heap, 732	1240
Johnston, 920	altitudes; map: Map 245
preliminary examination: Brown, 202	beryl; analysis: Benneville, 88

meteorite: Buchner, 214; 215	Bodle's Island,
Harris, 712	inlets: Boutelle, 164
Kenngott, 969	magnetic declinations: Schott, 1607
Venable, 1805	Boger mine, tetradymite: Genth, 635
analysis: Clark, 282	Bogue Inlet;
Farrington, 577	Improvement: Murphey, 1268
Shepard, 1645	preliminary examination: Heap, 741
physiography: Guyot, 692	to Old Topsail Inlet; map: Map 487
topography: Clingman, 300; 301	and vicinity; map: Map 595 Bogue Sound;
Black river, improvement:	map: Map 478
Bixby, 99	preliminary examination: Bixby, 121
Brown, 195	survey; map: Map 141
Cralghill, 386	survey and examinations: Kearney, 948
Heap, 727	Boulders, gold region: Mather, 1171
Johnston, 918	Boundaries, historical description: Gan-
Lucas, 1111	nett, 616
Stanton, 1701	Boundary, VaN. C.:
Winslow, 1913	Byrd, 226
Point Caswell to Lisbon; map: Map 453 preliminary examination: Bixby, 120	map: Map 28
Mercur, 1207	Thorn, 1773
Bladen county,	Bowen, Eman. British American Planta-
map: Map 440	tions (including N. C.); map: Map
parts of; map: Map 128; Map 133	Branch mint, establishment: 42; 1518
phosphate and marl deposits: Phillips,	Braunite,
1442	Chatham county: Cobb, 319
swamps, drainage: Fulton, 605; 607;	Randolph county: Cobb, 319
1324	Surry county: Cobb, 319
Blomary forge, Helton Creek, Ashe county:	Brazier, Robert H. B.
Harris, 715	Cape Fear river, Buckhorn Falls to
Blome, Richard; new map of Carolina;	Campelton, transverse sections;
map: Map 20	map: Map 97
Blue Ridge:	Crab Tree and Walnut Creeks, plan and
Ayres and Ashe, 44	sections; map: Map 91
altitudes and soils: Mitchell, 1236	Dismal Swamp; map: Map 113
copper deposits: Hunt, 866	Neuse river, Stone's Mill to Turner's
corundum region: Shepard, 1643	Ferry, longitudinal section; map:
drainage: Willcox, 1884	Map 87
frost drift: Kerr, 988	Neuse river, Stone's Mill to Turner's
geologic formations: Rogers, 1577	Ferry, survey; locks and dams; map: Map 88
gold mines west: Nitze and Hanna, 1291	North Carolina; map: Map 126
mineral resources: Kelsey and Hutchinson, 967	road, Salem to Fayetteville; map: Map
physiography: Davls, 462; 463	102
scenery: Richards, 1556	Swamp lands, Albemarle sound, Pamlico
topography: Kerr, 974	sound; plan: Map 118
Rogers, 1577	Tar river, Louisburg to Little Falls;
Blue Wing copper mine:	plan: Map 96
Keller, 966	Tar river to Tossnot Creek, plan and
Nitze, 1306	section: Map 90
Phillips, 1441	Uhara swamp, survey; map: Map 112
Weed, 1842; 1846	Brickell, John. North Carolina; map:
White, 1861	Map 32
Board of Internal Improvement, see North	Bridgewater meteorite:
Carolina Board of Internal Im-	Brezina, 180
provement	Venable, 1805
Board of literature, see North Carolina	analysis: Farrington, 577
Board of literature	Kunz, 1036

Dulama mald mile	
Briggs gold mine:	Hominy Creek meteorite: Venable, 1805
Fleury, 584	meteorite: Wadsworth, 1814
Lieber, 1095; 1096	micas: Lewls, 1085
Brindletown,	mineral resources: Owen, 1380
brookite; crystallographic measure-	mineral springs; water analysis: Bell,
ments: Robinson, 1570	86
octahedrite; crystallographic measure-	road map; map: Map 657
ments: Robinson, 1570	Warm and Hot springs: Moorman, 1253
xenotime: Eaklns, 521	
British American plantations (including	water analysis; Hot Springs: Smlth,
	1670
North Carolina): Bowen, Map 38	zircon: Day, 471
Broad river,	Porter, 1456
Improvement: Fulton, 607	analysis: Chandler, 255
obstructions: Fulton, 610	Vanuxem, 1801
Broad and Catawba rivers; plan: Map 572	Buncombe turnplke road, Asheville to
Brookite,	Painted Rock; plan: Map 108
Burke county; crystaliographic measure-	Burke county: 1480
ments: Robinson, 1570	aquamarine: Kunz, 1029
Rutherford county: Shepard, 1638	
Brown and Edwards property, Randolph	aurlferous sand; analysis: 1381
county: Dickson, 493	Bridgewater meteorite: Brezina, 180
	Venable, 1805
Brownstone:	analysis: Farrington, 577
Hopkins, 854	Kunz, 1036
Newark, age: Lyman, 1130	brookite; crystallographic measure-
Brunswick county;	ments: Robinson, 1570
map: Map 150	fergusonite: Seaman, 1615
parts of; map: Map 128; Map 133	analysis: Hldden, 777; 782
Buck Creek corundum mine: 384	garnet: Richardson, 1557
Pratt, 1494	general description: Ervin, 574
map: Map 569	gold: Hidden, 774
picrolite; analysis: Clarke and Schnei-	
der, 285	gold region: Pratt, 1502
	hydraulic mining: Biake, 145
Buckhorn mine, iron ores: Julien, 940	Ellet, 545
Building and ornamental stones: 1480	iron ores: Willis, 1894
commercial possibilities; Watson and	itacolumite: Shepard, 1640
Laney, 1829	Linnville Mountain meteorite: Venable,
production: Watson and Laney, 1829	1805
Bullding stone industry: 1336; 1343	analysis, Whitfield, 1864
Building stones: 1339	Mills Property: Nitze, 1293
Day, 473	Nitze and Wilkens, 1305
Kerr, 984	mine: Hanna, 703
Lewis, 1090	minerals: Humphreys, 859
Merrill, 1212; 1215; 1218	monazite: Böhm, 151
catalogue in U. S. Nat. Museum: Mer-	Kunz, 1044
rill, 1212	· · · · · · · · · · · · · · · · · · ·
	deposits: Nitze, 1299
production: Pratt, 1465; 1480	Pratt, 1484
Watson and Laney, 1829	description and analysis: Penfield,
Buncombe county, Ashevilie; meteorite:	1403
Venable, 1805	occurrence: Day, 468
analysis: Shepard, 1641	octahedrite: Hidden, 788
beryl; analysis: Benneville, 88	crystallographic measurements: Rob-
Black Mountain meteorite: Venable,	inson, 1570
1805	quartz: Bates, 74
chromite: Glenn, 665	quartz crystals: vom Rath, 1539; 1540;
corundophilite: Shepard, 1624	1541; 1542
analysis: Dana, 452	tetradymlte, occurrence: Genth, 647
corundum mines: Pratt, 1491	xenotime: Hidden, 797
occurrence: Hunter, 874	analysis: Hildden, 779
emery: Hunter, 874	Brindletown: Eakins, 521
geologic examination: Owen, 1380	zlrcon: Kunz, 1029

and upper Catawba Falis; map: Map 580	Cabarrus gold mining company, lands and mines; map: Map 239
Burns gold mine, Moore county: Chance,	report: Brown, 210
251	Cabarrus mine:
Burnsville; staurolite; analysis:	Henderson, 758
Penfield and Pratt, 1401	Wood, 1925
Rammelsburg, 1535	Caldcleugh gold mining property, descrip
Burr, David H.	tion: Andresen, 31
North and South Carolina post offices	Caldwell county: 1480 map: Harper, Map 352
and post roads; map: Map 129;	iron ores: Willis, 1894
see also Map 145	meteorite: Venable, 1805
North and South Carolina; post offices,	titanic iron ore; analysis: Pratt, 146:
post roads, canals and railroads; map: Map 145; see also Map 129	Caldwell mine: Melliss, 1183
Cabarrus county: 1480	Cambrian formation: Walcott, 1821
barnhardite; analysis: Genth, 632	Campbell, J., tracing of Ogilby's map
Cabarrus gold mining company: Brown,	Map 9
210	Canals,
copper: Leeds and Partz, 1064	examination: 1321; 1322
analysis: Genth, 632	see specific name, as Dismal swamp
McMakin's mine; analysis: Genth,	canal
631; 646	Cape Fear,
gold: Graton, 679	chart: Map 109
Leeds and Partz, 1064	map: Map 106
gold discovery: Barnhardt, 66	origin: Abbe, 1
Marcou, 1161	Gulliver, 685 plan de la riviere: Map 55
Patterson, 1392	progress of survey; map: Map 192
Shinn, 1650 Wheeler, 1857	Map 206; Map 212
gold mine: Barnhardt, 66	and the shoals; harbor and entrance
gold occurrence: Genth, 633	map: Map 62
Reed mine: Hunter, 874	Cape Fear and Yadkin Valley railway,
gold production: Boudinot, 163	description: 488
gold, Vanderburg mine: Hodge, 828	map: Map 427; Map 486
Long mine: Whitney, 1867	map showing route; map: Map 124
map: Map 753	resources of route: 234
meteorite: Buchner, 215	topography of route: Kerr, 997
Venable, 1805	Cape Fear Harbor;
Wadsworth, 1814	map: Map 30
Wiechman, 1875 analysis: Shepard, 1633	entrance: Speer, Map 48
native gold, discovery: 1278	Cape Fear river
Phænix gold company: Stagg, 1699	above Wilmington; map: Map 596
Phœnix mine: 1522	bar and entrance; map: Map 73; Mag
Whitney, 1867	195
treatment of ores: Cramer, 410	examination: Maffitt, 1157
Egleston, 539	bar, improvement: 709
Phillips, 1438	bar to Brunswick: Hyrne; map: Map 35
Thies, 1769	bars; comparative chart; map: Map 241
Reed mine: Olmsted, 1369	below Wilmington; map: Map 114; Map
Partz, 1387	551; Map 559
Wheeler, 1857	progress map 1892: Map 537
scheelite: Pratt, 1507	survey showing obstructions; map
analysis: Genth, 633 tetradymlte: Burkart, 221	Map 117
Boger mine: Genth, 635	Buckhorn Falls to Campelton, transverse
Phænix mine; analysis: Genth, 635	sections: Brazler, Map 97 continuation of survey; map: Map 149
tungstates: Genth, 632	cretaceous: Emmons, 567
Vanderburg mine: Hodge, 828	discharge measurements: Davis, 460
Whitney, 1867	Grover, 683
• *	,

Hoyt, 857	history: Phillips, 1423
Newell, 1282; 1284	report: Tower, 1786
Donax emmonsii Dall: Dall, 444	journey: Bartram, 69
Donax oequilbrata Dall; Dall, 444	lower part; chart: Map 219
drainage: Gannett, 621	map: Map 187; Map 324; Map 612
drainage basin: Perrine, 1408	map: Glynn, Map 147
Swain, 1755 entrance: Horne, 855	marls: Emmons, 567
chart: Map 204	miocene: Dall and Harris, 442 operations: James, 1326
hydrographic surveys: Huger, 858	plan: Map 55
map: Map 92; Map 148; Map 459	preliminary examination: Bixby, 122
entrance to Reeves Point; map: Map	profile of approximate low water sur-
479	face, ocean to confluence Deep and
to Smithville; map: Map 106	Haw rivers; map: Map 586
entrances; map: Map 270; Map 297	Reeves Point to Wilmington; map: Map
eocene: Rogers, 1575	224
examination: Blaney, 149	re-examination: Brown, 209
Fulton, 608; 609	report: Thompson, 1770
Johnston, 909	Sea Bar; map: Map 616; Map 630
and survey: Lucas, 1110	Bald Head channel; map: Map 591
of mouth: Simpson, 1659	slack water navigation; map: Map 182
Fayetteville to Wilmington; map: Map	Snows Marsh channel; map: Map 592
390	Snows Marsh shoal; map: Map 625 survey; Abert. 20
Federal Point to Wilmington; map:	Bache, 56
Map 225	Craighill, 400
ferruginous sand: Rogers, 1576 flood discharge: Murphey, 1272	Heap, 742
fossil plants: Berry, 91; 93	Murphey, 1270
fossils: Cope, 378	surveys: 1555
Emmons, 568	and examinations: Kearney, 948
Morton, 1262; 1263	history: Foster, 595
Frying Pan shoals to Wilmington; map:	topographic resurveys: Bolles, 152
Map 80	upper to lower flats, survey; map: Map
gauge heights: Davis, 460	103
Grover, 683	Wilmington shoal; map: Map 628
Hoyt, 857	Wilmington to Fayetteville; map: Map 492
Newell, 1282; 1283; 1284	with counties adjacent; map: Map 57
hydrographic changes: Bradford, 172	Cape Fear river
hydrography, New Snows Marsh Chan-	and adjoining coast; map: Map 277
nel; map: Map 560	and vicinity; Frying Pan Shoals to Wil-
Ocean Bar Channel; map: Map 598	mington; map: Map 74
Snows Marsh Channel; map: Map 599	Cape Fear and Deep rivers;
improvement: 709; 879; 1355	Fayetteville to Hancock's Mill, locks,
Bixby, 100; 101; 102	dams and canals; map: Map 188
Brown, 190; 195	improvement: Douglas, 509
Craighill, 386; 388; 403	map: Map 322
Fulton, 607	Cape Fear and Neuse rivers; survey be-
Guynn, 687	tween; map: Map 140
Hale, 697	Cape Fear and Waccamaw rivers, water
Heap, 728; 729	line between; map: Map 410
Hinman, 808	Cape Fear
Johnston, 912; 918	to Cape Henry; chart: Map 780
Lucas, 1112; 1113	to Wilmington; chart: Map 282
Mercur, 1194	Cape Hatteras;
Moore, 1251	chart: Map 109
Phillips, 1424	coast shelf: Shaler, 1619
Stanton, 1702; 1703 Weaver, 1837	form and soundings: Maury, 1174
Winslow, 1907; 1913	fossils: Dall, 440
Willistow, 1901, 1919	map: Map 106

igneous beit: Nitze and Hanna, 1291 ocean bed near: de Pourtales, 1457 origin: Abbe, 1 map; Catesby, Map 29 map: Moll, Map 22: Map 31 Glenn, 663 Gulliver, 685 new description; lords proprietors; Shaler, 1620 map: Map 13 sands, examination: Julien and Bolton, map: Ogilby, Map 9 942 Speed, Map 14 * shoals; map: Map 782 Wilson, Map 16 Blome, Map 20 survey: Crowninshield, 420 Lea, Map 21 Duffield, 512 Thornton and Fisher, Map 15 to Cape Lookout, preliminary chart: Thornton, Morden and Lea, Map 18 Map 243 Willdey, Map 19 to Cape Romain: Shapley, Map 7 plantations of the English in America; to New River Inlet; map: Map 597; map: Map 26 Map 614 slate belt: Nitze and Hanna, 1291 to Ocracoke Inlet; chart of coast: Map gold deposits: Nitze, 1290 . 226 gold mines: Nitze, 1290 map: Map 449 Tin Company: 1779 Cape Hatteras and cove for anchorage; tin deposits; geologic sketch map: Map map: Map 168 Cape Henry und Georgien, Karte; map: Map 42 to Cape Lookout; map: Map 63; Map Carolinas, 302 central portion, gold mines; map: Map to Cape Romain; map: Price and Strother, Map 75 to Currituck Beach; map: Map 355 with part of Georgia; map: Map 60 to St. Catherine's Sound; map: Map Caroline; map: De Vaugondy, Map 40 Caroline dans l'Amerique Septentrionale: 573 to Winyaw Bay; map: Map 448 Bellin, Map 43 Cape Lookout, Caroline et Georgie: Beilin, Map 42 coast; survey: Mackey, Map 41 Septentrionale; map: Map 89 map: Map 106; Map 109 origin: Abbe, 1 Carolines. Gulliver, 685 carte des deux; map: Map 81 Harbor; map: Coles and Price, Map 82 et de la Georgie; map: Map 58 Carrot Island Slough, preliminary ex-Harbor of Refuge, examination and survey; Lucas, 1106 amination: Lookout Bight; map: Map 574 Lucas and Winslow, 1123 preliminary examination: Stanton. and survey: Johnston, 923 1722 Carte nouvelle de l'Amerique angioise; Harbor, survey: Craighill, 399 map: Map 750 shoals, hydrographic development: Jun-Carteret county, swamp lands: 1318 ken, 944 Ashe, 39 map: Map 281; Map 296 Carter's mine, ilmenite; analysis: Genth, reconnaissance: Phelps, 1415 640 survey: Crowninshield, 420 Carthage, sandstone; analysis: Day, 472 trigonometrical diagram; map: Map Cary area, 94 soil survey: Coffey and Hearn, 326 to Cape Romain; map: Map 450 soils: Whitney, 1870 Cape Sable to Cape Romain; map: Map Casher's Valley, bismutite; analysis: Ches-624 ter, 266 Capps mine: 671; 1178 Cashie river. Carbonton, pyrophyllite; analysis: Brush, mouth to Windsor; map; Map 437 preliminary examination: Casey, 245 Carolina, carte generale. . . . Map 17 Hinman, 820 Carolina Cassiterite deposits, Central Railway; map: Map 385 Cleveland county: Ulke, 1794 described; map: Map 8 Kiug's Mountain: Pratt, 1466 seacoast and rivers; map: Map 11 Phillips, 1449

analysis: Bruce, 212	Catawba and Broad rivers; map: Map 572
Dabney, 432	valley, flood: Harris, 717
partial: Pratt, 1466	general description: Ervin, 574
examination: Ledoux, 1062	physical aspect: Vance, 1798
Mecklenburg, analysis: Headden, 726	upper; map: Map 580
Cassiterite, see also tin	Catawbarite, Brigg's gold mine: Lieber,
Castalia meteorite: Venable, 1805	1096
	Catha mine: Partz, 1388
analysis: Flight, 585 Kerr, 1007	Catoctin type, copper deposits: Weed, 1846
Rammelsberg, 1533	Cellepora tubulata: Lyell, 1125
Smith, 1673	Central North Carolina,
Castle Hayne	mineral resources: Kerr, 997
mine; phosphate rock production:	topography: Kerr, 997
Schnatterbeck, 1601	Central railroad, map showing route: Map
New Hanover county; phosphate min-	124
ing: Brown, 211	Chabazite, Clay county; analysis: Pratt,
Caswell county meteorite:	
Buchner, 215	Channels and harbors, table of depths:
Chladni, 270	
Harris, 712	Chapel Hill, latitude: Gore, 673
Venable, 1805	magnetite; analysis: Borden, 161
Catawba county: 1480	meteorological data: Phillips, 1436
gold: Graton, 679	record: Venable, 1806
hematite: Abert, 5	micropegmatite, occurrence: Eaton, 530
iron ore: Abert, 5	mine; iron ores; analysis: Roberts, 1569
iron ore deposits; map: Map 540	mineral water; analysis: Ledoux, 1060
magnetite: Abert, 5	paleotrochis: Cobb, 310
map: Yoder, Map 455	siate: Eaton, 531
mineral springs: Moorman, 1253 minerals: Humphreys, 859	spherulites: Cobb, 310
quartz crystals: Humphreys, 859	Charlotte,
vom Rath, 1539; 1541	bismutite: Genth, 630
Catawba Falls; map: Map 639	copper, Rudisil gold and copper mine:
Catawba mining company, report: Eliery,	Leeds and Penman, 1069; 1070
544	gold: Eaton, 529
Catawba river:	Kerr, 1008
Waddell, 1812	gold mines: 670
description: Ayres and Ashe, 44	Rudisil gold and copper mine: Leeds and Penman, 1069; 1070
Devil's shoals to Sherrill's Ford; plan:	granite: 256
Brazier, Map 104	meteorite: Buchner, 214
to state line; map: Map 332	Gibbon, 656
discharge measurements: Newell, 1282;	Harris, 712
1283; 1284	mlne: 1178; 1554
drainage: Campbell, 233	natural resources: 1663
drainage basin: Perrine, 1408	quadrangle; map: Map 726
Pressey, 1513	Charlottetown, Cabarrus county, meteor-
Swain, 1755	ite: Wadsworth, 1814
examination: Abert, 5 Phillips, 1418	Chatham county: 1480
gauge heights: Newell, 1282; 1283;	braunite: Cobb, 319
1284	ciepsysaurus: Emmons, 566
gold sands: Gibbon, 655	coal: Chance, 254
improvement: Gallatin, 614	Emmons, 559; 567 Gemmel, 627
McCowan's Ford; map: Map 68	Johnson, 906
map: Map 342; Map 381	Tuttle, 1791
obstructions: Fulton, 610	analysis: Ashburner, 36
preliminary examination: Bixby, 123	Johnson, 907
survey: Hall and Hoyt, 700	Wilkes, 1881
topography: Kerr, 993	coal formation: Mitchell, 1238

coal mines; map: Map 183	Chowan and Nansemond rivers, country be-
Dromatherium, 1377	tween; map: Map 79
fossils: Cope, 375	Chromite: 275; 1339; 1480
Leidy, 1074; 1076	Dieffenbach, 502
hausmannite: Cobb, 319	Lewis, 1088
iron: Gemmell, 627	Merrill, 1213
Wilkes, 1881	Pratt and Lewis, 1469
iron ore: Willis, 1894	analysis: Pratt, 1489; 1490
map: Ramsey, Map 311	Buncombe county: Glenn, 665
Mleroconodon; 1377	Haywood county: Glenn, 665
Pariostegus Cope; Cope, 379	Jackson county: Pratt, 1467; 1468;
sandstone formation: Olmsted, 1370	1489; 1490
triassic: Emmons, 551; 553; 559	Macon county; analysis: Pratt, 1489;
volcanle rocks: Williams, 1889	1490
Chatham series, fossils: Emmons, 551:	Madison county: Glenn, 665
553	occurrence and origin: Pratt, 1489;
Chemical analyses, see analysis	1490
Cherokee county: 1480	Yancey county: Glenn, 665
draught: Timberlake, Map 44	Pratt, 1467; 1468; 1489; 1490
geology: Nitze, 1296	Chromium, occurrence in peats, Hyde
hematite: Emmons, 570	swamps: Baskerville, 71
hydraulic miuing: 1354	Chrysolite, Jackson county; analysis:
lron ores: Willis, 1894	Genth, 634
limestone: Eckel, 533	Chrysotile, occurrence, Wilkesboro: Pratt,
llmonite: Nitze, 1296	1462
magnetite: Emmons, 570	Clay: 1232; 1233
marble deposits: Nitze, 1296	Jackson county: Holmes, 845
meteorite: Ward, 1824	analysis: Ries, 1562; 1563; 1564
analysis: Cohen, 332	Clay county: 1480
part of; map: Map 397	anorthite; analysis: Pratt, 1477
talc deposits: Pratt, 1505	corundum alteration: Willcox, 1887
topography: Nltze, 1296	corundum mines: Lewis, 1088
Cherokee lands:	Pratt, 1491 occurrence: Genth, 638
Love, Map 394	production: Pratt. 1460
territorial limits: map: Map 428	1898: Ropes, 1587
territory; map: Map 137; Map 138	enstatite; analysis: Pratt. 1476
valley, mineral deposits: Blake, 143	paranthite; analysis: Berkeley, 89
Cheraw; Salisbury rallroad; map: Map	wensite; analysis: Pratt. 1487; 1494
776	Clay industry: Ries, 1560; Pratt, 1480
Theraws precinct and parts adjacent;	1892: Ries, 1561
map: Map 298	1897 : Ries, 1563
Chesapeake and Albemarle canal: Gallatin,	Jackson county: Hill, 803
614; 615	Macon county: Hill, 803
Thesapeake and Albemarle Sound, country	Mitchell county: Hill, 803
between; map: Map 86	Yancey county: Hill, 803
Thloritic schist, residual decay: analysis:	occurrence and distribution: Ries, 1560
Riggs, 1565; 1598	production: Middleton, 1225
Chocowinity quadrangle; map: Map 694	Clays,
Chowan basin,	age: Hunt, 865
geology: Ruffin, 1591	red and yellow: Mezger, 1221
topography: Ruffin, 1591 Chowan county.	Clayton soil map: Map 631
	Clear Creek, gold discovery: 669
soil map: Map 739	Clepsysaurus:
townships and their boundaries; map:	Emmons, 566
Map 306 Chowan river,	Leidy, 1074
	Cleveland county: 1480
drainage basin: Swain, 1755	cassiterite deposits: Ulke, 1794
miocene: Dall and Harris, 442	gold: Graton, 679
survey: Phillips, 1435	occurrence: Kerr, 989

map: Kyzer, Map 454	Johnson, 904; 905; 906
monazite: Böhm, 151	Jones, 932
Heighway, 750	Pratt, 1480
deposits: Nitze, 1299; 1300; 1302	Wilkes, 1881
Pratt, 1484	analysis: Ashburner, 36
tin: Graton, 676; 679	Johnson, 904; 905; 907
Pratt and Sterrett, 1506	Tuttle, 1791
King's Mountain: Blake, 148	Wilkes, 1881
Rolker, 1584	Deep river coal and iron company: 487
Climate: 293; 1337; 1343; 1344	Deep river, report on: 185; 253; 254
Barringer, 1356	Wilkes, 1881
Blome, 150	Gulf, analysis: Clarke, 291
Catesby, 249	Madison county: Phillips, 1439
Christy, 271	Moore county: Chance, 254
Horne, 855	Johnson, 906
Kerr, 971	analysis: Johnson, 907
Phillips, 1416	Rockingham county: Emmons, 567
Rodman, 1356	Heinrich, 755
Williamson, 1891	Stokes county, analysis: Armstrong, 34
Winterbotham, 1924	Whitfield, 1862
Asheville: 694; 1315	western North Carolina: Blake, 142
Battle, 79	age: Marcou, 1165
Chowan county: Hearn, 747	fosslls: Rogers, 1583
description: Battle, 76	mines, Deep river; map: Map 181
southern Appalachians: Henry, 760	Chatham county; map: Map 183
Powell, 1459	production: Jones, 932
Pressey, 1513	1889-1907: Parker, 1384
Roosevelt, 1585	Coals, analyses: Battle, 75
western North Carolina: Bell, 85	Macfarlane, 1146
Henry, 760	Coanjok Bay, improvement: Hinman, 809
Climatology: 1335; 1346; 1347	Coast: Mayer, 1176
Clingmanite, analysis: Silliman, 1652	Coast about Cape Lookout, survey; map:
Clubfoot and Harlow Creek canal,	Map 41
improvement: Fulton, 607	Coast and sounds:
map: Map 419	map: Map 411
report on condition: Fulton, 610	progress of survey; map: Map 252
Clubfoot, Harlow and Newport rivers, pre-	1845-46; map: Map 160
liminary examination: Mercur, 1208	1845-50; map: Map 175
Clubfoot river, improvement: Bixby, 114	1845-51; map: Map 184
Coal: 1232; 1339; 1480	
Dieffenbach, 499	1845-56; map: Map 223
Emmons, 554; 565	1845-57; map: Map 231
Hale, 698	1845-58; map: Map 240
Hanna, 707	1845-59; map: Map 246
Jones, 932	1845-61; map: Map 259
Dan river: 254; Emmons, 557; 567	1845-62; map: Map 266
Heinrich, 755	1845-67; map: Map 300
Jones, 932	1845-68; map: Map 307
Macfarlane, 1146	1845-69; map: Map 310
analysis: Woodworth, 1929	1845-70; map: Map 312
Deep river, Chatham county: 306	1845-77; map: Map 349
Chance, 252; 253; 254	1845-79; map: Map 377
Daddow, 437	1845-81; map: Map 398
Emmons, 557; 559; 567	1845-82; map: Map 407
Gemmel, 627	1845-83; map: Map 414
Hale, 698	1846-47; map: Map 162
Heinrich, 756	1846-48; map: Map 164
Hillyard, 806	1846-49; map: Map 166
Jackson, 885; 886; 887; 889; 891;	1850-66; map: Map 295
892; 896	1884; map: Map 434
002, 000	

Coast,	granite distribution: Watson, 1831
Cape Fear to Cape Henry; chart: Map	mineral resources: 653
780	origin: Mitchell, 1241
Cape Fear to Cape Lookout; map: Map	pliocene and pleistocene: Rogers, 1575
62	topography: Holmes, 836
Cape Hatteras and Cape Fear; map:	Johnson, 903
Coles and Price, Map 82	Cobalt; Gaston and Lincoln counties:
Cape Hatteras to Cape Fear; map: Map	Wurtz, 1933
106	Cobb, Collier,
Cape Hatteras to Cape Romain; map:	Mecklenburg Presbytery; map: Map 429
Dunbibin, Map 66	School map of North Carolina; map:
Cape Hatteras to New river Inlet, chart:	Map 386
Map 597	Coles, Thomas and Price, Jonathan.
Cape Hatteras to Ocracoke Inlet, pre-	Coast, Cape Hatteras and Cape
liminary chart: Map 233	Fear; map: Map 82
Cape Lookout to Bogue Inlet, prelimi-	Colfax (Rutherford county) meteorite;
nary chart: Map 233	analysis: Kunz, 1034
	College copper mine:
changes: Abert, 20	Eights, 540
Cobb, 322	
Harris, 713	Davidson county: Petherick, 1412
Welch, 1850	Collet, Compleat map of North Carolina;
chart: Map 109	map: Map 47
Lambert: Map 95	Colton's North Carolina; map: Map 214 Colton's North Carolina and South Caro-
Currituck Inlet to Savannah river,	
chart: Holland, Map 67	lina; map: Map 412
description: 1797	Columbate, Mitchell county; analysis:
Bache, 51	Seaman, 1613
Cobb, 322a	Columbic acid minerals:
description, popular: Pool, 1453	Smith, 1672
Strother, 1750	mammallary coating: Smith, 1689
geology: Conrad, 366	new localities: Smith, 1681
Hallock, 701	Columbite,
Kerr, 976	Mitchell county: Smith, 1672
inlets: Welch, 1850	production and value: I'ratt, 1498
map: Map 783	Columbus county;
North Carolina and Virginia; map: Map	map: Kirkland, Map 402
267	parts; map: Map 128; Map 133
notes: 25	swamp lands: 1318
Oregon Inlet to Ocracoke Inlet, sketch:	swamps, drainage: Fulton, 605; 607;
Map 263	1324
origin : Haupt, 718	Combeford, Nicholas, north part of Caro-
physiography: Cobb, 317	lina; map: Map 6
progress of surveys and resurveys;	Compression tests, granite: 675
map: Map 504	Compsosaurus priscus: Leidy, 1076
progress of survey, 1889; map: Map	Conglomerate, Granville county: Holmes,
491	830
survey: Coles and Price, 337	Conglomerates: Merrill, 1218
Tatham, 1763	Conrad Hill mine: 368
operations: Thorn, 1772	Boyd, 166
1837: Kearney, 948	Eames, 523
1845-65: Bache, 46; 47	Emmons, 557; 558
1866: Hllgard, 802	Jackson, 893
1867-73: Peirce, 1396	Whitney, 1867
1873-80: Patterson, 1389	Contentnea Creek;
1882-84: Hilgard, 801	improvement: Bixby, 103
1889-91: Mendenhall, 1187	Brown, 191
progress: Bache, 53	Craighill, 389
Coastal Plain,	Heap, 730
character: Mitchell, 1241	Johnston, 913
crctaceous: Stephenson, 1735; 1736	Lucas, 1114

Mercur, 1195	Rowan county: Eames, 523
Stanton, 1704	Laney, 1049
map: Map 400	Ledoux, 1063
Contentnea river, mouth to Stantonsburg;	Surry county: Mitchell, 1239
map: Map 471: Map 505	Swain county: Laney, 1050
Cooke, William D. North Carolina, out-	Virgilina district: Keller, 966
line map: Map 189	Weed, 1840; 1845; 1846
Cooke's new map: Map 228	Weed and Watson, 1847
opper deposits: 667: 1233; 1343; 1480	White, 1861
Currey and Proctor, 422	analysis: Watson, 1830; 1836
Dieffenbach, 500	Weed, 1846
Eames, 523; 524	metallurgy: Keith, 965
Hanna, 707	Wilkes county: Mitchell, 1239
Henrich, 759	indications: Shepard, 1637
Kerr and Hanua, 992	Copper Industry: Stevens, 1743
Kirchoff, 1018	Copper mines and mining:
Moxam, 1267	Eames, 525
Whitney, 1867	Jackson, 889; 896
Alamance county; analysis: Ledoux,	Conrad Hill mine: Boyd, 166
1061	Copper King mine: Keller, 966
Alleghany county: Currey, 421; 423	Copper Knob mine: Boyd, 167
Ashe county: Boyd, 169	Gold Hill district: Laney, 1049
Currey, 421; 423	Shepard, 1644
Mitchell, 1239	Weed, 1841
Weed, 1846	Granville county: Weed, 1842
Blue Ridge: Hunt, 866	Guilford county: Jackson, 894; 897
Cabarrus county; analysis: Genth, 631;	Hunt and Douglas process: Egleston
632; 646	536; 537; 538
Leeds and Partz, 1064	Hunt, 863; 872
Catoctin type: Weed, 1846	Jackson county: 380
Davidson county: Eames, 523	Ore Knob mine: Boyd, 167; 168 Currey, 421
analysis: Booth, 160	Eames, 523
Ducktown type: Weed, 1846 Eagle Creek: Laney, 1050	Hunt, 869; 870; 871
Gold Hill district: Laney, 1049	Olcutt, 1364
Ledoux, 1063	Weed, 1841
Weed, 1840; 1845	Person county: Weed, 1842
bibliography: Laney, 1049	Virgilina district: Keller, 966
Gold Hill type: Weed, 1846	Weed, 1842
Granville county: Judd, 937	western North Carolina: Holmes, 844
Nitze, 1306	Copper production: Struthers, Newland
Ricketts, 1559	and Fisher, 1752; Pratt, 1480
Watson, 1830	1899: Phillips, 1441
Weed, 1840; 1842	1905: Gold Hill district: Weed, 1843
Weed and Watson, 1847	1905: Virgilina district: Weed, 1843
Hazel Creek: Laney, 1050	1905-6: Ingalls, 880
Mecklenburg county : Leeds and Penman,	1907: Graton, 677
1069	Copper region,
Ore Knob mine: Olcutt, 1364	Alleghany county; map: Map 244
Wendt, 1851	Ashe county; map: Map 244
analysis: Egleston, 536	Copper veins, Jackson county: Weed, 1843
Person county: Judd, 937	Copper World copper mine: Weed, 1846
Nitze, 1306	Coral, fossil, see Paleotrochis
Phillips, 1440	Corals, fossil; Wilmington: Lonsdale, 1105
Pratt, 1501	Core Bank, geology: Cobb, 313
Ricketts, 1559	Core Sound
Watson, 1830	and straits; map: Map 278
Weed, 1840	description: l'hillips, 1418
Weed and Watson, 1847	map: Map 264; Map 135
White 1861	preliminary examination : Stanton 1799

survey: Kearney, 947	description: Jenks, 902
surveys and examinations: Kearney, 948	discovery, Macon county: Shepard, 1648
to Bogue Inlet: map: Map 480	western North Carolina: Lewis, 1089
Cornwall, Granville county, iron ores:	distribution: Lewis, 1088
Nitze, 1306	Pratt and Lewis, 1469
Corundophillite, Buncombe county:	formation: Pratt, 1492
Shepard, 1624	gem variety: Smith, 1683
analysis : Dana, 452	gems: Jenks, 900
Corundum: 1232: 1330	Macon county: Kunz, 1029
Dana, 445	occurrence: Pratt, 1470
Genth, 638	historicai notes: Jenks, 898
Jenks, 900	King, 1016
Judd, 936	industry, progress 1901-2; Pratt, 1499
Kunz, 1032; 1038	mines and mining: Lewis, 1088; 1089
Lewis, 1088	Pratt, 1488
Merrill, 1213	Pratt and Lewis, 1469
	Stone, 1748
Pennypacker, 1405	1897 : Acheson, 23
Pratt, 1491	
Pratt and Lewis, 1469	Buncombe county: Pratt, 1491
Smith, 1683	Clay county: Lewis, 1088
Buncombe county: Hunter, 874	Pratt, 1491
Clay county: Genth, 638	Iredell county: Lewis, 1088
Pratt, 1460	Jackson county: Pratt, 1491
Corundum Hill; Chatard, 258; 260	Macon county: Lewis, 1088
Gannett, 617	Pratt, 1491
Franklin: Jenks, 901	Madison county: Lewis, 1088
Leidy, 1075	origin: Pratt, 1491; 1492
historical notes: 382; 383	production: Parker, 1386: Pratt, 1480
Gaston county: Genth, 638	Raborg, 1532
Haywood county: Gannett, 617	1898-99: Ropes, 1587
Iredell county: Willcox, 1883	1906: Meeks, 1180
Jackson county: Gannett, 617	region; bibliography: Lewis, 1088
Genth, 638	Blue Ridge: Shepard, 1643
Pratt, 1460	geology: Lewis, 1088; 1089
Macon county: 384; 385	Pratt and Lewis, 1469
Acheson, 23	varieties: Pratt, 1488
Gannett, 617	Pratt and Lewis, 1469
Hidden, 770	Corundum Hill, 'dunite; analysis: Chatard,
Jenks, 901; 902	263
Leidy, 1075	origin: Chatard, 260
Pratt, 1460; 1493	gneiss; analysis: Chatard, 263
analysis: Jenks, 902	lucasite; analysis: Chatard, 261
Raymond, 1544	map: Map 566
Madison county: Gannett, 617	mine: Chatard, 258
Rutherford county: Genth, 638	Ropes, 1532; 1587
southwestern counties: Pratt, 1488	description: Acheson, 23
Statesville: Genth, 636	olivine; analysis: Chatard, 263
western North Carolina: Blake, 142	ruby; occurrence: Jenks, 899
Genth, 638	sapphire, occurrence: Jenks, 899
Holmes, 831	serpentine, analysis: Clarke and Schnei-
Parker, 1386	der, 285
Pratt, 1491	Counties,
Pratt and Lewis, 1469	description: Hale, 698
Smith, 1667	statistical: 1356
Corundum alteration: Penfield, 1404	names: Battle, 78
Clay county: Willcox, 1887	Cowee quadrangle; map: Map 727
Macon county: Willcox, 1887	Cowee veller why wine went D
associated minerals; Genth, 638	Cowce valley, ruby mine, report: Brown, 188
bibliography: Pratt and Lewis, 1469	
associated rocks: Kerr, 1001	Prince trade belotions:
2011, 1001	Brazier, Map 91

Cranberry	Crosby's mine, Cabarrus county: Genth,
district, structure: Keith, 955	632
folio: Keith, 953	Cross roads meteorite:
iron mine: Britton, 187	Brezina, 180
magnetite : Birklnbine, 96	Howell, 856
analysis: Chatard, 262	Cross rock shoal, Lockwood Folly river;
map: Map 543	map: Map 587
iron ores: Eckel, 532	Crowder's Mountain,
Keith, 957	lazulite: Shepard, 1638
magnetite: Chase, 257	pyrophillite: Shepard, 1638
Kimball, 1014	Crystal Palace exhibit, mineral species:
Smock, 1692	1229
analysis: Kimball, 1014	Crystalline rocks, decomposition; Blue
mining developments: 1275	Ridge: Hunt, 867
quadrangle: geologic maps: Map 653	Cullakenee mine:
map: Map 649	Gannett, 617
topographical map: Map 548	Genth, 638
topography: Kimball, 1014	Cullowee copper mine: Weed, 1842
Craven area,	Culsagee mine:
soil survey: Smlth, 1691	Genth, 638 Jenks, 902
soils: Whitney, 1870	Shepard, 1643
analyses : Smith, 1691	staurolite: Rammelsberg, 1535
county; map; Map 754	Culsageeite, Jenks mine: Cooke, 369
organic remains: Croom, 458	Cumberland county, feldspar, analysis
parts of; map: Map 174	Ledoux, 1061
swamp lands: 1318	Currituck Banks, geology: Cobb, 314
Ashe, 39	Currituck
Craven soil map: Map 676	Beach and Oregon Inlet; map: Map 378
Crawford gold mine:	Inlet, closing: Wieland, 1876
Nitze, 1293	Sound, canal to connect with Albemark
Nitze and Wilkens, 1305	and Pamlico: 25
Cretaceous:	Coanjok Bay; North river, improve
Holmes, 832; 836	ment: Mercur, 1196
Lyell, 1124	improvement: Fiebeger, 579
Stephenson, 1730	Hinman, 809
Cape Fear river: Emmons, 567	Phillips, 1425
deposits: Clark, 281	map: Map 356; Map 368
Ruffin, 1593	Cyanite,
eastern North Carolina : Hodge, 827	analysis: Smith and Brush, 1676
map: Map 718	Bakersville: Kunz, 1037
Snow Hill: Perry, 1410	Lincoln county: Hunter, 874
fauna : Boyle, 170	Mitchell county: Pratt, 1477; 1487
formation: Miller, 1228	Yancey county: Pratt, 1477; 1487
Morton, 1260; 1261; 1262; 1263	D. M. & S. W. R. R., First division, plan
Stephenson, 1735	Map 774
White, 1859	Dahlonega quadrangle; map: Map 661
fossils: Conrad, 352	Dan river basin, triassic coal deposit
Gabb, 612	Nitze, 1304
Marsh, 1168	Dan river coal: 254
Wilmington, 1261	Emmons, 557; 567
Conrad, 363	Heinrich, 755 Jones, 932
strata: Stanton, 1700	
Croatan Sound,	Macfarlane, 1146 analyses: Woodworth, 1929
plan showing embankments and inlets;	Dan river
map: Map 93	coalfield, mesozoic flora: Weed, 1825
survey; map: Map 142	coal formation: Miller, 1228
surveys and examinations: Kearney,	discharge measurements: Grover, 683
948	Grover and Hoyt, 682

Deep borings: Darton, 453

Hoyt, 857 Deep Creek, Va., and Joyce's Creek, N. C., Newell, 1283 canal, examination: Kearney, 949 drainage: Gannett, 621 Deep river and Cape Fear river, improvegauge heights: Grover, 683 ment; report of progress: Douglas. Hoyt, S57 Newell, 1283 Deep river coal: 185: 306 Improvement: Abert, 11 Chance, 252; 253; 254 Fulton, 607 Daddow, 437 Madison, North Carolina, to Danville. Emmons, 557; 567 Virginia: map: Map 470 Gemmel, 627 survey: Abert, 21 Hale, 698 syncline, description: Weaver, 1838 Heinrich, 756 Danbury, iron ores; map: Map 547 Hillyard, 806 Dare county, lands of Eastern North Caro-Jackson, 885; 886; 887; 889; 891; 892 lina Land, lumber & M'f'g Co.: Johnson, 904; 905 Map 466 Jones, 932 Dare county; Oregon Inlet, examination: Macfarlane, 1146 Mercur, 1190 Olmsted, 1370 Davidson copper mining co., prospectus: age: Rogers, 1578 analysis: Ashburner, 36 458 Johnson, 904; 905 Davidson county: 1480 Tuttle, 1791 Conrad Hill mine: Woodworth, 1929 Jackson, 893 field; map: Map 439 Whitney, 1867 copper ores: Eames, 523 map: Emmons, Map 222; Map 230 analyses: Booth, 160 mesozoic flora: Ward, 1825 gold: Graton, 679 formation: Miller, 1228 Hodge, S26 Deep river coal and iron company, de-Kerr, 1008 scription: 487 gold mine: Andresen, 31 river, discharge measurements: Hepler and College mines: Petherick, Newell, 1282; 1284 1412 Deep river district, iron ore; analyses; Booth, 160 coal deposits: Wilkes, 1881 Sergeant, 1617 iron deposits: Wilkes, 1881 lead ore: analysis: Booth, 160 map: Map 238 Lick Creek meteorite: Venable, 1805 routes connecting; map: Map 236 map: Map 498 fossils: Jackson, SS7; S91 meteorite: Cohen, 334 gauge heights: Newell, 1281 analysis: Pratt, 1496 improvement: Guynn, 687 mine, see Silver Hill mine iron: Emmons, 562 minerals: Hodge, 826 iron ore; analyses: Emmons, 552 scheelite: Genth, 632 map: Map 323 Silver Hill mine: 1652 mineral resources: Laidley, 1048 Jackson, 897 mining and transportation company, re-Schoonmaker, 1605 port: Johnson, 907 silver ores: Kunz, 1039 mining and transportation company's analysis: Booth, 160 coal mines; map: Map 181 tetradymite: Burkart, 221 analysis: Genth, 631; 632 navigation; map: Map 182 pyrophyllite; analysis: Brush, 213 discovery: Genth, 635 Clarke and Steiger, 286 volcanic rocks: Williams, 1889 Washington silver mine: Taylor, 1764 report on: Thompson, 1770 wolframite: Genth, 632 site for national foundry: Emmous, 552; zinc ores, analysis: Booth, 160 560:561 Davie county; gabbro-diorite: Watson, survey: Craighill, 400 1834 syncline, description: Weaver, 1838 De Bry's map: Map 1 timber: Laidley, 1048 Decomposition, crystalline rocks, triassic: Cobb, 309 Blue Ridge: Hunt, 867 Deep Springs meteorite:

Venable, 1805

analysis: Cohen, 329	Dismai swamp, description:
Farrington, 577	Hunter, 873
Deep waters: McCarthy, 1136	King, 1017
Deep wells: Fuller and Sanford, 602	Dismal swamp district;
Denison, J. North and South Carolina;	geology: Ruffin, 1591
map: Map 71	Shaler, 1618
Diabase, Mitchell county, analysis: Hille-	sketch map: Map 502
brand, 804	topography: Ruffin, 1591
Diabase dike :	Dismal swamp,
Ayres, 45	fossil mollusks: Woolman, 1930
Cooper, 370	map: Map 139
Hall, 699	origin: Ruffin, 1592
Lewis, 1092; 1093	peat: Wieland, 1877
Woodhouse, 1927; 1928	Dog-tooth spar, New Hanover county;
Diamond: 1339; 1349	analysis: Phillips, 1437
Kunz, 1032	Dolerite, Wadesboro: Chatard, 259
Pratt, 1470	
Dysartville: Kunz, 1041	Dolomite: Merrill, 1212; 1218
Lincoln county: Hunter, 874	Donax emmonsii Dall, Cape Fear river:
	Dall, 444
McDowell county: Kunz, 1041	Donax idonea Conrad: Dall, 444
Mecklenburg county: Hunter, 874	Donax idoneus Conrad: 350
Pioneer Mills: Shepard, 1637	Donax oequilbrata Dall, Cape Fear river:
Rutherford county: 492	Dall, 444
Hunter, 874	Drainage:
Shepard, 1626	Campbell, 233
Diaspore; Macon county: Trautwine, 1787	Gannett, 621
Dickson mine: Fleury, 584	Grover, 683
Dictyocephalus elegans: Leidy, 1077	Kerr, 1005
Dike, diabase:	basius, description: Myers, 1274
Ayres, 45	eastern North Carolina: Kerr, 1011
Cooper, 370	map: Map 579
Hall, 699	swamp lands: Guynn, 688
Lewis, 1092; 1093	Kerr, 1006
Woodhouse, 1927; 1928	swamps, Bladen county: Fulton, 605
Dikes: Hobbs, 825	607; 1324
Diorite,	Columbus county: Fulton, 605; 607
Gold Hill district; analysis: Laney,	1324
1049	western North Carolina: Willcox, 1884
Mitchell county; analysis: Hillebrand,	Drepanodon impar: Leidy, 1077
804	Drift soils, tobacco region: Kerr, 1004
Discharge measurements, river stations:	Drometherium, type specimen, description
Davis, 459; 460	Osborn, 1377
Grover and Hoyt, 682	Drometherium sylvestre:
Hoyt, 857	Leidy, 1072; 1074
Newell, 1281; 1282; 1283; 1284	Osborn, 1378
Dismal swamp and adjacent parts; map:	Drum Inlet, preliminary examination:
Map 763	Bixby, 124
Dismal swamp canal: 506; 507	Stanton, 1724
building: Weaver, 1837	Ducktown type, copper deposits: Weed
description: Phillips, 1418	1846
map: Map 365; Map 366; Map 369;	Duel Hill meteorite:
Map 589; Map 764	Brezina, 180; 181; 182; 183
map: Walton, Map 299	Buchner, 215
plan: Map 111	Venable, 1805
Brazier, Map 113	analysis: Burton, 225
progress: Gallatin, 614; 615	Farrington, 577
survey: Craighill, 401	Smith, 1677
and North Carolina sounds, waterways,	properties: Cohen, 328
surveys: Casey, 248	relation of nickel and cobalt to iron
to Winyaw Bay, survey: Kearney, 947	Cohen and Weinschenk, 327

Dunite: Julien, 939; Pratt and Lewis,	Eastern counties,
1469	phosphate: Day, 468
Corundum Hill; analysis: Chatard, 263	soils: Emmons, 568
origin : Chatard, 260	Eastern North Carolina,
decomposition: Julien, 943	drainage: Kerr, 1011
Franklin: Wadsworth, 1813	eocene: Kerr, 973
Webster: Wadsworth, 1813	gold mining: Maxwell, 1175 limestone: Olmsted, 1371
Dunn's mine, Mccklenburg county: Wheel-	marl: Kerr, 979
er, 1857 Duplin and Sampson counties, phosphate	Olmsted, 1371
beds; map: Map 430	analyses: Kerr, 979
Duplin canal: 879	natural resources: Emmons, 568
Duplin county, fossils:	Norfolk Southern Railroad; map: Map
Conrad, 360; 361	421
Cope, 378	rivers; map: Map 518
Gibbes, 645	topographic map: Map 257
miocene shells: Conrad, 353	topography: Kerr, 1011
Dall and Harris, 442 .	Economic geology: 1480
phosphate; analysis: Dabney, 430	Holmes, 834
phosphate deposits: Phillips, 1446; 1447	Kerr, 1001
Winslow, 1905	Edenton and Norfolk, roads and country
soil map: Map 709	between; map: Map 764
soil survey: Root and Hurst, 1586	Edenton Bay, improvement: 1528
soils; analyses: Root and Hurst, 1586	Hinman, 810
swamp lands: 879	Winslow, 1908
Ashe, 39	map: Map 326; Map 418; Map 460
tertiary fossils: Dall, 439 Durgy copper mine:	portion of; map: Map 652
Keller, 966	preliminary examination: Mercur, 1209
Weed, 1842; 1846	Edenton Harbor, examination: Abert, 10
Durham county,	examination and survey: Craighill, 402
deep borings: Darton, 453	improvement: Phillips, 1426
map: Map 465	Edenton quadrangle; map: Map 678
Durham water : analysis : Venable, 1804	Edgecombe county,
Durham's estuary, preliminary examina-	fossils: Cope, 378
tion: Stanton, 1725	map: Map 691
Dysartville, diamond: 1349	marl deposits: 1442
Kunz, 1041	mesoteras: Cope 373
list of minerals from: 1230	phosphate deposits: 1442
Eagle and Hazel Creek watersheds: Laney,	Edisonite, analysis: Hidden, 799
Map 711	Elizabeth river, connection North Carolina
Eagle Creek, copper ores: Laney, 1050	waters: Kearney, 950
Earth, rotation, effect on streams:	Elk Knob mine:
Cobb, 312	Boyd, 167; 168
Kerr, 1011	Currey, 421
Earthquake:	Elienboro meteorite:
Alvord, 28	Eakins, 519
Bald Mountain: 527	Venable, 1805
Bradley, 174	Ellijay quadrangle; map: Map 662
shocks: Topley, 1783	Emerald and Hiddenite mine:
Earthquakes:	Hidden, 785
Clingman, 294; 298	Hidden and Washington, 769
Du Pré, 516	Miers, 1226
McDowell county: Rockwood, 1573	vom Rath, 1543
Raleigh: Mitchell, 1246	description: 547
Eastern and Southern States, tertiary	Emerald: 1339; 1470; 1616
geology; map: Hellprin, Map 431	Alexander county: Hidden, 772; 781
Eastern Carolina gold belt: Nitze and	Kunz, 1029; 1031
Hanna, 1291	Mitchell county: Kunz, 1040

discovery: Hldden, 766; 785	Feldspars: 1480
historical notes : Hidden, 771	experiments: Day and Allen, 467
Emery: 1469; 1480	physical properties: Penfield, 1402
Buncombe county: Hunter, 874	Fentress mine: 667
Macon county: Judd, 936	Guilford county: Whitney, 1867
Skeena Creek: Parker, 1386	Ferguson (Haywood county) meteorite:
production: Parker, 1386	Kunz, 1036
Emmons, E. Biographical notice: Marcou,	Venable, 1805
1160; 1162	Fergusonite:
Deep river coalfield; map: Map 222;	Hidden, 778
Map 230	Seaman, 1615
Gold Hill and vicinity; map: Map 221	Shepard, 1634
sketch of: 1661	analysis: Hidden, 777; 782
Perry, 1409	Smith, 1672
Empire gold mining company, report on	Ferruginous sand, Cape Fear river: Rog-
property: Miller, 1183	ers, 1576
Englishmen in Virginia, arrival of; map:	Fire clay: 1339
Map 2	Phillips, 1445
Enstatite,	Fisher Hill gold ores:
Clay county; analysis: Pratt, 1476	Eights, 542
Jackson county; analysis: Pratt, 1476	Ricketts, 1559
Macon county; analysis: Pratt, 1476	Fishing Creek, improvement:
Eocene	Brown, 192
Lyell, 1124	Craighill, 390
Cape Fear river: Rogers, 1575	Johnston, 914
Eocene deposits:	Lucas, 1115
Clark, 281	Stanton, 1705
eastern North Carolina: Kerr, 973	Winslow, 1909
formation: Clark, 279	preliminary examination: Bixby, 118
fossils; Wilmington: Conrad, 363	Flat Rock mine,
Epidote-chlorite-schist, analysis: Hille-	gummite: Kerr, 986 analysis: Pratt, 1507
brand, 804	phosphuranylite: Pratt, 1507
Equus complicatus: Leidy, 1078	analysis: Genth, 639
Erosion: Ashe, 40	uraconite: Kerr, 986
Euxenite:	uraninite: Hidden, 776
Smith. 1681	Kerr, 986
action of fluorhydric acid on: Smith,	Pratt, 1507
1672	analysis: Hillebrand, 805
analysis: Smith, 1672	Pratt, 1507
radioactivity: Kunz and Baskerville,	uranium minerals: Genth, 639
1028	uranophane: Pratt, 1507
Ezoic formation:	uranotil, analysis: Genth, 639
Credner, 417	Flood, Catawba river valley: Harris, 717
Hunt, 868	Flood flow, Cape Fear river: Murphey,
Falkland quadrangle; map: Map 679	1272
Faries mine:	Flowe mine, scheelite: Genth, 633
Graton, 676	Forest conditions, western North Carolina:
Graton and Schaller, 678	Ayres and Ashe, 43; 44
Farrer map: Map 5	Pratt, 1503
Faults: Keith, 954	Forest reserve, southern Appalachians:
Fauna, cretaceous: Boyle, 170	592; 1512
Fayetteville	Roosevelt, 1585
canal, report on progress: Fulton, 608	Forest resources: Ashe, 38
meteorite: 227	Forests:
Salem to Fayetteville; map: Brazier,	Blome, 150
Map 102	Cobb, 307
to Virginia line; plan: Map 101	Strother, 1750
Feldspar, green; analysis: Ledoux, 1061	southern Appalachians: Roosevelt, 1585

Ashe, 43; 44 Reed, 1548 Forsyth county: 1480 hematite: analysis: Manning, 1159 Wilson, 1898 Iron ores: analyses: Sergeant, 1617 map: Map 601 meteorite, analysis: Cohen, 330; 336 de Schweinitz, 1610 Fossil bones, Halifax county: Cope, 373 minocene: 1362 tertiary, News eriver: Foster, 593 Wayne county: Cope, 373 mammals: Leidy, 1073 mollusks, Dismal swamp: Woolman, 1930 plants: Emmons, 563; 565 Fontaine, 586; 587; 589 Cape Fear river: Eerry, 91; 93 Neuse river: Berry, 92; 93 Rockish creek: Berry, 94 triassic area: Ward, 1820 shells, description (Conrad): Kerr, 1001 Duplin county: Conrad, 360; 361 Neuse river, 18t: Conrad, 362; 364 Newbern: Conrad, 349 tertlary: Reddied, 1546 Wilmington: Conrad, 349 Tuomey, 1789; 1790 Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, 827 Kerr, 1001 Leidy, 1074; 1076 Leys (Per Fackson, 887; 891 Duplin county: Gibbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Sanow Hills: Gabb, 612 Willington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Thomey, 1789; 1790 coal-bearing rocks: Rogers, 1553 erctaceous: Gabb, 612 Warsh, 1108	western North Carolina: Ayres and	Miller, 1228
Forsyth county: 1480 hematite: analysis: Manning, 1150 Wilson, 1808 lron ores: analyses: Sergeant, 1617 map: Map 601 meteorite, analysis: Cohen, 330; 336 de Schweinitz, 1610 Fossil bones, Halifax county: Cope, 373 milocene: 1362 tertlary, Neuse river: Foster, 593 Wayne county: Cope, 373 malmmals: Leidy, 1073 mollusks, Dismal swamp: Woolman, 1930 plants: Emmons, 563; 565 Fontaine, 586; 587; 589 Cape Fear river: Berry, 92; 93 Rockish creek: Berry, 94 triassic area: Ward, 1826 shells, description (Conrad): Kerr, 1001 Duplin county: Conrad, 360; 361 Neuse river, 181: Conrad, 362; 364 Newbern: Conrad, 349 Tuomey, 1789; 1790 Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, 827 Kerr, 1001 Leidy, 1074; 1676 Deep river: Jackson, 887; 891 Duplin county: Glibbes, 654 Lenoir county: Leidy, 1078 Sampson county: Leidy, 1078 Show Hill: Gabb, 612 Willingston: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 Tuomey, 1789; 1790 Tuomey, 1789; 1790 Coa-bearing rocks: Rogers, 1583 erchecous: Kabb, 612	Ashe, 43; 44	Stephenson, 1735
hematite; analysis; Manning, 1159 Wilson, 1898 Iron ores; analyses; Sergeant, 1617 map; Map 601 meteorite, analysis; Cohen, 330; 336 de Schweinitz, 1610 Fossil bones, Hallfax county; Cope, 373 mlocene; 1362 tertlary, Neuse river; Foster, 593 Wayne county; Cope, 373 mammals; Leidy, 1073 mollusks. Dismal swamp; Woolman, 1930 plants; Emmons, 563; 565 Fontaine, 586; 587; 589 Cape Fear river; Berry, 91; 93 Neuse river; Berry, 92; 93 Rockish creek; Berry, 94 triassic area; Ward, 1826 shells, description (Conrad); Sterr, 1001 Duplin county; Conrad, 360; 361 Neuse river, Ilst; Conrad, 362; 364 Newbern; Conrad, 349 tertlary; Redfield, 1546 Wilmington; Conrad, 360; 361 Neuse river; Redfield, 1546 Wilmington; Conrad, 349 tertlary; Miller, 1228 Knowtlon, 1020 Franklin, corundum; Jeuks, 901 Leidy, 1073 dunite; Wadgartangle; map; Map 742 Franklin, corundum; Jeuks, 901 Leidy, 1075 dunite; Wadgarangle; map; Map 742 Franklin, corundum; Jeuks, 901 Leidy, 1075 franklin, corundum; Jeuks, 901 Leidy, 10		mesozoic: Rogers, 1575
Wilson, 1898 iron ores: analyses: Sergeant, 1617 map: Map 601 meteorite, analysis: Cohen, 330; 336 de Schweinitz, 1610 Fossil bones, Halifax county: Cope, 373 minocene: 1362 tertiary, Neuse river: Foster, 593 Wayne county: Cope, 373 manmals: Leidy, 1073 mollusks, Dismal swamp: Woolman, 1930 plants: Emmons, 563; 565 Fontaine, 586; 587; 589 Cape Fear river: Berry, 91; 93 Rockfish oreek: Berry, 94 trlassle area: Ward, 1826 shells, description (Conrad): Kerr, 1001 Duplin county: Conrad, 360; 361 Neuse river, 181: Conrad, 362; 364 Newbern: Conrad, 349 tertlary: Redfield, 1546 Wilmington: Conrad, 349 tertlary: Redfield, 1546 Wilmington: Conrad, 349 Tuomey, 1789; 1790 Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, 827 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leidy, 1074; 1676 Deep river: Jackson, 887; 891 Duplin county: Glibbes, 654 Lenoir county: Leidy, 1078 Limber, 1298 Rogers, 1576 triassic: Miller, 1228 Rogers, 1576 tranklin, county: Gand Schneider, 284 rhodolite: Hidden and Pratt, 791 ruby: Kunz, 1045 Franklin, county: 1480 asbestos: Merull, 1813 kerrice; analysis: Clarke and Schneider, 284 rhodolite: Hidden and Pratt, 791 ruby: Kunz, 1045 Franklin, county: 1480 asbestos: Merull, 1812 uranium: Reso, 765 Franklin, county: 1480 asbestos: Merull, 1812 asbestos: Merull, 1812 Rogers, 1576 dunite: Wadsworth, 1813 asertice; a	Forsyth county: 1480	
iron ores; analyses; Sergeant, 1617 map: Map 601 meteorite, analysis; Cohen, 330; 336 de Schweinitz, 1610 fossil bones, Halifax county; Cope, 373 molocene; 1362 tertiary, Neuse river; Foster, 593 Wayne county; Cope, 373 mollusks. Dismal swamp: Woolman, 1930 plants; Emmons, 563; 565 Fontaline, 586; 587; 589 Cape Fear river: Berry, 91; 93 Neuse river: Berry, 92; 93 Rockish creek: Berry, 94 triassic area; Ward, 1826 shells, description (Conrad); Kerr, 1001 Duplin county; Conrad, 360; 361 Neuse river, list: Conrad, 362; 364 Newbern: Conrad, 349 tertlary; Redfield, 1546 Wilmington: Conrad, 349 tertlary; Redfield, 1546 Wilmington: Conrad, 349 tertlary; Miller, 1228 Knowton, 1020 Leidy, 1073 mollusks. Dismal swamp: Woolman, 1930 plants; Emmons, 565; 565 Fontaline, 586; 587; 589 Cape Fear river: Berry, 92; 93 Rockish creek: Berry, 94 triassic area; Ward, 1820 Leidy, 1075 analysis: Clarke and Schneider, 284 rhodolite: Hidden and Pratt, 791 ruby: Kunz, 1045 Franklin, coundum: 1930 leidy, 1075 dunite: Wadsworth, 1813 kerrite; analysis: Clarke and Schneider, 284 rhodolite: Hidden and Pratt, 791 ruby: Kunz, 1045 Franklin, corundum: 1930 Leidy, 1075 dunite: Wadsworth, 1813 kerrite; analysis: Clarke and Schneider, 284 rhodolite: Hidden and Pratt, 791 ruby: Kunz, 1045 Franklin, corundum: 1930 asbestos: Wertile, 1228 Knowton, 1020 Leidy, 1075 dunite: Wadsworth, 1813 kerrite; analysis: Clarke and Schneider, 284 rhodolite: Hidden and Pratt, 791 ruby: Kunz, 1045 Franklin, coundum: 1930 asbestos: Wertile, 1224 gold: Crosby, 419 map: Map 151 map: Fuller, Map 308 natural resources; Green and Arrington, 681 uranium: Hess, 765 Franklin, corundum: 1930 asbestos: Ward, 1826 franklin, coundum: 1930 Leidy, 1075 dunite: Wadsworth, 1813 kerrite; analysis: Clarke and Schneider, 284 rhodolite: Hidden and Pratt, 791 ruby: Kunz, 1045 Franklin, coundum: 1930 asbestos: Werrill; 1214 gold: Crosby, 419 map: Map 151 map: Fuller, Map 308 natural resources; Green and Arrington, 681 uranium: Hess, 765 Franklin, corundum: 1930 Leidy, 1074 Ayres and Ashe,	hematite; analysis: Manning, 1159	
map: Map 601 meteorlte, analysis: Cohen, 330; 336 de Schweinitz, 1610 Fossil bones, Halifax county: Cope, 373 milocene: 1362 tertiary, Neuse river: Foster, 593 Wayne county: Cope, 373 mammals: Leidy, 1073 mollusks, Dismal swamp: Woolman, 1930 plants: Emmons, 563; 565 Fontaine, 586; 587; 589 Cape Fear river: Berry, 91; 93 Rockfish creek: Berry, 94 trlassic ara: Ward, 1826 shells, description (Conrad): Kerr, 1001 Duplin county: Cornad, 360; 361 Neuse river, Ilst: Conrad, 362; 364 Newbern: Conrad, 349 trettary: Redfield, 15-16 Wilmington: Conrad, 349 Tuomey, 1789; 1790 Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, 827 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leldy, 1074; 1076 Deep river: Jackson, 887; 891 Duplin county: Gibbes, 654 Lenoir county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lousdale, 1105 Tuomey, 1789; 1790 Tuomey, 1789; 1790 Tuomey, 1789; 1790 Fyrit county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lousdale, 1105 Tuomey, 1789; 1790 Tuomey, 1789; 1790 Tuomey, 1789; 1790 The county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lousdale, 1105 Tuomey, 1789; 1790 Tuomey, 1789; 1790 Tuomey, 1789; 1790 The county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lousdale, 1105 Tuomey, 1789; 1790 Tuomey, 1789; 1790 Tuomey, 1789; 1790 The county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lousdale, 1105 Tuomey, 1789; 1790 Tuomey, 1789; 1790 Tuomey, 1789; 1790 The county: Cope, 375 Snow Hill: Gabb, 612 Snow Hill: Gabb, 612 Tuomey, 1789; 1790 The county: Cope, 375 Snow Hill: Gabb, 612 Tuomey, 1789; 1790 The county: Cope, 375 Snow Hill: Gabb, 612 The county: Cope, 375 Snow Holl: Gabb, 612 The county: Cope, 375 Snow Holl: Gabb, 612 The county: Cope, 375 Snow Holl: Gabb, 612 The county: Cope, 375 Snow		
meteorite, analysis: Cohen, 330; 336 de Schweinitz, 1610 Fossil bones, Halifax county: Cope, 373 molocene: 1362 tertiary, Neuse river: Foster, 593 Wayne county: Cope, 373 mollusks. Dismal swamp: Woolman, 1930 plants: Emmons, 563; 565 Fontaine, 586; 587; 589 Cape Fear river: Berry, 91; 93 Rockfish creek: Berry, 94 triassic area: Ward, 1826 shells, description (Conrad): Kerr, 1001 Duplin county: Conrad, 360; 361 Neuse river, 18st; Conrad, 362; 364 Newbern: Conrad, 349 tertiary: Redfield, 1546 Wilmington: Conrad, 349 tertiary: Redfield, 1546 Wilmington: Conrad, 349 triassic: Miller, 1228 Knowlton, 1020 Four Oaks quadrangle; map: Map 742 Franklin, corundum: Jenks, 901 Leidy, 1073 dunite: Wadsworth, 1813 kerrite; analysis: Clarke and Schneider, 284 rhodolite: Hidden and Pratt, 791 ruby: Kunz, 1045 Franklin county: Lidy franklin, corundum: Jenks, 901 Leidy, 1075 dunite: Wadsworth, 1813 kerrite; analysis: Clarke and Schneider, 284 rhodolite: Hidden and Pratt, 791 ruby: Kunz, 1045 Franklin county: Lidy franklin, corundum: Jenks, 901 Leidy, 1075 dunite: Wadsworth, 1813 kerrite; analysis: Clarke and Schneider, 284 rhodolite: Hidden and Pratt, 791 ruby: Kunz, 1045 Franklin, corundum: Jenks, 901 Leidy, 1075 dunite: Wadsworth, 1813 kerrite; analysis: Clarke and Schneider, 284 rhodolite: Hidden and Pratt, 791 ruby: Kunz, 1045 Franklin county: Lidy nap: Map 151 map: Fuller, Map 308 saturanium: Hess, 765 Franklin to Georgia line; map: Map 357 description: 1374 Ayres and Ashe, 44 discharge measurements: Newell, 1284 dis		
Fossil bones, Halifax county: Cope, 373 mlocene: 1362 tertiary, Neuse river: Foster, 593 Wayne county: Cope, 373 mollusks. Dismal swamp: Woolman, 1930 plants: Emmons, 563; 565 Fontaine, 586; 587; 589 Cape Fear river: Eerry, 91; 93 Rockfish creek: Berry, 94 trlassic area: Ward, 1826 shells, description (Conrad): Kerr, 1001 Duplin county: Conrad, 360; 361 Neuse river, 181: Conrad, 362; 364 Newbern: Conrad, 349 Tuomey, 1789; 1790 Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, 827 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Lendy, 1074; 1076 Deep river: Jackson, 887; 891 Duplin county: Gibbes, 654 Lenoir county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lousdale, 1105 Tuomey, 1789; 1790 Tuomey, 1789		
Fossil bones, Hallfax county: Cope, 373 molocene: 1362 tertiary, Neuse river: Foster, 593 Wayne county: Cope, 373 mollusks. Dismal swamp: Woolman, 1930 plants: Emmons, 563; 565 Fontaine, 586; 587; 589 Cape Fear river: Berry, 91; 93 Neuse river: Berry, 92; 93 Rockifsh creek: Berry, 94 triassic area: Ward, 1826 shells, description (Conrad): Kerr, 1001 Duplin county: Conrad, 360; 361 Neuse river, 11st: Conrad, 360; 361 Neuse river, 11st: Conrad, 360; 361 Neuse river, 11st: Conrad, 362; 364 tertlary: Redfield, 15-16 Wilmington: Conrad, 349 tertlary: Redfield, 15-16 Wilmington: Conrad, 349 tertlary: Redfield, 15-16 Wilmington: Conrad, 349 Thomey, 1789; 1790 Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, S27 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leidy, 1074; 1c76 Deep river: Jackson, 887; 891 Duplin county: Gibbes, 654 Lenoir county: Leidy, 1078 Sampson county: Cope, 378 Sampson county: Cope, 376 Sampson county: Cope, 3775 Sonow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lousdale, 1105 Tuomey, 1789; 1790 Tuomey, 1		
Hallfax county: Cope, 373 mlocene: 1362 tertlary, Neuse river: Foster, 593 Wayne county: Cope, 373 mammals: Leidy, 1073 mollusks. Dismal swamp: Woolman, 1930 plants: Emmons, 563; 565 Fontaine, 586; 587; 589 Cape Fear river: Berry, 91; 93 Rockfish creek: Berry, 92; 93 Rockfish creek: Berry, 94 trlassic area: Ward, 1826 shells, description (Conrad): Kerr, 1001 Duplin county: Conrad, 360; 361 Neuse river; Isci Conrad, 362; 364 Newbern: Conrad, 349 tertlary: Redfield, 1546 Wilmington: Conrad, 349 tertlary: Redfield, 1546 Wilmington: Conrad, 349 Tuomey, 1789; 1790 Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, 827 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leidy, 1074; 1076 Deep river: Jackson, 887; 891 Duplin county: Gibbs, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Hodolite: Hidden and Pratt, 791 ruby: Kunz, 1045 Franklin, county: 1480 asbestos: Merrill, 1214 gold: Crosby, 419 map: Map 151 map: Fuller, Map 308 natural resources: Green and Arrington, 681 uranium: Hess, 765 Franklin to Georgia line; map: Map 134 French Broad river: Waddell, 1812 Brevard to Smith's bridge: Map 357 description: 1374 Ayres and Ashe, 44 discharge measurements: Newell, 1284 drainage: Campbell, 283 Gannett, 621 drainage basins: Pressey, 1513 examination: McFarland, 1143; 1144 gauge heights: Newell, 1282; 1284 hydrographic basin: Kerr, 993 improvement: Abert, 12 Prost action: Mergaland, 1143; 1144 gauge heights: Nap 297; Map 478 Surper and solution: Mergaland, 1143; 1144 gauge heights: Nap 297; Map 297; Map 478 Surper and solution: Mergaland, 1143; 1144 gauge heights: Nap 297; Map 297; Map 478 Surper and solution: Mergaland, 1143; 1144 gauge heights: Nap		
Jenks, 901 Leldy, 1073 manmals: Leidy, 1073 mollusks, Dismal swamp: Woolman, 1930 plants: Emmons, 563; 565 Fontaine, 586; 587; 589 Cape Fear river: Berry, 91; 93 Rockfish creek: Berry, 94 trlassic area: Ward, 1826 shells, description (Conrad): Kerr, 1001 Duplin county: Conrad, 360; 361 Neuse river, list: Conrad, 362; 364 Newbern: Conrad, 349 tertlary: Redfield, 1546 Wilmington: Conrad, 349 tertlary: Redfield, 1546 Wilmington: Conrad, 349 Thomey, 1789; 1790 Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, 827 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leidy, 1074; 1076 Deep river: Jackson, 887; 801 Duplin county: Cibbes, 654 Lenoir county: Leidy, 1078 Sampson county: Cope, 375 Sanow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 Tuomey, 1789; 1790 Tuomey, 1789; 1790 Thomey, 1789; 1790		
tertiary, Neuse river: Foster, 593 Wayne county: Cope, 373 mammals: Leidy, 1073 mollusks. Dismal swamp: Woolman, 1930 plants: Emmons, 563; 565 Fontaine, 556; 587; 589 Cape Fear river: Berry, 91; 93 Neuse river: Berry, 92 93 Rockfish creek: Berry, 94 trlassic area: Ward, 1826 shells, description (Conrad): Kerr, 1001 Duplin county: Conrad, 360; 361 Neuse river, list: Conrad, 362; 364 Newbern: Conrad, 349 trettary: Redfield, 1546 Wilmington: Conrad, 349 Tuomey, 1789; 1790 Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, 827 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 508 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leidy, 1074; 1076 Deep river: Jackson, 887; 801 Duplin county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsddle, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaccous: Gabb, 612 Wilnor, 137 Tuomey, 1789; 1790 Coal-bearing rocks: Rogers, 1583 cretaccous: Gabb, 612		1 Control of the cont
wayne county: Cope, 373 mammals: Leidy, 1073 mollusks, Dismal swamp: Woolman, 1930 plants: Emmons, 563; 565 Fontaine, 586; 587; 589 Cape Fear river: Berry, 91; 93 Rockfish creek: Berry, 94 trlassic area: Ward, 1826 shells, description (Conrad): Kerr, 1001 Duplin county: Conrad, 360; 361 Neuse river: Berry, 94 trlassic area: Ward, 1826 shells, description (Conrad): Kerr, 1001 Duplin county: Conrad, 360; 361 Neuse river: Erroad, 349 tertlary: Redfield, 1546 Wilmington: Conrad, 349 Tuomey, 1789; 1790 Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, 827 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leldy, 1074; 1076 Deep river: Jackson, 887; 891 Duplin county: Gibbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Sampson co		
mammals: Leidy, 1073 mollusks. Dismal swamp: Woolman, 1930 plants: Emmons, 563; 565 Fontaine, 586; 587; 589 Cape Fear river: Berry, 91; 93 Neuse river: Berry, 92; 93 Rockfish creek: Berry, 94 triassic area: Ward, 1826 shells, description (Conrad): Kerr, 1001 Duplin county: Corrad, 360; 361 Neuse river, list: Corrad, 360; 361 Neuse river, list: Corrad, 360; 361 Neuse river, list: Corrad, 362; 364 Newbern: Conrad, 349 Tromey, 1789; 1790 Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, 827 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 508 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leidy, 1074; 1076 Deep river: Jackson, 887; 891 Duplin county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 eretaccous: Gabb, 612		
mollusks, Dismal swamp: Woolman, 1930 plants: Emmons, 563; 565 Fontaine, 586; 587; 589 Cape Fear river: Berry, 91; 93 Neuse river: Berry, 92; 93 Rockfish creek: Berry, 94 trlassle area: Ward, 1826 shells, description (Conrad): Kerr, 1001 Duplin county: Conrad, 360; 361 Neuse river, list: Conrad, 362; 364 Newbern: Conrad, 349 tertlary: Redfield, 1546 Wilmington: Conrad, 349 Tuomey, 1789; 1790 Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, 827 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leldy, 1074; 1076 Deep river: Jackson, 887; 891 Duplin county: Glbbes, 654 Lenoir county: Leldy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 Coal-bearing rocks: Rogers, 1583 cretaceous: Gabb, 612		
rhodolite: Hidden and Pratt, 791 ruby: Kunz, 1045 Fontaine, 586; 587; 589 Cape Fear river: Berry, 91; 93 Neuse river: Berry, 92; 93 Rockfish creek: Berry, 94 trlassic area: Ward, 1826 shells, description (Conrad): Kerr, 1001 Duplin county: Cornad, 360; 361 Neuse river, list: Conrad, 360; 364 Newbern: Conrad, 349 Tuomey, 1789; 1790 Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, S27 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leldy, 1074; 1076 Deep river: Jackson, S87; 891 Duplin county: Cope, 375 Lendy, 1074; 1076 Sexperiver: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaceous: Gabb, 612 rhodolite: Hidden and Pratt, 791 ruby: Kunz, 1045 Franklin county: 1480 asbestos: Merrill, 1214 gold: Crosby, 419 map: Map 151 map: Fuller, Map 308 natural resources: Green and Arrington, 681 uranium: Hess, 765 Franklin to Georgia line; map: Map 134 French Broad river: Waddell, 1812 Brevard to Smith's bridge: Map 357 description: 1374 Ayres and Ashe, 44 discharge measurements: Newell, 1284 drainage: Campbell, 283 Gannett, 621 drainage basins: Pressey, 1513 examination: McFarland, 1143; 1144 gauge heights: Newell, 1282; 1284 hydrographic basin: Kerr, 993 improvement: Abert, 12 Frost action: Kerr, 988 Figul Ridge: Kerr, 9	mammals: Leidy, 1073	
plants: Emmons, 563; 565 Fontaine, 556; 587; 589 Cape Fear river: Berry, 91; 93 Neuse river: Berry, 92; 93 Rockfish creek: Berry, 94 trlassic area: Ward, 1826 shells, description (Conrad): Kerr, 1001 Duplin county: Conrad, 360; 361 Neuse river, list: Conrad, 362; 364 Newbern: Conrad, 349 tertlary: Redfield, 1546 Wilmington: Conrad, 349 Toomey, 1789; 1790 Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, 827 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leldy, 1074; 1076 Deep river: Jackson, 887; 891 Duplin county: Gibbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaceous: Gabb, 612		
Fontaine, 586; 587; 589 Cape Fear river: Berry, 91; 93 Neuse river: Berry, 94 triassic area: Ward, 1826 shells, description (Conrad): Kerr, 1001 Duplin county: Conrad, 360; 361 Neuse river, list: Conrad, 362; 364 Newbern: Conrad, 349 tertlary: Redfield, 1546 Wilmington: Conrad, 349 Tromey, 1789; 1790 Fossils: Cope, 377; 378 Emmons. 551; 553 Hodge, 827 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leidy, 1074; 11076 Deep river: Jackson, 887; 891 Duplin county: Gibbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Kogers, 1583 cretaceous: Gabb, 612		
Cape Fear river: Berry, 91; 93 Neuse river: Berry, 92; 93 Rockfish creek: Berry, 94 trlassic area: Ward, 1826 shells, description (Conrad): Kerr, 1001 Duplin county: Conrad, 360; 361 Neuse river, list: Conrad, 362; 364 Newbern: Conrad, 349 tertlary: Redfield, 1546 Wilmington: Conrad, 349 Tuomey, 1789; 1790 Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, 827 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leidy, 1074; 1676 Deep river: Jackson, 887; 891 Duplin county: Glbbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaceous: Gabb, 612 asbestos: Merrill, 1214 gold: Crosby, 419 map: Map 151 map: Map 151 map: Fuller, Map 308 natural resources: Green and Arrington, 681 uranium: Hess, 765 Franklin to Georgia line; map: Map 134 French Broad river: Waddell, 1812 Brevard to Smith's bridge: Map 357 description: 1374 Ayres and Ashe, 44 discharge measurements: Newell, 1284 drainage: Campbell, 283 Gannett, 621 drainage basins: Pressey, 1513 examination: McFarland, 1143; 1144 gauge heights: Newell, 1282; 1284 hydrographic bashn: Kerr, 993 improvement: Abert, 12 Frost action: Kerr, 998 Fledmont: Kerr, 988 Fledmont: Kerr, 988 Fledmont: Kerr, 988 Fry, Joshua and Jefferson, Peter. Virginia, most inhabited part North Carolina; map: Map 50; see also Map 36 Frying Pan shoals; map: Map 92; Map 187; Map 297; Map 478 survey: Crownlushield, 420 Fuller, W. N. Franklin county; map: Map 308 Fuller, W. N. Franklin to Georgia line; map: Map 93 survey of Cape Fear river; map: Map 681		
Neuse river: Berry, 92; 93 Rockfish creek: Berry, 94 trlassic area: Ward, 1826 shells, description (Conrad): Kerr, 1001 Duplin county: Conrad, 360; 361 Neuse river, list: Conrad, 362; 364 Newbern: Conrad, 349 tertlary: Redfield, 1546 Wilmington: Conrad, 349 Tuomey, 1789; 1790 Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, 827 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leidy, 1074; 1676 Deep river: Jackson, 887; 891 Duplin county: Glbbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaceous: Gabb, 612 gold: Crosby, 419 map: Map 151 map: Fuller, Map 308 natural resources: Green and Arrington, 681 uranium: Hess, 765 Franklin to Georgia line; map: Map 134 French Broad river: Waddell, 1812 Brevard to Smith's bridge: Map 357 description: 1374 Ayres and Ashe, 44 discharge measurements: Newell, 1284 drainage: Campbell, 283 Gannett, 621 drainage basins: Pressey, 1513 examination: McFarland, 1143; 1144 gauge heights: Newell, 1282; 1284 hydrographic basin: Kerr, 993 improvement: Abert, 12 Frost action: Kerr, 998 Piedmont: Kerr, 988 Piedmont: Kerr, 988 Piedmont: Kerr, 988 Piedmont: Kerr, 988 Fry, Joshua and Jefferson, Peter. Virginal, most inhabited part North Carolina; map: Map 50; see also Map 36 Frying Pan shoals; map: Map 92; Map 187; Map 297; Map 478 survey: Crownlnshield, 420 Puller, W. N. Franklin county; map: Map 308 Fuller, Map 308 natural resources: Green and Arrington, 681 uranium: Hess, 765 Franklin to Georgia line; map: Map 134 French Broad river: Waddell, 1812 Brevard to Smith's bridge: Map 357 description: 1374 Ayres and Ashe, 44 discharge measurements: Newell, 1284 drainage: Campbell, 283 Gannett, 621 Frost action: Kerr, 993 improvement: Abert, 12 Frost action: Kerr, 998 Frying		
map: Map 151 map: Fuller, Map 308 shells, description (Conrad): Kerr, 1001 Duplin county: Conrad, 360; 361 Newser river, list: Conrad, 362; 364 Newbern: Conrad, 349 tertlary: Redfield, 1546 Wilmington: Corrad, 349 Tuomey, 1789; 1790 Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, 827 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leldy, 1074; 1076 Deep river: Jackson, 887; 891 Duplin county: Gibbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lousdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaceous: Gabb, 612		
map: Fuller, Map 308 natural resources: Green and Arrington, 681 Newser river, list: Conrad, 362; 364 Newbern: Corrad, 349 tertlary: Redfield, 1546 Wilmington: Corrad, 349 Tuomey, 1789; 1790 Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, 827 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leldy, 1074; 1076 Deep river: Jackson, 887; 891 Duplin county: Glbbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Willington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaceous: Gabb, 612 map: Fuller, Map 308 natural resources: Green and Arrington, 681 uranium: Hess, 765 Franklin to Georgia line; map: Map 134 French Broad river: Waddell, 1812 Brevard to Smith's bridge: Map 357 description: 1374 Ayres and Ashe, 44 discharge measurements: Newell, 1284 drainage: Campbell, 283 Gannett, 621 drainage basins: Pressey, 1513 examination: McFarland, 1143; 1144 gauge heights: Newell, 1282; 1284 hydrographic basin: Kerr, 993 improvement: Abert, 12 Frost action: Kerr, 991 Frost drift, Blue Ridge: Kerr, 988 Fry, Joshua and Jefferson, Peter. Virginla, most inhabited part North Carolina; map: Map 308 Frying Pan shoals; map: Map 308 Fullon, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river; map: Map		
shells, description (Conrad): Kerr, 1001 Duplin county: Conrad, 360; 361 Neuse river, list: Conrad, 362; 364 Newbern: Conrad, 349 tertlary: Redfield, 1546 Wilmington: Conrad, 349 Tuomey, 1789; 1790 Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, 827 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leldy, 1074; 1076 Deep river: Jackson, 887; 891 Duplin county: Glbbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaceous: Gabb, 612 natural resources: Green and Arrington, 681 uranium: Hess, 765 Franklin to Georgia line; map: Map 134 French Broad river: Waddell, 1812 Brevard to Smith's bridge: Map 357 description: 1374 Ayres and Ashe, 44 discharge measurements: Newell, 1284 drainage: Campbell, 283 Gannett, 621 drainage basins: Pressey, 1513 examination: McFarland, 1143; 1144 gauge heights: Newell, 1282; 1284 hydrographic basin: Kerr, 993 improvement: Abert, 12 Frost action: Kerr, 993 improvement: Abert, 12 Frost action: Kerr, 998 Fry, Joshua and Jefferson, Peter. Virginia, most inhabited part North Carolina; map: Map 50; see also Map 36 Frying Pan shoals; map: Map 92; Map 187; Map 297; Map 478 Survey: Crowninshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river: map: Map		
Duplin county: Conrad, 360; 361 Newse river, list: Conrad, 362; 364 Newbern: Conrad, 349 tertlary: Redfield, 1546 Wilmington: Conrad, 349 Tuomey, 1789; 1790 Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, 827 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leldy, 1074; 1676 Deep river: Jackson, 887; 891 Duplin county: Gibbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaecous: Gabb, 612		
Neuse river, list: Conrad, 362; 364 Newbern: Conrad, 349 tertlary: Redfield, 1546 Wilmington: Conrad, 349 Tuomey, 1789; 1790 Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, 827 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leldy, 1074; 1676 Deep river: Jackson, 887; 891 Duplin county: Gibbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hess, 765 Franklin to Georgia line; map: Map 134 French Broad river: Waddell, 1812 Brevard to Smith's bridge: Map 357 description: 1374 Ayres and Ashe, 44 discharge measurements: Newell, 1284 drainage: Campbell, 283 Gannett, 621 drainage basins: Pressey, 1513 examination: McFarland, 1143; 1144 gauge heights: Newell, 1282; 1284 hydrographic basin: Kerr, 993 improvement: Abert, 12 Frost action: Kerr, 998 Fivench Broad river: Waddell, 1812 Brevard to Smith's bridge: Map 357 description: 1374 Ayres and Ashe, 44 discharge measurements: Newell, 1284 drainage: Campbell, 283 Gannett, 621 drainage basins: Pressey, 1513 examination: McFarland, 1143; 1144 gauge heights: Newell, 1282; 1284 hydrographic basin: Kerr, 993 improvement: Abert, 12 Frost action: Kerr, 988 Fiedmont: Kerr, 988 Fiedmont: Kerr, 988 Fiedmont: Kerr, 988 Fry, Joshua and Jefferson, Peter. Virginia, most inhabited part North Carolina; map: Map 50; see also Map 36 Frying Pan shoals; map: Map 92; Map 187; Map 297; Map 478 survey: Crowninshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fullon, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river: map: Map		
Newbern: Conrad, 349 tertlary: Redfield, 1546 Wilmington: Conrad, 349 Troomey, 1789; 1790 Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, 827 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leldy, 1074; 1676 Deep river: Jackson, 887; 891 Duplin county: Glbbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaceous: Gabb, 612		
tertlary: Redfield, 1546 Wilmington: Conrad, 349 Tuomey, 1789; 1790 Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, 827 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leldy, 1074; 1076 Deep river: Jackson, 887; 891 Duplin county: Gibbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaceous: Gabb, 612 French Broad river: Waddell, 1812 Brevard to Smith's bridge: Map 357 description: 1374 Ayres and Ashe, 44 discharge measurements: Newell, 1284 drainage: Campbell, 283 Gannett, 621 drainage basins: Pressey, 1513 examination: McFarland, 1143; 1144 gauge heights: Newell, 1282; 1284 hydrographic basin: Kerr, 993 improvement: Abert, 12 Frost action: Kerr, 991 Frost drift, Blue Ridge: Kerr, 988 Fledmont: Kerr, 988 Fry, Joshua and Jefferson, Peter. Virginla, most inhabited part North Carolina; map: Map 50; see also Map 36 Frying Pan shoals; map: Map 92; Map 187; Map 297; Map 478 survey: Crownlnshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river: map: Map		
Wilmington: Conrad, 349 Tuomey, 1789; 1790 Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, 827 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leldy, 1074; 1076 Deep river: Jackson, 887; 891 Duplin county: Gibbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Homes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaceous: Gabb, 612 Waddell, 1812 Brevard to Smith's bridge: Map 357 description: 1374 Ayres and Ashc, 44 discharge measurements: Newell, 1284 drainage: Campbell, 283 Gannett, 621 drainage basins: Pressey, 1513 examination: McFarland, 1143; 1144 gauge heights: Newell, 1282; 1284 hydrographic basin: Kerr, 993 improvement: Abert, 12 Frost action: Kerr, 988 Filedmont: Kerr, 988 Fry, Joshua and Jefferson, Peter. Virginia, most inhabited part North Carolina; map: Map 50; see also Map 36 Frying Pan shoals; map: Map 92; Map 187; Map 297; Map 478 survey: Crownlnshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river: map: Map		
Tuomey, 1789; 1790 Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, \$27 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leldy, 1074; 1076 Deep river: Jackson, 887; 891 Duplin county: Gibbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Homes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaccous: Gabb, 612 Brevard to Smith's bridge: Map 357 description: 1374 Ayres and Ashe, 44 discharge measurements: Newell, 1284 drainage basins: Pressey, 1513 examination: McFarland, 1143; 1144 gauge heights: Newell, 1282; 1284 hydrographic basin: Kerr, 993 improvement: Abert, 12 Frost action: Kerr, 991 Frost drift, Blue Ridge: Kerr, 988 Fiedmont: Kerr, 988 Fiedmont: Kerr, 988 Frying Pan shoals; map: Map 36 Frying Pan shoals; map: Map 92; Map 187; Map 297; Map 478 survey: Crownlnshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river: map: Map		
Fossils: Cope, 377; 378 Emmons, 551; 553 Hodge, S27 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leldy, 1074; 1076 Deep river: Jackson, 887; 891 Duplin county: Glbbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaceous: Gabb, 612 description: 1374 Ayres and Ashe, 44 discharge measurements: Newell, 1284 drainage: Campbell, 283 Gannett, 621 drainage basins: Pressey, 1513 examination: McFarland, 1143; 1144 gauge heights: Newell, 1282; 1284 hydrographic basin: Kerr, 993 improvement: Abert, 12 Frost action: Kerr, 991 Frost drift, Blue Ridge: Kerr, 988 Piedmont: Kerr, 988 Fry, Joshua and Jefferson, Peter. Virginia, most inhabited part North Carolina; map: Map 29; Map 187; Map 297; Map 478 survey: Crowninshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fruton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river: map: Map		
Cope, 377; 378 Emmons, 551; 553 Hodge, S27 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leldy, 1074; 1076 Deep river: Jackson, 887; 891 Duplin county: Glbbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaccous: Gabb, 612 Ayres and Ashe, 44 discharge measurements: Newell, 1284 drainage: Campbell, 283 Gannett, 621 drainage basins: Pressey, 1513 examination: McFarland, 1143; 1144 gauge heights: Newell, 1282; 1284 hydrographic basin: Kerr, 993 improvement: Abert, 12 Frost action: Kerr, 991 Frost drift, Blue Ridge: Kerr, 988 Filden, Horald part North Carolina; map: Map 29; Map 187; Map 297; Map 478 survey: Crownlnshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river: map: Map		
discharge measurements: Newell, 1284 drainage: Campbell, 283 Gannett, 621 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leldy, 1074; 1076 Deep river: Jackson, 887; 891 Duplin county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaccous: Gabb, 612 discharge measurements: Newell, 1284 drainage: Campbell, 283 Gannett, 621 drainage basins: Pressey, 1513 examination: McFarland, 1143; 1144 gauge heights: Newell, 1282; 1284 hydrographic basin: Kerr, 993 improvement: Abert, 12 Frost action: Kerr, 991 Frost drift, Blue Ridge: Kerr, 988 Piedmont: Kerr, 988 Fry, Joshua and Jefferson, Peter. Virginia, most inhabited part North Carolina; map: Map 29; Map 187; Map 297; Map 478 survey: Crownlnshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river: map: Map	Cope, 377; 378	_
Hodge, \$27 Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leidy, 1074; 1076 Deep river: Jackson, 887; 891 Duplin county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Homes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaceous: Gabb, 612 drainage: Campbell, 283 Gannett, 621 drainage: Campbell, 282 find aniage: Campbell, 282 find aniage: Campbell, 284 forainage: Campbell, 284 forainage: Campbell, 282 find aniage: Campbell, 284 forainage: Campbell, 284 forainage: Campbell, 284 forainage: Campbell, 284 forainage: Campbell, 282 foraination: McFarland, 1143; 1144 gauge heights: Newell, 1282; 1284 hydrographic basin: Kerr, 993 improvement: Abert, 12 Frost action: Kerr, 988 Fiedmont: Kerr, 988 Fiedmont: Kerr, 98 Fry, Joshua and Jefferson, Peter. Virginia, most inhabited part North Carolina; map: Map 29; Map 187; Map 297; Map 478 survey: Crowninshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river: map: Map	Emmons, 551; 553	
Kerr, 1001 Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leldy, 1074; 1076 Deep river: Jackson, 887; 891 Duplin county: Glbbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 erctaccous: Gabb, 612 Gannett, 621 drainage basins: Pressey, 1513 examination: McFarland, 1143; 1144 gauge heights: Newell, 1282; 1284 hydrographic basin: Kerr, 993 improvement: Abert, 12 Frost action: Kerr, 991 Frost drift, Blue Ridge: Kerr, 988 Piedmont: Kerr, 988 Fry, Joshua and Jefferson, Peter. Virginia, most inhabited part North Carolina; map: Map 50; see also Map 36 Frying Pan shoals; map: Map 92; Map 187; Map 297; Map 478 survey: Crownlnshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river: map: Map	Hodge, 827	
Leidy, 1077 Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leldy, 1074; 1076 Deep river: Jackson, 887; 891 Duplin county: Glbbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaceous: Gabb, 612 drainage basins: Pressey, 1513 examination: McFarland, 1143; 1144 gauge heights: Newell, 1282; 1284 hydrographic basin: Kerr, 993 improvement: Abert, 12 Frost drift, Blue Ridge: Kerr, 988 Piedmont: Kerr, 988 Piedmont: Kerr, 988 Fry, Joshua and Jefferson, Peter. Virginia, most inhabited part North Carolina; map: Map 36 Frying Pan shoals; map: Map 92; Map 187; Map 297; Map 478 survey: Crowninshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river: map: Map	Kerr, 1001	
Lyman, 1131 Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leldy, 1074; 1076 Deep river: Jackson, 887; 891 Duplin county: Glbbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaceous: Gabb, 612 Examination: McFarland, 1143; 1144 gauge heights: Newell, 1282; 1284 hydrographic basin: Kerr, 993 improvement: Abert, 12 Frost action: Kerr, 991 Frost drift, Blue Ridge: Kerr, 988 Piedmont: Kerr, 988 Fiy, Joshua and Jefferson, Peter. Virginia, most inhabited part North Carolina; map: Map 20; see also Map 36 Frying Pan shoals; map: Map 92; Map 187; Map 297; Map 478 survey: Crownlnshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river: map: Map	Leidy, 1077	
Mitchell, 1244; 1247 Cape Fear river: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leldy, 1074; 1076 Deep river: Jackson, 887; 891 Duplin county: Glbbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaccous: Gabb, 612 gauge heights: Newell, 1282; 1284 hydrographic basin: Kerr, 993 improvement: Abert, 12 Frost action: Kerr, 988 Piedmont: Kerr, 988 Fiedmont: Kerr, 988 Fiy, Joshua and Jefferson, Peter. Virginia, most inhabited part North Carolina; map: Map 50; see also Map 36 Frying Pan shoals; map: Map 92; Map 187; Map 297; Map 478 survey: Crowninshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river: map: Map		
Cape Fear Fiver: Emmons, 568 Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leldy, 1074; 1076 Deep river: Jackson, 887; 891 Duplin county: Glbbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaccous: Gabb, 612 hydrographic basin: Kerr, 993 improvement: Abert, 12 Frost action: Kerr, 988 Piedmont: Kerr, 988 Piedmont: Kerr, 988 Fry, Joshua and Jefferson, Peter. Virginia, most inhabited part North Carolina; map: Map 50; see also Map 36 Frying Pan shoals; map: Map 92; Map 187; Map 297; Map 478 survey: Crownlnshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river: map: Map		
Cape Hatteras: Dall, 440 Chatham county: Cope, 375 Leldy, 1074; 1676 Deep river: Jackson, 887; 891 Duplin county: Gibbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaccous: Gabb, 612 improvement: Abert, 12 Frost action: Kerr, 988 Frost action: Kerr, 988 Frost action: Kerr, 988 Frost action: Kerr, 988 Fry, Joshua and Jefferson, Peter. Virginia, most inhabited part North Carolina; map: Map 50; see also Map 36 Frying Pan shoals; map: Map 92; Map 187; Map 297; Map 478 survey: Crowninshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river: map: Map		
Leldy, 1074; 1076 Deep river: Jackson, 887; 891 Duplin county: Gibbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaceous: Gabb, 612 Frost action: Kerr, 991 Frost action: Kerr, 991 Frost action: Kerr, 991 Frost action: Kerr, 988 Piedmont: Kerr, 988 Piedmont: Kerr, 988 Piedmont: Kerr, 988 Fry, Joshua and Jefferson, Peter. Virginia, most inhabited part North Carolina; map: Map 50; see also Map 36 Frying Pan shoals; map: Map 92; Map 187; Map 297; Map 478 survey: Crowninshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river: map: Map		
Deep river: Jackson, 887; 891 Duplin county: Glbbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaceous: Gabb, 612 Frost drift, Blue Ridge: Kerr, 988 Piedmont: Kerr, 988 Fry, Joshua and Jefferson, Peter. Virginia, most inhabited part North Carolina; map: Map 30; see also Map 36 Frying Pan shoals; map: Map 92; Map 187; Map 297; Map 478 survey: Crowninshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river: map: Map		,
Duplin county: Glbbes, 654 Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaceous: Gabb, 612 Blue Ridge: Kerr, 988 Piedmont: Kerr, 988 Fiy, Joshua and Jefferson, Peter. Virginia, most inhabited part North Carolina; map: Map 50; see also Map 36 Frying Pan shoals; map: Map 92; Map 187; Map 297; Map 478 survey: Crowninshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river: map: Map		· · · · · · · · · · · · · · · · · · ·
Lenoir county: Leidy, 1078 Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaccous: Gabb, 612 Piedmont: Kerr, 988 Fry, Joshua and Jefferson, Peter. Virginia, most inhabited part North Carolina; map: Map 50; see also Map 36 Frying Pan shoals; map: Map 92; Map 187; Map 297; Map 478 survey: Crowninshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river: map: Map		
Limber, 1101 Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaccous: Gabb, 612 Fry, Joshua and Jefferson, Peter. Virginia, most inhabited part North Carolina; map: Map 50; see also Map 36 Frying Pan shoals; map: Map 92; Map 187; Map 297; Map 478 survey: Crownlnshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river: map: Map	Duplin county: Gibbes, 654	
Lewis Creek: Lyell, 1125 Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Homes, 833 Lonsdale, 1105 Tuomey, 1759; 1790 coal-bearing rocks: Rogers, 1583 erctaccous: Gabb, 612 ginia, most inhabited part North Carolina; map: Map 50; see also Map 36 Frying Pan shoals; map: Map 92; Map 187; Map 297; Map 478 survey: Crowninshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river: map: Map		
Neuse river: Croom, 418 Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 erctaceous: Gabb, 612 North Carolina; map: Map 50; see also Map 36 Frying Pan shoals; map: Map 92; Map 187; Map 297; Map 478 survey: Crowninshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river: map: Map		
Lyell, 1127 Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaceous: Gabb, 612 also Map 36 Frying Pan shoals; map: Map 92; Map 187; Map 297; Map 478 survey: Crowninshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river: map: Map		-
Pitt county: Leidy, 1078 Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaceous: Gabb, 612 Frying Pan shoals; map: Map 92; Map 187; Map 297; Map 478 survey: Crowninshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river; map: Map		
Sampson county: Cope, 375 Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1759; 1790 coal-bearing rocks: Rogers, 1583 cretaceous: Gabb, 612 map: Map 92; Map 187; Map 297; Map 478 survey: Crowninshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river; map: Map		
Snow Hill: Gabb, 612 Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1759; 1790 coal-bearing rocks: Rogers, 1583 erctaceous: Gabb, 612 478 survey: Crowninshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river; map: Map		
Wilmington: Hodge, 827 Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaceous: Gabb, 612 survey: CrownInshield, 420 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river; map: Map		
Holmes, 833 Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 crctaceous: Gabb, 612 Fuller, W. N. Franklin county; map: Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river; map: Map		
Lonsdale, 1105 Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 erctaceous: Gabb, 612 Map 308 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river; map: Map		
Tuomey, 1789; 1790 coal-bearing rocks: Rogers, 1583 cretaceous: Gabb, 612 Fulton, Hamilton. Croatan and Roanoke Sounds; map: Map 93 survey of Cape Fear river; map: Map		
coal-bearing rocks: Rogers, 1583 Sounds; map: Map 93 erctaceous: Gabb, 612 survey of Cape Fear river; map: Map		_
cretaceous: Gabb, 612 survey of Cape Fear river; map: Map		
Maria de do		

Fulwood mine, Mecklenburg county: Shep-	Gem mining: Pratt, 1470
ard, 1646	Kunz, 1033
Fusion-structures, meteorites: Wiechman,	western North Carolina: Holmes, 844
1875	Gems:
Gabbro, Gold Hill district, analysis: La-	Kunz, 1033; 1042 historical notes: Kunz, 1033
ney, 1049	Genth, F. A.
Gabbro-diorite, Davie county: Watson,	biographical sketch: Gibbs, 657
1834	memoir: Barker, 63
Gadolinite, production 1904 : Pratt, 1498	Wahl, Keller and Wolf, 1817
Gahnite, Mitchell county; analysis: Genth,	Genthite:
637	Clark, 290
Gap Creek mine, Ashe county: Cherry and	analysis: Dunnington, 515
Cherry, 265	Walker, 1822
Garnet: 1233; 1339	Geographic positions:
Pratt, 1460; 1470	Gannett, 623
Bakersville: Richardson, 1557	Wilson, 1901
Burke county: Richardson, 1557	dictionary: Gannett, 619
Jones mine, analysis: Genth, 650	list: Peirce, 1397
crystallographic measurements: Ma-	U. S. Coast Survey: Bache, 49
thews, 1172	Geography: 485; 651; 1350
inclusions: Lea, 1056; 1057	Claxton, 292
mining, Madison county: 624	Cobb, 308; 311; 322a; 322b; 322c
production: Pratt, 1460	Foust and Allen, 597
see also rhodolite	Hawks, 722
Gaston county: 1480	Kerr, 971; 978
altaite, King's Mountain mine: Genth,	Maury, 1173
647	Morse, 1258; 1259
barite: Pratt, 1463; 1482	Noble, 1309
Struthers and Fisher, 1751	poetical: Cobb, 324
Lawton mine: Burchard, 219	western North Carolina: Guyot, 691
cobalt: Wurtz, 1933	Geologic age: Lyman, 1130
corundum: Genth, 638	
gold: Graton, 679	Geologic atlas,
Kerr, 1008	Asheville folio: Keith, 952
Lieber, 1095	Cranberry folio: Keith, 953
hematite: Abert, 5	Greeneville folio: Keith, 956 Knoxville folio: Keith, 958
High Shoals property: Winter, 1923	Mt. Mitchell folio: Keith, 959
iron ore: Abert, 5	Nantahala follo: Keith, 960
Fleury, 584	
map: Map 540	Norfolk folio: Darton, 456
Willis, 1894	Pisgah folio: Keith, 961
Long Creek gold mines: 1524	Roan Mountain folio: Keith, 962
magnetite: Abert, 5	Geologic structure; Appalachian Mount
mica: Harn, 711	ains: Keith, 951; 954
	Willis, 1892; 1893
monazite: Nitze, 1302	Cranberry district: Keith, 955
purpurite: Graton and Schaller, 678	Roan Mountain: Wetherby, 1854
pyrites: Davis, 461	Smoky Mountains: Willis, 1893
Winslow, 1906	Geological
tin: Graton, 676	and mineral resources, investigations
Pratt and Sterrett, 1506	Olmsted, 1368
Gaston mineral company: 1760	divisions: 653
property of; map: Map 544; Map 545	formations: Christy, 272
Gates county: Weatherby and Nash, Map	Hanks, 702
304	Maclure, 1153; 1154
Gauge heights:	Mitchell, 1238
Grover, 683	Biue Ridge and Smoky Mountains: Rog
Hoyt, 857	ers, 1577
Newell, 1281; 1282; 1283; 1284	map: Map 581
Gem minerals: 1343; 1470	location; map; Map 593

map: Olmsted, Map 105; Map 215;	Pressey, 1513
Map 464	Roosevelt, 1585
Kerr, Map 339	tertiary; map: Heilprin, Map 431
Mitchell, Map 154	tobacco region: Kerr, 1004
Gold Hill district: Laney, Map 734	western North Carolina: 1852
western North Carolina: Pratt and	Hayes and Campbell, 723
Lewis, Map 687	Keith, 961
structure; Roan Mountain: Wetherby,	Kerr, 1001
1854	Mitchell, 1237; 1242
survey: Olmsted, 1368	Smith, 1668
expenditures: Kerr, 1003	Georgia, North and South Carolina; map:
historical notes: 652	Map 64
Holmes, 838; 843	Glaciation, 988; 993
biennial report, 1893-1904: Holmes,	Mitchell county: Wetherby, 1855
835	Gneiss, Corundum Hill; analysis: Chatard,
1905-8: Pratt, 1464	263
report 1852: Emmons, 567	Gold, assays, table: 693
1855: Emmons, 569	discovery: 1254; 1551
1859: Emmons, 568	Cramer, 410
1872-73: Kerr, 1000	Foster, 594
1875: Kerr, 1001	Moore, 1252
of progress: Kerr, 998	Partz, 1387
work; 1343; 1348; 1351	Wheeler, 1857
Kerr, 975	Wilkes, 1882
1893-1904: Holmes, 835	Cabarrus county: 1278
Geologist, first assistant, report : Phillips,	Barnhardt, 66
1448	Marcou, 1161
Geology: 1343; 1337; 1350	Patterson, 1392
Emmons, 551; 559	Shinn, 1650
Genth, 648	Clear Creek; 669
Hanna. 704	Mecklenburg county: Tompkins, 1782
Kerr, 971; 972; 983	Montgomery county: 1280
Marcon, 1163	early: Nitze and Wilkins, 1292
Mitchell, 1238; 1239; 1241; 1371	gravels, structure and origin: Kerr, 977
Olmsted, 1371	Kerr and Hanna, 992
Cherokee county: Nitze, 1296	Gold and gold deposits: 667; 1232; 1233;
Chowan and Roanoke basins: Ruffin,	1343; 1352; 1472; 1480
1591	Becker, 83
corundum belt, western North Carolina:	Buckingham, 216
Pratt and Lewis, 1469	Chance, 250
	Credner, 415
Cranberry district: Keith, 955	Dickson, 497
Dismal swamp district: Ruffin, 1591;	Dieffenbach, 501
	Eaton, 528
Shaler, 1618	Genth, 648
eastern North Carolina: Olmsted, 1371	Hanks, 702
economic: Kerr, 1001	Hanna, 703
Gold Hill district: Lanev, 1049	Holmes and Nitze, 837
gold region: Mitchell, 1242	Johnson, 908
Nitze and Wilkins, 1292; 1305	Kerr, 989; 1008
Olmsted, 1369	Kerr and Hanna, 992
magnetite, Granville county: Nitze,	Kunz, 1032
1297 North Carolina - Manney 1129	Lieber, 1098; 1100
North Carolina: Marcou, 1163	Lyon, 1133
Mitchell, 1238; 1239; 1243; 1371	Marcou, 1164
Olmsted, 1371	Rothe, 1589
mldland counties: Emmons, 557	Smith, 1671
rallroad stations: Macfarlane, 1147	Stevens, 1744; 1745
southern Appalachians: Hayes and	Ward, 1827
Campbell, 723	Weed, 1844

Whitney, 1867; 1868	Gold Hill copper mine:
Wilkes, 1882	Weed, 1842
Alamance county; analysis: Ledoux, 1061	description: Laney, 1049 Nicholas, 1287
Burke county: Hidden, 774	Gold HIII district.
Caparrus county: Genth, 633	bismuthinite: Genth, 632
Graton, 679	copper: Ledoux, 1063
Hodge, 828	deposits: Weed, 1840; 1845; 1846
Leeds and Partz, 1064	mining: Kirchoff, 1018
Richter, 1558	Laney, 1049
Carolina slate belt: Nitze, 1290	Weed, 1841; 1842
Catawba county: Graton, 679	production: Graton, 677
river: Gibbon, 655	1905: Weed, 1843
Charlotte: Eaton, 529	diorite, analysis: Laney, 1049
Kerr, 1008 Leeds and Penman, 1069; 1070	gabbro, analysis: Laney, 1049 geologic map: Laney, Map 734
Cleveland county: Graton, 679	geology: Laney, 1049
Kerr, 989	gold: Genth, 633
Davidson county: Hodge, 826	gold mines: Shepard, 1644
Kerr, 1008	gold ores: Laney, 1049
Fisher Hill: Ricketts, 1559	granite, analysis: Laney, 1049
Franklin county: Crosby, 419	greenstone, analysis: Laney, 1049
Gaston county: Graton, 679	historical notes: Laney, 1049
Kerr, 1008	map: Map 582
Lieber, 1095	map: Emmons, Map 221
Gold Hill: Genth, 633 Laney, 1049	sands, report: Eaton, 1520 slate, analysis: Laney, 1049
Ledoux, 1063	tuff, analysis: Laney, 1049
Guilford county: Graton, 679	Union copper mine: Laney, 1049
Hodge, 826	Nicholas, 1288
Jones, 933	volcanic rocks: Laney, 1049
Jones mine: Kerr, 989	Gold Hill mine: 667; 670; 671
King's Mountain: Devereux, 490	Ashbury, 37
Kerr, 1008	Cram, 408
Lincoln county: Graton, 679	Eames, 523; 524
Shepard, 1629	Emmons, 557; 558
Mecklenburg county: Graton, 679 Montgomery county: Graton, 679	Hanna, 703 Jackson, 888; 890
Kerr, 1008	Laney, 1049
Lewis, 1083	Ledoux, 1063
Morenead, 1255	Lleber, 1097; 1098; 1100
Moore county: Chance, 251	Pratt, 1471
Graton, 679	Shepard, 1644
Kerr, 1008	Whitney, 1867
Nash county: Crosby, 419	Gold Hill type, copper deposits: Weed,
Randolph county: Graton, 679	1846
Kerr, 1008	Gold mines and mining: 42; 1252; 1353;
Reed mine: Hunter, 874 Reimer gold mine: Leeds, 1088	1551; 1697
Rowan county: Genth, 633	Becker, 83 Eames, 525
Graton, 679	Genth, 618
Laney, 1049	Holmes and Nitze, 837
Ledoux, 1063	Jackson, 889; 891
Rutherford county: Gipperich, 660	Laney, 1049
southern Appalachians: Graton, 679	Leeds, 1065; 1066; 1067
Stanley county: Graton, 679	Lindgren, 1102
Union county: Graton, 679	Lyon, 1133
bibliography: Laney, 1049	McElrath, 1142
description: Nitze, 1293	Nitze, 1293
map: Map 584	Nitze and Hanna, 1291

Nitze and Wilkens, 1292; 1305 Charlotte, 256 Coastal Plain: Watson, 1831 Pratt. 1471 distribution: Watson, 1835 Pratt and Steel, 1500 Reinhardt, 1553 Gold Hill district; analysis: Laney, 1049 Rothe, 1371; 1590 Mountain region: Watson, 1831 Weed, 1844 Mount Airy; analysis: Day, 472 Whitney, 1886 Wllkes, 1882 petrography: Watson, 1835 Piedmont Plateau: Watson, 1831 1882: 1339 1892: 1336 Granite and gneiss; geographic distribution; map: Map 705 Burns mine: Chance, 251 Granite quarries: Cabarrus county: Ayres, 45 Watson and Laney, 1829 Barnnardt, 66 Caldcleugh mine: Andresen, 31 Mount Airy, Surry county: Watson, Carolina slate belt: Nitze, 1290 1831 Charlotte: 670 Salisbury: 1235 Watson and Laney, 1829 Conrad Hill mine: Jackson, 893 Granite quarrying, methods: 1527 Davidson county: Andresen, 31 eastern North Carolina: Maxwell, 1175 Granville county: 1480 Gold HIII mine: 667; 668; 670; 671 conglomerate: Holmes, 830 Ashbury, 37 copper deposits: Judd, 937 Cram, 408 Ricketts, 1559 Eames, 523; 524 Weed, 1840 Emmons, 557; 558 Weed and Watson, 1847 Hanna, 703 copper district: Watson, 1836 Jackson, 888; 890 copper mines: Weed, 1842 Laney, 1049 copper ores: Nitze, 1306 Ledoux, 1063 Watson, 1830 Lieber, 1097; 1098; 1100 fron ores: Nitze, 1306 Pratt, 1471 magnetite: Nitze, 1297 Whitney, 1867 mineral springs: Moorman, 1253 Guilford county: Elghts, 542 Graphite: 1233; 1339; 1480 Hoover Hill mine: 853 Silliman, 1651 King's Mountain: 1047 Alexander county: Hidden, 775 Randolph county: 853 McDowell county, production: Struth Reed mine: Ayres, 45 ers, 1753 Barnhardt, 60 Gray's new map of North Carolina and Rowan county: Laney, 1049 South Carolina: Map 395 southern Appalachians: Pratt, 1472 Great Park canal; map: Map 764 Read, 1545 Great Peedee river, drainage: Gannett, Stewart mine: Genth, 649 691 Vanderburg mine: Hodge, 828 Great Smoky Mountains, travel, popular Richter, 1588 account: Carpenter, 237 western North Carolina: Blake, 142 Nitze and Hanna, 1291 Greene county, marls; analysis: Ledoux, historical notes: 672: Crane, 413 Greeneville area, soil survey: Mooney and Jones, 933 Ayrs, 1250 Laney, 1049 Greeneville folio: Keith, 956 Lyon, 1133 Greeneville quadrangle, Gold mines and pyrites deposits; map: geologic maps: Map 688 Map 444 map: Map 695 Gold region; map: Map 174 Green river, preliminary examination: Grandfather Mountain: Waddell, 1812 Hinman, 821 Granite: 1480 Greensand: Morton, 1262 Merrlll, 1215; 1218 Greensand. Watson and Laney, 1829 eastern North Carolina: Smock, 1693 age and structure: Watson, 1835 origin: Bailey, 59 Asheville, compression tests: 675 Greenstone, Gold Hill district, analysis: central and western counties: Kerr, 984 Laney, 1049

Griffin mine, Randolph county: Tilden,	Harnett county,
1778	nre clays: Phillips, 1445
Ground mica industry, Mitchell county:	iron ores: Julien, 940
Nitze, 1294	Willis, 1894
Guilford county: 1480	underground waters: Fuller, 603
Aberdeen property, report: Hodge, 1520	Hatchettolite, Mitchell county:
copper mine: Jackson, 894; 897	Smith, 1688
Fentress mine: Whitney, 1867	analysis: Allen, 27
gold: Graton, 679	Smith, 1672
Jones, 933	Hatteras,
gold mines: Eights, 542	geology; Kerr, 976
gold ores: Hodge, 826	Inlets, changes: Muse, 1273
iron mines: Winter, 1922	Wainwright, 1819
iron ores: Willis, 1894	(Harbor of Refuge): Map 167
analysis: Lesley, 1080	Hatteras Inlet;
Sergeant, 1617	map: Map 176; Map 205
Winter, 1922	opening: Welch, 1849
McCulloek copper and gold mining com-	preliminary survey; Map 234
pany: Palmer and Buckley, 1382	liatteras
report: Jackson, 895	Island: Cobb, 318
McCulloek mine: Whitney, 1867	shoals; description: Bache, 54
magnetite, analysis: Bowron, 165	map; Map 177
map: Map 567; Map 735	Hausmannite:
meteorite: Buchner, 214	Chatham county: Cobb, 319
Cohen, 334	Randolph county: Cobb, 319
Harris, 712	Haw river, discharge measurements: New-
Venable, 1805	ell, 1282; 1284
analysis: Clark, 282	Haywood county: 1480
Farrington, 577	chrome ores: Glenn, 665
Shepard, 1639	corundum: Gannett, 617; Pratt, 1469
North Carolina copper mine: 1333	geological examination: Owen, 1380
Phœnix mine: Dickeson, 496	nematite: Emmons, 570
Twin mine, report: Dickeson, 496	magnetite: Emmons, 570
Gulf, coal analysis: Clarke, 291	manganese: Newland, 1285
Gummite and uranotil pseudomorphism	map: Map 159
after uraninite: Foote, 590	meteorite: Buchner, 214; 215
Gummite,	Harris, 712
chemical experiments: Boltwood, 154;	Shepard, 1632
155; 157	Venable, 1805
Flat Rock, analysis: Pratt, 1507	mica deposits: Cirkel, 277
Flat Rock mine: Kerr, 986	mica mining, 1900: Holmes, 842
Mitchell county: Hidden, 776	micas: Lewis, 1085
Investigations: Barker, 64	mlneral resources: Owen, 1380
Gummite lignite, Raleigh; analysis: Le-	pyrrhotite: Nason, 1277
doux, 1061	stone implements: Hidden, 795
Halifax county;	volcanic action: Clingman, 299; 303
Willis, 1894	Hazel Creek, copper ores: Laney, 1050
fossils: Cope, 373; 378	Hazel Creek and Eagle Creek watersheds:
map: Map 305	Laney, Map 711
swamp lands, drainage: Brazier, 178 Harbor entrances: Haupt, 718	Hematite,
	Ashe county: Porter, 1455
Harbor improvement: Abbot, 4	Catawba county: Abert, 5
	Cherokee county: Emmons, 570
Casey, 247	Forsyth county, analysis: Manning,
Craighill, 407	1159
Duane, 511	Wilson, 1898
Gillespie, 658	Gaston county: Abert, 5
Harpors and channels, table of depths:	Haywood county: Emmons, 570
1759	Lincoln county: Abert, 5
Harlowe river, improvement : Bixby, 114	Macon county: Emmons, 570

Mitchell county: Porter, 1455	High Shoals M'f'g Co., lands; map: Map
see also iron ores	442
Henderson county: 1480	High Shoals
auerlite: Hidden, 767	mine: 1452
Hildden and Mackintosh, 780	pyrites deposits: Winslow, 1906
analysis: Hidden and Mackintosh,	Hillsville quadrangle; map: Map 680
768; 789	Hilton, William, Discovery of coast;
radioactivity, analysis: Clarke and	map: Map 7
Schneider, 289	Hipp mine, Mecklenburg county: Shepard,
garnet, Jones mine; analysis: Genth,	Hiwassee river:
650	Waddell, 1812
polycrase, analysis: Hidden and Mack- intosh, 793	description: Ayres and Ashe, 44
xanthitane: Shepard, 1628	discharge measurements: Hoyt, 857
analysis: Eakins, 520	Newell, 1282; 1284
xenotime-zircon: Hidden, 798	drainage: Gannett, 621
zircon: 575; 1248	gauge heights: Hoyt, 857
Hidden, 799	Newell, 1282; 1284
Kunz, 1044	Holland, N. Chart of coast from Curri-
Pratt, 1484	tuck Inlet to Savannah river; map:
analysis: Emmons, 572	Map 67
mines: Venable, 1808	Holloway copper mine:
production, 1904: Pratt, 1478	Phillips, 1441
twinned: Hidden and Pratt, 796	Weed, 1842; 1846
twinning law: Hidden, 786	White, 1861
Hendersonville meteorite:	Holston river:
Glenn, 664	Waddell, 1812
composition and structure: Merrill,	description: Ayres and Ashe, 44
1216	drainage basin: Pressey, 1513
Hepler copper mine:	Homan; Virginia, Marylandla et Carolina;
Eights, 540	map: Map 27
Petherick, 1412 Hercules mine: Pratt, 1502	Hominy Creek,
Hertford quadrangle; map: Map 712	drainage basin: Harris, 714
Hewitt mine,	meteorite: Buchner, 214; 215
soapstone: Day, 470	Harris, 712
talc, analysis: Pratt, 1504	Kenngott, 969
Hlatt land, Surry county, topography:	Venable, 1805
Eights, 543	Wadsworth, 1814
Hickory area,	analysis: Clark, 282
soil survey: Caine, 228	Rammelsberg, 1533
soils, analyses: Caine, 228	Shepard, 1645
soils: Whitney, 1871	Hoover Hill gold mine: 853
Hickory quadrangle; map: Map 636	Winslow, 1904
Hickory soil map: Map 658	Hot Springs,
Hiddenite: 1339; 1470	manganese; analysis: Ledoux, 1061
Hidden, 775; 776; 781	rock formations: Christy, 272
Semmons, 1616	water analysis: Smith, 1670
Alexander county: Baskerville and	Howle mine: 670
Lockhart, 70	Hanna, 703
analysis: Genth, 629	Hudgins Company's new survey map:
Smith, 1675	Map 673
crystallographic description: Dana, 450	Huey mine: Lieber, 1097; 1098; 1100
western North Carolina: Blake, 142	Hunt and Douglas copper process:
Hiddenite mine; Alexander county; vom	Egleston, 537; 538
Rath, 1543	Hunt, 869; 870; 872
High Hill copper mine: Weed, 1846	Olcott, 1364
High Shoals, Gaston county; property: Winter, 1923	Huronian:
	Nitze, 1307
map: Map 329	Whitney and Wadsworth, 1866

Hutchins, T. Western parts of Virginia.	Read, 1545
North Carolina; map: Map	treatment of ores: Megraw, 1181
54	Iredell county: 1480
Hyalite, Mitchell county: Julien, 943	corundum: Willcox, 1883; Pratt, 1469
Yancey county: Julien, 943	corundum mines: Lewis, 1088
Hyde county swamp lands: 1318	mineral water, analysis: Ledoux, 1060
vacant lands; map: Map 477	quartz crystals: vom Rath, 1539; 1541
Hyde swamp lands, peat analyses: Basker-	zircon: Pratt, 1477; 1484; 1487
ville, 71	Iron: 1232; 1343
Hydraulic mining:	Hale, 698
McElrath, 1141	Kerr, 972
Pratt, 1502	Alleghany county: Currey, 421
Burke county: Ellet, 545	Ashe county: Currey, 421
Cherokee county: 1354	Chatham county: Gemmel, 627
McDowell county: Ellet, 545	Deep river: Emmons, 562
Hydrographic map: Map 607	Wilkes, 1881
sheets, list: Patterson, 1390	analyses: Wilkes, 1881
Peirce, 1398	coal and iron company, description:
surveys, Cape Fear river entrance:	487
Huger, 858	Gaston county: Fleury, 584
work: Tittman, 1780	Ore Hill; map: Map 542
progress in 1895: Newell, 1283	western North Carolina: Blake, 142
Hydrography: 1350	Iron,
Davis, 459; 460	meteoric, Davidson county; analysis:
Gale, 613	Pratt, 1496
Grover, 683	mines; Guilford county: Winter, 1922
Grover and Hoyt, 682	native; Guilford county: Shepard, 1639
Swain, 1754	Randolph county: Shepard, 1639
mountain region: 1265	Iron mines and mining: Nitze, 835; 1295
Pressey and Myers, 1514	Iron ore: 1233; 1480
southern Appalachians: Pressey, 1513;	Dewey, 491
1514	Kerr and Hanna, 992
Roosevelt, 1585	Nitze, 835; 1295
western North Carolina: Gale, 613	Willis, 1894 table: 693
Henry, 760 Hyrne, Edward. Cape Fear river, Bar to	analyses: Asbury, 35
Brunswick; map: Map 35	
Ilmenite, Carter's mine, analysis: Genth,	Ashe county: Mitchell, 1239 analysis: Porter, 1455
640	Caldwell county, analysis: Pratt, 1461
Indian Island Slough, preliminary ex-	Catawba county: Abert, 5
amination: Johnston, 926	map: Map 540
Indian iocalities; map: Map 229	Chapel Hill mine; analyses: Roberts,
Inland navigation, improvement: Murphey,	1569
1270	Cranberry: Keith, 957
Inlets,	mines: Britton, 187
Bodie's Island: Boutelle, 164	Eckel, 532
improvements: 1328	Danbury; map: Map 547
Murphey, 1270	Davidson county, analysis: Booth, 160
Inspector of mines, annual reports 1897-	Sergeant, 1617
98: 1332	Deep river, analysis: Emmons, 552
Internal improvement:	Forsyth county, analyses: Sergeant,
Hawks, 721	1617
memoir, Murphey, 1268	Gaston county: Abert, 5
report: 1355	map: Map 540
see North Carolina, Board of Internal	Granville county: Nitze, 1306
Improvement.	analysis: Nitze, 1297
Iola mine:	Guilford county, analysis: Lesley, 1080
Eames, 525	Sergeant, 1617
Hafer, 696	Winter, 1922
Megraw, 1181	Harnett county: Julien, 940

King's Mountain: Hunt, 863	nlckel: Emmens, 548
Lincoln county: Abert, 5	Ingalls, 882
map: Map 540	Pratt, 1486
Mitchell county: Eckel, 532	analysis: Barlow, 65
Swank, 1757	nickel bearing area; map: Map 701
analyses: 1275	peridotite area; map: Map 571
Porter, 1455	pyroxenite, analysis: Schneider, 1602
Whitfield, 1863	Williams, 1890
Rockingham county, analysis: Lesley,	pyrrhotite: Nason, 1277
1080	Rich Mountain meteorite: Merrill, 1217
Sergeant, 1617	staurolite: Taylor, 1765
Surry county: Mitchell, 1239	talc, analyses: Bachman, 58
Troy, analysis: Eakins, 518	talc deposits : Pratt, 1505
western North Carolina: Kase, 946	water spouts: Clingman, 299; 304
Wilkes county: Mitchell, 1239	James mica mine, zoisite, analysis: Eak-
Iron ore distribution: 1295	ins, 522
Smock, 1692	Jarrett property, Swain and Macon coun-
map: Map 530 historical notes: Lesley, 1081	tles: Smith, 1669
localitles and mines: 1339	Jenks corundum mine, Macon county: Raymond, 1544
nickeliferous, Lenoir: Hess, 765	Smith, 1668
Iron works, historical account: Swank,	Jenks mine,
1758 **	culsageeite: Cooke, 369
Ischrhiza antiqua: Leidy, 1077	vermiculite: Cooke, 369
Itacolumite.	Jewell Hill meteorite, see Duel Hill me-
Burke county: Shepard, 1640	teorite
King's Mountain: Lieber, 1096	Johnson's North Carolina and South Caro-
relation to the diamond: Wetherili,	lina; map: Map 287
1856	Johnston county,
Stokes county: Justice, 945	deep borings: Darton, 453
Wetherill, 1856	iron ore: Willis, 1894
analysis: Wetherill, 1856	Jointing: Hobbs, 825
Jackson county,	Jones county,
bismutite, Casher's Valley: Chester, 266	limestone, analysis: Hodge, 827
chromite: Pratt, 1467; 1468; 1489;	map: Map 755
1490	maris, analyses: Ledoux, 1060
chrysolite, analyses: Genth, 634	parts of; map: Map 174
clay deposits: Holmes, 845	swamp lands: Nash, 1276; 1324
clay mining; Hill, 803	Jones mine:
copper: Weed, 1843 mincs: 380	Graton, 676
corundum: Gannett, 617	garnet, analysis: Genth, 650
Genth, 638	gold: Kerr, 989
corundum mines: Lewis, 1088	Randolph county: Tyson, 1792
Pratt, 1491	mining property; map: Map 198
Pratt and Lewis, 1469	Joyce's Creek, N. C., and Deep Creek, Va.,
production: Pratt, 1460	canal examination: Kearney, 949
enstatīte, analysis: Pratt, 1476; 1487	Juggensheims' mine, hyalite: Julien, 943
garnet production: Pratt, 1460	Jurassic coal formation: Rogers, 1575
genthite, analysis: Dunnington, 515	Kaolin: 1339; 1480
Walker, 1822; Pratt and Lewis, 1469	analysis: Crane, 412
geological examination: Owen, 1380	Middleton, 1225
kaolin, analysis: Manning, 1158	Ries, 1560; 1562; 1563
deposits: Holmes, 845 mining: Hill, 803	Jackson county: Holmes, 845
mica: Cirkel, 277	analysis: Manning, 1158
mica mining: Holmes, 842	western North Carolina: Harris, 716
Phillips, 1443; 1444	Ries, 1562
mineral lands: Miller, 1227	mlning: Crane, 412
resources: Owen, 1380	historical notes: Holmes, 845
1900	Jackson county: Hill, 803

Knoxville folio:

Mitchell county: Hill, 803 Keith, 958 Yancey county: Hill, 803 geologic maps: Map 565 production: Middleton, 1225 Knoxville quadrangle; map: Map 637 Karriker gold and copper company; Leeds Kyanite, see cyanite and Partz, 1064 Kyzcr's map of Cleveland county: Map Kearney, James. Chesapeake Bay and Albemarle Sound, Labyrinthodont: Cope, 372 country between; map: Map 86 Lafayette formation: McGee, 1148 Wilmington and vicinity, military recon-Lake Phelps, discovery: 505 naissance; map: Map 98 Lake Scuppernong, see Lake Phelps Kenly quadraugle; map: Map 663 Lambert, Samuel. Coast chart: Map 95 Kerr, W. C. Land, western North Carolina: 1853 Agricultural map: Map 384 Laney, F. B. biographical sketch: 849; 1013 Geologic map: Map 734 geological map: Map 339 Hazel Creek and Eagle Creek water-North Carolina; map: Map 403 sheds; map: Map 711 physiographical map: Map 406 Lathrop, John. Albemarle and Chesa-Kerrite, Franklin, analysis: Clarke and peake canal; map: Map 227 Schneider, 284 Laurentian formation: Whitney and Wads-King's mine, see Silver Hill mine worth, 1866 King's Mountain, Lawson, John. cassiterite: Inhabited parts of North Carolina; Benedict, 87 map: Map 23 Blake, 148 map of North Carolina: Map 24 Dabney, 432 Lawson mine: 670 Furman, 611 Lawton mine, Gaston county: Burchard, Graton, 676; 679 Hess. 764 Lazulite. Ledoux, 1062 Crowder's Mountain: Shepard, 1638 Phillips, 1449 Lincoln county: Hunter, 874 Pratt. 1466 western North Carolina: Blake, 142 Rolker, 1584 analysis: Smith and Brush, 1676 Ulke, 1794 Lea, P. Carolina, new map: Map 21 Van Ness, 1800 Lead: 1339 analysis: Bruce, 212 Genth, 648 examination: Ledoux, 1062 Kerr and Hanna, 992 gold: 1047 Devereux, 490 Lead ore, Davidson county, analysis: Booth, 160 Kerr, 1008 Lederer's marches; map: Map 12 gold belt: Nitze and Hanna, 1291 Lemmon mine, Union county: Whitney, iron ore: Hunt, 863 itacolumite: Lieber, 1096 1867 quadrangle; map: Map 743 Lemon's mine, Mecklenburg county: Shepsyncline: Weaver, 1838 ard, 1646 tin discovery: Furman, 611 Lenoir. iron ore, nickeliferous: Hess, 765 Lewis, 1086 tin exploration: Ledoux, 1062 county, fossils: Leidy, 1078 topography: Cohb, 315 Limber, 1101 King's Mouutain mine: 1047; 1134; 1234; map: Map 756 1696 Leopardite, altaite: Genth, 647 Mecklenburg county: Hunter, 874 Kinsey talc mine; analysis of talc: Pratt, analysis: Watson, 1832 Montgomery county, analysis: Genth, Kinston soil map: Map 632 634 Kirkland, A. Lesley, J. P. Topographical types in Columbus county; map: Map 402 North Carolina; map: Map 291 Kitchin, T. North and South Carolina Leveling: Wilson, 1902 and Georgia; map: Map 46 Lewis' Creck, fossils: Lyell, 1125

Macon county: Hill, 803

Lewis thoroughfare, preliminary examina-	Venable, 1805
tion:	analysis: Cohen, 331; 336
Johnston, 923	Kunz, 1035
Lucas and Winslow, 1123	Whitfield, 1864
Lick Creek meteorite:	Linville Park, Mitchell, Watuga and Cald-
Brezina, 182	well counties; map: Map 689
Cohen, 334	Liriodendron: Cobb, 309; 320
Venable, 1805	Little Tennessee river:
analysis: Farrington, 577	Ayres and Ashe, 44
Hidden, 783	Waddell, 1812
properties: Cohen, 328	discharge measurements: Hoyt, 857
relation of nickel and cobalt to iron:	Newell, 1282; 1284
Cohen and Weinschenk, 327	drainage: Gannett, 621
Lillington River,	examination: McFarland, 1145
improvement: 879	gauge heights: Hoyt, 857
Hinman, 811	Newell, 1282
Mercur, 1197	Livingston Creek, preliminary examina-
map: Map 392	tion: Johnston, 924
Limestone: 1233; 1339; 1480	Lockwood Folly river.
Kerr, 984	examination: Phillips, 1420
Merrill, 1212; 1215; 1218	improvement: Heap, 734
Watson and Laney, 1829 Allegbany county: Nason, 1277	Stanton, 1709 * map: Map 382; Map 472; Map 474;
Cherokee county: Eckel, 533	
eastern North Carolina: Olmsted, 1371	Map 531; Map 588 preliminary examination: Bixby, 125
Jones county, analysis: Hodge, 827	Johnston, 927
Macon county, analysis: Ledoux, 1061	Loffin mine, Randolph county: Tysou,
New Hanover county: Eckel, 533	1792
analysis: Battle, 77	Loflin mining property; map: Map 199
Pender county; analysis: Battle, 77	Löllingite, Alexander county; analysis
Wilmington: Lyell, 1126	Genth, 641
analyses: 1342	Long Creek gold mines, prospectus: 1524
quarries: Watson and Laney, 1829	Long mine, Cabarrus county: Whitney
Limonite,	1867
Cherokee county: Nitze, 1296	Lookout Bight, chart: Map 613; Map 574
ores, analyses: Nitze, 1296	Lookout cove, Cape Lookout; map: Mar
see iron ore	379
Lincoln county: 1480	Louisville exposition, North Carolina min-
amethyst: Hunter, 874	erals: Hanks, 702
cobalt: Wurtz, 1933	Lucasite, Corundum Hill, analysis: Chat
cyanite: Hunter, 874	ard, 261
diamond: Hunter, 874	Lumber river,
gold: Graton, 679	improvement: Abbott, 2
hematite: Abert, 5	map: Map 507
Willis, 1894	preliminary examination: Bixby, 126
iron ore deposits; map: Map 540	Lynch's complete map of Rutherford
lazulite: Hunter, 874	county; map: Map 690
magnetite: Abert, 5	McCullock copper and gold mining com
mica: Harn, 711	pany, Guilford county: Palmer and
monazite: Nitze, 1302	Buckley, 1382
Pratt, 1484	chart of mines; Map 197
native gold: Shepard, 1629	report: Jackson, 895
nickel: Wurtz, 1933	McCullock mine:
quartz: Bates, 74	Emmons, 557; 558
rutile: Dickson, 498	Lieber, 1099
tin: Graton, 676; 679	Whitney, 1867
Pratt and Sterrett, 1506	McDowell county: 1480
Linnville Mountain metcorite:	diamond: Kunz, 1041
Brezina, 180	earthquakes. Rockwood, 1573
Cohen, 334	gold region: Pratt, 1502

graphite, production: Struthers, 1753	Culsagee corundum mine: Genth, 638
hydraulic mining: Blake, 145	Shepard, 1643
Ellet, 545	description: 30
mica: Colles, 338	diaspore: Trautwine, 1787
monazite: Böhm, 151	emery: Judd, 936
Day, 468	enstatite; analysis: Pratt, 1476
Nitze, 1299; 1300: 1302	geological examination: Owen, 1380
Pratt, 1484	hematite: Emmons, 570
radioactivity: McCoy and Ross, 1138	Jarrett property: Smith, 1669
pyromelane: Shepard, 1628	Jenks corundum mine: Raymond, 1544
tetradymite: Genth, 647	Smith, 1668
topography: Ellery, 544	kaolin mining: Hill, 803
xenotime: Hidden, 798	limestone, analysis: Ledoux, 1061
Shepard, 1649	lucasite, analysis: Chatard, 261
zircon : Dana, 451	mica: Cirkel, 277
McGinn mine: 1134	Lewis, 1085
McMakin's mine, copper analysis: Genth,	mica mining: Phillips, 1443; 1444
631; 646	prehistoric: Smith, 1666
Mackay, Arthur. Coast about Cape Look-	Simonds, 1656
out; map: Map 41	magnetite: Emmons, 570
Mackay's Creek,	mineral resources: Owen, 1380
	prase: Cobb, 319
entrance: Map 170; Map 519 improvement: Bixby, 106	rhodolite: Judd and Hidden, 93S
Stanton, 1710	analysis: Hidden and Pratt, 791
mouth; map: Map 327	associated minerals: Hidden and
	Pratt, 792
examination and survey: Craighill, 402	ruby: Hidden, 794
preliminary examination: Bixby, 127	Judd and Hidden, 938
The state of the s	Kunz, 1045
progress map 1892: Map 538	Corundum Hill: Jenks, 899
Maclure: 1178	sapphire, Corundum Hill: Jenks, 899
Macon county: 1480	sperrylite: Hidden, 787
anthophyllite; analysis: Penfield, 1399	Kunz, 968
chromite, analysis: Pratt, 1489; 1490	analysis: Hidden, 787
clay mining: Hill, \$03	thermal belt: McDowell, 1139
corundum, 384; 385	water spouts: Clingman, 299; 304
Gannett, 617	Madison county: 1480
Hidden, 770	barite: Pratt, 1463; 1482
Jenks, 902	Struthers and Fisher, 1751
Leidy, 1075	chromite: Glenn, 665
Pratt, 1493	coal, prospecting: Phillips, 1439
alteration: Willcox, 1887	corundum: Gannett, 617
analysis : Jenks, 902	Genth, 638
Corundum Hill mine: Chatard, 258	mines: Lewis, 1088
Raborg, 1532	garnet: Pratt, 1460
discovery; Shepard, 1648	mining: 624
Franklin: Jenks, 901	geological examination: Owen, 1380
gems: Kunz, 1029	Greeneville soil survey: Mooney and
industry: Acheson, 23	Ayrs, 1250
mines: Lewis, 1088	iron ore: Willis, 1894
Pratt, 1499	meteorite: Cohen, 334
Pratt and Lewis, 1469	(Duel Hill): Venable, 1805
production : Pratt, 1460	analysis: Flight, 585
1898: Ropes, 1587	Rammelsberg, 1533
Corundum Hill mine: Chatard, 258	Smith, 1677
Lewis, 1088	mineral resources: Owen, 1380
Pratt and Lewis, 1469	mineral springs: Walton, 1823
Raborg, 1032	mineral water, analyses: Walton, 1823
Cowee Valley ruby mine, report: Brown,	monazite deposits: Nitze, 1302
188	pinite, analysis : Reese, 1550
	,

tale: Pratt, 1505	Manteo mining company, property: Tyson,
thermal springs: Daubeny, 457	1792
unakite: Bradley, 177	Map, ancient, account: Rockwell, 1572
Watson, 1831; 1833	Marble: 1232; 1339
zircon, analysis: Genth, 650	Kerr, 984
Magnetic declinations:	Merrill, 1212; 1215; 1218 Watson and Laney, 1829
Schott, 1608; 1609	Cherokee county, analyses: Nitze, 1296
approximate lines; map: Map 617; Map 618	quarries: Watson and Laney, 1829
Bodie's Island: Schott, 1607	Marl:
distribution: Schott, 1606	Carpenter, 236
Ralelgh: Schott, 1607	Phillips, 1442
table: Bauer, 81	Pratt, 1508
Baylor and Hazard, 82	analyses: 1167; 1340; 1341; 1342
Wilmington: Schott, 1607	analysis: Dabney, 428
observations 1906-7: Faris, 576	Cape Fear river: Emmons, 567
Salisbury: Bauer, 80	Craven county, organic remains: Croom,
Wadesboro: Bauer, 80	418
survey: Baylor and Hazard: 82	eastern North Carolina, analysis: Kerr. 979
Magnetism: Bache and Hilgard, 52	Olmsted, 1371
Magnetite: 1295 Alexander county: Hidden, 775	Smock, 1693
Ashe county: Nitze, 1298	Greene county, analysis: Ledoux, 1060
Porter, 1455	Jones county, analysis: Ledoux, 1060
analysis: Nitze, 1298	Neuse river: Emmons, 567
Catawba county: Abert, 5	New Hanover county, analysis: Battle,
Chapel Hill, analysis: Borden, 161	77
Cherokee county: Emmons, 570	Dabney, 435
Cranberry: Birkinbine, 96	Eckel, 533
Chase, 257	Pender county, analysis: Battle, 77
Kimball, 1014	Dabney, 435
Smock, 1692	Roanoke river: Emmons, 567
analysis: Chatard, 262 Kimball, 1014	Tar river: Emmons, 567 Wayne county, analysis: Ledoux, 1060
Gaston county: Abert, 5	Kerr. 995
Granville county: Nitze, 1297	exposures: Ruffin, 1593
Guilford county; analysis: Bowron, 165	Marshall, olivine noryte, petrographic
Haywood county: Emmons, 570	study: Herrick, Clarke and Dem-
Lincoln county: Abert, 5	ing, 762
Macon county: Emmons, 570	Mars Hill, zircon: analysis: Genth, 650
Mitchell county: 1275	Maryland, Virginia and Carolina in 1700:
Kimball, 1014	map: Map 405
Porter, 1455	Masonboro Inlet to Shallotte Inlet; map:
analysis: Bowron, 165 Kimball, 1014	Map 481
Orange county, Chapel Hill, analysis:	Mason's Branch, rhodolite: Hidden and
Borden, 161	Pratt, 791; 792 Mastodon
Stokes county; analysis: Nitze, 1303	Americanus: Leidy, 1078
Unaka Mountains: Blake, 141	giganteum: Lyell, 1127
Watauga county: 1275	Mattamuskeet swamp: Ruffin, 1592
see also iron ore	Maxwell mine: 1178
Malby mine, analysis of talc: Pratt, 1504	Mecklenburg; area in 1762; map: Map
Manganese: 1839	656
Blrkinbine, 97	Mecklenburg county: 1480
Haywood county: Newland, 1285	Baltimore and North Carolina copper
llot Springs, analysis: Ledoux, 1061	and gold mine: 1523
Surry county: Olmsted, 1373	cassiterite, analysis: Headden, 726
Transylvania county: Newland, 1285	Charlotte mine: 1554
Wayne county: Newland, 1285	copper: Leeds and Penman, 1069; 1070
production: Weeks, 1848	deep borings: Darton, 453

Dunn's mine: Wheeler, 1857	analysis: Clark, 282
Fulwood mine: Shepard, 1646	Farrington, 577
gold: Graton, 679	Shepard, 1641
discovery: Tompkins, 1782	Baird's Plantation, analysis: Shepard
gold, Charlotte: Leeds and Penman.	1645
1069; 1070	Black Mountain: Buchner, 214; 215
Hlpp mine: Shepard, 1646	Harris, 712
	Kenngott, 969
Lemon's mine: Shepard, 1646	Venable, 1805
leopardite: Hunter, 874	analysis: Clark, 282
Watson, 1832	Farrington, 577
map: Map 640	= '
monazite: Genth, 634	Shepard, 1645
pyrites : Davls, 461	Bridgewater: Brezina, 180
Rhea mine: Dickeson, 495	Venable, 1805
Emmons, 571	analysis: Farrington, 577
Whitney, 1867	Kunz, 1036
Rudisil mine: 1134	Cabarrus county: Buchner, 215
St. Catherine's mine: Winslow, 1904	Venable, 1805
scheelite; analysis: Genth, 633	Wiechmann, 1875
Simpson gold and silver mining com-	analysis: Shepard, 1633
pany, report: Huntington, 875	Caldwell county: Venable, 1805
	Castalia, see Nash county meteorite
Sumner mine: Shepard, 1646	Caswell county: Buchner, 215
Mecklenburg gold mining company: 1178	Chladni, 270
Presbytery: Cobb; map: Map 429	Harris, 712
Meberrin river,	Venable, 1805
examination: Mercur, 1188	Charlotte: Buchner, 214
improvement: Kuhn, 1024	Gibbon, 656
Hinman, 812	Harris, 712
Mercur, 1198	Charlottetown, Cabarrus county: Wads
mouth to Skinner's bridge; map: Map	worth, 1814
401	Cherokee county (Murphy), analysis
pliocene fossils: Wagner, 1816	Cohen, 332
Mesoteras:	Colfax (Rutherford county), analysis
Edgecombe county: Cope, 373	Kunz, 1034
kerrianus, discovery: Cope, 371	Cross roads: Brezina, 180
Mesozoic (cretaceous) deposits, Coastal	Howell, 856
Plain: Stephenson, 1736	Davidson county: Cohen, 334
Mesozoic flora:	analysis: Pratt, 1496
	Deep Springs Farm, analysis: Cohen
Fontaine, 587	329
Deep and Dan rivers deposits: Ward,	Farrington, 577
1825	Venable, 1805
formation: Frazer, 599	Duel Hili (Madison county): Brezina
map: Map 438	180; 181; 182; 183
fossils: Rogers, 1575	Buchner, 215
Posidonomya: Rogers, 1582	Venable, 1805
Metalliferous deposits, Roan Mountain:	analysis: Burton, 225
Wetherby, 1854	Farrington, 577
Metals, sulphide and telluride: Genth, 644	Smith, 1677
Meteor, Asheville: Clingman, 295	properties of: Cohen, 328
Meteorite, Alexander county:	relation of nickel and cobalt to iron
Venable, 1805	Cohen and Weinschenk, 327
analysis: Bailey, 60	Ellenboro, Rutherford county: Venable
Ashe county: Rogers, 1580	1805
Venable, 1805	analysis : Eakins, 519
Asheville: Buchner, 215	Fayetteville: 227
Harris, 712	Ferguson (Haywood county): Kunz
Kenngott, 969	1036
Venable, 1805	Venable, 1805
venanie, 1809	venable, 1809

Forsyth county, analysis: Cohen, 330; | Rutherford county; pseudo-meteorite: Venable, 1805 336 Rutherfordton, analysis: Shepard, 1627 de Schweinitz, 1610 Guilford county: Buchner, 214 Smith Mountain: Brezina, 180 Cohen, 334 Cohen, 334 Harris, 712 Farrington, 577 Venable, 1805 Smith, 1685 analysis: Clark, 282 Venable, 1805 Farrington, 577 Meteorite collection, catalogue: Shepard, Shepard, 1631 1625 Haywood county: Buchner, 214; 215 U. S. Nat. Museum, catalogue: Tas-Harris, 712 sin, 1761 Shepard, 1632 description: Madison, 1155 Venable, 1805 pseudo: Venable, 1805 Hendersonville: Glenn, 664 Meteorites: Merrill, 1216 Brezina, 179 analysis: Merrill, 1216 Genth and Kerr, 642 Hominy Creek: Buchner, 214; 215 Rose, 1588 Harris, 712 analyses: Rammelsberg, 1533 Kenngott, 969 catalogue: Huntington, 876 Venable, 1805 classification: Shepard, 1636 Wadsworth, 1814 iron; classified analyses: Farrington, analysis: Clark, 282 577 Shepard, 1645 list: Venable, 1805 Jewell Hill, see Duel Hill meteorite report on: Shepard, 1645 Lick Creek: Brezina, 182 Meteorological Cohen, 334 data, Chapel Hill: Phillips, 1436 Venable, 1805 observations: 1346; 1347 analysis: Farrington, 577 southern Appalachians: Henry, 760 Hidden, 783 summary for 1889: 1334; for 1891: relation of nickel and cobalt to iron: Cohen and Weinschenk, 327 record, Chapel Hill: Venable, 1806, Linnville Mountain: Cohen, 334 1880-84: 1219 Venable, 1805 Mica: 1233; 1339; 1480 analysis: Cohen, 331; 336 Fisher, 583 Kunz, 1035 Fuller, 601 Whitfield, 1864 Merrill, 1213 Madison county: Cohen, 334 Alexander county: Harn, 711 Ward, 1824 Buncombe county: Lewis, 1085 analysis: Flight, 585 Gaston county: Harn, 711 Murphy, Cherokee county, analysis: Haywood county: Cirkel, 277 Cohen, 332 Lewis, 1085 Nash county (Castalia): Venable, 1805 Jackson county: Cirkel, 277 analysis: Flight, 585 Lincoln county: Harn, 711 Kerr, 1007 McDowell county: Colles, 338 Rammelsberg, 1533 Macon county: Cirkel, 277 Smith, 1673 Lewis, 1085 Persimmon ('reek: Cohen, 333; 334 Mitchell county: Cirkel, 277 Klein, 1019 Colles, 338 analysis: Tassin, 1762 Day, 468 Randolph county: Buchner, 215 Pratt, 1473; 1475 Kenngott, 969 Reed, 1549 Venable, 1805 western North Carolina: 666; 1480 analysis: Clark, 282 Blake, 142 Rich Mountain, Jackson county: Merrill. Henderson, 757 Holmes, 840; 841 Rockingham county: 1480; Flight, 585 Kerr, 980 analysis: Genth, 645 Sterrett, 1738 Kerr, 1007 Yancey county: Cirkel, 277 Venable, 1810

Colles, 277

T	
Day, 468	Phillips, 1416; Pratt, 1480
Pratt, 1473; 1475	Wiley, 1880
Reed, 1549	Alleghany county: Boyd, 167; 168
dlscovery: Simonds, 1655; 1657	Ashe county: Boyd, 167; 168
Industry, Bakersville: 1222	Buncombe county: Owen, 1380
western North Carolina: Nitze, 1294	central North Carolina: Kerr, 997
mines, aboriginal: Brinton, 186	Cherokee Valley: Blake, 143
optical properties: Lewis, 1085	Coastal Plain: 653
production: Pratt, 1473; 1474	Davidson county: Hodge, 826
Rand, 1536 1907: Pratt, 1497	Deep river: Laidley, 1048
	Haywood county: Owen, 1380
Sterrett, 1739	Jackson county: Owen, 1380
scrap grinding: Sterrett, 1737	Macon county: Owen, 1380
Mica mining: 1223; 1480 Parker, 1385	Madison county: Owen, 1380
1907: Sterrett, 1739	Piedmont: 653
Haywood county: Holmes, 842	Watauga county: Boyd, 168
Jackson county: Holmes, 842	western North Carolina: 653; 878;
Mitchell county: Holmes, 842	1336
Smith, 1668	Kelsey and Hutchinson, 967
Winslow, 1904	Kerr, 982 King, 1015
western North Carolina: Phillips, 1443;	Lanman, 1051
1444	waters: 1339
Yancey county: Holmes, 842	Gale, 613
methods: Colles, 338	Moorman, 1253
Sterrett, 1738	Sanford, 1600
prehistoric : Brinton, 186	
Simmonds, 1656	Alamance county, analysis: Ledoux, 1060
Smith, 1666	
Microconodon, type specimen, description:	Buncombe county, analysis: Bell, 86 Chapel Hill, analysis: Ledoux, 1060
Osborn, 1377	
Microconodon tenuirostris: Osborn, 1378	Iredell county, analysis: Ledoux, 1060
Micropegmatite, Chapel Hill: Eaton, 530	Madison county: analysis: Walton,
Midland counties, geological report: Em-	1823
mons, 557; 558	Raleigh, analysis: Emmons, 549
Milholland's Mill, monazite: Dana, 449	Warren county: Walton, 1823
Mills property, Burke county:	analyses: 1393
Nitze, 1293	Bell, 85
Nitze and Wilkens, 1305	list: Peale, 1393
Mineral	Minerals: 1469; 1480
catalogue: 1366: 1480	Crystal Palace Exhibit: 1229
lands; map: Map 769	Barringer: 1356
localities: Genth, 643; 644	Genth, 643; 644
Genth and Kerr, 642	Genth and Kerr, 642
Hidden, 766	Burke county: Humphreys, 859
Kunz, 1032; 1033	Catawba county: Humphreys, 859
Willcox, 1885	Dysartville: 1230
Williams, 1888	King mine, Davidson county: Hodge,
list: Dana, 448	826
Robinson, 1571	Louisville exposition: Hanks, 702
Mineral	Surry county: Lewis, 1084
production: 1332; 1480	western North Carolina: Ingram, 883
products; statistics 1892: Nitze, 1308	descriptions: Kerr, 1001
resources: 1235; 1337; 1343	economic and gem: Genth, 643; 644
Genth, 648	historical notes: Kunz, 1033
Hanks, 702	list: Dana, 448; 453
Hanna, 704	tables of those mines: Smock, 1694
Hillyard, 306	useful: Olmsted, 1373
Holmes, 834	Williams, 1888
Kerr, 971; 972; 1001; 1356	Mines, southern: Stevens, 1746

Mining 1885: 1338; 1902: 1233	asbestos: Merrill, 1214
Hanna, 705; 707	autonite, radioactivity: Kunz and Bas-
Kerr and Hanna, 992	kerville, 1028
Kunz, 1043	beryl, analysis: Pratt, 1476; 1487
early: Blake, 142	clay miniug: Hill, 803
historical notes: Colton, 340	columbate, analysis: Seaman, 1613
	columbite, analysis: Smith, 1672
Laney, 1049	
hydraulic: Blake, 140	cyanite: Pratt, 1477
Burke county: Blake, 145	diabase, analysis: Hillebrand, 804
McDowell county: Blake, 145	diorite, analysis: Hillebrand, 804
industry: Holmes, 844	emerald: Kunz, 1040
Kerr, 975	epidote-chlorite-schist; analysis: Hille-
Pratt. 1479; 1480; 1481	brand, 804
1899-1906: Pratt, 1480	euxenite, analysis: Smith, 1672
methods: Ayres, 45	radioactivity: Kunz and Baskerville,
Hanna, 706	1028
Leeds, 1065; 1066; 1067	feldspars, experiments on: Day and
Valley river gold company: Blake,	Allen, 467
144	fergusonite: Hidden, 778
notes: 1357; 1358; 1359	Shepard, 1634
operations: Balch, 61	Smith, 1672
Burchard, 220	gahnite, analysis: Genth, 637
Eames, 525	glaciation: Wetherby, 1855
Genth, 644	gummite: Hidden, 776
Hanks, 702	hatchettolite: Smith, 1688
prehistorie mica mining: Brinton, 186	
Simmonds, 1656	analysis: Allen, 27
	Smith, 1672
Smith, 1666	hyalite: Julien, 943
statistics 1882: Balch, 61	iron ore: Willis, 1894
western North Carolina: 1394	analyses: Porter, 1455
map: Peck, Map 125	Swank, 1757
lint, private; Rutherfordton: Feather-	Whitfield, 1863
stonehaugh, 578	Cranberry mine: Eckel, 532
liocene:	kaolin mining: Hill, 803
Glenn, 663	magnetite: Smock, 1692
Lyell, 1128	analyses: 1275
Cape Fear river: Dall and Harris, 442	Bowron, 165
Chowan river: Dall and Harris, 442	Cranberry mine: Chase, 257
Neuse river: Dall and Harris, 442	Chatard, 262
Roanoke river: Dall and Harris, 442	Kimball, 1014
deposits: Clark and Shattuck, 280	mica: Cirkel, 277
fossiliferous, Tar river: Conrad, 365	Colles, 338
fossils: Dall, 441	Day, 468
Neuse river: Conrad, 358	Pratt, 1473; 1475
Wilmington: Conrad, 356	mica mining: Holmes, 842
Wilson county: Cope, 374	Phillips, 1443; 1444
flocene shells: Conrad, 350; 351; 355	Reed, 1549
Duplin county; Conrad, 353	Smith, 1668
Dall and Harris, 442	Winslow, 1904
names and bibliography: Conrad, 347	
fitchell, E.	prehistoric: Brinton, 186
Geological map: Map 154	Simonds, 1656
	Smith, 1666
geology of gold region; map: Map 119	mining developments: 1275
memoir: 1186	monazite: Nitze, 1302
sketch of: 1662	natural history notes: Wetherby, 1855
Phillips, 1417	orthite, analysis: Seaman, 1614
litehell county: 1480	phosphuranyiite, Flat Rock mine, analy-
allanite; analysis: Hidden, 777	sis: Genth, 639
anthophyllite, analysis: Pratt, 1476;	physical properties of feldspars: Pen-
1.197	0.11 0.100

rhyolite, analysis: Hillebrand, 804	Cleveland county: Böhm, 151
rogersite: Smith, 1688	Heighway, 750
samarskite: Hidden, 776	Pratt, 1484
Willcox, 1886	Lincoln county: Pratt, 1484
analysis: Allen, 27	McDowell county: Böhm, 151
Rammelsberg, 1534	Day, 468
Smith, 1672	Pratt, 1484
Swallow, 1756	Mecklenburg county: Genth, 634
crystallographic measurements: Dana,	Milholland's Mill: Dana, 449
446	Piedmont Plateau: Sterrett, 1741
description: Delafontaine, 478	Polk county: Böhm, 151
philippium in: Delafontaine, 475	Rutherford county: Böhm, 151
schist, analysis: Hillebrand, 804	Pratt, 1484
Silvers and Buchanan mica mines:	Shepard, 1638
Simonds, 1655	Shelby, analysis: Glaser, 661
tantalum : Hess, 765	South Mountain: Wainwright, 1818
topography : Kimball, 1014	western North Carolina: Blake, 142
uraninite: Boltwood, 153; 158	Ingalls, 881
Hidden, 776	analyses : Nitze, 1299
Kerr, 986	Thorpe, 1776
Rutherford and Boltwood, 1599	Truchot, 1788
alteration; analysis: Foullon, 596	bibliography: Nitze, 1300
analysis: Hidden, 777	chemical composition: Nitze, 1301
Hillebrand, 805	commercial value: Test, 1767
uranium: Hess, 765	investigations: Barker, 64
uranium minerals: Genth, 639	Baskerville, 72
Hidden, 776	Boltwood, 155; 157; 158
Kunz and Baskerville, 1028	Dadourian, 438
Pratt, 1507	methods of concentration: Nitze, 1301
uranochre: Hidden, 776	methods of working: Nitze, 1299
uranotil: Hidden, 776	mines and mining methods: Mezger,
analysis: Genth, 639	1220
xenotime-zircon: Hidden, 798	
zoisite, analysis: Hidden, 800	mining and production: Pratt and Ster-
Mitchell river; discharge measurements:	rett, 1483
	placer deposits: Nitze, 1299
Grover and Hoyt, 682 Moll, H. Carolina; map: Map 22; Map	production: Heighway, 749; 750
	Nitze, 1301
31	Sterrett, 1740
Molybdenum: Pratt, 1507	1901-3: Pratt, 1484
Monazite: 575; 1233; 1249	1904: Pratt, 1478; 1498
English, 573	1906: 1248; 1480
Hidden, 776	1907: Pratt, 1480; 1485
Merrill, 1213	radioactivity: McCoy and Ross, 1138
Mezger, 1220	Montanus, A. Virginiae partis australis
Nitze, 1299; 1300	Map 10
Test, 1767	Montgomery county,
Truchot, 1788	albite, analysis: Genth, 633
Alexander county: Dana, 449	gold: Graton, 679
Hidden, 775; 776; 784	Kerr, 1008
vom Rath, 1543	Lewis, 1083
analysis: Penfield and Sperry, 1400	Morehead, 1255
radioactivity: Kunz and Baskerville,	discovery: 1280
1028	nuggets: Hurley, 877
Bellewood, analysis: Glaser, 662	Iola mine: Hafer, 696
Burke county: Böhm, 151	Megraw, 1181
Day, 468	
Kunz, 1044	leopardite, analysis: Genth, 634
Pratt, 1484	map: Map 757
	paloeotrochis: Emmons, 564
analysis: Penfield 1403	Parker's mine: Wheeler, 1857

Russell mine: Nitze, 1293 guide book: Chunn, 276 measurements: 695 Tyson, 1793 Gilman, 659 Wilson, 1900 Guyot, 690 Sam Christian mine: Nitze, 1293 popular description: Boyle, 171 Steel gold mine: Jackson, 897 volcanic rocks: Williams, 1889 Clark, 283 Moore county, coal: 1480 topography: Hunt, 864 Mount Guyot quadrangle; map: Map 713 Chance, 254 Johnson, 906 Mount Mitchell: analysis: Johnson, 907 Ayres and Ashe, 44 altitude: 1279 Burns gold mine: Chance, 251 coal fields: Emmons, 567 area, soil map: Map 659 Tuttle, 1791 soil survey: Caine, 229 deep borings: Darton, 453 soils: Whitney, 1872 gold: Chance, 251 analyses: Caine, 229 Graton, 679 ascent: Reid, 1552 Kerr, 1008 Scott, 1611 iron ore: Willis, 1881; 1894 popular account: Caputalbum, 235 McDulhe's map: Map 752 folio: Keith, 959 pyrophillite deposits: Pratt, 1505 popular account: Dimmock, 504 sandstone, analyses: Day, 472 quadrangle, geologic maps: Map 692 underground waters: Fuller, 603 map: Map 749 Morganton quadrangle; map: Map 696 Mount Pisgah, description: Clingman, 296 Mouzon, Henry. North and South Caro-Morong copper mine: White, 1861 Mosandrum: lina, accurate map: Map 49, see Delafontaine, 481 also Map 65 Smith, 1679; 1680 Murphy, Cherokee county, meteorite: discovery: Smith, 1687 Ward, 1824 Mosasaurus crassidens: Marsh, 1168 analysis: Cohen, 332 Moseley, Edward. North Carolina; map: Murphy quadrangle; map: Map 681 Muscovite, Alexander county, analysis: Map 30 Mount Airy, Surry county, granite quar-Clarke, 287 ries: Mysia nucleiformis, description: Wagner, Watson, 1831 1816 Watson and Laney, 1829 Nag's Head inlet, granite, analysis: Day, 472 practicability of opening: Guynn, 689 Mountain reopening: Joyner, 934 altitudes: 1266 surveys, résumé: Joyner, 934 counties, examination: Emmons, 556 Roanoke inlet, survey: 1567 natural resources: Emmons, 556 Nag's river, examination: Simpson, 1658 drainage, western North Carolina: Will-Nansemond river and cox, 1884 Chowan river, map of country between: region, granite distribution: Watson, Map 79 1831 Roanoke river, map of country between: Watson and Laney, 1829 Map 139 map: Map 435 Nantahala North Carolina and Tennessee; map: folio: Keith, 960 Map 275 quadrangle, geologic map: Map 719 popular description: Tiernan, 1777 map: Map 728 topography: 1264; 1265; 1266 river, drainage: Gannett, 621 Mountains: 1360; 1361; 1469 and Tuckasegee land and mineral com-Buckley, 217 pany, preliminary report: Christy, Chickering, 267 273; 274 Clingman, 296; 300 Nash county: 1480 Colton, 339; 341 gold: Crosby, 419 western North Carolina: Ayres and meteorite: Venable, 1805 Ashe, 43 analysis: Flight, 585 prelimInary sketch map: Map 262 Kerr, 1007 description: King, 1015 Rammelsberg, 1533 geography: Guyot, 691 Smith, 1673

27-411	Craighill, 394
National foundry, Deep river as site: Emmons,	Fulton, 607
552; 560; 561	Heap, 735
road, Washington, D. C., to New Or-	Hinman, 813
leans, reconnaissance, map: Map	Johnston, 916
110	Lucas, 1117
Native elements: Genth, 643; 644	Mercur, 1199
Natural history:	Phillips, 1427
Brickell, 184	Stanton, 1711
Catesby, 249	Weaver, 1837
notes, Mitchell county: Wetherby, 1855	Winslow, 1912
Natural resources: 684; 1310; 1311;	map: Map 325; Map 336; Map 483
1312; 1314; 1320; 1343; 1348;	marls: Emmons, 567
1356	miocene: Dall and Harris, 442
Bannister Cowan, 62	fossils: Conrad, 358
Buckingham, 216	Newbern to Smithfield, map: Map 494
Carr, 238; 239; 240	postpliocene: Desor, 489
Clingman, 297	preliminary examination and survey:
Credner, 416	Johnston, 925
Kerr, 971; 972; 978; 981; 983; 985;	Stone's Mill to Turner's ferry, longi-
994; 1009; 1010	tudinal section: Brazier, map 87
Letham, 1082	survey, locks and dams: Brazier, Map
Osborn, 1379	88
Scotus Americanus, 1612	survey: Abert, 20
Shepard, 1642	Craighill, 405
Small, 1665	Hcap, 743
Webster, 1839	Murphey: 1270
Wheeler, 1858	Thompson, 1771
eastern counties: Emmons, 568	surveys and examinations: Kearney,
Franklin county: Green and Arrington,	948
681	tertiary: Rogers, 1575
mountain counties: Emmous, 556	fossil bones: Foster, 593
northwestern North Carolina: Credner,	plants: Berry, 92
416	shells: Conrad, 354
western North Carolina: Colton, 343	and Beaufort harbor, country between,
Emmons, 569; 570	survey: Map 115
Gatchell, 626	and Cape Fear river, survey between, map: Map 140
Natural wall: Ayres, 45 Beckwith, 84	of land between, map: Map 345
Cooper, 370	and Northeast Cape Fear rivers, canal,
Lewis, 1092; 1093	map: Map 344
Woodhouse, 1927; 1928	and Pamlico rivers, surveys between:
see also diabase dike	1555
Neu-Bern, Anlage der Stadt; map: Map 25	Price and Clemons, 1324; 1515
Neuse river, discharge measurements:	Newark area,
Davis, 460	fracture system: Hobbs, 825
Newell, 1282; 1284	structure and age: Russell, 1595;
drainage basin, Swain, 1755	1596
examination: Abert, 6	brownstone, age: Lyman, 1130
Fulton, 608	system, areas occupied; map: Russell,
fossil plants: Berry, 93	Map 514
shells, list: Conrad, 362; 364	Newbern,
fossils: Croom, 418	fossil shells: Conrad, 349
Emmons, 568	improvement: Bixby, 114
Lyell, 1127	map: Map 627
gauge heights: Davis, 460	port of, map: Map 303
Goldsboro to mouth, map: Map 758	quadrangle, map : Map 664
Goldsboro to Smithfield, map: Map 359	section, description: Havens, 720
improvement: Bixby, 107	soll map; Map 633
Brown, 194	to Raleigh, soil survey: Smith, 1690
-, -	

2 72 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	overton monta i Chara CCO
and Beaufort, waterway, improvement:	
Brown, 199	and North river, oyster chart, map:
Craighill, 393	Map 610
Heaps, 733	Clubfoot and Harlowe rivers, map: Map
Johnston, 921	419
Stanton, 1708	Nickel: 1480
map: Map 506	Moxam, 1267
New Hanover county: 1480	Gaston county: Wurtz, 1933
deep borings: Darton, 453	Jackson county: Argall, 33
dog-tooth spar, analysis: Battle, 77	Biddle, 95
map: Map 456; Map 759	Emmons, 548
marls, analysis: Battle, 77	Glenn, 665
Dabney, 435	Ingalls, 882
Eckel, 533	Pratt, 1486
northern portion: James and Brown.	analysis: Barlow, 65
Map 309	Lincoln county: Wurtz, 1933
phosphate mining; Castle Hayne:	Nickel bearing minerals: Lewis, 1088
Brown, 211	Nolichucky river,
phosphates, analysis: Battle, 77	description: Ayres and Ashe, 44
Dabney, 435	drainage, Gannett, 621
seil map: Map 740	basin : Pressey, 1513
soils; analyses: Drake and Belden, 510	Nord Carolina, Karte von: Map 619
survey; Drake and Belden, 510	Norfolk.
New Inlet,	Albemarle Sound, inland water route,
chart of: Map 204	improvement: 1911
Federal Point, map: Map 315	Burr, 223
origin: 22	Casey, 241
	Quinn, 1529
New Inlet bar, comparative chart: Map 242	Atlantic ocean, survey between: Phil-
	lips, 1433
New river:	Beaufort inlet, inland waterway, map:
Waddell, 1812	
Cedar Bush cut, map: Map 553	Map 668; Map 669; Map 714; Map 715
description: Ayres and Ashe, 44	
drainage: Campbell, 233	preliminary examination: Winslow,
basin: Pressey, 1513	1920
examination: Mercur, 1189	survey, Mackenzie, 1151
improvement: 1329	folio: Darton, 456
Bixby, 108	harbor, Albemarle sound, inland route,
Brown, 201	improvement: Kuhn, 1023
Heap, 736	Atlantic ocean, inland water routes,
Johnston, 917	surveys: Phillips, 1418
Stanton, 1712	Cape Fear river, survey to connect,
map: Map 462	map: Map 345
mouth, survey, map: Map 136	North Carolina sounds, waterway, im-
occan to Jacksonville, map: Map 523	provement: Kuhn, 1027
Onslow to mouth, map: Map 409	Quinn, 1513
preliminary examination: Brown, 203	Winslow, 1918
Johnston, 928	quadrangle, geologic map: Map 645
Wright's Island, vicinity, map: Map	map: Map 697
554	North Carolina
and bar, map: Map 191	agricultural experiment station, annual
and Swansboro, waterway, improve-	reports of the meteorological divi-
ment: Bixby, 116	sion, 1889: 1334
Johnston, 922	map: Kerr, map 384
Stanton, 1719	area, soils: Whitney, 1873
map: Map 532	Board of internal improvement, me-
preliminary examination: Bixby, 135	morial of convention: 1325
New river inlet, map: Map 482	report, 1820: 1321
Newport river.	1821: 1327
improvement: Bixby, 114	1822: 1322
-	AURRA IURR

1824: 1323 Brickell, Map 32 1833: 1326 Cobb, Map 602 1838: 1328 Collett, Map 47 1839: 1329 Cram, Map 761 reports on swamp lands: 1330 Hazzaid, Map 248 Board of literature, swamp lands owned Kerr and Cain, Map 403 by: 1331 Lawson, Map 24 boundaries: Pinckney, 1451 Lindenkohl, Map 260 canals, roads, and distances, map: Map Moseley, Map 30 174 Romans: Map 51 central portion, triassic sandstone, map: State Board of Agriculture, Map 529 Map 699 Weeks, Map 583 clays, distribution of; map: Map 655 Williamson, Map 85 copper company, 1333 earliest, Map 1 old; Cameron, 230 report: Jackson, 894 map showing evolution of settlements: mine, prospectus · 1523 report: Wilder, 1878 Map 736 description: 486; 1339 mineral exhibit, Boston: 1345 Duncan, 513 World's Columbian exposition: Pen-Edwards, 535 rose, 1407 Eights, 541 territory, tributary to Norfolk and Horne, 855 Western railroad, map: Map 770 Kerr, 971: 978; 983; 1009; 1010 minerals, popular account: 1231 National Publishing company's new rail-Lawson, 1055 road, post-office and county map: Letham, 1082 Schöpf, 1604 Map 644 northern part, map: Map 171 Smyth, 1695 descriptive notes: Lyell, 1129 outline map: Map 208 Cooke, W. D., Map 189 Oldmixon, 1365 eastern part, map : Map 269 physiographic map: Map 706 plantations of the English in America, portion of the military department, map: Map 270 map: Map 26 exhibit, American exposition: Dabney, pre-Cambrian and crystalline 427 map: Map 528 precincts, map: Map 237 Boston: 693 province, map: Map 33 fossil mammals: Leidy, 1073 railroad, sketch, map: Map 779 geographical, statistical and historical map: Map 594; Map 622 map: Map 751 school map: Cobb, Map 386 geologic map: Map 215; Map 464 1783, map: Map 738 map: Mitchell, Map 154 counties, towns, etc., map: Map 620 Gold Hill district: Map 734 Steel & Iron company, iron mines and peridotite rocks and corundum localities: Map 464 limestone quarries, map: Map 501 prospectus: 1525 gold amalgamating company: Cram, 408 report on property: Smith, 1525 gold mine, map: Map 334 survey, Price and Strother, map: Map 83 gold mine company: Thornton, 1774 Tunnison's new railroad distance and gold mining company, report: 1554 township map: Map 623 Hudgin's company's new survey map: with portions of adjoining states, map: Map 607 improvement, outline: Murphey, 1269 Map 292 inhabited parts, map: Map 23 yellow tobacco belt, map: Map 433 major physiographical provinces, map: and eastern Tennessee, boundaries of Map 716 proposed national park, map: Map map: Map 51; Map 56; Map 70; Map 606 77; Map 78; Map 157; Map 172; and South Carolina, map: Map 76; Map 249; Map 265; Map 294; Map Map 123; Map 127: Map 155; 319; Map 500; Map 608; Map 609; Map 256; Map 272; Map 290; Map 641; Map 700; Map 760; Map Map 353; Map 441; Map 765 771 Armroyd, Map 107 Brazier, Map 126 Carroll, Map 131

Denison, Map 71	gauge heights: Hoyt, 857
Mast, Crowell and Kirkpatrick, Map	Newell, 1282
515	Ocracoke bar,
Mouzon, Map 49	map: Coles and Price, Map 82
Scarborough, Map 707	removing obstructions, report: Dut-
post offices, post roads, canals and	ton, 517
railroads, map: Burr, Map 145; see	and roads; map: Map 106
also Map 129	harbor, chart: Map 109
post route map; Map 376	map: Map 84
railroad and county map: Map 446;	inlet: Muse, 1273
Map 772	current velocity stations, map: Map
topographical map: Map 52	563
and Georgia, map: Map 52; Map 156	improvement: 1329; 1355
Kitchin, T., Map 46	Bixby, 110
and Florida, map: Map 45	Craighill, 396
and Tennessee parts; map: Map	Heap, 738
387	Lucas, 1119
and Virginia boundary, Atlantic ocean	Murphey, 1268
to Nottoway river, map: Map 443	Stanton, 1714
line: Thorn, 1773	inner shoals, map : Map 578
supposed line between, 1772-79, map:	map: Map 30; Map 122; Map 130;
Map 604	Map 193; Map 264; Map 552;
Northeast river,	Map 555; Map 590; Map 600
improvement: Bixby, 109	Abert, Map 99
Brown, 195	obstructions: Fulton, 610
Craighill, 395	preliminary examination: Bixby, 129
Heap, 737	survey, map: Map 235
Johnston, 918	survey: Heap, 744
Lucas, 1118	showing obstructions, map: Map
Stanton, 1713	116
Winslow, 1913	Teach's Hole swash route, map: Map
map: Map 495	562
marl exposure: Ruffin, 1593	to Beaufort, including Core sound,
Old county ferry to Juniper Swamp,	map: Map 503
map: Map 577	Wallace's channel, map: Map 524
preliminary examination: Bixby, 119;	Octahedrite, Burke county, erystallo-
128	graphic measurements: Robinson,
Johnston, 929	1570
survey: Stanton, 1733	Ogilby, John. New description of Caro-
North Landing river,	lina, map: Map 9
improvement: Burr, 224	Old House channel,
Casey, 242	examination: Craighill, 406
Fiebeger, 580	Pamlico sound, map: Map 338
Hinman, 814	Old Topsail inlet,
Mercur, 1200	improvement: Murphey, 1268
Phillips, 1428	to Cape Fear, map: Map 490
map: Map 371	Oligoclase, Bakersville: 1366
survey chart: Map 261	analysis: Clarke, 288
North river,	Kunz, 1037
Beaufort harbor, water route, prelim-	Penfield and Sperry, 1400
inary examination: Stanton, 1730	Olivine,
map: Map 372: Map 373	
North river bar, improvement: Hinman,	Corundum Hill, analysis: Chatard, 263
S09	noryte, Marshall, petrographic study:
Northwest river,	Herrick, Clarke and Deming; 762
map: Map 521; Map 522	rocks . Wadsworth, 1815 origin : Wadsworth : 1815
preliminary examination: Flebeger, 581	
Nottely river,	Olmsted, Denison:
discharge measurements: Hoyt, 857	biographical sketch: Lyman, 1132
Newell, 1282	geological map: Map 105
3.017 CF19 I = C =	sketch of: 1660

Oneosaurus perplexus: Leidy, 1077	Ostrea
Onslow county swamp lands: Nash, 1276;	subspatulata: Lyell; 1125
1324	vesicularis : Lyell, 1125
Opal: 1339	Ostrenomia: Conrad, 350
Orange county,	Ould Virginia,
iron ores: Willis, 1894	N. C. coast: John Smith, map: Map 3
magnetite, analysis: Borden, 161	pen sketch, map: Map 4
	Virginia Farrer map: Map 5
map: Map 516	
red sandstone formation: Olmsted, 1370	Outer Diamond shoals, survey operations:
triassic: Emmons, 559	Duffield, 512
volcanic rocks · Williams, 1889	Oyster reefs, Newport river: Grave, 680
Ore: 1480	l'alaeosaurns : Leidy, 1074
analyses: 1343	Paleotrochis: 1383
deposits, Ashe county, map: Map 546	Credner, 414; 416
western North Carolina: Olmsted,	Diller, 503
1371	Emmons, 566
treatment of:	Leidy, 1079
Ore Knob mine: Egleston, 536; 537	Marsh, 1169
538	Chapel Hill: Cobb, 310
	Montgomery county: Emmons, 564
Hnnt, 869; 870; 871	
Wendt, 1851	Sam Christian mine, analysis: Dilier,
Phœnix mine: Cramer, 410	503
Egleston, 539	origin: White, 1860
Phillips, 1438	Pamlico river,
Thies, 1769	examination: Abert, 7
Thies and Phillips, 1768	improvement: 1914
see specific headings, as gold, copper,	Abert, 13
etc.	Bixby, 111
Ore Hill, iron deposits, map: Map 542	Brown, 196
Ore Knob copper	Craighill, 397
company: 1376	Heap, 739
	Himman, 815
Egleston, 538	Johnston, 919
mine: Boyd, 167; 168	Lucas, 1120
Currey, 421	
Eames, 523	Mercur, 1200
Hunt, 869; 870; 871	Phillips, 1429
Olcott, 1364	Stanton, 1715
Weed, 1841	map: Map 337
ores: Boyd, 169	preliminary examination: Johnston, 130
Hunt, 866; 870; 871	survey: Heap, 745
Wendt, 1851	Pamlico river
analyses, 536; 538	and Bay river, preliminary examina-
	tion of waterways: Blxby, 136
process: Egleston, 536; 537; 538	and Neuse river, surveys between:
Hunt, 869; 872	1555
Olentt, 1364	Price and Clemons, 1324; 1515
Oregon inlet,	and Roanoke river, surveys between:
examination: Mercur, 1190	1555
map: Map 268	Price and Clemons, 1324; 1515
to Cape Hatteras, map: Map 388	and Tar river, map: Map 525
Ores, treatment of, Phœnix mine : Phillips,	
1438	Washington to Tarboro, map: Map
	508
Ormond ore bank: Winslow, 1904	at and below Washington, map: Map
Orthite:	526
Merrill, 1213	section, description: Havens, 720
Mitchell county, analysis: Seaman, 1614	sound, Albemarle sound, swamp lands,
Orthoclase,	plan: Brazier, Map 118
Alexander county: Hidden, 775	canal to connect with Currituck and
as gangue material: Lindgren, 1103	Albemarle: 25
Orycterocelus cornutideus: Leidy, 1077	description: Phillips, 1418
orjeteroceius comandeus. Deiuj, 1011	description, I minps, 1110

eastern sheet, map: Map 415	Pecten marylandicus, description : Wagner,
entrance, map: Map 84	1816
map: Map 717	Peedee river,
middle sheet, map: Map 416	examination: Phillips, 1421
progress of survey 1845-71, map: Map	Uharrie to Cheraw, map: Map 361
321	Pegmatite gneiss: Julien, 941
survey of swash: Bache, 55	
to Beaufort inlet, inland waterway,	Pender county,
improvement: Brown, 200	limestone, analysis: Battle, 77
map of proposed inland waterway:	marls, analysis: Battle, 77
Map 733	Dabney, 435
and Albemarle sound, map: Map 784	phosphates, analysis: Battle, 77
Panopea goldfussi, description: Wagner,	Dabney, 435
1816	swamp lands: Ashe, 39
Paranthite, Clay county, analysis: Berke-	Peridotite area, Jackson county, map:
ley, 89	Map 571
Pariostegus Cope, Chatham county: Cope,	Peridotites: 1469
379	Lewis, 1089
Paris exposition, Tiffany exhibit; Kunz,	bibliography: Pratt and Lewis, 1469
1046	character and distribution: Lewis, 1088
	structure: Pratt and Lewis, 1469
Parker gold mine:	
Nitze, 1293 Olmsted, 1369	origin, western North Carolina: Lewis,
Parker landing, Tar river, amber: Berry,	1091
90	western North Carolina: Pratt, 1492
Parker property, gold placers, map: Map	Perquimans and Pasquotank, soil map:
247	Map 710
Parker's mine, Montgomery county:	Perquimans
Wheeler, 1857	county, soil survey: Lapham and Lyman,
Parks, Marshall: Albemarle and Chesa-	1053
peake canal, map: Map 216	soils: analyses: Lapham and Lyman,
Parmele quadrangle, map: Map 650	1053
Pasquotank	river, examination: Abert, 9
county: Greenleaf, Map 354; Map 422	improvement, 1915
soil survey: Lapham and Lyman, 1053	Abert, 14
soils, analyses: Lapham and Lyman,	Kuhn, 1025
1053	map: Map 670
river, examination: Abert, 8	preliminary examination: Hinman,
Improvement: Bixby, 112	823
Casey, 243	
Stanton, 1716	Winslow, 1919
in vicinity of Dismal swamp canal,	Perseverance mining company, property:
map: Map 383	Tyson, 1793
map: Map 120; Map 143; Map 178:	Persimmon Creek meteorite:
Мар 374	Cohen, 333; 334
preliminary examination: Bixby, 130	Klein, 1019
Hinman, 822	analysis: Tassin, 1762
surveys and examination: Kearney,	Person consolidated copper
948	and gold mining company: Pratt,
upper portlon, map: Map 527	1501
Peach Bottom copper mine:	mines: White, 1861
Boyd, 167	county, copper: Judd, 937
Currey, 421; 423	Phillips, 1440
Terry, 1766	Ricketts, 1559
economic minerals: Nason, 1277	Weed, 1840
Pearce's new map of North Carolina; Map	Weed and Watson, 1847
320	White, 1861
Peat: 1339	
Dismal swamp: Wleland, 1877	copper district: Watson, 1836
Hyde swamps, analysis: Baskerville, 71	geology: Pratt, 1501
11, de swamps, analysis: Daskerville, 71	mines: Weed, 1842

ore: Nitze, 1306	production: Memminger, 1185
Pratt, 1480; 1501	1886: Phillips, 1442
Watson, 1830	1903: Schnatterbeck, 1601
production: Phillips, 1441	solublity: Borden, 162
Petrified	Phosphuranylite:
forest, Stokes county: 1413	Pratt, 1507
wood: Strode, 1749	Mitchell county, Flat Rock mine, analysis: Genth, 639
Philadelphia and North Carolina	Physical features: Wiley, 1880
mining company estate, Rutherford	Physical geography: Kerr, 995; 1001
county, map: Map 161	Physiographic map of North Carolina:
mining and smelting company, report:	Map 706
Gipperich, 660	Kerr, Map 406
Phillipium, earth of samarskite: Delafon-	types: Gannett, 620
taine: 475; 483	Physlography: 1313; 1335; 1336; 1337;
Phœnix	1338; 1343
gold company:	Barringer, 1356
Stagg, 1699	Davis, 463
prospectus: 1522	Hawks, 721
mine: 1522 Hanna, 703	Kerr, 996
Whitney, 1867	Phillips, 1416 Rodman, 1356
chlorination of low grade sulphides:	Black mountains: Guyot, 692
Egleston, 539	Blue Ridge: Davis, 463
Phillips, 1438	southern Appalachians: Hayes, 724
gold ores, treatment: Thles, 1769	Powell, 1459
Thies and Phillips, 1768	Pressey, 1513; 1514
Cramer, 410	western North Carolina: 1371
report: Dickeson, 494	Emmons, 570
tetradymite: Burkart, 221	Owen, 1380
analysis: Genth, 635	Pratt and Lewis, 1469
Thies process: Egleston, 539	Willcox, 1884
Phosphates:	Picrolite, Buck Creek, analysis: Clarke and Schneider, 285
Carpenter, 236	Piedmont,
Merrill, 1213	frost drift: Kerr, 988
Castle Hayne: Memminger, 1184	geology: Laney, 1049
mines: Schnatterbeck, 1601	granite, distribution: Watson, 1831
Duplin county: Phillips, 1446; 1447	mineral resources: 653
Winslow, 1905	monazite deposits: Sterrett, 1741
analysis: Dabney, 430	soil: Ashe, 40
eastern counties: Dabney, 429; 431;	wells: Holmes, 847
434; 436 Day, 468	Piedmont division; N. C. and western rall
historical notes: Dabney, 433	way; map: Map 152
New Hanover county, analysis: Battle,	Pigeon river, description: Ayres and Ashe
77	Pimelite, mineral resembling, Webster
Dabney, 435	analysis: Dunnington, 514
Pender county, analysis: Battle, 77	Pinite, Madison county, analysis: Reese
Dabney, 435	1550
Sampson county: Winslow, 1905	Pioneer Mills mine: 1452
analysis : Dabney, 430	report: Northrup, 1363
analyses: 1340; 1342	Pisgah
Dabney, 428	folio: Keith, 961
Memminger, 1184	quadrangle, geologic maps: Map 721
description: Penrose, 1406	map: Map 729
Willis, 1896	Pitt county, fossil vertebrata: Cope, 378
development: Winslow, 1905	Pittsburg southern railroad, extension
mining, 1897: 1450	Kerr, 972
Castle Hayne: Brown, 211	Placer deposits and mining: Pratt, 1502
27*	

Plantations of the English in America: Cramer, 411 Carolina, map: Map 26 Hanna, 705 McCaskey, 1137 Platinum, Pope, 1454 Rutherford county: Shepard, 1625 Waring, 1828 explorations: Genth and Kerr, 642 stones: 1233; 1339 occurrence: Venable, 1807 Burnham, 222 Pleistocene beds: Rogers, 1575 Kunz, 1043 Pliocene Lea, 1056 beds: Rogers, 1575 production: Sterrett, 1742 fossils: Conrad, 357 Dall, 441; 443 Price, J., and Strother, J. Cape Fear river, Frying Pan shoals to Meherrin river: Wagner, 1816 Wilmington, map: Map 80 Pliogonodon priscus: Leidy, 1077 Cape Henry to Cape Roman, chart: Plumbago: Map 75 Silliman, 1651 survey of North Carolina, map: Map Stokes county: Olmsted, 1373 83 Plymouth to Pungo river, canal: Fulton, Princeton soil map: Map 634 604; 1324 Pocock, N. Nouvelle carte des cotes des Pseudo-meteorite, Rutherford county: Venable, 1805 Carolines septentrionales du Cap Pseudomorph, gummite and uranotil after Fear a Sud Edistos: Map 53 uraninite: Foote, 590 Polk county: 1480 asbestos: Pratt, 1462 Pucket mine: Eights, 542 edisonite, analysis: Hidden, 790 Pungo river to Plymouth, canal: Fulton, monazite: Böhm, 151 604; 1324 Nitze, 1299; 1300; 1302 Furcell J. Map of states of Virginia, North Carolina, South Carolina and rutile, crystallographic characters: Des Georgia: Map 61; see also Map 69 Cloizeaux, 484 Polycrase. Henderson county, analysis: Purpurite, Gaston county: Graton and Hidden and Mackintosh, 793 Schaller, 678 Puzzle mine, hyalite: Julien, 943 Polydectes biturgidus, Sampson county: Cope, 376 Pyrite: 1339; 1480 Wendt, 1851 Polyparia: Lonsdale, 1105 Porphyry: Merrill, 1212; 1218 Gaston county: Davis, 461 Portis mine, see Sturgess mine High Shoals, Gaston county: Winslow, Portsmouth, Ohio to Linville, N. C., sketch showing routes from: Map 132 Mecklenburg county: Davis, 461 Posidonomya, mesozoic: Rogers, 1582 analysis: Winslow, 1906 Post offices and post roads, map: Burr, explorations: Winslow, 1906 Map 129; see also Map 145 Pyromelane, McDowell county: Shepard, Postpliocene, Neuse river: Desor, 481 1628 Post route map, North and South Caro-Pyrophyllite Pratt, 1504 lina: Map 376 Merrill, 1213 Potable waters, analyses: 1341 Crowder's Mountain: Shepard, 1638 Potecasi Creek, preliminary examination: Moore county: Pratt, 1505 Casey, 246 analysis: Brush, 213 Potohunk river, preliminary examination: deposits and mines: Pratt, 1504 Stanton, 1726 Pyroxenite, Jackson county, Webster, an-Potomac formation: alysis: White, 1859 Schneider, 1602 Weldon: McGee, 1150 Williams, 1890 Prase, Macon county: Cobb, 319 western North Carolina: Lewis, 1091 Pratt, J. H., and Lewis, J. V. Geologic Pyrrhotite. map of western North Carolina: Haywood county: Nason, 1277 Map 687 Jackson county: Nason, 1277 Pre-Cambrian rocks: Van Hise, 1799 Quarries: 1480 Precious metals, production: 1517 Lewis, 1090 Ardrey, 32 building stone: Merrill, 1215 Burchard, 220 granite: Watson and Laney, 1829 Clanton, 278 Mt. Airy: Watson, 1831

limestone: Watson and Laney, 1829	Ramsey, N. A. Chatham county; map:
marble: Watson and Laney, 1829	Map 311
quartzite: Watson and Laney, 1829	Randolph county,
sandstone: Watson and Laney, 1829	braunite: Cobb, 319
serpentine: Watson and Laney, 1829	Brown and Edwards property, report:
soapstone, Ashe county: Pratt, 1505	Dickeson, 493
talc, Alamance county: Kerr, 984	gold: Graton, 679
Cherokee county: Kerr, 984	Kerr, 1008
Guilford county: Kerr, 984	Griffin mine: Tilden, 1778
Moore county: Kerr, 984	hausmannite : Cobb, 319
Quarry products: 1233	Hoover Hill gold mine: 853
Quarrying industry:	Winslow, 1904
Day, 473	Jones mine: Tyson, 1792
Pratt, 1479; 1480	Loflin mine: Tyson, 1792
Quartz: 1470	map: Map 423; Map 762
Kunz, 1032; 1038	meteorite: Buchner, 215
Alexander county: Bates, 74	Kenngott, 969
Hidden, 775; 781	Venable, 1805
vom Rath, 1539; 1541	analysis: Clark, 282
Burke county: Bates, 74	native iron: Shepard, 1639
vom Rath, 1539; 1541	resources: Pegram, 1395
Catawba county: vom Rath, 1539; 1541	Shear's mines; map: Map 549
Emerald and Hiddenite mine: Miers,	Stafford mine: Tilden, 1778
1226	Rare metals: Baskerville, 73
Iredell county: vom Rath, 1529; 1541	Ray mica mine, Yancey county: Simonds,
Lincoln county: Bates, 74	1655
Rutherford county: Hunter, 874	Reed
Jackson, 891 Quartz crystals,	corundum mine: Ropes, 1587
Alexander county: Hidden, 773; 776;	gold mine: 668; 671
784	Ayres, 45 Barnhardt, 66
vom Rath, 1538; 1542	Hanna, 703
Catawba county: Humphreys, 859	Hunter, 874
description: Miers, 1226	Lieber, 1097; 1098
Quartzporphyry, Watauga county, analy-	Olmsted, 1369
sis: Hillebrand, 804	Partz, 1387
Quartzites:	Wheeler, 1857
Watson and Laney, 1829	Reimer gold mining company: 1519
quarries: Watson and Lauey, 1829	Reimer mine:
Quaternary gravels: Kerr, 990	Eames, 526
R. & G. R. R. map: Map 335	Nitze and Wilkens, 1305
Radioactive minerals: Barker, 64	report: 1519
Boltwood, 153; 154; 155; 156; 158	Leeds, 1068
Kunz and Baskerville, 1028	Reimer property; map: Map 207
Rutherford and Boltwood, 1599	Rhaetic flora:
Radium emanations, hiddenite: Basker-	Cobb, 320
ville and Lockhart, 70	Fontaine, 587
Railroad, Raleigh to Cheraw, S. C., pro-	Rhaetizite, Statesville: Genth, 636
posed; map: Map 163	Rhea mine: 495
Railroads in operation and construction;	Emmous, 571
map: Map 485	Partz, 1388
Raleigh,	Whitney, 1867
earthquake shocks: Mitchell, 1246	Rhodolite, Franklin:
Goldsborough, topographical survey:	Hidden and Pratt, 791
Guynn, 686	Macon county: Judd and Hidden, 938
gummite-lignite, analysis: Ledoux, 1061	analysis: Hidden and Pratt, 791
magnetic declinations: Schott, 1607	associated minerals: Hidden and
mineral springs, analysis: Emmons, 549	Pratt, 792
Newbern, soil survey: Smith, 1690	Rhyolite, Mitchell county, analysis: Hille-
soils, analyses: Smith, 1690	brand, 804

Richmond county. 1480	notes: Meehan, 1179
tornado: Holmes, 846	physiography: Vance, 1798
underground waters: Fuller, 603	quadrangle, geologic maps: Map 722
Rich Mountain meteorite, analysis: Mer-	map: Map 730
rill, 1217	rocks, age: Hunt, 868
Rlo Tinto process: Wendt, 1851	Roanoke basin, geology and topography:
Ripldolite: Genth, 633	Ruffin, 1591
River and harbor improvement:	Roanoke canal, improvement: Fulton, 607
Mackenzie, 1152	Roanoke Inlet,
Marshall, 1170	closing: Guynn, 689
Newton, 1286	Nag's Head, survey: 1567
Wilson, 1903	practicability of reopening: Fulton, 606
Wrlght, 1932	Guynn, 26
River basins,	reopening: 1329
southern North Carolina; map: Map	survey: 1568
463	Bache, 57
100	Roanoke Inlet and Sound, survey; map:
western North Carolina; Ayres and	
Ashe, 43	Map 121 Roanoke Island:
improvement: 1328	
Abbott, 4	Welch, 1850
Casey, 247	map: Map 723; Map 271
CraighIll, 407	Roanoke navigation and waterpower com-
Duane, 511	pany's canal; map: Map 468
Gillespie, 658	Roanoke river,
stations; discharge measurements:	Albemarle Sound to Weldon; map: Map
Davis, 459; 460	510
Grover and Hoyt, 682	Big Rocky bar and Little Rocky bar;
Hoyt, 857	Map 509
Newell, 1281; 1282; 1283; 1284	canals and waterpowers near Weldon;
Rivers: Blome, 150	Map 603
Williamson, 1891	Clarksville, Va., to Weldon, N. C.; map:
description: Bache, 51	Map 496
discharge measurements; Myers, 1754	description : Abert, 19
drainage basins, descriptions: Newell,	discharge measurements: Davis, 460
1282	Grover, 683
eastern North Carolina; map: Map 518	Grover and Hoyt, 684
Elizabeth river connection, report:	Hoyt, 857
Kearney, 950	3711 4000 4004
	Newell, 1282; 1284
examinations: 1321; 1322	Newell, 1282; 1284 drainage: Gannett, 621
examinations: 1321; 1322 improvement: Murphey, 1268; 1270	drainage: Gannett, 621
	drainage: Gannett, 621 Swain, 1755
improvement: Murphey, 1268; 1270	drainage: Gannett, 621 Swain, 1755 examination: Craighill, 404
improvement: Murphey, 1268; 1270 Rivers and sounds: 1796 Road	drainage: Gannett, 621 Swain, 1755 examination: Craighill, 404 Fulton, 608
improvement: Murphey, 1268; 1270 Rivers and sounds: 1796 Road construction: Holmes and Cain, 848	drainage: Gannett, 621 Swain, 1755 examination: Craighill, 404 Fulton, 608 guage heights: Davis, 460
improvement: Murphey, 1268; 1270 Rivers and sounds: 1796 Road construction: Holmes and Cain, 848 improvement: Holmes, 839	drainage: Gannett, 621 Swain, 1755 examination: Craighill, 404 Fulton, 608 guage heights: Davis, 460 Grover, 683
improvement: Murphey, 1268; 1270 Rivers and sounds: 1796 Road construction: Holmes and Cain, 848 improvement: Holmes, 839 materials: Holmes, 829	drainage: Gannett, 621 Swain, 1755 examination: Craighill, 404 Fulton, 608 guage heights: Davis, 460 Grover, 683 Hoyt, 857
improvement: Murphey, 1268; 1270 Rivers and sounds: 1796 Road construction: Holmes and Cain, 848 improvement: Holmes, 839 materials: Holmes, 829 Holmes and Cain, 848	drainage: Gannett, 621 Swain, 1755 examination: Craighill, 404 Fulton, 608 guage heights: Davis, 460 Grover, 683 Hoyt, 857 Newell, 1282; 1283; 1284
improvement: Murphey, 1268; 1270 Rivers and sounds: 1796 Road construction: Holmes and Cain, 848 improvement: Holmes, 839 materials: Holmes, 829 Holmes and Cain, 848 Watson and Laney, 1829	drainage: Gannett, 621 Swain, 1755 examination: Craighill, 404 Fulton, 608 guage heights: Davis, 460 Grover, 683 Hoyt, 857 Newell, 1282; 1283; 1284 improvement: 1916
improvement: Murphey, 1268; 1270 Rivers and sounds: 1796 Road construction: Holmes and Cain, 848 improvement: Holmes, 839 materials: Holmes, 829 Holmes and Cain, 848 Watson and Laney, 1829 Fayetteville to Virginia line, plan: Map	drainage: Gannett, 621 Swain, 1755 examination: Craighill, 404 Fulton, 608 guage heights: Davis, 460 Grover, 683 Hoyt, 857 Newell, 1282; 1283; 1284 improvement: 1916 Abert, 15
improvement: Murphey, 1268; 1270 Rivers and sounds: 1796 Road construction: Holmes and Cain, 848 improvement: Holmes, 839 materials: Holmes, 829 Holmes and Cain, 848 Watson and Laney, 1829 Fayetteville to Virginia line, plan: Map 101	drainage: Gannett, 621 Swain, 1755 examination: Craighill, 404 Fulton, 608 guage heights: Davis, 460 Grover, 683 Hoyt, 857 Newell, 1282; 1283; 1284 improvement: 1916 Abert, 15 Bixby, 113
improvement: Murphey, 1268; 1270 Rivers and sounds: 1796 Road construction: Holmes and Cain, 848 improvement: Holmes, 839 materials: Holmes, 829 Holmes and Cain, 848 Watson and Laney, 1829 Fayetteville to Virginia line, plan: Map 101 Salem to Fayetteville; map: Brazier,	drainage: Gannett, 621 Swain, 1755 examination: Craighill, 404 Fulton, 608 guage heights: Davis, 460 Grover, 683 Hoyt, 857 Newell, 1282; 1283; 1284 improvement: 1916 Abert, 15 Bixby, 113 Casey, 244
improvement: Murphey, 1268; 1270 Rivers and sounds: 1796 Road construction: Holmes and Cain, 848 improvement: Holmes, 839 materials: Holmes, 829 Holmes and Cain, 848 Watson and Laney, 1829 Fayetteville to Virginia line, plan: Map 101 Salem to Fayetteville; map: Brazier, Map 102	drainage: Gannett, 621 Swain, 1755 examination: Craighill, 404 Fulton, 608 guage heights: Davis, 460 Grover, 683 Hoyt, 857 Newell, 1282; 1283; 1284 improvement: 1916 Abert, 15 Bixby, 113 Casey, 244 Fulton, 607
improvement: Murphey, 1268; 1270 Rivers and sounds: 1796 Road construction: Holmes and Cain, 848 improvement: Holmes, 839 materials: Holmes, 829 Holmes and Cain, 848 Watson and Laney, 1829 Fayetteville to Virginia line, plan: Map 101 Salem to Fayetteville; map: Brazier, Map 102 Roan Mountain:	drainage: Gannett, 621 Swain, 1755 examination: Craighill, 404 Fulton, 608 guage heights: Davis, 460 Grover, 683 Hoyt, 857 Newell, 1282; 1283; 1284 improvement: 1916 Abert, 15 Bixby, 113 Casey, 244 Fulton, 607 Kuhn, 1026
improvement: Murphey, 1268; 1270 Rivers and sounds: 1796 Road construction: Holmes and Cain, 848 improvement: Holmes, 839 materials: Holmes, 829 Holmes and Cain, 848 Watson and Laney, 1829 Fayetteville to Virginia line, plan: Map 101 Salem to Fayetteville; map: Brazier, Map 102 Roan Mountain: Chickerlng, 267; 269	drainage: Gannett, 621 Swain, 1755 examination: Craighill, 404 Fulton, 608 guage heights: Davis, 460 Grover, 683 Hoyt, 857 Newell, 1282; 1283; 1284 improvement: 1916 Abert, 15 Bixby, 113 Casey, 244 Fulton, 607 Kuhn, 1026 Quinn, 1530
improvement: Murphey, 1268; 1270 Rivers and sounds: 1796 Road construction: Holmes and Cain, 848 improvement: Holmes, 830 materials: Holmes, 820 Holmes and Cain, 848 Watson and Laney, 1829 Fayetteville to Virginia line, plan: Map 101 Salem to Fayetteville; map: Brazier, Map 102 Roan Mountain: Chickering, 267; 260 Wetherby, 1855	drainage: Gannett, 621
improvement: Murphey, 1268; 1270 Rivers and sounds: 1796 Road construction: Holmes and Cain, 848 improvement: Holmes, 839 materlals: Holmes, 829 Holmes and Cain, 848 Watson and Laney, 1829 Fayetteville to Virginia line, plan: Map 101 Salem to Fayetteville; map: Brazier, Map 102 Roan Mountain: Chickerlng, 267; 269 Wetherby, 1855 ascent: Scott, 1611	drainage: Gannett, 621
improvement: Murphey, 1268; 1270 Rivers and sounds: 1796 Road construction: Holmes and Cain, 848 improvement: Holmes, 839 materials: Holmes, 829 Holmes and Cain, 848 Watson and Laney, 1829 Fayetteville to Virginia line, plan: Map 101 Salem to Fayetteville; map: Brazier, Map 102 Roan Mountain: Chickering, 267; 269 Wetherby, 1855 ascent: Scott, 1611 description: Kenworthy, 970	drainage: Gannett, 621 Swain, 1755 examination: Craighill, 404 Fulton, 608 guage heights: Davis, 460 Grover, 683 Hoyt, 857 Newell, 1282; 1283; 1284 improvement: 1916 Abert, 15 Bixby, 113 Casey, 244 Fulton, 607 Kuhn, 1026 Quinn, 1530 Stanton, 1717 Weaver, 1837 Indian Highland bar to Albemarle
improvement: Murphey, 1268; 1270 Rivers and sounds: 1796 Road construction: Holmes and Cain, 848 improvement: Holmes, 839 materials: Holmes, 829 Holmes and Cain, 848 Watson and Laney, 1829 Fayetteville to Virginia line, plan: Map 101 Salem to Fayetteville; map: Brazier, Map 102 Roan Mountain: Chickering, 267; 269 Wetherby, 1855 ascent: Scott, 1611 description: Kenworthy, 970 follo: Keith, 962	drainage: Gannett, 621 Swain, 1755 examination: Craighill, 404 Fulton, 608 guage heights: Davis, 460 Grover, 683 Hoyt, 857 Newell, 1282; 1283; 1284 improvement: 1916 Abert, 15 Bixby, 113 Casey, 244 Fulton, 607 Kuhn, 1026 Quinn, 1530 Stanton, 1717 Weaver, 1837 Indian Highland bar to Albemarle Sound; map: Map 484
improvement: Murphey, 1268; 1270 Rivers and sounds: 1796 Road construction: Holmes and Cain, 848 improvement: Holmes, 839 materials: Holmes, 829 Holmes and Cain, 848 Watson and Laney, 1829 Fayetteville to Virginia line, plan: Map 101 Salem to Fayetteville; map: Brazier, Map 102 Roan Mountain: Chickering, 267; 269 Wetherby, 1855 ascent: Scott, 1611 description: Kenworthy, 970 follo: Keith, 962 frost forms: Edson, 534	drainage: Gannett, 621 Swain, 1755 examination: Craighill, 404 Fulton, 608 guage heights: Davis, 460 Grover, 683 Hoyt, 857 Newell, 1282; 1283; 1284 improvement: 1916 Abert, 15 Bixby, 113 Casey, 244 Fulton, 607 Kuhn, 1026 Quinn, 1530 Stanton, 1717 Weaver, 1837 Indian Highland bar to Albemarle Sound; map: Map 484 Looking glass bar; map: Map 511
improvement: Murphey, 1268; 1270 Rivers and sounds: 1796 Road construction: Holmes and Cain, 848 improvement: Holmes, 839 materials: Holmes, 829 Holmes and Cain, 848 Watson and Laney, 1829 Fayetteville to Virginia line, plan: Map 101 Salem to Fayetteville; map: Brazier, Map 102 Roan Mountain: Chickering, 267; 269 Wetherby, 1855 ascent: Scott, 1611 description: Kenworthy, 970 follo: Keith, 962	drainage: Gannett, 621 Swain, 1755 examination: Craighill, 404 Fulton, 608 guage heights: Davis, 460 Grover, 683 Hoyt, 857 Newell, 1282; 1283; 1284 improvement: 1916 Abert, 15 Bixby, 113 Casey, 244 Fulton, 607 Kuhn, 1026 Quinn, 1530 Stanton, 1717 Weaver, 1837 Indian Highland bar to Albemarle Sound; map: Map 484

mouths of; map: Map 279	Romans, B. General map North
preliminary examination: Abert, 17; 18	and South Carolina Map 51
Shad Island Bend; map: Map 512	Routes of railroad travel; map: Map 404
survey: Murphey, 1270	Rowan county: 1480
Weldon to Albemarle Sound; map: Map	bismuthinite; Gold Hill: Genth, 632
475	copper: Eames, 523
Weldon to Plymouth; map: Map 317	Laney, 1049
Roanoke Sound,	Ledoux, 1063
plan showing embankments and inlets: Fulton, Map 93	Weed, 1840
survey: Bache, 57	deep borings: Darton, 453 gold: Graton, 679
Roanoke and Croatan Sounds; map: Map	Laney, 1049
194	Ledoux, 1063
Roanoke and Nansemond rivers, country	Gold Hill copper deposits : Weed, 1840
between; map: Map 139	mine, description: Nicholas, 1287
Roanoke and Pamlico rivers, surveys be-	copper mining: Kirchoff, 1018
tween: 1555	Laney, 1049
Price and Clemons, 1324; 1515	Weed, 1841; 1842
Roanoke and Suffolk canals, route; map:	output: Graton, 677
Map 139	gold: Genth, 633
Robeson county,	gold mine: Cram, 408
description: McEachern, 1140	mines: Ashbury, 37
map: Map 424; Map 425	Pratt, 1471
swamp lands, drainage: Brazier, 178;	Whitney, 1867
1324	gold mining: Laney, 1049
Rock	map: Map 426
analyses: Lewis, 1090 Pratt and Lewis, 1469	map: Miller, Map 654
Watson and Laney, 1829	Reimer gold mine: 1519
Watauga county: Stokes, 1747	Leeds, 1068
catalogue: Olmsted, 1367	Nitze and Wilkeus, 1305
crystal: Kunz, 1032	Rowan gold and copper mining company report: 1526
decay: Hunt, 860	Union copper mines: Nicholas, 1288
Kerr, 977	Union copper mining company: 1795
Russell, 1598	volcanic rocks: Laney, 1049
weathering: Riggs, 1565	Williams, 1889
Rocks, age, Roan Mountain: Hunt, 868	Rowan gold and copper mine; map: Mag
Rockfish Creek, Cumberland county: fossil	251
plants: Berry, 94	Rowan gold and copper mining company
Rockingham county: 1480	prospectus: 1526
coal: Heinrich, 755	Rowan granite quarry: Eames, 526
coal fields: Emmons, 567	Ruby: 1339; 1470; 1480
Deep Springs Farm meteorite: Venable, 1805	Macon county: Hidden, 794
iron ore, analysis: Lesley, 1080	Jenks, 899
Sergeant, 1617	Judd and Hidden, 938
Willis, 1894	Kunz, 1045
meteorite: Flight, 585	crystallographic description (Pratt)
analysis: Genth, 645	Judd and Hidden, 938
Kerr, 1007	Cowee Valley, Macon county, report
Rammelsberg, 1533	Brown, 188
Venable, 1810	Rudisil mine: 1134; 1178; 1452
natural resources: 1664	Hanna, 703
Smith's Mountain meteorite: Venable,	Winslow, 1904
1805	reports: Leeds and Penman, 1069; 1070
analysis: Smith, 1685	Russell mine:
Rocky Mount quadrangle; map: Map 682	Nitze, 1293
Rocky river, mouth to Smith's Mill, plan:	Tyson, 1793
Map 775	Wilson, 1900
Rogersite, Mitchell county: Smith, 1688	map: Map 201

Rutherford county: 1480	Willcox, 1886
brookite: Shepard, 1638	absorption spectrum: Delafontaine,
corundum: Genth, 638	477
diamond: 492	analysis: Allen, 27
Hunter, 874	Rammelsberg, 1534
Shepard, 1626	Smith, 1672
earthquake, Bald Mountain: Bradley,	Swallow, 1756
174	crystallographic measurements: Dana,
Ellenboro meteorite: Venable, 1805	446
fergusonite: Hidden, 778	philippium in: Delafontaine, 475
	Rutherford county: Shepard, 1647
gold: Glpperich, 660	analysis: Hunt, 861
gold region: Pratt, 1502	action of fluorhydric acid on: Smith,
Lynch's map: Map 690	1687
map: Watkins, Map 347	
meteorite, analysis: Eakins, 519	alteration, analysis: Seaman, 1613
monazite: Böhm, 151	constituents: Delafontaine, 476
Shepard, 1638	decipium in: Delafontaine, 479; 480
deposits: Nitze, 1299; 1300; 1302	earths in: Delafontaine, 482
Pratt, 1484	Marignac, 1166
platinum: Shepard, 1635	Smith, 1674
pseudo-metcorite: Shepard, 1627	earthy oxides: Smith, 1684
Venable, 1805	investigations: Barker, 64
quartz: Hunter, 874	Boltwood, 154; 157
Jackson, 891	methods of analysis: Smith, 1678
rutherfordite : Dana, 452	Sam Christian mine: 1255
Shepard, 1624	Holmes, 850
analysis: Hunt, 861	Nitze, 1293
samarskite: Shepard, 1647	paleotrochis, analysis : Diller, 503
analysis: Hunt, 861	Sampson county,
Rutherfordite, Rutherford county:	fossils; Cope, 375; 376; 378
Dana, 452	phosphates: Winslow, 1905
Shepard, 1624	analyses: Dabney, 430
analysis: Hunt, 861	Sampson and Duplin counties, phosphate
Rutherfordton,	beds; map: Map 430
gold: Gipperich, 660	Sand
metcorite; analysis: Shepard, 1627	
	banks, coast, examination: Bond, 159
Rutile: 1470; 1480	dunes: Cobb, 307; 316; 323
Cloud, 305	Sands, Cape Hatteras, examination: Julien
Alexander county: Hidden, 775; 781	and Bolton, 942
Kunz, 1029	Sandstone: 1233; 1480
vom Rath, 1543	Merrill, 1212; 1215; 1218
Lincoln county: Dickeson, 498	triassic : Kerr, 984
Polk county, crystallographic charac-	Lea, 1058
ters: Des Cloizeaux, 484	Mitchell, 1238
western North Carolina: Blake, 142	Olmsted, 1370
Rutiodon: Leidy, 1074	Rogers, 1579; 1581
St. Catherine mine, Mecklenburg county:	Watson and Laney, 1829
Winslow, 1904	Moore county, analysis: Day, 472
Salem to Fayetteville; map: Brazier, Map	fossils: Emmons, 555
102	quarries: Watson and Laney, 1829
Salisbury,	Sandstone and trap; Davis, 464
granite quarry: 1235	Sapphire: 1339; 1470
magnetic observations: Bauer, 80	Corundum Hill: Jenks, 899
Saluda quadrangle, topographic map: Map	Pratt and Lewis, 1469
731	Scarborough's map, North and South Caro-
Samarskite:	
	lina: Map 707
Merrill, 1213	Scheelite,
Smith, 1686	Cabarrus county: Pratt, 1507
Mitchell county: Delafontaine, 475-483	analysis: Genth, 633
Hidden, 776	Davidson county: Genth, 632

Mecklenburg county, analysis: Genth,	Silver Hill mine:
633	Blake, 147
Silver Hill mine: Genth, 632	Booth, 160
Schist, Mitchell county, analysis: Hille-	Jackson, 888; 897
brand, 804	Schoonmaker, 1605
Schonberg's map of the Carolinas: Map	Taylor, 1764
293	Hunt and Douglas process: Hunt, 872
Scuppernong river,	orthoclase: Lindgren, 1103 report: Hitz, 824
examination and survey: Lucas, 1107 improvement: Brown, 197	Petherick, 1411
Hinman, 816	scheelite: Genth, 632
Mercur, 1202	silver: Kunz, 1039
Phillips, 1430	silver glance: Blake, 146
Winslow, 1917	tungstates: Genth, 632
map: Map 360; Map 461	wavellite: Genth, 632
preliminary examination: Stanton, 1727	wolframite Genth, 632
upper portion; map: Map 358	Silver Hill mining company: Ashmore, 41
Scuppernong swamp: Ruffin, 1592	Silver mine, Stanly county: 1654
Scutella lyellii:	Silver mining:
Bailey, 59	1905 : Lindgren, 1102 Pratt, 1471
Ruffin, 1593 Seines and pound nets fished for shad	historical notes: Crane, 413
1906, locations of: Map 702; Map 703;	Silver
Map 704	mines, western North Carolina: Blake,
1908; map: Map 737	142
Serpentine: 1339	ores, Davidson county; analysis: Booth,
Lewis, 1088	160
Merrill, 1212; 1215; 1218	and mines: Kerr and Hanna, 992
Pratt and Lewis, 1469	production: Pratt, 1480
Watson and Laney, 1829	Waring, 1828
Corundum Hill, analysis: Clarke and Schneider, 285	1905: Lindgren, 1102 1906: 1517
quarries: Watson and Laney, 1829	Silver Valley gold mine: Cramer, 410
Shaffer's township map of North Carolina:	Simpson gold and silver mining company,
Map 447	report: Huntington, 875
Shallotte river,	Sismondia alta: Conrad, 346
improvement: Brown, 198	Skeena Creek, emery: Parker, 1386
middle portion; map: Map 493	Slate,
preliminary examination: Bixby, 131	Chapel Hill: Eaton, 531
Johnston, 931	Gold Hill district, analysis: Laney, 1049
Shallowbag Bay,	belt, gold bearing: Nitze, 1307
hydrographic map: Map 747	formation: Mitchell, 1238 Olmsted, 1371
preliminary examination: Brown, 204 Shapley, Nicholas. Cape Hatteras to Cape	Slates,
Romain; map: Map 7	crystalline; southern Alleghanies, age:
Shears mine, Randolph county; map: Map	Lieber, 1094
549	fossils: Emmons, 555
Sheffield corundum mine, Macon county:	Smith, John. Ould Virginia, N. C., coast;
Pratt, 1493	map: Map 3
Shelby, monazite, analysis: Glaser, 661	Smith's Island, shore head; map: Map
Shelby county, tin discovery: Lewis, 1086	316
Shell Castle; map: Coles and Price, Map	Smith's Mountain meteorite:
82	Brezina, 180
Silurian,	Cohen, 334
age: Bradley, 176 distribution: Bradley, 173	Venable, 1805 analysis: Farrington, 577
Silver: 1233; 1339; 1343	Smith, 1685
Genth, 648	Smith, 1965 Smithville Harbor, chart; map: Map 109
Silver glance, Silver Hill mine: Blake,	Smoky Mountains,
1652	altitudes: 1265

Asheville area: Lapham and Meeker, descriptions: Woodbridge, 1926 drainage: Willcox, 1884 1054 Cary area: Coffey and Hearn, 326 geologic structure: Willis, 1893 Chowan county: Hearn, 747 scenery: 1556 Craven county: Smith, 1691 topography: Hays and Campbell, 723 Kerr, 974 Duplin county: Root and Hurst, 1586 Soapstone: 1233; 1339; 1480 Greeneville area: Mooney and Ayrs, Merrill, 1213 1250 Ashe county: Pratt, 1505 Hickory area: Caine, 228 Hewitt's mine: Day, 470 Mt. Mitchell area: Caine, 229 western North Carolina, production: New Hanover county: Drake and Bel-Heighway, 751 den, 510 Snow Hill, Pasquotank county: Lapham and Lycretaceous deposits: Perry, 1410 man, 1053 fossils: Gabb, 612 Perquimans county: Lapham and Ly-Soil survey. man, 1053 Alamance county: Coffey and Hearn, Raleigh to Newbern: Smith, 1690 Statesville area: Dorsey, 508 Asheville area: Lapham and Meeker, swamp lands: Kerr, 1004 1054 tobacco region: Kerr, 1004 Cary area: Coffey and Hearn, 326 Transylvania county: Hearn, 748 Chowan county: Hearn, 747 varieties: Emmons, 550 Craven area: Smith, 1691 Soundings. Duplin county: Root and Hurst, 1586 Bogue Inlet to Cape Fear river, recon-Greeneville area: Mooney and Ayrs, naissance; map: Map 100 1250 coast: Bartlett, 68 Hickory area: Caine, 228 Sounds. Mt. Mitchell area: Caine, 229 description: Bache, 51 New Hanover county: Drake and Bel-Improvement: Murphey, 1268; 1270 den. 510 oyster culture, descriptions: Winslow, Pasquotank county: Lapham and Ly-1921 man. 1053 surveys and examinations: Kearney, Perquimans county: Lapham and Lyman, 1053 Raleigh to Newbern: Smith, 1690 South Creek, preliminary examination: Statesville area: Dorsey, 508 Stanton, 1728 Transylvania county: Hearn, 748 South Mills: Beaufort Inlet, inland waterway be-Soils: 1344: 1350 Ashe, 40 tween; map: Map 626 Bartram, 69 Ocracoke and Beaufort Inlet; examina-Blome, 150 tion and survey: Lucas, 1109 Catesby, 249 South Mountain, Emmons, 567 gold region: Nitze and Hanna, 1291 Kerr, 983 Pratt, 1502 Mease, 1177 monazite: Wainwright, 1818 Williamson, 1891 region; map: Map 570 Winterbotham, 1924 South river. Alamance county: Whitney, 1869 hydrographic map: Map 748 Blue Ridge and Black Mountains: Mitpreliminary examination: Brown, 205 chell, 1236 Southern Appalachians, Cary area: Whitney, 1870 age: Bradley, 176 Craven area · Whitney, 1870 Elliott, 546 eastern counties: Emmons, 568 climate: Henry, 760 Hickory area: Whitney, 1871 Powell, 1459 Mt. Mitchell area: Whitney, 1872 Pressey, 1513 North Carolina area: Whitney, 1873 Roosevelt, 1585 Statesville area: Whitney, 1874 cretaceous peneplain; map: Map 556 analyses; Alamance county: Coffey and drainage basins; map: Map 638 Hearn, 325 forest areas; map: Map 643

forest reserve: 592	Stanly county: 1480		
Pratt, 1503	Crawford mine: Nitze, 1295		
Roosevelt, 1585	Nitze and Wilkens, 1305		
forests: Ayres and Ashe, 43; 44			
	gold: Graton, 679		
geology: Keith, 954; 964	gold nuggets: Hurley, 877		
Pratt and Lewis, 1469	silver mine: 1654		
Pressey, 1513	State Geologist,		
Roosevelt, 1585	biennial reports 1893-1904: Holmes, 835		
Willis, 1893	1905-08: Pratt, 1464		
geomorphology: Hayes and Campbell,	report: Kerr, 1002		
723	1870-71: Kerr, 999		
gold: Becker, 83	1872-73: Kerr, 1000		
Graton, 679	State lands in Hyde; map: Map 144		
gold mining: Pratt, 1472	Statesville,		
Read, 1545	allanite; analysis: Genth, 628		
hydrography: Pressey, 1513; 1514	area, soil survey: Dorsey, 508		
Roosevelt, 1585	soils: Whitney, 1874		
land classification map: Map 674	analyses: Dorsey, 508		
map: Map 499; Map 642; Map 646;	corundum: Genth, 636		
Мар 693	quadrangle; map: Map 744		
	rhantiste, Gauth 202		
physiography: Hayes, 724	rhaetizite: Genth, 636		
Powell, 1459	soil map: Map 648		
Pressey, 1513; 1514	tltanite, analysis: Genth, 640		
streams: Waddell, 1812	Staurolite,		
preservation: Waddell, 1811	analyses: Rammelsberg, 1535		
tertiary peneplain; map : Map 557	Burnsville, descriptions and analyses:		
tin deposits: Graton, 679	Penfield and Pratt, 1401		
topography: Hayes and Campbell, 723	Jackson county: Taylor, 1765		
Kerr, 974	Valley river: Dana, 447		
Roosevelt, 1585	Steele mine,		
waterpowers: Swain and others, 1754	albite; analysis: Genth, 633		
Perrine, 1408	notes: Jackson, 897		
Waddell, 1811	orthoclase: Lindgren, 1103		
Southwestern Virginia and North Caro-	Stewart gold mine, report: Genth, 649		
lina; map: Map 289	Stokes county,		
Speed, John. Carolina, new description;	coal: Heinrich, 755		
map: Map 14	analysis: Armstrong, 34		
	Whitfield, 1862		
Sperryllte, Macon county:	deep borings: Darton, 453		
Hidden, 787	iron ore: Willis, 1894		
Kemp, 968	ltacolumite: Justice, 945		
Spessartite, Yancey county; analysis:	Wetherill, 1856		
Koenlg, 1021	magnetite; analyses: Nitze, 1303		
Sphene, Alexander county: Hidden, 775	petrified forest: 1413		
Spherulite: Diller, 503	plumbago: Olmsted, 1373		
Spherulites, Chapel Hill: Cobb, 310	Stone implement, Haywood county: Hid-		
Spodumene: 1470	den, 795		
Merrill, 1213	Stony Point,		
Alexander county : Baskerville and Lock-			
hart, 70	emerald: Kunz, 1031		
Hidden, 784	mica: Harn, 711		
vom Rath, 1543	muscovite, analysis: Clarke, 287		
analysis: Genth, 629	Storm, Sept. 20-24, 1761: 22		
green, see hiddenite	Stratigraphy: Kerr, 990		
	Stream capture: Weaver, 1838		
Springhope quadrangle; map: Map 683	Stream measurements:		
Spruce Pine, Mitchell county, uraninite:	Davis, 459		
Boltwood, 153	Grover, 683		
Stackhouse, barite: Judd, 935	Grover and Hoyt, 682		
Stafford mine, Randolph county: Tilden,	Hoyt, 857		
1778	Newall 1991 1994		

geology and drainage: Ruffin, 1592

improvements: Kerr, 1006 Structure; Appalachian Mountains: map: Map 773 Keith, 951: 954 reports: 1318; 1319; 1330 Willis, 1892; 1893 soils; analyses: Emmons, 549 Cranberry district: Keith, 955 surveys: Kerr, 1006 Roan Mountain: Wetherby, 1854 drainage: Shaw, 1622 Smoky Mountains: Willis, 1893 Sturgis mine, Franklin county: Crosby, Swansboro and New river, inland water-419 way; map: Map 532 Subterranean wall: Lewis, 1092; 1093 Swan Quarter Bay and Deep Bay, water-Sulphides, metals: Genth, 644 preliminary way. examination: Sumner mine, Mecklenburg county: Shep-Brown, 207 ard. 1646 Swift Creek, preliminary examination: Surry county, Bixby, 132 braunite: Cobb, 319 Tabulated measurements, Newark area: copper ore: Mitchell, 1239 Hobbs, 825 iron ore: Mitchell, 1239 Taconic: Willis, 1894 Emmons, 551 manganese: Olmsted, 1373 Nitze, 1307 minerals: Lewis, 1084 series: Hunt, 862; 865 tin: Lewis, 1087 system: Barrande, 67 topography, Hiatt land: Eights, 543 Talc: 1233; 1339; 1480 Surveys Merrill, 1213 between Neuse and Pamlico rivers: Cherokee county: Pratt, 1505 Price and Clemons, 1324: 1515 Jackson county, analysis: Bachman, 58 between Roanoke and Pamlico rivers: Swain county: Pratt, 1482 Price and Clemons, 1324; 1515 analysis: 24 report of committee on: 1555 western North Carolina: Biake, 142 Sus Americana, Newbern: Harlan, 710 Keith, 963 Swain county: 1480 analyses: Pratt. 1505 copper ore: Laney, 1049 mining: Keith, 963 Jarrett property: Smith, 1669 Pratt, 1504; 1505 tale: 1505 production: Heighway, 751 Pratt. 1482 1900-01: Pratt, 1505 analysis: Adger, 24 quarries: Kerr, 984 Swamp lands: Pratt. 1495 Tantalates, Yancey county, analysis: Com-Williamson, 1891 stock, 345 Albemarle Sound, Pamlico Sound, plan: Tantalite, Yancey county, analysis: Koe-Brazier, Map 118 nig, 1022 Bladen county, drainage: Fulton, 605; Tantalum: 1480 607; 1324 Mitchell county: Hess, 765 Carteret county: Ashe, 39 minerals, production and value: Pratt, Columbus county, drainage: Fulton, 1498 605; 607; 1324 Craven county: Ashe, 39 quadrangle; map: Map 665 Duplin county: 879 vicinity, map: Map 691 Ashe, 39 Tar river. Halifax county, drainage: Brazier, 178 above Tarboro and Pamlico river, map: Lake Pungo; map: Map 158 Map 525 Pender county: Ashe, 39 discharge measurements, list: Newell, Robeson county, drainage: Brazier, 178; 1284 1324 drainage basin: Swain, 1755 condition: Kerr, 1006 examination: Fulton, 608 description: 1331; 1356 drainage: 1319; 1336 gauge heights: Davis, 460 Newell, 1282; 1284 Shaw, 1623 Guynn, 688 improvement: 1914 Murphey, 1268 Bixby, 111 Beaufort county: Pratt, 1495 Brown, 196 examinations: Nash, 1276: 1324 Craighill, 397

Fulton, 707

	7 17 7 1 001
Heap, 739	Davidson county: Burkart, 221
Hinman, 815	analysis; Genth, 631; 632
Johnston, 919	discovery: Genth, 635
Lucas, 1120	McDowell county: Genth, 647
Mercur, 1201	'Thermal
Phillips, 1431 Stanton, 1715	belts: 1344 Chickering, 268
Weaver, 1837	Leconte, 1059
Louisburg to Little Falls, plan: Brazier,	Macon county, McDowell, 1139
Map 96	springs, Madison county: Daubeny, 457
marls: Emmons, 567	Thermometrical observations, Chapel Hill:
miocene: Dall and Harrls, 442	Olmsted, 1372
deposits, fossiliferous: Conrad, 365	Thies process, gold chlorination: Egleston,
obstructions: Fulton, 610	539
preliminary examination: Bixby, 133	Thomas copper mine: Weed, 1846
Johnston, 930	Thorite, extraction: Truchot, 1788
Stanton, 1729	Thorium:
survey: Murphey, 1270	Baskerville, 72
map: Map 362	Dadourian, 438
Sycamore Cross to Red Bank Shoals,	McCoy and Ross, 1138
map: Map 561	minerals: Barker, 64
Tarboro to Washington, map: Map 473	Boltwood, 158
to Toisnot Creek, plan and sections:	Nitze, 1301
Brazier, Map 90	Pratt, 1480; 1484
and Pamlico river, Washington to Tar-	Thornton, John, and Fisher, Will. New
boro, map: Map 508	map of Carolina : Map 15
Tate mine: Ellery, 544	Thorogummite, investigations: Boltwood,
Taxodium: Holmes, 851	157
Taylorsville, soil map: Map 660	Thrust faults: Keith, 954
Tellurides, metals: Genth, 644	Tiffany exhibit, Paris exposition: Kunz,
Temperature: Holmes, 852	1046
Terrestrial magnetism: Bache and Hil-	Timber, Deep river: Laidley, 1048
gard, 52	Timber resources: 1337
Tertiary:	Timberlake, Henry. Draught of Cherokee
Heilprin, 753; 754	county: Map 44
Holmes, 832; 836	Tin: 1779; 1480
Neuse river, fossil bones: Foster, 593	Cleveland county: Graton, 676; 679
beds, Neuse river: Rogers, 1575	Pratt and Sterrett, 1506
deposits: Clark, 281	Kiug's Mountain: Blake, 148
Dall and Harris, 442	Gaston county: Graton, 676
Heilprin, 752	Pratt and Sterrett, 1506
formation: 1362	King's Mountain: Benedict, 87 Furman, 611
Conrad, 367	Hess, 764
Miller, 1228	Ledoux, 1062
Mitchell, 1238	Van Ness, 1800
Morton, 1260	description: Pratt, 1466
eastern North Carolina : Hodge, 827	discovery: Lewis, 1086
fossils: Rogers, 1576	Lincoln county: Graton, 676
fossils: Beaufort county: Redfield, 1546	Pratt and Sterrett, 1506
Duplin county: Dall, 439	Shelby county, discovery: Lewis, 1086
geology; map: Heilprin, Map 431	southern Appalachians: Graton, 679
shells, Neuse river: Conrad, 354	Surry county: Lewis, 1087
strata: Stanton, 1700	deposits, geological structure: Pratt and
Tetradymite,	Sterrett, 1506
Boger mine: Genth, 635	discovery, King's Mountain: Furman,
Burke county, Genth, 647	611
Cabarrus county: Burkart, 221	and production: Rolker, 1584
Phœnix mine, analysis : Genth, 635	historical account: Hess, 762

mines and prospects: Pratt and Sterrett, ore, character and value: Pratt and Sterrett, 1506 and trap dikes, relation: De Kalb, 474 Titanite, Statesville, analysis: Genth, 640 Titanium, occurrence, peats, Hyde swamps: Baskerville, 71 Tobacco region, geology: Kerr, 1004 Topographic map central portion of the Carolinas: Map country in vicinity of Newbern: Map eastern North Carolina: Map 257 North and South Carolina: Map 258 sheets: Bache, Map 50 Abington quadrangle: Map 635 Asheville quadrangle: Map 724 geologic maps: Keith, Map 671 Ayden quadrangle: Map 677 Beckford quadrangle: Map 725 Charlotte quadrangle: Map 726 Chocowinity quadrangle: Map 694 Cowee quadrangle: Map 727 Cranberry quadrangle; Map 649 geologic maps: Keith, Map 653 Dahlonega quadrangle: Map 661 Edenton quadrangle: Map 678 Ellijay quadrangle: Map 662 Falkland quadrangle: Map 679 Four Oaks quadrangle: Map 742 Greeneville quadrangle: Map 695 geologic maps: Keith, Map 688 Hertford quadrangle: Map 712 Hickory quadrangle: Map 636 Hillsville quadrangle: Map 680 Kenly quadrangle: Map 663 Kings Mountain quadrangle: Map 743 Knoxville quadrangle: Map 637 geologic maps: Keith, Map 565 Morganton quadrangle: Map 696 Mt. Guyot quadrangle: Map 713 Mt. Mitchell quadrangle: Map 692 geologic maps: Keith, Map 749 Murphey quadrangle: Map 681 Nantahala quadrangle: Map 728 geologic maps: Keith, Map 719 Newbern quadrangle: Map 664 Norfolk quadrangle: Map 697 geologic maps: Darton, Map 645 Parmele quadrangle: Map 650 Pisgah quadrangle: Map 729 geologic maps: Keith, Map 721 Roan Mountain quadrangle: Map 730 geologic maps: Keith, Map 722 Rocky Mountain quadrangle: Map 682 Saluda quadrangle: Map 731 Springhope quadrangle: Map 683 Statesville quadrangle: Map 744

Tarboro quadrangle: Map 665 Trent River quadrangle: Map 684 Vanceboro quadrangle: Map 685 Virginia Beach quadrangle: Map 550 Walhalla quadrangle: Map 666 Wilkesboro quadrangle: Map 667 Williamston quadrangle: Map 651 Wilson quadrangle: Map 686 Winterville quadrangle: Map 698 Winton quadrangle: Map 745 Wytheville quadrangle: Map 732 Yadkinville quadrangle: Map 611 list of: Patterson, Map 1391 Topography: 1348; 1350 Carr, 240 Hanna, 704 Hillyard, 806 Kerr. 995 Macfarlane, 1147 Asheville: Willis, 1895 Black mountains: Clingman. 300; 301 Mitchell, 1236 Blue Ridge: Kerr, 974 Mitchell, 1236 Rogers, 1577 Catawba river: Kerr, 993 central North Carolina: Kerr, 997 Cherokee county: Nitze, 1296 Chowan and Roanoke basins: Ruffin, 1591 Coastal Plain: 653 Johnson, 903 Cranberry: Kimball, 1014 Dismal swamp district: Ruffin, 1591 eastern counties: Emmons, 568 Mitchell county: Kimball, 1014 mountain region: 1264; 1265; 1266 Piedmont: 653 Smoky mountains: Kerr, 974 Rogers, 1577 southern Appalachians: Hayes and Campbell, 723 Roosevelt, 1585 Surry county, Eights, 543 Transylvania county: Hearn, 748 western North Carolina: 653; 1784; 1852 Clingman, 302 Colton, 342 Dickeson, 498 Hale, 698 Henry, 761 Hunt, 864 Ingram, 883 Keith, 951; 964 Kerr, 974; 991; 998 Lanman, 1051 Mitchell, 1237: 1240 Willis, 1895 Topsail Inlet, map: Map 30

Tornado:	TT 1		
TOTHUGO:	Wake county: Emmons, 559		
Stephenson, 1734	age of: Lea, 1058		
Richmond county: Holmes, 846	coal deposits, Dan river basin: Nitze,		
table: Finley, 582	1304		
Tourmaline, Alexander county:	coal field: Woodworth, 1929		
Hidden, 775; 784	formation: Marcou, 1165		
vom Rath, 1543	distribution: Bradley, 175		
analysis: Riggs, 1566	formations: Glenn, 663		
Town Creek,	Miller, 122S		
Improvement: Lucas, 1121	Russell, 1597		
Mercur, 1203	fossil plants: Ward, 1826		
map: Map 393	fossils: Emmons, 551; 553		
survey: Heap, 745	Redfield, 1547		
Transylvania county: 1480	vertebrate: Emmons, 565		
managanese deposits: Newland, 1285	wood: Knowlton, 1020		
map: Map 767	mammals: Osborn, 1378		
soil map: Map 741	sandstone: Kerr, 984		
soil survey: Hearn, 748	Triangulation:		
topography: Hearn, 748	Tittman, 1781		
Trap	Wilson, 1902		
dikes and tin, relation : De Kalb, 474	western North Carolina, map: Map 389		
rock: Campbell and Brown, 232	primary: Gannett, 622; 623		
Merrill, 1215	Wilson, 1901		
decomposed, analysis: Chatard, 264;	map: Map 341; Map 350; Map 380		
1598	Trigonia thoracica, Wilmington: Thomey		
and sandstone, relation : Davis, 464	1790		
Traverse, primary:	Trinity Harbor: Welch, 1850		
Gannett, 623	Troy, iron ore, analysis: Eakins, 518		
Wilson, 1901	Tuckasegee river,		
Trent river,	discharge measurements, list: Hoyt, 857		
examination and survey: Lucas, 1108	Newell, 1284		
improvement: Bixby, 115	drainage: Gannett, 621		
Brown, 194	gauge heights: Hoyt, 857		
Craighill, 398	Newell, 1282; 1284		
Heap, 740	Tuff, Gold Hill district, analysis: Laney		
Hinman, 817	1049		
Johnston, 916	Tungstates,		
Lucas, 1122	Cabarrus county: Genth, 632		
Mercur, 1204	Silver Hill mine: Genth, 632		
Phillips, 1432	Tungsten minerals: Pratt, 1507		
Stanton, 1718	Turner's Cut, preliminary examination		
Winslow, 1912	Stanton, 1731		
map: Map 576	Turnpike,		
map: Map 363	French Broad river to Asheville, survey		
preliminary examination: Bixby, 134	Fox, 598		
Brown, 206	Raleigh west, survey: Mitchell, 1244		
quadrangle, map: Map 684	Salisbury to Blue Ridge, map: Map 165		
Newbern to Trenton, map: Map 497	Twin mine, Guilford county, report: Dicke		
Trenton to Upper Quaker Bridge, map:	son, 496		
Map 539	Uhara Swamp, survey: Brazler, Map 112		
Triassic:	Unaka mountains:		
Dawson, 466	Ayres and Ashe, 44		
Fontaine, 589	description: Woodbridge, 1926		
Glenn, 663	iron ores: 1275		
Holmes, 830	magnetite: Blake, 141		
Jackson, 884	unakite: Bradley, 177		
Kerr, 987	zircon: Blake, 141		
Chatham county: Emmons, 559	Unakite,		
Deep river: Cobb, 309	Madison county: Bradley, 177		
Orange county: Emmons, 559	Watson, 1831; 1833		

N. O. Carrillan localities, Pholon 1414	gold company, report on property:
North Carolina localities: Phalen, 1414	Blake, 144
Unaka mountains: Bradley, 177	gold mining company, aqueduct, map:
Underground waters: Darton, 453	Map 247
Fuller and Sanford, 602	staurolite: Dana, 447
Kerr, 1005	Vanadium:
McCarthy, 1136	Pratt, 1507
Harnett county: Fuller, 603	peats, Hyde Swamp: Baskerville, 71
Moore county: Fuller, 603	Vanceboro quadrangle, map : Map 685
Richmond county: Fuller, 603	Vandeburg
Union	mine : Lieber, 1099 ; 1100
copper mine: Eames, 523	Whitney, 1867
Ledoux, 1063	auriferous ores: Richter, 1558
copper mines: Weed, 1840; 1841; 1843	report: Hodge, 828
description: Nicholas, 1288	mining property, map: Map 200
Urion county: 1480	Vaugondy, Robert de. La Carolina, map:
deep borings: Darton, 453	Map 40
gold: Graton, 679	Veins, minerals in relation: Lieber, 1099
gold mine, Stewart: Genth, 649	Vermiculite, Jenks mine: Cooke, 369
Lemmon mine: Whitney, 1867	Virgilina
University of North Carolina, early scien-	copper district: Watson, 1836
tific work: Cobb, 321	description: Keller, 966
Uraconite, Flat Rock mine: Kerr, 986	geology: Judd, 937
Uraninite: 1480	outcrop map: Map 720
Flat Rock mine: Kerr, 986	district, andesite: Watson, 1830
analysis: Pratt, 1507	copper deposits: Weed, 1840; 1845;
Mitchell county: Hidden, 776	1846
analysis: Hillebrand, 805	Weed and Watson, 1847
Spruce Pine : Boltwood, 153	White, 1861
alteration, Mitchell county, analysis:	metallurgy: Keith, 965
Foullon, 596	mines: Keller, 966
investigations: Boltwood, 154; 155;	ores: Watson, 1830
156; 157; 158	analyses: Watson, 1830
proportions of radium and uranium:	output: Graton, 677
Rutherford and Boltwood, 1599	1905: Weed, 1843
pseudomorphism of gummite and urano-	geology: White, 1861
til: Foote, 590	type, copper deposits: Weed, 1846
Uranium minerals: 1480	Virginia
Hess, 765	and North Carolina, boundary line:
Hidden, 776 Kerr, 986	Thorn, 1773
Kunz and Baskerville, 1028	dividing line, map: Map 37
Pratt, 1507	Goldsboro and Salisbury, map: Map
Franklin county: Hess, 765	283
Mitchell county: Hess, 765	Beach quadrangle: Map 550
analysis: Hidden, 777	Marylandia et Carolina: Homann, map
radloactivity: Boltwood, 153-158	27
Rutherford and Boltwood, 1599	North and South Carolina, map: Map 39
Uranochre, Mitchell county: Hidden, 776	North Carolina, South Carolina and
Uranophane, investigations: Boltwood,	Georgia: Purcell, Map 61; see also
154; 155; 157	Map 69
Uranotil and gummite, pseudomorphism	Virginiae partis australis: Montanus: Map
after uraninite: Foote, 590	10
Uranotil, Mitchell county:	Volcanic
Hidden, 776	action, Haywood county: Clingman,
Flat Rock mine, analysis: Genth, 639	299; 303
Pratt, 1507	rocks, Chatham county: Williams, 1889
Valley river,	Davidson county: Williams, 1889
copper mining: Currey and Proctor,	Montgomery county: Williams, 1889
422	Orange county: Williams, 1889
	crange county, williams, 1999

Rowan county: Laney, 1049	powers, description: Myers, 1274
Williams, 1889	southeastern Appalachian region:
Volcano,	Perrine, 1408
Bald mountain: Kerr, 1012	southern Appalachian streams: Waddell, 1811
Dan river: 426	west of Blue Ridge: Myers and Lewis,
Volutifusus typhus: Conrad, 359 Waccamaw river,	1754
Cape Fear river examination of connec-	resources, western North Carolina:
tion between: Mercur, 1191	Gale, 613
examination: Phillips, 1422	routes from Norfolk harbor to Atlantic
improvement: Abbot, 3	ocean south of Hatteras, and to
Ruffner, 1594	Cape Fear river, map: Map 370
preliminary examination: Mercur, 1210	spouts, Jackson county: Clingman, 299;
swamp lands, drainage: Nash, 1276;	304
1324	Macon county: Clingman, 299; 304 supply: Kerr, 1005
Wadesboro,	Waters, connection, report: Kearney, 950
dolerite: Chatard, 259	Wavellite, Silver Hill mine: Genth, 632
magnetic observations: Bauer, 80	Wayne county,
Wake county: 1480	fossil bones: Cope, 373
map: Map 432; Map 517; Map 768	manganese deposits : Newland, 1285
resources: 1820	marls, analyses: Ledoux, 1060
Shaffer's map: Map 467	Weather report,
triassic: Emmons, 559	1886: 1347
Walhaila quadrangle, map: Map 666	1890-97: 1346
Walnut Creek, plan and section: Brazier,	Weatherby, W. H., and Nash, C. A. Gates
Map 91	county, map: Map 304
Walton, D. S. Dismal swamp canal, map: Map 299	Weathering: Burbank, 218
Warm Springs, see Hot Springs	Webster, dunite: Wadsworth, 1813
Warm springs, see not springs Warren county,	genthite: Clarke, 290
map: Map 333	analysis: Dunnington, 515
mineral springs: Walton, 1823	Walker, 1822
Shocco springs: Moorman, 1253	nickel: Argall, 33
Washington	Biddle, 95
county, swamp lands: 1318	Glenn, 665
harbor, examination and survey: Craig-	Ingalls, 882
hill, 402	Pratt, 1486
map: Map 328	analysis: Barlow, 65
lead mine, Davidson county: Taylor,	deposits: Emmons, 548 peridotite area, map: Map 571
1764	pimelite, mineral resembling, analysis:
mine, see Silver Hill mine	Dunnington, 514
Watauga	tale, analysis : Bachman, 58
county, magnetic iron ores: 1275	Websterite, analysis: Schneider, 1603
mineral resources: Boyd, 188	Weldon, Potomac formation:
quartz porphyry, analysis: Hille-	Fontaine, 588
brand, 804	McGee, 1150
rock analysis: Stokes, 1747	Well, Wilmington: Holmes, 833
river drainage basin: Pressey, 1513	Wells: Fuller and Sanford, 602
Water,	Piedmont: Holmes, 847
analyses: McCarthy, 1136 Durham: Venable, 1804	artesian, see artesian wells
	Wellsite, Clay county, analysis: Pratt,
power: Kerr, 997 Swain, 1755	1487; 1494 Western North Carolina,
developments: Newell, 1284	agricultural advantages: 29
east of Blue Ridge: Swain and others,	conditions: Ayres and Ashe, 43
1754	amphibolites: Lewis, 1091
physiographic conditions: Swain and	climate: Henry, 760
others, 1754	Keith, 964
	•

	Tann 000		
coal deposits: Blake, 142	Kerr, 982		
copper mining: Holmes, 831	King, 1015		
corundum : Blake, 142	Lanman, 1051		
Holmes, 831	Morris, 1257		
Pratt, 1491	mining districts: 1394		
Pratt and Lewis, 1469	map: Peck, Map 125		
Smith, 1667	prehistoric: Simonds, 1656		
discovery: Lewis, 1089	monazite: Blake, 142		
mines and mining: Lewls, 1089	Ingalls, 881		
description: Kerr, 998	mountains, drainage: Willcox, 1884		
Lanman, 1051; 1052	mountain heights: Kelth, 351		
Lindsey, 1104	natural resources: 684		
forest conditions: Ayres and Ashe, 43;	Clingman, 299; 302		
44	Colton, 343		
Pratt, 1503	Emmons, 569; 570		
examination: Reed, 1548	Gatchell, 626		
reserve: 1512	Lindsey, 1104		
Roosevelt, 1585	Pratt, 1480		
resources: Ashe, 38	ore deposits: Olmsted, 1371		
gein mining: Holmes, 844	peridotites: Lewis, 1091		
gems: 1470; 1537	Pratt, 1492		
geography: Guyot, 691 geologic features: Currey, 424	Pratt and Lewis, 1469		
investigations: Emmons, 569	physiography: Emmons, 570		
map: Map 564; Pratt and Lewis:	Pressey and Myers, 1514		
Map 687	Olmsted, 1371		
and water divides; map: Map 476	Owen, 1380		
geology: 1852	popular account: King, 1015		
Keith, 964	pyroxinites: Lewis, 1091		
Kerr, 1001	railroad, mountain division, map: Map		
Pratt and Lewis, 1469	457		
Smith, 1668	river systems: Keith, 964		
Willis, 1893	Pressey, 1513		
ground mica industry: Nitze, 1294	Pressey and Myers, 1514		
guide book: 684	rutile : Blake, 142		
Gatchell, 625	scenery: Presbrey, 1511		
Lindsey, 1104	soapstone: 1504		
hiddenite : Blake, 142	Ashe county: Pratt, 1505		
hydrography: Henry, 760	production: Heighway, 751		
Pressey, 1512; 1513	Pratt, 1480; 1505		
Pressey and Myers, 1514	soils: Keith, 964		
iron deposits: Blake, 142	talc: Blake, 142		
ores: Kase, 946	Keith, 963		
kaolin: Harris, 716	Pratt, 1480; 1504; 1505		
land: 1853	production: Heighway, 751		
lazulite: Blake, 142	Pratt, 1480; 1505		
map: Map 245; Map 348; Map 766	topography: Ashe, 38		
portions: Map 781	Ayres and Ashe, 43; 44		
mica: 666; 1480	Clingman, 302		
Blake, 142	Colton, 342		
Henderson, 757	Diekeson, 498		
Holmes, 840; 841	Hale, 698		
Kerr, 980	Henry, 761		
Sterrett, 1738	Hunt, 864		
mlneral deposits, map: Map 343	Ingram, 883		
lands, description: Miller, 1227	Keith, 951; 954; 964		
resources: 29; 653; 878; 1336; 1480	Kerr, 974; 991; 998		
Harbison, 708	Lanman, 1051		
Ingram, 883	Mitchell, 1237; 1240		
Kelsey and Hutchinson, 967	tracing of; map: Map 276		

triangulation, map: Map 389; Map Wilson, S. New description of Carolina, 399; Map 408; Map 417; Map map: Map 16 436; Map 451; Map 458; Map Wilson 469; Map 585 county, Cross Roads meteorite: Howell, stations: Gannet, 622 water resources: Gale, 613 miocene fossils: Cope, 374 zircon: Blake, 142 quadrangle, map: Map 686 steam stamp mill: Wilson, 1900 Western parts of Virginia; North Caro-Wimble, J. Chart of the province of lina: Hutchlns, T., Map 54 Western turnpike, Blue Rldge to Georgia North Carolina, map: Map 33 Wimble shoals, line, map: Map 1850 hydrographic survey: Bache, 48 Whetstone: 1339 White, J. John White's map: Map 1 map: Map 213 Winslow, F. Chart to accompany report White Oak river, on oyster culture, map: Map 488; examination: Mercur, 1192 Map 489 preliminary examination: Bixby, 137 Winterville quadrangle, map: Map 698 Brown, 208 Mercur, 1211 Winton quadrangle, map: Map 745 Whitney company: Eames, 526 Wolframite, Davidson county, Silver Hill Wiatt mine: Lieber, 1098 mine: Genth, 632 Mitchell, 1239 World's Columbian exposition: North Carolina mineral exhibit: Penrose, Wilkes county: 1480 1407 copper ores: Mitchell, 1239 deep borings: Darton, 453 Wytheville quadrangle, map: Map 732 iron ores: Mitchell, 1239 Xanthitane, Henderson county: Wilkesboro, Shepard, 1628 chrysotile: Pratt, 1462 analysis: Eakins, 520 quadrangle, map: Map 667 Xenotime. Willdey, G. New map of Carolina: Map Alexander county: Hidden, 779; 798 vom Rath, 1543 William's new map of the state of North Brindletown, Burke county: Eakins, Carolina: Map 330 Burke county: Hidden, 797 Williamston quadrangle, map: Map 651 Wilmlngton. analysis: Hidden, 779 approaches, map: Map 280 McDowell county: Hidden, 798 Shepard, 1649 bar: 1289 Compagnie de: 344 Xenotime-zircon. cretaceous fossils: 1261 Henderson county: Hidden, 798 Conrad, 363 Mitchell county: Hidden, 798 eocene fosslls: Conrad, 363 Yadkin river: fossil corals: Lousdale, 1105 Waddell, 1812 shells: Conrad, 349 description: Ayres and Ashe: 44 Tuomey, 1789; 1790 discharge measurements, list: Grover, fossils: Hodge, 827 Holmes, 833 Grover and Hovt. 682 general description: 1897 Hoyt, 857 harbor, examination and survey: Lucas, Newell, 1282-1284 1110 drainage: Campbell, 233 map: Map 629 basin: Perriue, 1408 limestone: Lyell, 1126 Pressey, 1513 magnetic declination: Schott, 1607 Swain, 1755 miocene fossils: Conrad, 356 examination: Fulton, 608 statistics: 879 gauge heights: Davis, 460 to Sauford, geological profile map: Map Hoyt, S57 778 Newell, 1282-1284 well: Holmes, 833 head to Tennessee line, map: Map 777 and vicinity, map: Map 258 Improvement: Abert, 16 reconnaissance: military Bixby, 117 Kearney, map 98 Hlnman, 818

ores: Kerr and Hanna, 992 Mercur, 1205 Davidson county, analysis: Booth, Stanton, 1720 map: Map 513 Zircon: 1339: 1480: 1484 obstructions: Fulton, 610 Kunz, 1032 preliminary examination: Bixby, 139 Merrill, 1213 survey: Murphey, 1270 Shepard, 1630 portions: 1555 Torrey, 1785 surveys: 1555 Truchot, 1788 Uharie river and Abbott's Creek, topo-Venable, 1808 graphic map: Map 605 Buncombe county: Day, 471 Wilkesboro to near Salisbury, map: Porter, 1456 Map 364 analysis: Chandler, 255 Yadkinville quadrangle, map: Map 611 Vanuxem, 1801 Yancey copper mine: Weed, 1846 Burke county: Kunz, 1029 Yancey coupty: 1480 Henderson county: 575; 1248 aeschynite: Hidden, 776 Hidden, 799 asbestos: Pratt, 1462 Hidden and Pratt, 796 chrome ores: Glenn, 665 Kunz. 1044 chromite: Pratt, 1467; 1468; 1489; Pratt, 1484 analysis: Emmons, 572 1490 production 1904: Pratt. 1478; 1480 clay mining: Hill, 803 Iredell county: Pratt, 1477; 1484; 1487 cyanite: Pratt, 1477; 1487 McDowell county: Dana, 451 hyalite. Juggenheim's mine: Julien, 943 Madison county, analysis: Genth, 650 kaolin miulng: Hill, 803 Unaka mountains: Blake, 141 mica: Cirkel, 277 western North Carolina: Blake, 142 Colles, 338 mines: Middleton, 1224 Holmes, 842 Henderson county, Green river: Ven-Phillips, 1443; 1444 able: 1808 Pratt, 1473: 1475; 1480 production: 1480: 1935 mining: Reed, 1549 Sterrett: 1740 monazite deposits: Nitze, 1302 1901-3: Pratt, 1484 Ray mica mine: Simonds, 1655 1904: Pratt, 1498 spessartite, analysis: Koenig, 1021 quantitative analysis: Morehead, 1256 tantalates, analysis: Comstock, 345 treatment: Venable, 1809 Koenig, 1022 twinning law, Henderson county: Hidzoisite, analysis: Eakins, 522 den, 786 Zeek's and Smith's Island, topographic Zoisite, survey, map: Map 220 Mitchell county, analysis: Hidden, 806 Zinc Yancey county, James' mica mine, andeposits: Genth, 648 alysis: Eakins, 522

+1=

